Jae-Hyun Kim

List of Publications by Citations

Source: https://exaly.com/author-pdf/663671/jae-hyun-kim-publications-by-citations.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

241 2,211 23 34 g-index

264 2,960 4 5.49 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
241	Effectiveness of the Korean National Cancer Screening Program in Reducing Gastric Cancer Mortality. <i>Gastroenterology</i> , 2017 , 152, 1319-1328.e7	13.3	199
240	The Association between Short or Long Sleep Times and Quality of Life (QOL): Results of the Korea National Health and Nutrition Examination Survey (KNHANES IV-V). <i>Journal of Clinical Sleep Medicine</i> , 2015 , 11, 625-34	3.1	65
239	Association between chronic disease and catastrophic health expenditure in Korea. <i>BMC Health Services Research</i> , 2015 , 15, 26	2.9	56
238	Association between employment status change and depression in Korean adults. <i>BMJ Open</i> , 2016 , 6, e008570	3	50
237	Economic Burden of Cancer in Korea during 2000-2010. Cancer Research and Treatment, 2015, 47, 387-9	1 <mark>85</mark> .2	42
236	The association between sleep duration and self-rated health in the Korean general population. Journal of Clinical Sleep Medicine, 2013 , 9, 1057-64	3.1	41
235	Immunotoxicity of silicon dioxide nanoparticles with different sizes and electrostatic charge. <i>International Journal of Nanomedicine</i> , 2014 , 9 Suppl 2, 183-93	7.3	38
234	Deep Learning Algorithms with Demographic Information Help to Detect Tuberculosis in Chest Radiographs in Annual WorkersRHealth Examination Data. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	35
233	The differences in health care utilization between Medical Aid and health insurance: a longitudinal study using propensity score matching. <i>PLoS ONE</i> , 2015 , 10, e0119939	3.7	35
232	Association between total sleep duration and suicidal ideation among the Korean general adult population. <i>Sleep</i> , 2013 , 36, 1563-72	1.1	34
231	Breakfast consumption and depressive mood: A focus on socioeconomic status. <i>Appetite</i> , 2017 , 114, 313-319	4.5	33
230	Effect of Socioeconomic Status on the Linkage Between Suicidal Ideation and Suicide Attempts. <i>Suicide and Life-Threatening Behavior</i> , 2016 , 46, 588-597	3.9	33
229	Impact of socioeconomic status and subjective social class on overall and health-related quality of life. <i>BMC Public Health</i> , 2015 , 15, 783	4.1	32
228	A change in social activity affect cognitive function in middle-aged and older Koreans: analysis of a Korean longitudinal study on aging (2006-2012). <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 912-9	3.9	32
227	Hepatitis B virus infection, diabetes mellitus, and their synergism for cholangiocarcinoma development: a case-control study in Korea. <i>World Journal of Gastroenterology</i> , 2015 , 21, 502-10	5.6	28
226	Association between Open-Angle Glaucoma and the Risks of Alzheimer® and Parkinson® Diseases in South Korea: A 10-year Nationwide Cohort Study. <i>Scientific Reports</i> , 2018 , 8, 11161	4.9	27
225	Effects of continuity of care on hospital admission in patients with type 2 diabetes: analysis of nationwide insurance data. <i>BMC Health Services Research</i> , 2015 , 15, 107	2.9	26

224	Effect of adherence to antihypertensive medication on stroke incidence in patients with hypertension: a population-based retrospective cohort study. <i>BMJ Open</i> , 2017 , 7, e014486	3	26
223	Long Sleep Duration is Associated With Sarcopenia in Korean Adults Based on Data from the 2008-2011 KNHANES. <i>Journal of Clinical Sleep Medicine</i> , 2017 , 13, 1097-1104	3.1	26
222	Health care utilization and costs among medical-aid enrollees, the poor not enrolled in medical-aid, and the near poor in South Korea. <i>International Journal for Equity in Health</i> , 2015 , 14, 128	4.6	24
221	Immunotoxicity of zinc oxide nanoparticles with different size and electrostatic charge. International Journal of Nanomedicine, 2014, 9 Suppl 2, 195-205	7.3	24
220	Association of Education and Smoking Status on Risk of Diabetes Mellitus: A Population-Based Nationwide Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	23
219	The werther effect of two celebrity suicides: an entertainer and a politician. <i>PLoS ONE</i> , 2013 , 8, e84876	3.7	23
218	Effect of the Online Game Shutdown Policy on Internet Use, Internet Addiction, and Sleeping Hours in Korean Adolescents. <i>Journal of Adolescent Health</i> , 2018 , 62, 548-555	5.8	22
217	Effects of social activity on health-related quality of life according to age and gender: an observational study. <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 140	3	21
216	Factors influencing unmet need for health care services in Korea. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP2555-69	2	20
215	Relationship between Weight, Body Mass Index and Bone Mineral Density of Lumbar Spine in Women. <i>Journal of Bone Metabolism</i> , 2012 , 19, 95-102	2.7	20
214	A change in social activity and depression among Koreans aged 45 years and more: analysis of the Korean Longitudinal Study of Aging (2006-2010). <i>International Psychogeriatrics</i> , 2015 , 27, 629-37	3.4	19
213	Effect of periodontitis on the development of osteoporosis: results from a nationwide population-based cohort study (2003-2013). <i>BMC Womenl</i> s <i>Health</i> , 2017 , 17, 77	2.9	19
212	Patterns of Alcohol Consumption and Suicidal Behavior: Findings From the Fourth and Fifth Korea National Health and Nutritional Examination Survey (2007-2011). <i>Journal of Preventive Medicine and Public Health</i> , 2015 , 48, 142-50	3.7	18
211	The synergistic effect of breastfeeding discontinuation and cesarean section delivery on postpartum depression: A nationwide population-based cohort study in Korea. <i>Journal of Affective Disorders</i> , 2017 , 218, 53-58	6.6	17
2 10	Is one ß usual dinner companion associated with greater odds of depression? Using data from the 2014 Korean National Health and Nutrition Examination Survey. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 560-8	8.5	17
209	Disease management index of potential years of life lost as a tool for setting priorities in national disease control using OECD health data. <i>Health Policy</i> , 2014 , 115, 92-9	3.2	17
208	Relationship between current sleep duration and past suicidal ideation or attempt among Korean adolescents. <i>Journal of Preventive Medicine and Public Health</i> , 2013 , 46, 329-35	3.7	17
207	Impact of a diagnosis-related group payment system on cesarean section in Korea. <i>Health Policy</i> , 2016 , 120, 596-603	3.2	16

206	Effects of drug price reduction and prescribing restrictions on expenditures and utilisation of antihypertensive drugs in Korea. <i>BMJ Open</i> , 2015 , 5, e006940	3	16
205	The diagnosis of healthcare policy problems in Korea. <i>Journal of the Korean Medical Association</i> , 2012 , 55, 932	0.5	16
204	Effect of Ulcerative Colitis on Incidence of Colorectal Cancer: Results from the Nationwide Population-Based Cohort Study (2003-2013). <i>Journal of Cancer</i> , 2016 , 7, 681-6	4.5	16
203	The effect of new drug pricing systems and new reimbursement guidelines on pharmaceutical expenditures and prescribing behavior among hypertensive patients in Korea. <i>Health Policy</i> , 2015 , 119, 604-11	3.2	15
202	Positive correlation between care given by specialists and registered nurses and improved outcomes for stroke patients. <i>Journal of the Neurological Sciences</i> , 2015 , 353, 137-42	3.2	15
201	Effects of individual and neighborhood socioeconomic status on the risk of all-cause mortality in chronic obstructive pulmonary disease: A nationwide population-based cohort study, 2002-2013. <i>Respiratory Medicine</i> , 2016 , 114, 9-17	4.6	15
200	Change in household income and risk for attention deficit hyperactivity disorder during childhood: A nationwide population-based cohort study. <i>Journal of Epidemiology</i> , 2017 , 27, 56-62	3.4	14
199	The effect of subjective and objective social class on health-related quality of life: new paradigm using longitudinal analysis. <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 121	3	14
198	The association between quality of care and quality of life in long-stay nursing home residents with preserved cognition. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 220-225	5.9	14
197	The Association between Continuity of Care and All-Cause Mortality in Patients with Newly Diagnosed Obstructive Pulmonary Disease: A Population-Based Retrospective Cohort Study, 2005-2012. <i>PLoS ONE</i> , 2015 , 10, e0141465	3.7	14
196	Effects of a change in social activity on quality of life among middle-aged and elderly Koreans: Analysis of the Korean longitudinal study of aging (2006-2012). <i>Geriatrics and Gerontology International</i> , 2017 , 17, 132-141	2.9	13
195	Associations between time in bed and suicidal thoughts, plans and attempts in Korean adolescents. <i>BMJ Open</i> , 2015 , 5, e008766	3	13
194	The effect of competition on the relationship between the introduction of the DRG system and quality of care in Korea. <i>European Journal of Public Health</i> , 2016 , 26, 42-7	2.1	13
193	Gender-specific differences in risk for intimate partner violence in South Korea. <i>BMC Public Health</i> , 2014 , 14, 415	4.1	13
192	Sex Difference in the Association between High-sensitivity C-reactive Protein and Depression: The 2016 Korea National Health and Nutrition Examination Survey. <i>Scientific Reports</i> , 2019 , 9, 1918	4.9	13
191	Sex differences in the association between thyroid-stimulating hormone levels and depressive symptoms among the general population with normal free T4 levels. <i>Journal of Affective Disorders</i> , 2019 , 249, 151-158	6.6	13
190	Impact of health insurance status changes on healthcare utilisation patterns: a longitudinal cohort study in South Korea. <i>BMJ Open</i> , 2016 , 6, e009538	3	12
189	Combined effect of body mass index and body size perception on metabolic syndrome in South Korea: results of the fifth Korea National Health and Nutrition Examination Surveys (2010-2012). <i>BMC Public Health</i> , 2015 , 15, 554	4.1	11

(2019-2015)

188	The outcomes of psychiatric inpatients by proportion of experienced psychiatrists and nurse staffing in hospital: New findings on improving the quality of mental health care in South Korea. Psychiatry Research, 2015, 229, 880-6	9.9	11
187	Alcohol consumption frequency or alcohol intake per drinking session: Which has a larger impact on the metabolic syndrome and its components?. <i>Alcohol</i> , 2018 , 71, 15-23	2.7	11
186	Cohort study of cervical ossification of posterior longitudinal ligament in a Korean populations: Demographics of prevalence, surgical treatment, and disability. <i>Clinical Neurology and Neurosurgery</i> , 2018 , 166, 4-9	2	11
185	Effects of inhaled corticosteroids /long-acting agonists in a single inhaler versus inhaled corticosteroids alone on all-cause mortality, pneumonia, and fracture in chronic obstructive pulmonary disease: A nationwide cohort study 2002-2013. <i>Respiratory Medicine</i> , 2017 , 130, 75-84	4.6	11
184	The association of market competition with hospital charges, length of stay, and quality outcomes for patients with joint diseases: a longitudinal study in Korea. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, 195-207	2	11
183	Risk Factors for Colorectal Cancer in Korea: A Population-Based Retrospective Cohort Study. <i>Annals of Coloproctology</i> , 2019 , 35, 347-356	1.9	11
182	Projection of Breast Cancer Burden due to Reproductive/Lifestyle Changes in Korean Women (2013-2030) Using an Age-Period-Cohort Model. <i>Cancer Research and Treatment</i> , 2018 , 50, 1388-1395	5.2	11
181	Effect of poor sleep quality on subjective cognitive decline (SCD) or SCD-related functional difficulties: Results from 220,000 nationwide general populations without dementia. <i>Journal of Affective Disorders</i> , 2020 , 260, 32-37	6.6	11
180	Association between sleep disorder and panic disorder in South Korea: Nationwide nested case-control study of data from 2004 to 2013. <i>Psychiatry Research</i> , 2018 , 260, 286-291	9.9	11
179	Mortality differences by surgical volume among patients with stomach cancer: a threshold for a favorable volume-outcome relationship. <i>World Journal of Surgical Oncology</i> , 2017 , 15, 134	3.4	10
178	Effects of diagnosis-related group payment system on appendectomy outcomes. <i>Journal of Surgical Research</i> , 2016 , 206, 347-354	2.5	10
177	Depression in the Family of Patients With Dementia in Korea. <i>American Journal of Alzheimerh</i> Disease and Other Dementias, 2016 , 31, 481-91	2.5	10
176	Impact of the gap between socioeconomic stratum and subjective social class on depressive symptoms: unique insights from a longitudinal analysis. <i>Social Science and Medicine</i> , 2014 , 120, 49-56	5.1	10
175	Cross-level interaction between individual socioeconomic status and regional deprivation on overall survival after onset of ischemic stroke: National health insurance cohort sample data from 2002 to 2013. <i>Journal of Epidemiology</i> , 2017 , 27, 381-388	3.4	10
174	Mortality, length of stay, and inpatient charges for heart failure patients at public versus private hospitals in South Korea. <i>Yonsei Medical Journal</i> , 2015 , 56, 853-61	3	10
173	The combined effect of subjective body image and body mass index (distorted body weight perception) on suicidal ideation. <i>Journal of Preventive Medicine and Public Health</i> , 2015 , 48, 94-104	3.7	10
172	Cost Effectiveness of Colorectal Cancer Screening Interventions with Their Effects on Health Disparity Being Considered. <i>Cancer Research and Treatment</i> , 2016 , 48, 1010-9	5.2	10
171	Risk of cardiac disease after adjuvant radiation therapy among breast cancer survivors. <i>Breast</i> , 2019 , 43, 48-54	3.6	10

170	Effect of grip strength on mental health. Journal of Affective Disorders, 2019, 245, 371-376	6.6	10
169	The impact of age differences in couples on depressive symptoms: evidence from the Korean longitudinal study of aging (2006-2012). <i>BMC Psychiatry</i> , 2015 , 15, 10	4.2	9
168	Cigarette type or smoking history: Which has a greater impact on the metabolic syndrome and its components?. <i>Scientific Reports</i> , 2020 , 10, 10467	4.9	9
167	Unmet healthcare needs and community health center utilization among the low-income population based on a nationwide community health survey. <i>Health Policy</i> , 2016 , 120, 630-7	3.2	9
166	Disparities in socioeconomic status and neighborhood characteristics affect all-cause mortality in patients with newly diagnosed hypertension in Korea: a nationwide cohort study, 2002-2013. <i>International Journal for Equity in Health</i> , 2016 , 15, 3	4.6	9
165	Effect of Weekend Admission on In-Hospital Mortality in Patients with Ischemic Stroke: An Analysis of Korean Nationwide Claims Data from 2002 to 2013. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 419-27	2.8	9
164	Trends of US Hospitalist and Suggestions for Introduction of Korean Hospitalist. <i>Korean Journal of Medicine</i> , 2015 , 89, 1	0.5	9
163	Greater continuity of care reduces hospital admissions in patients with hypertension: An analysis of nationwide health insurance data in Korea, 2011-2013. <i>Health Policy</i> , 2016 , 120, 604-11	3.2	9
162	Thyroid fine-needle aspiration biopsy positively correlates with increased diagnosis of thyroid cancer in South Korean patients. <i>BMC Cancer</i> , 2017 , 17, 114	4.8	8
161	The effect of increasing the coinsurance rate on outpatient utilization of healthcare services in South Korea. <i>BMC Health Services Research</i> , 2017 , 17, 152	2.9	8
160	Associations of volume and other hospital characteristics on mortality within 30 days of acute myocardial infarction in South Korea. <i>BMJ Open</i> , 2015 , 5, e009186	3	8
159	The effect of cost-sharing in private health insurance on the utilization of health care services between private insurance purchasers and non-purchasers: a study of the Korean health panel survey (2008-2012). <i>BMC Health Services Research</i> , 2015 , 15, 489	2.9	8
158	Suicide risk after cancer diagnosis among older adults: A nationwide retrospective cohort study. Journal of Geriatric Oncology, 2020 , 11, 814-819	3.6	8
157	Statin adherence and risk of all-cause, cancer, and cardiovascular mortality among dyslipidemia patients: A time-dependent analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 2207-	-2 2 74	8
156	Depressive symptoms of house-poor persons: Korean panel data evidence. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 569-77	8.5	8
155	Socio-demographic and clinical factors contributing to smoking cessation among men: a four-year follow up study of the Korean Health Panel Survey. <i>BMC Public Health</i> , 2016 , 16, 908	4.1	8
154	Nurse Staffing and 30-day Readmission of Chronic Obstructive Pulmonary Disease Patients: A 10-year Retrospective Study of Patient Hospitalization. <i>Asian Nursing Research</i> , 2016 , 10, 283-288	2.5	8
153	Relationship between socioeconomic status and accessibility for endoscopic resection among gastric cancer patients: using National Health Insurance Cohort in Korea: poverty and endoscopic resection. <i>Gastric Cancer</i> , 2017 , 20, 61-69	7.6	7

152	Effective strategy for improving health care outcomes: Multidisciplinary care in cerebral infarction patients. <i>Health Policy</i> , 2015 , 119, 1039-45	3.2	7	
151	Effects of the gap between socioeconomic status and perceived social class on suicidal ideation: Unique perspectives using a longitudinal analysis. <i>Archives of Gerontology and Geriatrics</i> , 2015 , 61, 384-	.94	7	
150	Different socioeconomic inequalities exist in terms of the prevention, diagnosis and control of diabetes. <i>European Journal of Public Health</i> , 2015 , 25, 961-5	2.1	7	
149	The association between satisfaction with husband® participation in housework and suicidal ideation among married working women in Korea. <i>Psychiatry Research</i> , 2018 , 261, 541-546	9.9	7	
148	Impact of continuity of care on preventable hospitalization of patients with type 2 diabetes: a nationwide Korean cohort study, 2002-10. <i>International Journal for Quality in Health Care</i> , 2016 , 28, 478	8-85	7	
147	The impact of occupation according to income on depressive symptoms in South Korean individuals: Findings from the Korean Welfare Panel Study. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 227-34	8.5	7	
146	Gender Discrimination in the Workplace: Effects on Pregnancy Planning and Childbirth among South Korean Women. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	7	
145	Effects of a mandatory DRG payment system in South Korea: Analysis of multi-year nationwide hospital claims data. <i>BMC Health Services Research</i> , 2019 , 19, 776	2.9	7	
144	The association between socioeconomic status and visual impairments among primary glaucoma: the results from Nationwide Korean National Health Insurance Cohort from 2004 to 2013. <i>BMC Ophthalmology</i> , 2017 , 17, 153	2.3	7	
143	Combined effects of education level and perceived social class on self-rated health and life satisfaction: Results of Korean labor and income panel study wave 8-wave 15. <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 178	3	7	
142	Governmental designation of spine specialty hospitals, their characteristics, performance and designation effects: a longitudinal study in Korea. <i>BMJ Open</i> , 2014 , 4, e006525	3	7	
141	Association between Fear of Falling (FOF) and all-cause mortality. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 88, 104017	4	7	
140	Sex differences in type of exercise associated with depression in South Korean adults. <i>Scientific Reports</i> , 2020 , 10, 18271	4.9	7	
139	Impact of Market Competition on Continuity of Care and Hospital Admissions for Asthmatic Children: A Longitudinal Analysis of Nationwide Health Insurance Data 2009-2013. <i>PLoS ONE</i> , 2016 , 11, e0150926	3.7	7	
138	The economic burden of cancer attributable to obesity in Korea: A population-based cohort study. <i>European Journal of Cancer Care</i> , 2019 , 28, e13084	2.4	6	
137	Does hospital need more hospice beds? Hospital charges and length of stays by lung cancer inpatients at their end of life: A retrospective cohort design of 2002-2012. <i>Palliative Medicine</i> , 2015 , 29, 808-16	5.5	6	
136	Sleep disorders and risk of hospitalization in patients with mood disorders: Analysis of the National Sample Cohort over 10 years. <i>Psychiatry Research</i> , 2016 , 245, 259-266	9.9	6	
135	Readmission rates of South Korean psychiatric inpatients by inpatient volumes per psychiatrist. BMC Psychiatry, 2016 , 16, 96	4.2	6	

134	Incidence of Pressure Ulcers During Home and Institutional Care Among Long-Term Care Insurance Beneficiaries With Dementia Using the Korean Elderly Cohort. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 638.e1-638.e5	5.9	6
133	Association between secondhand smoke and glycemic control in adult diabetes patients. <i>Preventive Medicine</i> , 2017 , 94, 48-54	4.3	6
132	Is nutritional labeling associated with individual health? The effects of labeling-based awareness on dyslipidemia risk in a South Korean population. <i>Nutrition Journal</i> , 2016 , 15, 81	4.3	6
131	Improvement in Clinical Performance of Interns and Residents through Clinical Skills Assessment of the Korean Medical Licensing Examination. <i>Korean Journal of Medical Education</i> , 2012 , 24, 329-38	1.8	6
130	Variation in meal-skipping rates of Korean adolescents according to socio-economic status: results of the Korea Youth Risk Behavior Web-based Survey. <i>Journal of Preventive Medicine and Public Health</i> , 2014 , 47, 158-68	3.7	6
129	Copayment policy effects on healthcare spending and utilization by Korean lung cancer patients at end of life: a retrospective cohort design 2003-2012. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 5265-70	1.7	6
128	Hospitalizations and mortality among patients with fetal alcohol spectrum disorders: a prospective study. <i>Scientific Reports</i> , 2020 , 10, 19512	4.9	6
127	Association between reduction in copayment and gastric cancer patient concentration to the capital area in South Korea: NHI cohort 2003-2013. <i>Health Policy</i> , 2016 , 120, 580-9	3.2	6
126	Impact of co-payment for outpatient utilization among Medical Aid beneficiaries in Korea: A 5-year time series study. <i>Health Policy</i> , 2016 , 120, 960-6	3.2	6
125	Employment status and unmet dental care needs in South Korea: a population-based panel study. <i>BMJ Open</i> , 2019 , 9, e022436	3	6
124	Does long-term care insurance reduce the burden of medical costs? A retrospective elderly cohort study. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 1641-1646	2.9	6
123	Association between depression and risk of Parkinson® disease in South Korean adults. <i>Journal of Affective Disorders</i> , 2021 , 292, 75-80	6.6	6
122	Association between weight control failure and suicidal ideation in overweight and obese adults: a cross-sectional study. <i>BMC Public Health</i> , 2016 , 16, 259	4.1	5
121	Effects of Household Income Change on Children® Problem Behavior: Findings From a Longitudinal Study. <i>Journal of Adolescent Health</i> , 2019 , 65, 527-535	5.8	5
120	Income disparity and mortality among patients with alcohol use disorder in South Korea. <i>Psychiatry Research</i> , 2017 , 258, 358-364	9.9	5
119	Synergistic effect of interaction between perceived health and social activity on depressive symptoms in the middle-aged and elderly: a population-based longitudinal study. <i>BMJ Open</i> , 2015 , 5, e007154	3	5
118	Effects of Disease Detection on Changes in Smoking Behavior. <i>Yonsei Medical Journal</i> , 2015 , 56, 1143-9	3	5
117	Analysis of Hospital Volume and Factors Influencing Economic Outcomes in Cancer Surgery: Results from a Population-based Study in Korea. <i>Osong Public Health and Research Perspectives</i> , 2017 , 8, 34-46	6.1	5

116	Family Members of Cancer Patients in Korea Are at an Increased Risk of Medically Diagnosed Depression. <i>Journal of Preventive Medicine and Public Health</i> , 2018 , 51, 100-108	3.7	5	
115	Patterns of Care for Radiotherapy in the Neoadjuvant and Adjuvant Treatment of Gastric Cancer: A Twelve-Year Nationwide Cohort Study in Korea. <i>Cancer Research and Treatment</i> , 2018 , 50, 118-128	5.2	5	
114	Incidence of Keratoconus and Its Association with Systemic Comorbid Conditions: A Nationwide Cohort Study from South Korea. <i>Journal of Ophthalmology</i> , 2020 , 2020, 3493614	2	5	
113	Do Sleep Disorders Positively Correlate with Dry Eye Syndrome? Results of National Claim Data. International Journal of Environmental Research and Public Health, 2019, 16,	4.6	4	
112	The relationship between economic status and mortality of South Koreans, as it relates to average life expectancy. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP2443-57	2	4	
111	Home oxygen therapy reduces risk of hospitalisation in patients with chronic obstructive pulmonary disease: a population-based retrospective cohort study, 2005-2012. <i>BMJ Open</i> , 2015 , 5, e009	9 0 65	4	
110	The cross-interaction between global and age-comparative self-rated health on depressive symptoms-considering both the individual and combined effects. <i>BMC Psychiatry</i> , 2016 , 16, 433	4.2	4	
109	Are sleep disorders associated with increased mortality in asthma patients?. <i>BMC Pulmonary Medicine</i> , 2016 , 16, 154	3.5	4	
108	Differences in Fracture Incidence According to Caregiver Type in Stroke Survivors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, 2849-2856	2.8	4	
107	Do hospital characteristics influence Cesarean delivery? Analysis of National Health Insurance claim data. <i>European Journal of Public Health</i> , 2017 , 27, 801-807	2.1	4	
106	The association between number of doctors per bed and readmission of elderly patients with pneumonia in South Korea. <i>BMC Health Services Research</i> , 2017 , 17, 393	2.9	4	
105	Effect of Changes in Sleep Quantity and Quality on Depressive Symptoms Among Korean Children. <i>Journal of School Nursing</i> , 2017 , 33, 299-306	2.1	4	
104	The temporal association of excessive health expenditure with suicidal ideation among primary income earners: a cross-sectional design using the Korean Welfare Panel Survey (KoWePS). <i>BMJ Open</i> , 2015 , 5, e007421	3	4	
103	The gender-specific association between age at first drink and later alcohol drinking patterns in Korea. <i>PLoS ONE</i> , 2014 , 9, e90713	3.7	4	
102	The Health Burden of Cancer Attributable to Obesity in Korea: A Population-Based Cohort Study. <i>Cancer Research and Treatment</i> , 2019 , 51, 933-940	5.2	4	
101	Synergistic association of high-sensitivity C-reactive protein and body mass index with insulin resistance in non-diabetic adults. <i>Scientific Reports</i> , 2020 , 10, 18417	4.9	4	
100	Association of self-reported sedentary time with insulin resistance among Korean adults without diabetes mellitus: a cross-sectional study. <i>BMC Public Health</i> , 2018 , 18, 1335	4.1	4	
99	Factors Related to the Institutionalization of Older Aged Individuals Using Home- and Community-Based Care Services: Data From the South Korea Long-Term Care Insurance Program, 2008-2013. Journal of Aging and Social Policy 2019, 31, 321-337.	7.4	3	

98	The effect of off-hour delivery on severe maternal morbidity: a population-based cohort study. European Journal of Public Health, 2019 , 29, 1031-1036	2.1	3
97	Association between community outpatient clinic care accessibility and the uptake of diabetic retinopathy screening: A multi-level analysis. <i>Primary Care Diabetes</i> , 2020 , 14, 616-621	2.4	3
96	Effect of socioeconomic deprivation on outcomes of diabetes complications in patients with type 2 diabetes mellitus: a nationwide population-based cohort study of South Korea. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	3
95	The association between low level of high-density lipoprotein cholesterol and mood disorder using time-dependent analysis. <i>Journal of Affective Disorders</i> , 2018 , 225, 317-325	6.6	3
94	Association between serum 25-hydroxyvitamin D levels and pulmonary function, among Korean adults, during 2010-2014, by sex, age, and body mass index. <i>Respiratory Medicine</i> , 2018 , 140, 32-38	4.6	3
93	Solitary drinking and the risk of depressive symptoms and suicidal ideation in college students: Findings from a nationwide survey in Korea. <i>Journal of Affective Disorders</i> , 2019 , 257, 710-715	6.6	3
92	Psychiatric outcomes after hysterectomy in women with uterine myoma: a population-based retrospective cohort study. <i>Archives of Womenls Mental Health</i> , 2017 , 20, 487-494	5	3
91	Healthcare Spending and Performance of Specialty Hospitals: Nationwide Evidence from Colorectal-Anal Specialty Hospitals in South Korea. <i>Yonsei Medical Journal</i> , 2015 , 56, 1721-30	3	3
90	Central government reform to improve national disease control. <i>Journal of the Korean Medical Association</i> , 2015 , 58, 714	0.5	3
89	The effect of offspring on depressive disorder among old adults: Evidence from the Korean Longitudinal Study of Aging from 2006 to 2012. <i>Archives of Gerontology and Geriatrics</i> , 2015 , 61, 351-62	4	3
88	Factors for cecal intubation time during colonoscopy in women: Impact of surgical history. <i>Saudi Journal of Gastroenterology</i> , 2019 , 25, 377-383	3	3
87	Setting a health policy research agenda for controlling cancer burden in Korea. <i>Cancer Research and Treatment</i> , 2015 , 47, 149-57	5.2	3
86	Impact of perceived cancer risk on the cancer screening rate in the general Korean population: results from the Korean health panel survey data. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 10525-9	1.7	3
85	Influence of offspring on quality of life among cancer patients and survivors: results from the Korean longitudinal study of aging (KLoSA), 2008-2011. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 10531-7	1.7	3
84	Association between community deprivation and practising health behaviours among South Korean adults: a survey-based cross-sectional study. <i>BMJ Open</i> , 2021 , 11, e047244	3	3
83	Length of stay and readmission in lumbar intervertebral disc disorder inpatients by hospital characteristics and volumes. <i>Health Policy</i> , 2016 , 120, 1008-16	3.2	3
82	Experiences of falling and depression: Results from the Korean Longitudinal Study of Ageing. Journal of Affective Disorders, 2021 , 281, 174-182	6.6	3
81	Job displacement and social safety net on depressive symptoms in individuals aged 45 years or above: findings from the Korean Longitudinal Study of Aging. <i>Ageing and Society</i> , 2018 , 38, 1199-1222	1.7	3

80	Effectiveness of Digital Interventions for Preventing Alcohol Consumption in Pregnancy: Systematic Review and Meta-analysis <i>Journal of Medical Internet Research</i> , 2022 , 24, e35554	7.6	3
79	The association between intimate partner violence onset and gender-specific depression: A longitudinal study of a nationally representative sample. <i>Journal of Affective Disorders</i> , 2019 , 250, 79-84	1 ^{6.6}	2
78	Occupational differences in standardized mortality ratios for non-melanotic skin cancer and melanoma in exposed areas among individuals with Fitzpatrick skin types III and IV. <i>Journal of Occupational Health</i> , 2019 , 61, 235-241	2.3	2
77	The Influences of Visceral Fat Area on the Sites of Esophageal Mucosal Breaks in Subjects with Gastroesophageal Reflux Diseases. <i>Gastroenterology Research and Practice</i> , 2019 , 2019, 9672861	2	2
76	The relationship between severe maternal morbidity and a risk of postpartum readmission among Korean women: a nationwide population-based cohort study. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 148	3.2	2
75	The association of physical function and quality of life on physical activity for non-small cell lung cancer survivors. <i>Supportive Care in Cancer</i> , 2020 , 28, 4847-4856	3.9	2
74	Effects of social integration on depressive symptoms in Korea: analysis from the Korean Longitudinal Study of Aging (2006-12). <i>Australian Health Review</i> , 2017 , 41, 222-230	1.8	2
73	The differences in healthcare utilization for dental caries based on the implementation of water fluoridation in South Korea. <i>BMC Oral Health</i> , 2016 , 16, 119	3.7	2
72	Evaluation of the South Korean national long-term care insurance-funded cognitive function training programme for older people with mild dementia. <i>Age and Ageing</i> , 2019 , 48, 636-642	3	2
71	Association between home-visit nursing utilization and all-cause hospitalization among long-term care insurance beneficiaries: A retrospective cohort study. <i>International Journal of Nursing Studies</i> , 2017 , 75, 93-100	5.8	2
70	Do causes of stress differ in their association with problem drinking by sex in Korean adolescents?. <i>Addictive Behaviors</i> , 2017 , 64, 62-69	4.2	2
69	The relationship between changes in employment status and mortality risk based on the Korea Labor and Income Panel Study (2003-2008). <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP993-1001	2	2
68	Problems and future directions for quality evaluation of the Health Insurance Review and Assessment Service. <i>Journal of the Korean Medical Association</i> , 2015 , 58, 176	0.5	2
67	Association Between Parental Marital Status and Types of Suicidal Behavior Among Korean Adolescents: A Cross-sectional Study. <i>Journal of Preventive Medicine and Public Health</i> , 2020 , 53, 419-42	8 ^{3.7}	2
66	Socioeconomic Status and Successful Delivery after an Infertility Diagnosis: a Nationwide Health Insurance Cohort Study in Korea Conducted from 2005 to 2013. <i>Journal of Korean Medical Science</i> , 2020 , 35, e341	4.7	2
65	Sex differences associated with hepatitis B virus surface antigen seropositivity unwareness in hepatitis B virus surface antigen-positive adults: 2007-2012 Korea National Health and Nutrition Examination Survey. <i>Journal of Preventive Medicine and Public Health</i> , 2015 , 48, 74-83	3.7	2
64	The Impact of Transitions in Caregiving Status on Depressive Symptoms among Older Family Caregivers: Findings from the Korean Longitudinal Study of Aging. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 18,	4.6	2
63	Strategies for Improving Healthcare Delivery System in Korea. HIRA Research, 2021 , 1, 9-15		2

62	Social Welfare Centers Protect Outpatients with Mood Disorders from Risk of Hospital Admission. <i>PLoS ONE</i> , 2016 , 11, e0146754	3.7	2
61	Effects of difference in self-esteem between spouses on depressive symptom: Result from a data nationally representative of South Korean. <i>Psychiatry Research</i> , 2016 , 246, 623-628	9.9	2
60	The effect of suicide attempts on suicide ideation by family members in fast developed country, Korea. <i>Comprehensive Psychiatry</i> , 2016 , 66, 132-8	7.3	2
59	Impact of change in job status on mortality for newly onset type II diabetes patients: 7 years follow-up using cohort data of National Health Insurance, Korea. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2016 , 10, S1-6	8.9	2
58	Is a Price Increase Policy Enough for Adolescent Smokers?: Factors Affecting the Effectiveness of Increasing Cigarette Prices Among Korean Adolescent Smokers. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 2013-9	4.9	2
57	Weight control success and depression by gender with respect to weight control behaviors. <i>Obesity Research and Clinical Practice</i> , 2019 , 13, 168-175	5.4	2
56	The effects of on-call work on mental health issues among wage workers in the Republic of Korea. <i>Psychology, Health and Medicine</i> , 2020 , 25, 675-686	2.1	2
55	Urinary incontinence status changes and depressive symptoms among middle-aged and older women: Using data from a survey of the Korean Longitudinal Study of Aging. <i>Journal of Affective Disorders</i> , 2021 , 279, 549-553	6.6	2
54	Effect of pre existing respiratory conditions on survival of lung cancer patients: A nationwide population-based cohort study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018 , 14, e71-e80	1.9	2
53	The effect of neonatal hypothyroidism and low family income on intellectual disability: A population-based cohort study. <i>PLoS ONE</i> , 2018 , 13, e0205955	3.7	2
52	Synergistic associations of visual and self-reported hearing acuity with low handgrip strength in older adults: a population-based cross-sectional study. <i>BMC Geriatrics</i> , 2021 , 21, 513	4.1	2
51	Depression before and during-COVID-19 by Gender in the Korean Population <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	2
50	Utilization of professional mental health services according to recognition rate of mental health centers. <i>Psychiatry Research</i> , 2017 , 250, 204-209	9.9	1
49	Association between awareness of nutrition labeling and high-density lipoprotein cholesterol concentration in cancer survivors and the general population: The Korean National Health and Nutrition Examination Survey (KNHANES) 2010-2016. <i>BMC Cancer</i> , 2019 , 19, 16	4.8	1
48	The 30-day unplanned readmission rate and hospital volume: a national population-based study in South Korea. <i>International Journal for Quality in Health Care</i> , 2019 , 31, 768-773	1.9	1
47	Effect of depressive disorder on cognitive decline. Archives of Gerontology and Geriatrics, 2019, 83, 211	-2416	1
46	Chronic alcoholism and all-cause mortality among disabled individuals: Findings from the Korea National Health Insurance Service-National Sample Cohort. <i>Alcohol</i> , 2020 , 89, 57-62	2.7	1
45	Association of habitual alcohol use on risk-taking behaviors while using a car: The Korean National Health and Nutrition Examination Survey 2009-2013. <i>Accident Analysis and Prevention</i> , 2020 , 144, 1056.	- 5β.1	1

(2020-2017)

44	Deregulation of sale of over-the-counter drugs outside of pharmacies in the Republic of Korea: interrupted-time-series analysis of outpatient visits before and after the policy. <i>BMC Health Services Research</i> , 2017 , 17, 478	2.9	1
43	Hospital characteristics related to the hospital length of stay among inpatients receiving invasive cervical discectomy due to road traffic accidents under automobile insurance in South Korea. <i>BMC Health Services Research</i> , 2017 , 17, 567	2.9	1
42	Do Reduced Copayments Affect Mortality after Surgery due to Stroke? An Interrupted Time Series Analysis of a National Cohort Sampled in 2003-2012. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, 1502-1510	2.8	1
41	The effect of multimorbidity on the gap between global and age-comparative self-rated health scores among the Korean elderly. <i>Archives of Gerontology and Geriatrics</i> , 2018 , 76, 19-25	4	1
40	Association Between Results of Quality Assessment of Long-Term Care Facilities and Hospital-Acquired Pneumonia in Individuals with Stroke or Neurodegenerative Disease in Korea. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, e311-e313	5.6	1
39	Beyond volume: hospital-based healthcare technology as a predictor of mortality for cardiovascular patients in Korea. <i>Medicine (United States)</i> , 2016 , 95, e3917	1.8	1
38	Associations between lipid profiles of adolescents and their mothers based on a nationwide health and nutrition survey in South Korea. <i>BMJ Open</i> , 2019 , 9, e024731	3	1
37	Influenza vaccination in Korea. <i>Journal of Infection</i> , 2014 , 68, 190-3	18.9	1
36	Effects of home-visit nursing services on hospitalization in the elderly with pressure ulcers: a longitudinal study. <i>European Journal of Public Health</i> , 2017 , 27, 822-826	2.1	1
35	The current status and directions of healthcare policy in Korea. <i>Journal of the Korean Medical Association</i> , 2012 , 55, 930	0.5	1
34	Does Home Oxygen Therapy Slow Down the Progression of Chronic Obstructive Pulmonary Diseases?. <i>The Korean Journal of Hospice and Palliative Care</i> , 2015 , 18, 128-135	0.5	1
33	Association between change in handgrip strength and cognitive function in Korean adults: a longitudinal panel study. <i>BMC Geriatrics</i> , 2021 , 21, 671	4.1	1
32	Differential Association of Vitamin D Deficiency With Albuminuria by Sex in the Korean General Population: A Cross-sectional Study of the Korea National Health and Nutrition Examination Survey 2011-2012. <i>Journal of Preventive Medicine and Public Health</i> , 2018 , 51, 92-99	3.7	1
31	Effects of Offspring-Related Characteristics on Depressive Disorder among Cancer Patients and Survivors. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 4531-6	1.7	1
30	Rate and predictive factors of recurrence: Analysis of a screening cohort. <i>Saudi Journal of Gastroenterology</i> , 2019 , 25, 251-256	3	1
29	Arthritis status changes and depressive symptoms among middle-aged and older Koreans: Analysis of data from the Korean Longitudinal Study of Aging survey. <i>Journal of Psychosomatic Research</i> , 2021 , 151, 110662	4.1	1
28	Effects of BMI and LDL-cholesterol change pattern on cardiovascular disease in normal adults and diabetics. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	1
27	Association of continuity of care with readmission, mortality and suicide after hospital discharge among psychiatric patients. <i>International Journal for Quality in Health Care</i> , 2020 , 32, 569-576	1.9	1

26	Association between human resources and risk of hospitalisation in end-stage renal disease outpatients receiving haemodialysis: a longitudinal cohort study using claim data during 2013-2014. BMJ Open, 2016 , 6, e011319	3	1
25	Cross-sectional study of the association between long working hours and pre-diabetes: 2010-2017 Korea national health and nutrition examination survey. <i>BMJ Open</i> , 2019 , 9, e033579	3	1
24	Associations of Handgrip Strength and Handgrip Strength Asymmetry With Depression in the Elderly in Korea: A Cross-sectional Study. <i>Journal of Preventive Medicine and Public Health</i> , 2021 , 54, 63-	73 27	1
23	Association Between Cohabitation Status and Sleep Quality in Families of Persons With Dementia in Korea: A Cross-sectional Study. <i>Journal of Preventive Medicine and Public Health</i> , 2021 , 54, 317-329	3.7	1
22	Impact of changes in housing tenure and affordability status on depressive symptoms: Evidence from a longitudinal study. <i>Journal of Affective Disorders</i> , 2021 , 295, 40-49	6.6	1
21	Does Urinary Incontinence and Mode of Delivery Affect Postpartum Depression? A Nationwide Population-Based Cohort Study in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
20	Development of Open-Angle Glaucoma in Adults With Seropositive Rheumatoid Arthritis in Korea JAMA Network Open, 2022 , 5, e223345	10.4	1
19	Suicidal ideation from parents to their children: An association between parent® suicidal ideation and their children® suicidal ideation in South Korea. <i>Comprehensive Psychiatry</i> , 2020 , 101, 152181	7.3	O
18	Association between social phobia and the risk of arrhythmia using the Korean National Sample Cohort: a retrospective cohort study <i>BMC Psychiatry</i> , 2022 , 22, 39	4.2	O
17	Association Between Sleep Quality and Anxiety in Korean Adolescents <i>Journal of Preventive Medicine and Public Health</i> , 2022 , 55, 173-181	3.7	O
16	Suicide after cancer diagnosis in South Korea: a population-based cohort study. <i>BMJ Open</i> , 2021 , 11, e049358	3	O
15	Association between depression and the risk of Alzheimer® disease using the Korean National Health Insurance Service-Elderly Cohort. <i>Scientific Reports</i> , 2021 , 11, 22591	4.9	O
14	The effect of menopausal hormone therapy on gastrointestinal cancer risk and mortality in South Korea: a population-based cohort study. <i>BMC Gastroenterology</i> , 2021 , 21, 440	3	О
13	Association between healthy lifestyle score changes and quality of life and health-related quality of life: a longitudinal analysis of South Korean panel data. <i>BMJ Open</i> , 2021 , 11, e047933	3	O
12	Association of Cigarette Type Initially Smoked With Suicidal Behaviors Among Adolescents in Korea From 2015 to 2018. <i>JAMA Network Open</i> , 2021 , 4, e218803	10.4	О
11	Beyond Volume: Hospital-Based Healthcare Technology for Better Outcomes in Cerebrovascular Surgical Patients Diagnosed With Ischemic Stroke: A Population-Based Nationwide Cohort Study From 2002 to 2013. <i>Medicine (United States)</i> , 2016 , 95, e3035	1.8	O
10	Changes in Saturday outpatient volume and billings after introducing the Saturday incentive programme to clinics in South Korea: a longitudinal cohort study using claims data from 2012 to 2014. <i>BMJ Open</i> , 2016 , 6, e011248	3	O
9	Association between smoking cessation and obstructive spirometry pattern among Korean adults aged 40-79 Jears. <i>Scientific Reports</i> , 2021 , 11, 18667	4.9	O

LIST OF PUBLICATIONS

8	Does low income effects 5-year mortality of hepatocellular carcinoma patients?. <i>International Journal for Equity in Health</i> , 2021 , 20, 151	4.6	0
7	Risk of suicide death in psychiatric patients according to the level of continuity of care and area deprivation: A population-based nested case-control study <i>Journal of Psychiatric Research</i> , 2022 , 151, 279-285	5.2	0
6	Governmental designation of emergency medical institutes: 30 days mortality by types of designation. <i>Journal of the Neurological Sciences</i> , 2019 , 397, 162-168	3.2	
5	Association between unplanned readmission to a different hospital and all-cause mortality among older patients with ischemic heart disease: A nationwide claim study. <i>European Journal of Internal Medicine</i> , 2018 , 51, e25-e27	3.9	
4	Joint Symposium of Korean Cancer Association & UICC-ARO-Cross-boundary cancer studies: cancer and Universal Health Coverage (UHC) in Asia. <i>Japanese Journal of Clinical Oncology</i> , 2017 , 47, 889-895	2.8	
3	Consumption of pharmaceutical drugs in exception region of separation for drug prescribing and dispensing program in South Korea. <i>Substance Abuse Treatment, Prevention, and Policy,</i> 2015 , 10, 36	3.4	
2	Public Reporting of Hospital Level Surgical Volumes: Its Influence on Patient Behavior 2018 , 24, 62-75		
1	Long-Term Clinical Outcomes Between Biodegradable and Durable Polymer Drug-Eluting Stents: A Nationwide Cohort Study <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 873114	5.4	