Cathy E Lloyd

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6636753/cathy-e-lloyd-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

2,291
citations

19
h-index

47
g-index

48
ext. papers

6
avg, IF

L-index

#	Paper	IF	Citations
45	Individual and community experiences and the use of language in understanding diabetes and depression in rural Kenya <i>Global Public Health</i> , 2022 , 1-12	3.5	
44	Body self-esteem is related to subjective well-being, severity of depressive symptoms, BMI, glycated hemoglobin levels, and diabetes-related distress in type 2 diabetes <i>PLoS ONE</i> , 2022 , 17, e026	3766	
43	PAID-PL-The Polish Version of the Problem Areas in Diabetes Scale: Perfect Reliability and a One-Factor Structure. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021 , 14, 4433-44	144	1
42	Integration of mental health comorbidity in medical specialty programs in 20 countries. <i>International Journal of Psychiatry in Medicine</i> , 2021 , 56, 278-293	1	3
41	Prevalence and Risk Factors for Diabetic Peripheral Neuropathy in Type 2 Diabetic Patients From 14 Countries: Estimates of the INTERPRET-DD Study. <i>Frontiers in Public Health</i> , 2020 , 8, 534372	6	7
40	Factors associated with the onset of major depressive disorder in adults with type 2 diabetes living in 12 different countries: results from the INTERPRET-DD prospective study. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e134	5.1	3
39	People with diabetes need a lower cut-off than others for depression screening with PHQ-9. <i>PLoS ONE</i> , 2020 , 15, e0240209	3.7	4
38	Validation of the Polish version of WHO-5 as a screening instrument for depression in adults with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2020 , 159, 107970	7.4	11
37	Comment on the consensus report on the management of hyperglycaemia in Type 2 diabetes by the American Diabetes Association and the European Association for the Study of Diabetes. <i>Diabetic Medicine</i> , 2019 , 36, 911-912	3.5	1
36	More anxious than depressed: prevalence and correlates in a 15-nation study of anxiety disorders in people with type 2 diabetes mellitus. <i>Annals of General Psychiatry</i> , 2019 , 32, e100076	5.3	15
35	Prevalence and correlates of depressive disorders in people with Type 2 diabetes: results from the International Prevalence and Treatment of Diabetes and Depression (INTERPRET-DD) study, a collaborative study carried out in 14 countries. <i>Diabetic Medicine</i> , 2018 , 35, 760-769	3.5	58
34	Comment on Young-Hyman et al. Psychosocial Care for People With Diabetes: A Position Statement of the American Diabetes Association. Diabetes Care 2016;39:2126-2140. <i>Diabetes Care</i> , 2018 , 41, e31-e	14 .6	3
33	The impact of multiple sclerosis on the identity of mothers in Italy. <i>Disability and Rehabilitation</i> , 2018 , 40, 1456-1467	2.4	10
32	Language matters: a UK perspective. <i>Diabetic Medicine</i> , 2018 , 35, 1635-1641	3.5	13
31	Language matters. Addressing the use of language in the care of people with diabetes: position statement of the English Advisory Group. <i>Diabetic Medicine</i> , 2018 , 35, 1630-1634	3.5	20
30	Improving patient experience in primary care: a multimethod programme of research on the measurement and improvement of patient experience. <i>Programme Grants for Applied Research</i> , 2017 , 5, 1-452	1.5	17
29	Variations in GP-patient communication by ethnicity, age, and gender: evidence from a national primary care patient survey. <i>British Journal of General Practice</i> , 2016 , 66, e47-52	1.6	28

(2008-2016)

28	Understanding negative feedback from South Asian patients: an experimental vignette study. <i>BMJ Open</i> , 2016 , 6, e011256	3	13
27	Does the availability of a South Asian language in practices improve reports of doctor-patient communication from South Asian patients? Cross sectional analysis of a national patient survey in English general practices. <i>BMC Family Practice</i> , 2015 , 16, 55	2.6	20
26	The INTERPRET-DD study of diabetes and depression: a protocol. <i>Diabetic Medicine</i> , 2015 , 32, 925-34	3.5	16
25	What factors influence concordance with medications? Findings from the U.K. Asian Diabetes study. <i>Diabetic Medicine</i> , 2014 , 31, 1600-9	3.5	5
24	Cultural Applicability of Screening Tools for Measuring Symptoms of Depression 2013, 67-86		1
23	Psychological care in a national health service: challenges for people with diabetes. <i>Current Diabetes Reports</i> , 2013 , 13, 894-9	5.6	3
22	Epidemiology of depression and diabetes: a systematic review. <i>Journal of Affective Disorders</i> , 2012 , 142 Suppl, S8-21	6.6	593
21	Epidemiology of depression in diabetes: international and cross-cultural issues. <i>Journal of Affective Disorders</i> , 2012 , 142 Suppl, S22-9	6.6	59
20	Prevalence of co-morbid depression in out-patients with type 2 diabetes mellitus in Bangladesh. <i>BMC Psychiatry</i> , 2012 , 12, 123	4.2	42
19	Screening tools used for measuring depression among people with Type 1 and Type 2 diabetes: a systematic review. <i>Diabetic Medicine</i> , 2012 , 29, 164-75	3.5	92
18	Measuring psychological well-being in South Asians with diabetes; a qualitative investigation of the PHQ-9 and the WHO-5 as potential screening tools for measuring symptoms of depression. <i>Diabetic Medicine</i> , 2012 , 29, 140-7	3.5	21
17	Psychological Burden of Diabetes and What It Means to People with Diabetes 2012 , 1-22		3
16	Prevalence of depression in individuals with impaired glucose metabolism or undiagnosed diabetes: a systematic review and meta-analysis of the European Depression in Diabetes (EDID) Research Consortium. <i>Diabetes Care</i> , 2011 , 34, 752-62	14.6	157
15	Does diabetes-related distress explain the presence of depressive symptoms and/or poor self-care in individuals with Type 1 diabetes?. <i>Diabetic Medicine</i> , 2010 , 27, 234-7	3.5	75
14	The Epidemiology of Depression and Diabetes 2010 , 1-27		8
13	Type 2 diabetes mellitus as a risk factor for the onset of depression: a systematic review and meta-analysis. <i>Diabetologia</i> , 2010 , 53, 2480-6	10.3	470
12	Development of alternative methods of data collection in South Asians with Type 2 diabetes. <i>Diabetic Medicine</i> , 2008 , 25, 455-62	3.5	22
11	Securing recruitment and obtaining informed consent in minority ethnic groups in the UK. <i>BMC Health Services Research</i> , 2008 , 8, 68	2.9	35

10	Physical activity and risk of diabetes. <i>Lancet, The</i> , 2008 , 371, 5-7	40	13
9	The prevalence of complications of insulin-dependent diabetes mellitus in the United States. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2005, 9, 171-174		3
8	Cross-cultural comparisons of anxiety and depression in adults with type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2003 , 19, 401-7	7.5	16
7	Diabetes and depression. Current Diabetes Reports, 2002, 2, 465-6	5.6	6
6	Prevalence of symptoms of depression and anxiety in a diabetes clinic population. <i>Diabetic Medicine</i> , 2000 , 17, 198-202	3.5	165
5	Association between stress and glycemic control in adults with type 1 (insulin-dependent) diabetes. <i>Diabetes Care</i> , 1999 , 22, 1278-83	14.6	77
4	Physical and psychological well-being in adults with Type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 1999 , 44, 9-19	7.4	42
3	Waist to hip ratio and psychosocial factors in adults with insulin-dependent diabetes mellitus: the Pittsburgh Epidemiology of Diabetes Complications study. <i>Metabolism: Clinical and Experimental</i> , 1996 , 45, 268-72	12.7	34
2	Psychosocial factors and complications of IDDM. The Pittsburgh Epidemiology of Diabetes Complications Study. VIII. <i>Diabetes Care</i> , 1992 , 15, 166-72	14.6	87