

Vassilios G Agelidis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6637253/publications.pdf>

Version: 2024-02-01

415
papers

17,900
citations

14124

69
h-index

22488

117
g-index

416
all docs

416
docs citations

416
times ranked

11857
citing authors

#	ARTICLE	IF	CITATIONS
1	A Method Without Stability Issue for Robust Estimation of Three-Phase Grid Frequency. IEEE Journal of Emerging and Selected Topics in Industrial Electronics, 2022, 3, 854-859.	3.0	4
2	Fast Estimation of Phase Angle for Three-Phase Voltage Systems Under Distorted Conditions. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2022, 10, 2819-2828.	3.7	4
3	Application of an adaptive Bayesian-based model for probabilistic and deterministic PV forecasting. IET Renewable Power Generation, 2021, 15, 2699-2714.	1.7	7
4	High-Order Harmonic Resonances in Traction Power Supplies: A Review Based on Railway Operational Data, Measurements, and Experience. IEEE Transactions on Power Electronics, 2020, 35, 2501-2518.	5.4	55
5	Grid-Connected Photovoltaic Power Plant Without Phase Angle Synchronization Able to Address Fault-Ride-Through Capability. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2020, 8, 3467-3476.	3.7	8
6	Wind-Energy-Powered Electric Vehicle Charging Stations: Resource Availability Data Analysis. Applied Sciences (Switzerland), 2020, 10, 5654.	1.3	15
7	Power Quality in Microgrids Including Supraharmonics: Issues, Standards, and Mitigations. IEEE Access, 2020, 8, 127104-127122.	2.6	95
8	Ripple manipulator towards REG-integrated EV charging infrastructure system. , 2020, , .		0
9	State-of-Charge Estimation for Li-Ion Batteries: A More Accurate Hybrid Approach. IEEE Transactions on Energy Conversion, 2019, 34, 109-119.	3.7	89
10	Experimental study of PV strings affected by cracks. Journal of Engineering, 2019, 2019, 5124-5128.	0.6	6
11	Robust estimation of voltage harmonics in a single-phase system. IET Science, Measurement and Technology, 2019, 13, 662-670.	0.9	2
12	Three-Phase PLL for Grid-Connected Power Converters Under Both Amplitude and Phase Unbalanced Conditions. IEEE Transactions on Industrial Electronics, 2019, 66, 8881-8891.	5.2	48
13	Experimental study of static and dynamic behaviours of cracked PV panels. IET Renewable Power Generation, 2019, 13, 3002-3008.	1.7	4
14	Fast and accurate frequency estimation in distorted grids using a three-sample based algorithm. IET Generation, Transmission and Distribution, 2019, 13, 4242-4248.	1.4	12
15	A market-oriented wind power dispatch strategy using adaptive price thresholds and battery energy storage. Wind Energy, 2018, 21, 242-254.	1.9	16
16	On maximizing profit of wind-battery supported power station based on wind power and energy price forecasting. Applied Energy, 2018, 211, 764-773.	5.1	69
17	Network Topology Independent Multi-Agent Dynamic Optimal Power Flow for Microgrids With Distributed Energy Storage Systems. IEEE Transactions on Smart Grid, 2018, 9, 3419-3429.	6.2	36
18	Control Strategies for Microgrids With Distributed Energy Storage Systems: An Overview. IEEE Transactions on Smart Grid, 2018, 9, 3652-3666.	6.2	307

#	ARTICLE	IF	CITATIONS
19	Single-Phase Boost Inverter-Based Electric Vehicle Charger With Integrated Vehicle to Grid Reactive Power Compensation. IEEE Transactions on Power Electronics, 2018, 33, 3462-3471.	5.4	78
20	Model Predictive Control for Distributed Microgrid Battery Energy Storage Systems. IEEE Transactions on Control Systems Technology, 2018, 26, 1107-1114.	3.2	114
21	Multi-Agent Sliding Mode Control for State of Charge Balancing Between Battery Energy Storage Systems Distributed in a DC Microgrid. IEEE Transactions on Smart Grid, 2018, 9, 4735-4743.	6.2	153
22	Interactions Between Indirect DC-Voltage Estimation and Circulating Current Controllers of MMC-Based HVDC Transmission Systems. IEEE Transactions on Power Systems, 2018, 33, 829-838.	4.6	26
23	Reliability Worth Analysis of Distribution Systems Using Cascade Correlation Neural Networks. IEEE Transactions on Power Systems, 2018, 33, 412-420.	4.6	21
24	Review of FACTS technologies and applications for power quality in smart grids with renewable energy systems. Renewable and Sustainable Energy Reviews, 2018, 82, 502-514.	8.2	224
25	Design of Power Peak Shaving Controller for Single-Phase AC Railway Systems. , 2018, , .		2
26	Reconfigurable Converter with Multiple-Voltage Multiple-Power for E-Mobility Charging. , 2018, , .		1
27	Considerations for Integrating PMU Capabilities Into Grid-Connected Power Electronics Converters. , 2018, , .		2
28	Lumped Parameter Model of a 2x25 kV Railway System Based on Root-Matching Method. , 2018, , .		2
29	Elimination of Low-Frequency Ripples and Regulation of Neutral-Point Voltage in Stacked Multicell Converters. IEEE Transactions on Power Electronics, 2017, 32, 164-175.	5.4	31
30	A Fixed-Frequency Sliding Mode Controller for a Boost-Inverter-Based Battery-Supercapacitor Hybrid Energy Storage System. IEEE Transactions on Power Electronics, 2017, 32, 668-680.	5.4	93
31	Optimal Robust Unit Commitment of CHP Plants in Electricity Markets Using Information Gap Decision Theory. IEEE Transactions on Smart Grid, 2017, 8, 2296-2304.	6.2	94
32	A Demodulation-Based Technique for Robust Estimation of Single-Phase Grid Voltage Fundamental Parameters. IEEE Transactions on Industrial Informatics, 2017, 13, 166-175.	7.2	26
33	Selective Harmonic Elimination Model Predictive Control for Multilevel Power Converters. IEEE Transactions on Power Electronics, 2017, 32, 2416-2426.	5.4	111
34	Supercapacitor Sizing Method for Energy-Controlled Filter-Based Hybrid Energy Storage Systems. IEEE Transactions on Power Electronics, 2017, 32, 1626-1637.	5.4	101
35	Common Mode Noise Analysis for Cascaded Boost Converter With Silicon Carbide Devices. IEEE Transactions on Power Electronics, 2017, 32, 1917-1926.	5.4	57
36	Low-Capacitance Cascaded H-Bridge Multilevel StatCom. IEEE Transactions on Power Electronics, 2017, 32, 1744-1754.	5.4	86

#	ARTICLE	IF	CITATIONS
37	A Load-Sharing Strategy for the State of Charge Balancing Between the Battery Modules of Integrated Reconfigurable Converter. IEEE Transactions on Power Electronics, 2017, 32, 4056-4063.	5.4	14
38	A sufficient stochastic framework for optimal operation of micro-grids considering high penetration of renewable energy sources and electric vehicles. Journal of Intelligent and Fuzzy Systems, 2017, 32, 373-387.	0.8	11
39	Comparison of zero-sequence injection methods in cascaded H-bridge multilevel converters for large-scale photovoltaic integration. IET Renewable Power Generation, 2017, 11, 603-613.	1.7	62
40	Capacitor Voltages Measurement and Balancing in Flying Capacitor Multilevel Converters Utilizing a Single Voltage Sensor. IEEE Transactions on Power Electronics, 2017, 32, 8115-8123.	5.4	40
41	Delta-Connected Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Grid Integration. IEEE Transactions on Industrial Electronics, 2017, 64, 8877-8886.	5.2	72
42	Windowed SHE-PWM of Interleaved Four-Quadrant Converters for Resonance Suppression in Traction Power Supply Systems. IEEE Transactions on Power Electronics, 2017, 32, 7870-7881.	5.4	35
43	Passive Reactor Compensated Cascaded H-Bridge Multilevel LC-StatCom. IEEE Transactions on Power Electronics, 2017, 32, 8338-8348.	5.4	35
44	Decentralised control method for DC microgrids with improved current sharing accuracy. IET Generation, Transmission and Distribution, 2017, 11, 696-706.	1.4	60
45	Power Flow Management of Isolated Multiport Converter for More Electric Aircraft. IEEE Transactions on Power Electronics, 2017, 32, 5850-5861.	5.4	74
46	Predictive Control of Cascaded H-Bridge Converters Under Unbalanced Power Generation. IEEE Transactions on Industrial Electronics, 2017, 64, 4-13.	5.2	59
47	On Thermal Impact of Chaotic Frequency Modulation SPWM Techniques. IEEE Transactions on Industrial Electronics, 2017, 64, 2032-2043.	5.2	24
48	Reliability Optimization of Automated Distribution Networks With Probability Customer Interruption Cost Model in the Presence of DG Units. IEEE Transactions on Smart Grid, 2017, 8, 305-315.	6.2	71
49	Cascade-Free Model Predictive Control for Single-Phase Grid-Connected Power Converters. IEEE Transactions on Industrial Electronics, 2017, 64, 285-294.	5.2	66
50	Flexible prototype of modular multilevel converters for experimental verification of DC transmission and multiterminal systems. , 2017, , .		8
51	A Review of Power Electronics for Grid Connection of Utility-Scale Battery Energy Storage Systems. IEEE Transactions on Sustainable Energy, 2016, 7, 1778-1790.	5.9	271
52	Circulating current control for parallel interleaved VSCs connected in whiffletree configuration. , 2016, , .		1
53	Abnormal overheating detectability analysis based on cross Gramian for a supercapacitors string. , 2016, , .		1
54	Dynamic optimal power flow for DC microgrids with distributed battery energy storage systems. , 2016, , .		19

#	ARTICLE	IF	CITATIONS
55	Comparison of bipolar sub-modules for the alternate arm converter. , 2016, , .		5
56	Asymmetric overlap and hysteresis current control of zero-current switched alternate arm converter. , 2016, , .		8
57	Effect of eliminating rotor iron on a mega-watt halfbach permanent magnet synchronous generator for wind turbine applications. , 2016, , .		1
58	An algorithm for reduction of extracted power from photovoltaic strings in grid-tied photovoltaic power plants during voltage sags. , 2016, , .		10
59	DC side ripple current reduction method for three-phase boost inverter with mismatched output capacitors. , 2016, , .		0
60	Asynchronous AC systems interconnection with DC-bus capacitor-less VSC back-to-back topology. , 2016, , .		0
61	A solution for the gain discontinuity issue of the non-inverting buck-boost converter. , 2016, , .		3
62	Cooperative neuro-evolutionary recurrent neural networks for solar power prediction. , 2016, , .		5
63	Fault ride-through performance evaluation of an interleaved grid-connected converter employing low switching frequency. , 2016, , .		0
64	Hybrid energy storage for large PV systems using bidirectional high-gain converters. , 2016, , .		1
65	Performance evaluation of interleaved high-gain converter configurations. IET Power Electronics, 2016, 9, 1852-1861.	1.5	14
66	Accurate Estimation of Single-Phase Grid Voltage Fundamental Amplitude and Frequency by Using a Frequency Adaptive Linear Kalman Filter. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2016, 4, 1226-1235.	3.7	51
67	Ultra-fast MHz range driving circuit for SiC MOSFET using frequency multiplier with eGaN FET. IET Power Electronics, 2016, 9, 2085-2094.	1.5	16
68	Model Predictive Control for Single-Phase NPC Converters Based on Optimal Switching Sequences. IEEE Transactions on Industrial Electronics, 2016, 63, 7533-7541.	5.2	130
69	Implementation of 3D lookup tables in PLECS for modeling photovoltaic modules. , 2016, , .		6
70	Optimization of a MW Halbach PMSG for wind turbine applications. , 2016, , .		5
71	A method for minimizing energy cost in a microgrid with hybrid renewable power generation using controlled battery energy storage. , 2016, , .		4
72	Integrated Reconfigurable Configuration for Battery/Ultracapacitor Hybrid Energy Storage Systems. IEEE Transactions on Energy Conversion, 2016, 31, 1583-1590.	3.7	30

#	ARTICLE	IF	CITATIONS
73	Distributed sliding mode control for multi-module battery energy storage system state of charge balancing. , 2016, , .		2
74	Adaptive Notch filter based active damping for power converters using LCL filters. , 2016, , .		8
75	Solar power forecasting using weather type clustering and ensembles of neural networks. , 2016, , .		23
76	An AC reactive power compensator based on a nine switch converter. , 2016, , .		0
77	Zeroâ€currentâ€switching bidirectional interleaved switchedâ€capacitor DCâ€DC converter: analysis, design and implementation. IET Power Electronics, 2016, 9, 1074-1082.	1.5	16
78	Univariate and multivariate methods for very short-term solar photovoltaic power forecasting. Energy Conversion and Management, 2016, 121, 380-390.	4.4	163
79	Low-frequency voltage ripples in the flying capacitors of the nested neutral-point-clamped converter. , 2016, , .		8
80	Minimizing the energy cost for microgrids integrated with renewable energy resources and conventional generation using controlled battery energy storage. Renewable Energy, 2016, 97, 646-655.	4.3	76
81	Multiple-Model-Based Overheating Detection in a Supercapacitors String. IEEE Transactions on Energy Conversion, 2016, 31, 1413-1422.	3.7	3
82	Power Balance of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. IEEE Transactions on Power Electronics, 2016, 31, 292-303.	5.4	259
83	An Active Voltage-Balancing Method Based on Phase-Shifted PWM for Stacked Multicell Converters. IEEE Transactions on Power Electronics, 2016, 31, 1921-1930.	5.4	39
84	Integrated Reconfigurable Converter Topology for High-Voltage Battery Systems. IEEE Transactions on Power Electronics, 2016, 31, 1968-1979.	5.4	60
85	Distributed Control for State-of-Charge Balancing Between the Modules of a Reconfigurable Battery Energy Storage System. IEEE Transactions on Power Electronics, 2016, 31, 7986-7995.	5.4	90
86	Heuristic Model Predictive Modulation for High-Power Cascaded Multi-Level Converters. IEEE Transactions on Industrial Electronics, 2016, , 1-1.	5.2	21
87	A DC-Side Sensorless Cascaded H-Bridge Multilevel Converter-Based Photovoltaic System. IEEE Transactions on Industrial Electronics, 2016, 63, 4233-4241.	5.2	75
88	Interleaved Operation of Three-Level Neutral Point Clamped Converter Legs and Reduction of Circulating Currents Under SHE-PWM. IEEE Transactions on Industrial Electronics, 2016, 63, 3323-3332.	5.2	30
89	A Constrained Monotonic Charging/Discharging Strategy for Optimal Capacity of Battery Energy Storage Supporting Wind Farms. IEEE Transactions on Sustainable Energy, 2016, 7, 1224-1231.	5.9	67
90	On Improving Phase-Shifted PWM for Flying Capacitor Multilevel Converters. IEEE Transactions on Power Electronics, 2016, 31, 5384-5388.	5.4	44

#	ARTICLE	IF	CITATIONS
91	Determining potential stability enhancements of flexible AC transmission system devices using corrected transient energy function. IET Generation, Transmission and Distribution, 2016, 10, 470-476.	1.4	15
92	Technology Readiness Assessment of Model Predictive Control in Medium- and High-Voltage Power Electronics. IEEE Transactions on Industrial Electronics, 2016, 63, 5807-5815.	5.2	54
93	Controllers for eliminating the ac components in the circulating current of modular multilevel converters. IET Power Electronics, 2016, 9, 1-8.	1.5	33
94	Resonant Versus Conventional Controllers in Grid-Connected Photovoltaic Power Plants Under Unbalanced Grid Voltages. IEEE Transactions on Sustainable Energy, 2016, 7, 1124-1132.	5.9	73
95	Control of Circulating Currents in Modular Multilevel Converters Through Redundant Voltage Levels. IEEE Transactions on Power Electronics, 2016, 31, 7761-7769.	5.4	56
96	Optimal scheduling of renewable micro-grids considering plug-in hybrid electric vehicle charging demand. Energy, 2016, 100, 285-297.	4.5	142
97	Cascaded H-Bridge Multilevel PV Topology for Alleviation of Per-Phase Power Imbalances and Reduction of Second Harmonic Voltage Ripple. IEEE Transactions on Power Electronics, 2016, 31, 5574-5586.	5.4	81
98	Cooperative Multi-Agent Control of Heterogeneous Storage Devices Distributed in a DC Microgrid. IEEE Transactions on Power Systems, 2016, 31, 2974-2986.	4.6	133
99	Power Management for Improved Dispatch of Utility-Scale PV Plants. IEEE Transactions on Power Systems, 2016, 31, 2297-2306.	4.6	40
100	An Input Current Feedback Method to Mitigate the DC-Side Low-Frequency Ripple Current in a Single-Phase Boost Inverter. IEEE Transactions on Power Electronics, 2016, 31, 4594-4603.	5.4	66
101	Decoupled Control System for Cascaded H-Bridge Multilevel Converter Based STATCOM. IEEE Transactions on Industrial Electronics, 2016, 63, 322-331.	5.2	108
102	On Exploring Potential Reliability Gains Under Islanding Operation of Distributed Generation. IEEE Transactions on Smart Grid, 2016, 7, 2166-2174.	6.2	12
103	Switching Frequency Analysis of Staircase-Modulated Modular Multilevel Converters and Equivalent PWM Techniques. IEEE Transactions on Power Delivery, 2016, 31, 28-36.	2.9	60
104	Power Balance Optimization of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Integration. IEEE Transactions on Power Electronics, 2016, 31, 1108-1120.	5.4	152
105	Modulation Strategy for Multiphase Neutral-Point-Clamped Converters. IEEE Transactions on Power Electronics, 2016, 31, 928-941.	5.4	99
106	Unified Distributed Control for DC Microgrid Operating Modes. IEEE Transactions on Power Systems, 2016, 31, 802-812.	4.6	157
107	A Rule-Based Controller to Mitigate DC-Side Second-Order Harmonic Current in a Single-Phase Boost Inverter. IEEE Transactions on Power Electronics, 2016, 31, 1665-1679.	5.4	47
108	A new multiple converter topology for battery/ultracapacitor hybrid energy system. , 2015, , .		3

#	ARTICLE	IF	CITATIONS
109	Closed-loop SHE-PWM technique for power converters through Model Predictive Control. , 2015, , .		10
110	Battery-supercapacitor hybrid energy storage system with reduced low frequency input current ripple. , 2015, , .		12
111	A Modified Voltage Balancing Algorithm for the Modular Multilevel Converter: Evaluation for Staircase and Phase-Disposition PWM. IEEE Transactions on Power Electronics, 2015, 30, 4119-4127.	5.4	115
112	Considerations of Sectionalizing Switches in Distribution Networks With Distributed Generation. IEEE Transactions on Power Delivery, 2015, 30, 1401-1409.	2.9	67
113	Operation of Cascaded H-Bridge Multilevel Converters for Large-Scale Photovoltaic Power Plants Under Bridge Failures. IEEE Transactions on Industrial Electronics, 2015, 62, 7228-7236.	5.2	137
114	Correlation and instance based feature selection for electricity load forecasting. Knowledge-Based Systems, 2015, 82, 29-40.	4.0	173
115	Discontinuous modulation of modular multilevel converters without the need for extra submodules. , 2015, , .		3
116	Capacitance minimisation & alleviation of per-phase power imbalances in cascaded PV converters. , 2015, , .		1
117	Design and implementation of a 200kHz single-phase boost-inverter using silicon carbide semiconductors. , 2015, , .		4
118	Dispatch performance analysis of PV power plants using various energy storage capacities. , 2015, , .		1
119	Integration of model-predictive control in medium and high-voltage power electronics products: An industrial perspective on gaps and progress required. , 2015, , .		4
120	Optimization of a power system consisting of wind and solar power plants and battery energy storage for optimal matching of supply and demand. , 2015, , .		2
121	Short-term power forecasting for photovoltaic generation based on wavelet neural network and residual correction of Markov chain. , 2015, , .		3
122	Reconfigurable battery energy storage system for utility-scale applications. , 2015, , .		6
123	Predictive Control algorithm to achieve power balance of Cascaded H-Bridge converters. , 2015, , .		4
124	On Estimating Instantaneous Temperature of a Supercapacitor String Using an Observer Based on Experimentally Validated Lumped Thermal Model. IEEE Transactions on Energy Conversion, 2015, 30, 1438-1448.	3.7	17
125	A phase shedding technique for PV system based on interleaved boost converter. , 2015, , .		5
126	An adaptive control algorithm for wind power dispatch using a battery energy storage system. , 2015, , .		3

#	ARTICLE	IF	CITATIONS
127	Circulating current controller for parallel interleaved converters using PR controllers. , 2015, , .		8
128	Design of energy dispatch strategy of active distribution network using chance-constrained programming. , 2015, , .		6
129	Heuristic model predictive modulation in high power multi-level converters. , 2015, , .		2
130	Utilising redundant voltage levels for circulating current control in modular multilevel converters. , 2015, , .		3
131	Delta-connected cascaded H-bridge multilevel photovoltaic converters. , 2015, , .		9
132	Model predictive control of cascaded H-bridge inverters based on a fast-optimization algorithm. , 2015, , .		14
133	Single- and Two-Stage Inverter-Based Grid-Connected Photovoltaic Power Plants With Ride-Through Capability Under Grid Faults. IEEE Transactions on Sustainable Energy, 2015, 6, 1150-1159.	5.9	160
134	A Single-Objective Predictive Control Method for a Multivariable Single-Phase Three-Level NPC Converter-Based Active Power Filter. IEEE Transactions on Industrial Electronics, 2015, 62, 4598-4607.	5.2	122
135	Circulating Current Injection Methods Based on Instantaneous Information for the Modular Multilevel Converter. IEEE Transactions on Industrial Electronics, 2015, 62, 777-788.	5.2	331
136	Voltage-Balancing Method for Stacked Multicell Converters Using Phase-Disposition PWM. IEEE Transactions on Industrial Electronics, 2015, 62, 4001-4010.	5.2	42
137	Voltage Security Considerations in Optimal Operation of BEVs/PHEVs Integrated Microgrids. IEEE Transactions on Smart Grid, 2015, 6, 1575-1587.	6.2	56
138	Single-Phase Grid Voltage Frequency Estimation Using Teager Energy Operator-Based Technique. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2015, 3, 1218-1227.	3.7	39
139	Robust technique for accurate estimation of single-phase grid voltage fundamental frequency and amplitude. IET Generation, Transmission and Distribution, 2015, 9, 183-192.	1.4	15
140	Multi-objective economic emission dispatch considering combined heat and power by normal boundary intersection method. Electric Power Systems Research, 2015, 129, 32-43.	2.1	52
141	Reduced-Capacitance Thin-Film H-Bridge Multilevel STATCOM Control Utilizing an Analytic Filtering Scheme. IEEE Transactions on Industrial Electronics, 2015, 62, 6457-6468.	5.2	60
142	Multiple model estimator based detection of abnormal cell overheating in a Li-ion battery string with minimum number of temperature sensors. Journal of Power Sources, 2015, 273, 1171-1181.	4.0	21
143	Comment on "A hybrid multi-objective cultural algorithm for short-term environmental/economic hydrothermal scheduling" by Lu et al. [Energy Convers. Manage. 52 (2011) 2121-2134]. Energy Conversion and Management, 2015, 99, 414-417.	4.4	0
144	Individual Phase Current Control With the Capability to Avoid Overvoltage in Grid-Connected Photovoltaic Power Plants Under Unbalanced Voltage Sags. IEEE Transactions on Power Electronics, 2015, 30, 5346-5351.	5.4	27

#	ARTICLE	IF	CITATIONS
145	Single-Carrier Phase-Disposition PWM Implementation for Multilevel Flying Capacitor Converters. IEEE Transactions on Power Electronics, 2015, 30, 5376-5380.	5.4	53
146	Index-Based Assessment of Voltage Rise and Reverse Power Flow Phenomena in a Distribution Feeder Under High PV Penetration. IEEE Journal of Photovoltaics, 2015, 5, 1158-1168.	1.5	79
147	On Reducing Power Losses in Stack Multicell Converters with Optimal Voltage Balancing Method. IEEE Transactions on Power Electronics, 2015, 30, 4682-4695.	5.4	13
148	Performance of Medium-Voltage DC-Bus PV System Architecture Utilizing High-Gain DC-DC Converter. IEEE Transactions on Sustainable Energy, 2015, 6, 464-473.	5.9	85
149	Forecasting solar power generated by grid connected PV systems using ensembles of neural networks. , 2015, , .		40
150	Practical implementation of a silicon carbide-based 300kHz, 1.2kW hard-switching boost converter and comparative thermal performance evaluation. IET Power Electronics, 2015, 8, 333-341.	1.5	14
151	Optimal capacity design for hybrid energy storage system supporting dispatch of large-scale photovoltaic power plant. Journal of Energy Storage, 2015, 3, 25-35.	3.9	30
152	Comparison between grid side and inverter side current control for parallel interleaved grid connected converters. , 2015, , .		2
153	1-MHz isolated bipolar half-bridge GaN gate driver for SiC MOSFETs. , 2015, , .		6
154	Defining the exact number of sub-module transitions in fundamental frequency modulated modular multilevel converters. , 2015, , .		3
155	Electricity Storage: Renewable Energy Applications in the Australian Context. IEEE Electrification Magazine, 2015, 3, 22-29.	1.8	27
156	Maximizing the income for wind power plant integrated with a battery energy storage system using dynamic programming. , 2015, , .		1
157	Reducing circulating currents in interleaved converter legs under selective harmonic elimination pulse-width modulation. , 2015, , .		6
158	2D-interval forecasts for solar power production. Solar Energy, 2015, 122, 191-203.	2.9	82
159	Comment on "Reliability constrained unit commitment with combined hydro and thermal generation embedded using self-learning group search optimizer" by J.H. Zheng, J.J. Chen, Q.H. Wu, and Z.X. Jing [Energy 81 (2015) 245-254]. Energy, 2015, 89, 1103-1105.	4.5	3
160	Comparison and evaluation of sub-module configurations in modular multilevel converters. , 2015, , .		48
161	A Robust Technique for Single-Phase Grid Voltage Fundamental and Harmonic Parameter Estimation. IEEE Transactions on Instrumentation and Measurement, 2015, 64, 3262-3273.	2.4	31
162	Uncertainty management in multiobjective hydro-thermal self-scheduling under emission considerations. Applied Soft Computing Journal, 2015, 37, 737-750.	4.1	22

#	ARTICLE	IF	CITATIONS
163	Grid synchronisation technique without using trigonometric functions for accurate estimation of fundamental voltage parameters. IET Generation, Transmission and Distribution, 2015, 9, 1402-1408.	1.4	2
164	Communication delay robustness for multi-agent state of charge balancing between distributed AC microgrid storage systems. , 2015, , .		22
165	Closed-Loop Discontinuous Modulation Technique for Capacitor Voltage Ripples and Switching Losses Reduction in Modular Multilevel Converters. IEEE Transactions on Power Electronics, 2015, 30, 4714-4725.	5.4	89
166	Distributed Cooperative Control of Microgrid Storage. IEEE Transactions on Power Systems, 2015, 30, 2780-2789.	4.6	145
167	Application of explicit model predictive control to a hybrid battery-ultracapacitor power source. Journal of Power Sources, 2015, 277, 84-94.	4.0	46
168	Single-Phase Grid-Connected LiFePO ₄ Battery-Supercapacitor Hybrid Energy Storage System With Interleaved Boost Inverter. IEEE Transactions on Power Electronics, 2015, 30, 5591-5604.	5.4	61
169	Current-Balancing Technique for Interleaved Voltage Source Inverters With Magnetically Coupled Legs Connected in Parallel. IEEE Transactions on Industrial Electronics, 2015, 62, 1335-1344.	5.2	61
170	A Review of Multilevel Selective Harmonic Elimination PWM: Formulations, Solving Algorithms, Implementation and Applications. IEEE Transactions on Power Electronics, 2015, 30, 4091-4106.	5.4	447
171	Enhanced Phase-Shifted PWM Carrier Disposition for Interleaved Voltage-Source Inverters. IEEE Transactions on Power Electronics, 2015, 30, 1121-1125.	5.4	45
172	Power System Frequency Estimation by Using a Newton-Type Technique for Smart Meters. IEEE Transactions on Instrumentation and Measurement, 2015, 64, 615-624.	2.4	30
173	Optimal Switching Transition-Based Voltage Balancing Method for Flying Capacitor Multilevel Converters. IEEE Transactions on Power Electronics, 2015, 30, 1804-1817.	5.4	45
174	A fast filtering scheme for capacitor voltages of a cascaded H-bridge multilevel converter based STATCOM. , 2014, , .		2
175	A Robust Frequency Estimation Technique Based on Three Consecutive Samples for Single-Phase Systems. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2014, 2, 1049-1058.	3.7	27
176	Low-voltage ride through capability of three-phase grid-connected photovoltaic inverters with slim film capacitors. , 2014, , .		2
177	Differentiation filter-based technique for robust estimation of single-phase grid voltage frequency under distorted conditions. IET Generation, Transmission and Distribution, 2014, 8, 907-915.	1.4	9
178	Minimum signal modulation scheme based on a single carrier for interleaved operation of parallel phase legs in voltage source converters. IET Power Electronics, 2014, 7, 1305-1312.	1.5	7
179	Carrier interleaved PWM techniques in modular multilevel converters: A comparison based on same voltage level waveforms. , 2014, , .		10
180	Optimal size of battery energy storage and monotonic charging/discharging strategies for wind farms. , 2014, , .		14

#	ARTICLE	IF	CITATIONS
181	Comparison of phase-shifted and level-shifted PWM in the modular multilevel converter. , 2014, , .		57
182	Line current harmonics of threeâ€level neutralâ€pointâ€clamped electric multiple unit rectifiers: analysis, simulation and testing. IET Power Electronics, 2014, 7, 1850-1858.	1.5	29
183	Cooperative control of DC microgrid storage for energy balancing and equal power sharing. , 2014, , .		20
184	Optimal zero sequence injection in multilevel cascaded H-bridge converter under unbalanced photovoltaic power generation. , 2014, , .		22
185	Performance Evaluation of Three-Phase Grid-Connected Photovoltaic Inverters Using Electrolytic or Polypropylene Film Capacitors. IEEE Transactions on Sustainable Energy, 2014, 5, 1297-1306.	5.9	57
186	Varying and unequal carrier frequency PWM techniques for modular multilevel converters. , 2014, , .		3
187	A Modified Demodulation Technique for Single-Phase Grid Voltage Fundamental Parameters Estimation. IEEE Transactions on Industrial Electronics, 2014, , 1-1.	5.2	28
188	Simple and robust multi-objective predictive control method for a single-phase three-level NPC converter based active power filter. , 2014, , .		4
189	A Low Complexity Control System for a Hybrid DC Power Source Based on Ultracapacitorâ€Leadâ€Acid Battery Configuration. IEEE Transactions on Power Electronics, 2014, 29, 2882-2891.	5.4	84
190	Lifetime Cost Assessment of Permanent Magnet Synchronous Generators for MW Level Wind Turbines. IEEE Transactions on Sustainable Energy, 2014, 5, 10-17.	5.9	34
191	Initial Capacitor Charging in Grid-Connected Flying Capacitor Multilevel Converters. IEEE Transactions on Power Electronics, 2014, 29, 3245-3249.	5.4	39
192	A Model Predictive Control System for a Hybrid Battery-Ultracapacitor Power Source. IEEE Transactions on Power Electronics, 2014, 29, 1469-1479.	5.4	362
193	Observability degree criteria evaluation for temperature observability in a battery string towards optimal thermal sensors placement. , 2014, , .		9
194	Experimental performance evaluation of SiC BJT and Si MOSFET for 1.2 kW 300 kHz boost converter as a solar PV pre-regulator. , 2014, , .		4
195	A high performance control strategy for three-level NPC EMU converters. , 2014, , .		0
196	A single phase grid integration scheme for battery-supercapacitor AC line hybrid storage system. , 2014, , .		9
197	Cascaded H-bridge converter with multiphase isolated DC/DC converter for large-scale PV system. , 2014, , .		8
198	Fuzzy logic based control system for cascaded H-bridge converter. , 2014, , .		7

#	ARTICLE	IF	CITATIONS
199	A generalized capacitors voltage estimation scheme for multilevel converters. , 2014, , .		10
200	Optimal hybrid wind-solar system for matching renewable power generation with demand. , 2014, , .		0
201	A Boost-Inverter-Based, Battery-Supported, Fuel-Cell Sourced Three-Phase Stand-Alone Power Supply. IEEE Transactions on Power Electronics, 2014, 29, 6472-6480.	5.4	29
202	A Three-Phase Frequency-Adaptive Phase-Locked Loop for Independent Single-Phase Operation. IEEE Transactions on Power Electronics, 2014, 29, 6255-6259.	5.4	54
203	Comparative thermal performance evaluation of SiC MOSFETs and Si MOSFET for 1.2 kW 300 kHz DC-DC boost converter as a solar PV pre-regulator. , 2014, , .		2
204	Large-scale PV systems with energy storage utilizing high-gain DC/DC converters. , 2014, , .		1
205	Voltage Balancing Method for a Flying Capacitor Multilevel Converter Using Phase Disposition PWM. IEEE Transactions on Industrial Electronics, 2014, 61, 6538-6546.	5.2	55
206	Accurate Estimation of Single-Phase Grid Voltage Parameters Under Distorted Conditions. IEEE Transactions on Power Delivery, 2014, 29, 1138-1146.	2.9	68
207	Theoretical Considerations for Single-Phase Interleaved Converters Operated With SHE-PWM. IEEE Transactions on Power Electronics, 2014, 29, 5124-5128.	5.4	23
208	On re-examining symmetry of two-level selective harmonic elimination PWM: Novel formulations, solutions and performance evaluation. Electric Power Systems Research, 2014, 108, 185-197.	2.1	23
209	Voltage-Balancing Method Using Phase-Shifted PWM for the Flying Capacitor Multilevel Converter. IEEE Transactions on Power Electronics, 2014, 29, 4521-4531.	5.4	85
210	Power Smoothing of Large Solar PV Plant Using Hybrid Energy Storage. IEEE Transactions on Sustainable Energy, 2014, 5, 834-842.	5.9	238
211	A modified voltage balancing sorting algorithm for the modular multilevel converter: Evaluation for staircase and phase-disposition PWM. , 2014, , .		18
212	Steady-State Harmonic Domain Matrix-Based Modeling of Four-Quadrant EMU Line Converter. Journal of Power Electronics, 2014, 14, 572-579.	0.9	4
213	Selective harmonic elimination pulse-width modulation of modular multilevel converters. IET Power Electronics, 2013, 6, 96-107.	1.5	172
214	Control strategy to balance operation of parallel connected legs of modular multilevel converters. , 2013, , .		19
215	Performance of large-scale grid-connected photovoltaic system under various fault conditions. , 2013, , .		18
216	Interconnection of large-scale photovoltaic systems with the electrical grid: Potential issues. , 2013, , .		4

#	ARTICLE	IF	CITATIONS
217	Improving Wind Farm Dispatch in the Australian Electricity Market With Battery Energy Storage Using Model Predictive Control. IEEE Transactions on Sustainable Energy, 2013, 4, 745-755.	5.9	107
218	A low complexity control system for a hybrid battery-ultracapacitor power source. , 2013, , .		3
219	Optimum state voltage balancing method for stacked multicell converters. , 2013, , .		4
220	Voltage balancing method for a seven-level stacked multicell converter using reduced switching transitions. , 2013, , .		2
221	Voltage balancing method using phase-shifted PWM for stacked multicell converters. , 2013, , .		5
222	Effects of automation on the reliability of power distribution systems considering distributed generation: Worth analysis. , 2013, , .		5
223	Voltage sensitivity study of LV/MV networks under high penetration of photovoltaic generation considering residential and industrial load profiles. , 2013, , .		10
224	Impact study of high PV penetration in low and medium-voltage networks when considering residential and industrial load profile. , 2013, , .		8
225	Optimal injection of harmonics in circulating currents of modular multilevel converters for capacitor voltage ripple minimization. , 2013, , .		123
226	Estimation of single-phase grid voltage fundamental parameters using fixed frequency tuned second-order generalized integrator based technique. , 2013, , .		14
227	A digitally controlled single-phase buck-boost-inverter using a dual-DSP. , 2013, , .		2
228	An integration scheme for a direct AC line battery-supercapacitor hybrid energy storage system. , 2013, , .		2
229	Interleaved selective harmonic elimination PWM for single-phase rectifiers in traction applications. , 2013, , .		6
230	Evaluation of voltage regulation mitigation methods due to high penetration of PV generation in residential areas. , 2013, , .		2
231	A decentralized control algorithm based on the DC power flow model for avoiding cascaded failures in power networks. , 2013, , .		2
232	Effects of switch type and location on the reliability of power distribution systems considering distributed generation. , 2013, , .		7
233	Positive- and negative-sequence control of grid-connected photovoltaic systems under unbalanced voltage conditions. , 2013, , .		13
234	Reliability worth analysis of distributed generation enhanced distribution system considering the customer cost model based on optimal radial basis function neural network. , 2013, , .		10

#	ARTICLE	IF	CITATIONS
235	Mixed-integer programming optimization-based method for switch device placement in distribution systems considering distributed generation. , 2013, , .		1
236	State of health and life estimation methods for supercapacitors. , 2013, , .		5
237	Analysis of a voltage balancing technique with reduced switching transitions in a flying capacitor multilevel converter. , 2013, , .		0
238	On influence of deterministic and non-deterministic modulation schemes in two-level filter-less inverter performance driving a permanent magnet synchronous motor. , 2013, , .		9
239	On extending the energy balancing limit of multilevel cascaded H-bridge converters for large-scale photovoltaic farms. , 2013, , .		34
240	Circulating current control and evaluation of carrier dispositions in modular multilevel converters. , 2013, , .		35
241	Current improvement of a grid-connected photovoltaic system under unbalanced voltage conditions. , 2013, , .		10
242	A Single-Phase Grid-Connected Fuel Cell System Based on a Boost-Inverter. IEEE Transactions on Power Electronics, 2013, 28, 279-288.	5.4	126
243	Real-Time Power System Phasors and Harmonics Estimation Using a New Decoupled Recursive-Least-Squares Technique for DSP Implementation. IEEE Transactions on Industrial Electronics, 2013, 60, 2295-2308.	5.2	64
244	Design and Implementation of Digital Control in a Fuel Cell System. IEEE Transactions on Industrial Informatics, 2013, 9, 1158-1166.	7.2	30
245	Hybrid Seven-Level Cascaded Active Neutral-Point-Clamped-Based Multilevel Converter Under SHE-PWM. IEEE Transactions on Industrial Electronics, 2013, 60, 4794-4804.	5.2	112
246	Prevention of overcurrent relays miscoordination in distribution system due to high penetration of distributed generation. , 2013, , .		4
247	Prediction intervals for electricity load forecasting using neural networks. , 2013, , .		14
248	Sub-islanding approach to improve the reliability of power distribution systems considering distributed generation. , 2013, , .		1
249	Improving capacitor voltage ripples and power losses of modular multilevel converters through discontinuous modulation. , 2013, , .		12
250	A simple perturb and observe MPPT scheme for Cascaded H-Bridge based photovoltaic system. , 2013, , .		6
251	Evaluation of DC-link decoupling using electrolytic or polypropylene film capacitors in three-phase grid-connected photovoltaic inverters. , 2013, , .		25
252	Power management of hybrid energy storage system for a MW photovoltaic system. , 2013, , .		5

#	ARTICLE	IF	CITATIONS
253	Capacitor Voltage Balancing in a Three-Level-Converter-Based Energy Storage System. EPE Journal (European Power Electronics and Drives Journal), 2013, 23, 14-22.	0.7	6
254	Decoupled recursive least-squares technique for extraction of power system synchronised phasors under fault conditions. IET Generation, Transmission and Distribution, 2013, 7, 1278-1288.	1.4	2
255	Single-stage inverter-based grid-connected photovoltaic power plant with ride-through capability over different types of grid faults. , 2013, , .		17
256	A frequency adaptive technique for accurate estimation of single-phase grid voltage fundamental parameters. , 2013, , .		8
257	Active Redundant Submodule Configuration in Modular Multilevel Converters. IEEE Transactions on Power Delivery, 2013, 28, 2333-2341.	2.9	130
258	A recursive DFT based technique for accurate estimation of grid voltage frequency. , 2013, , .		12
259	Robust estimation of real-time single-phase grid voltage frequency under distorted conditions. , 2013, , .		7
260	Current status of silicon carbide power devices and their application in photovoltaic converters. , 2013, , .		6
261	Real-time estimation of single-phase grid voltage frequency using a modulating function based technique. , 2013, , .		4
262	A demodulation based technique for accurate estimation of real-time single-phase grid voltage fundamental parameters. , 2013, , .		2
263	Grid voltage offset and harmonics rejection using second order generalized integrator and kalman filter technique. , 2012, , .		17
264	Voltage balancing method for the multilevel flying capacitor converter using phase-shifted PWM. , 2012, , .		9
265	A single-stage three-phase fuel cell system based on a boost inverter with a battery back-up unit. , 2012, , .		9
266	Voltage balancing of a five-level flying capacitor converter using optimum switching transitions. , 2012, , .		8
267	Bi-directional isolated multi-port power converter for aircraft HVDC network power transfer. , 2012, , .		15
268	An investigation of the use of a Halbach array in MW level permanent magnet synchronous generators. , 2012, , .		4
269	Flux density analysis of using Halbach array in MW level permanent magnet synchronous generators for wind turbines: A preliminary linear model. , 2012, , .		8
270	DC-Link Voltage Ripple Compensation for Multilevel Active-Neutral-Point-Clamped Converters Operated With SHE-PWM. IEEE Transactions on Power Delivery, 2012, 27, 2176-2184.	2.9	30

#	ARTICLE	IF	CITATIONS
271	Power quality analysis using piecewise adaptive Prony's Method. , 2012, , .		12
272	SHE-PWM cascaded multilevel converter with adjustable DC sources control for STATCOM applications. , 2012, , .		13
273	Instantaneous power quality analysis using frequency adaptive kalman filter technique. , 2012, , .		17
274	Integration of Vanadium Redox Battery with PV systems: Modeling and operational characteristics. , 2012, , .		6
275	High gain DC/DC converter for the grid integration of large-scale PV systems. , 2012, , .		7
276	Practical application of valley current mode control in a flyback converter with a large duty cycle. IET Power Electronics, 2012, 5, 552.	1.5	13
277	Modelling of large-scale grid-connected photovoltaic systems: Static grid support by reactive power control. , 2012, , .		5
278	Dynamic behaviour of a back-to-back five-level flying capacitor converter with reduced DC bus capacitance. , 2012, , .		5
279	Frequency adaptive linear Kalman filter for fast and accurate estimation of grid voltage parameters. , 2012, , .		8
280	Tracking of time-varying grid voltage using DFT based second order generalized integrator technique. , 2012, , .		17
281	Model predictive control of a hybrid battery-ultracapacitor power source. , 2012, , .		14
282	Multimodule HVDC System Using SHE-PWM With DC Capacitor Voltage Equalization. IEEE Transactions on Power Delivery, 2012, 27, 79-86.	2.9	16
283	Selective harmonic elimination pulse-width modulation seven-level cascaded H-bridge converter with optimised DC voltage levels. IET Power Electronics, 2012, 5, 852-862.	1.5	26
284	A compact single-phase bidirectional buck-boost-inverter topology. , 2012, , .		5
285	Voltage balancing strategy for a five-level flying capacitor converter using phase disposition PWM with sawtooth-shaped carriers. , 2012, , .		17
286	Application of particle swarm optimization in the design of large permanent magnet synchronous generators for wind turbines. , 2012, , .		3
287	Solid state transformer based on the flying capacitor multilevel converter for intelligent power management. , 2012, , .		4
288	Direct current control of a battery-ultracapacitor power supply. , 2012, , .		5

#	ARTICLE	IF	CITATIONS
289	Wind power dispatch control with battery energy storage using model predictive control. , 2012, , .		11
290	Minimization of the capacitor voltage fluctuations of a modular multilevel converter by circulating current control. , 2012, , .		93
291	Solution trajectories for selective harmonic elimination pulse-width modulation for seven-level waveforms: analysis and implementation. IET Power Electronics, 2012, 5, 22.	1.5	36
292	Generalisation of flying capacitor-based active-neutral-point-clamped multilevel converter using voltage-level modulation. IET Power Electronics, 2012, 5, 456.	1.5	33
293	A Single-Stage Fuel Cell Energy System Based on a Buck-Boost Inverter with a Backup Energy Storage Unit. IEEE Transactions on Power Electronics, 2012, 27, 2825-2834.	5.4	54
294	Flyback-based high step-up converter with reduced power processing stages. IET Power Electronics, 2012, 5, 349-357.	1.5	38
295	Effect of redundant sub-module utilization on modular multilevel converters. , 2012, , .		28
296	Generalized modulator for the seven-level flying capacitor based active neutral point clamped converter. , 2012, , .		3
297	The seven-level flying capacitor based ANPC converter for grid intergration of utility-scale PV systems. , 2012, , .		18
298	Frequency adaptive instantaneous power quality analysis using frequency locked loop based Kalman filter technique. , 2012, , .		5
299	Accurate estimation of grid voltage parameters using singular value decomposition technique. , 2012, , .		6
300	Large-scale PV system based on the multiphase isolated DC/DC converter. , 2012, , .		17
301	PV power plant using hybrid energy storage system with improved efficiency. , 2012, , .		11
302	Cascaded H-bridge multilevel converter for large-scale PV grid-integration with isolated DC-DC stage. , 2012, , .		42
303	Performance evaluation of a five-level flying capacitor converter with reduced DC bus capacitance under two different modulation schemes. , 2012, , .		7
304	Evaluation of windowed ESPRIT virtual instrument for estimating Power Quality Indices. Electric Power Systems Research, 2012, 83, 58-65.	2.1	14
305	A comparison between different windows in spectral and cross spectral analysis techniques with Kalman filtering for estimating power quality indices. Electric Power Systems Research, 2012, 84, 128-134.	2.1	4
306	Frequency Adaptive Least-Squares-Kalman Technique for Real-Time Voltage Envelope and Flicker Estimation. IEEE Transactions on Industrial Electronics, 2012, 59, 3330-3341.	5.2	76

#	ARTICLE	IF	CITATIONS
307	Feature Selection for Electricity Load Prediction. Lecture Notes in Computer Science, 2012, , 526-534.	1.0	4
308	Electricity Load Forecasting: A Weekday-Based Approach. Lecture Notes in Computer Science, 2012, , 33-41.	1.0	7
309	Unlocking the Smart Grid: An Australian industry-university collaborative effort to address skill gaps. , 2011, , .		3
310	On optimizing DSP implementation of the recursive-least-squares technique for real-time power system applications. , 2011, , .		1
311	Current Control of Grid-Connected Boost Inverter With Zero Steady-State Error. IEEE Transactions on Power Electronics, 2011, 26, 2825-2834.	5.4	81
312	A DC-link voltage ripple compensation method for multilevel active-neutral-point-clamped converters operating with SHE-PWM. , 2011, , .		1
313	Single-phase nine-level SHE-PWM inverter with single DC source suitable for renewable energy systems. , 2011, , .		4
314	Issues regarding cost estimation of permanent magnet synchronous generators for mega-watt level wind turbines. , 2011, , .		3
315	A Minimum Power-Processing-Stage Fuel-Cell Energy System Based on a Boost-Inverter With a Bidirectional Backup Battery Storage. IEEE Transactions on Power Electronics, 2011, 26, 1568-1577.	5.4	102
316	Decoupled recursive-least-squares technique for extraction of instantaneous synchronized symmetrical components under fault conditions. , 2011, , .		0
317	Analysis of multi-carrier PWM methods for back-to-back HVDC systems based on modular multilevel converters. , 2011, , .		52
318	Analysis of voltage balancing limits in modular multilevel converters. , 2011, , .		48
319	Voltage Balancing Control of Three-Level Active NPC Converter Using SHE-PWM. IEEE Transactions on Power Delivery, 2011, 26, 258-267.	2.9	97
320	SHE-PWM control for asymmetrical hybrid multilevel flying capacitor and H-bridge converter. , 2011, , .		6
321	Novel current control of grid-connected boost-inverter with zero steady-state error. , 2011, , .		1
322	Extended staggered undersampling synchrophasor estimation technique for wide-area measurement systems. , 2011, , .		2
323	Analysis, design and experimental results of a floating-output interleaved-input boost-derived DC-DC high-gain transformer-less converter. IET Power Electronics, 2011, 4, 168.	1.5	121
324	Slow Sampling Online Optimization Approach to Estimate Power System Frequency. IEEE Transactions on Smart Grid, 2011, 2, 265-277.	6.2	78

#	ARTICLE	IF	CITATIONS
325	Hybrid Flying-Capacitor-Based Active-Neutral-Point-Clamped Five-Level Converter Operated With SHE-PWM. IEEE Transactions on Industrial Electronics, 2011, 58, 4643-4653.	5.2	141
326	Operation of a modular multilevel converter with selective harmonic elimination PWM. , 2011, , .		44
327	Slow sampling on-line harmonics/interharmonics estimation technique for smart meters. Electric Power Systems Research, 2011, 81, 1643-1653.	2.1	17
328	Yearly and seasonal models for electricity load forecasting. , 2011, , .		24
329	Switched-coupled-inductor DC/DC converters with high voltage conversion ratio. International Journal of Power Electronics, 2010, 2, 345.	0.1	3
330	Bipolar switching waveform: Novel solution sets to the selective harmonic elimination problem. , 2010, , .		12
331	On comparing the symmetrical and non-symmetrical selective harmonic elimination pulse-width modulation technique for two-level three-phase voltage source converters. IET Power Electronics, 2010, 3, 829.	1.5	51
332	Using windowed ESPRIT spectral estimation for measuring power quality indices. , 2010, , .		2
333	Variable Selection for Five-Minute Ahead Electricity Load Forecasting. , 2010, , .		5
334	Slow sampling on-line optimization approach to estimate power system frequency. , 2010, , .		2
335	Grid-interfaced fuel cell energy system based on a boost-inverter with a bi-directional back-up battery storage. , 2010, , .		7
336	Review of DC System Technologies for Large Scale Integration of Wind Energy Systems with Electricity Grids. Energies, 2010, 3, 1303-1319.	1.6	30
337	A new optimization technique to measure frequency and harmonics in power systems. , 2010, , .		1
338	Application of a variable inductor in single-phase hybrid harmonic filters. , 2010, , .		0
339	Harmonic elimination control of a five-level DC-AC cascaded H-bridge hybrid inverter. , 2010, , .		26
340	Optimized Modulation for AC-DC Harmonic Immunity in VSC HVDC Transmission. IEEE Transactions on Power Delivery, 2010, 25, 1713-1720.	2.9	23
341	A minimum power-processing stage fuel cell energy system based on a boost-inverter with a bi-directional back-up battery storage. , 2010, , .		10
342	Accurate and Less-Disturbing Active Antiislanding Method Based on PLL for Grid-Connected Converters. IEEE Transactions on Power Electronics, 2010, 25, 1576-1584.	5.4	139

#	ARTICLE	IF	CITATIONS
343	Real-time measurement of power quantities in fully distorted systems. , 2010, , .		1
344	Real-time measurement of power quantities under sinusoidal and non-sinusoidal conditions for single-phase systems. , 2010, , .		1
345	Bidirectional rectifier-inverter multilevel topology without DC-link passive components. , 2010, , .		1
346	A high step-up, non-isolated DC-DC converter with reduced repeated power processing. , 2010, , .		4
347	Seven-level cascaded ANPC-based multilevel converter. , 2010, , .		11
348	An n-level flying capacitor based active neutral-point-clamped converter. , 2010, , .		15
349	Electricity load forecasting based on autocorrelation analysis. , 2010, , .		20
350	A new quasi Newton filtering technique for power system frequency estimation and harmonics/interharmonics rejection. , 2010, , .		1
351	Undersampled on-line ANN-EKF based estimation of harmonics/interharmonics in power systems. , 2010, , .		4
352	DC-bus capacitorless rectifier-inverter motor drive with online optimized harmonic controlled PWM. , 2010, , .		5
353	Spectral analysis techniques with Kalman filtering for estimating power quality indices. , 2010, , .		3
354	Monitoring voltage disturbances based on LES algorithm, wavelet transform and Kalman filter. , 2009, , .		1
355	Very short-term electricity load demand forecasting using support vector regression. , 2009, , .		46
356	A low computationally intensive PEM fuel cell dynamic model: Membrane water content dynamics effect under square wave load steps. , 2009, , .		0
357	VSC-Based HVDC Power Transmission Systems: An Overview. IEEE Transactions on Power Electronics, 2009, 24, 592-602.	5.4	1,810
358	High-gain switched-coupled-inductor boost converter. , 2009, , .		8
359	Performance evaluation of half-bridge cascaded multilevel converters operated with multicarrier sinusoidal PWM techniques. , 2009, , .		148
360	A new hybrid complex ADALINE-LES filter for off-nominal frequency symmetrical components extraction. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
361	Equalizing DC capacitor voltages in multimodule HVDC using SHE-PWM. , 2009, , .		2
362	Selective harmonic elimination multilevel converter control with variant DC sources. , 2009, , .		9
363	Wind-solar resource complementarity and its combined correlation with electricity load demand. , 2009, , .		17
364	Photovoltaic-Battery-Powered DC Bus System for Common Portable Electronic Devices. IEEE Transactions on Power Electronics, 2009, 24, 849-855.	5.4	138
365	Analysis and Verification of Two-Level Random Aperiodic PWM Schemes for DC-DC Converters. IEEE Transactions on Power Electronics, 2009, 24, 2138-2147.	5.4	10
366	An adaptive precise one-end power transmission line fault locating algorithm based on multilayer complex adaptive artificial neural networks. , 2009, , .		5
367	Control of neutral point and flying capacitor voltages in five-level SHE-PWM controlled ANPC converter. , 2009, , .		31
368	Bi-directional isolated multi-port power converter for aircraft HVDC network power transfer. , 2009, , .		1
369	Single-carrier sinusoidal PWM-equivalent selective harmonic elimination for a five-level voltage source converter. Electric Power Systems Research, 2008, 78, 1826-1836.	2.1	55
370	Hybrid genetic algorithm approach for selective harmonic control. Energy Conversion and Management, 2008, 49, 131-142.	4.4	56
371	Non-symmetrical SHE-PWM technique for five-level cascaded converter with non-equal DC sources. , 2008, , .		6
372	Experimental verification of floating-output interleaved-input DC-DC high-gain transformer-less converter topologies. Power Electronics Specialist Conference (PESC), IEEE, 2008, , .	0.0	25
373	Selective Harmonic Elimination PWM Control for Cascaded Multilevel Voltage Source Converters: A Generalized Formula. IEEE Transactions on Power Electronics, 2008, 23, 1620-1630.	5.4	347
374	A Five-Level Symmetrically Defined Selective Harmonic Elimination PWM Strategy: Analysis and Experimental Validation. IEEE Transactions on Power Electronics, 2008, 23, 19-26.	5.4	133
375	On Attaining the Multiple Solutions of Selective Harmonic Elimination PWM Three-Level Waveforms Through Function Minimization. IEEE Transactions on Industrial Electronics, 2008, 55, 996-1004.	5.2	109
376	On distributing multilevel SHE-PWM waveforms in HVDC systems built with conventional three-phase VSC modules. Power Electronics Specialist Conference (PESC), IEEE, 2008, , .	0.0	5
377	Photovoltaic-battery powered DC Bus system for common portable electronic devices. Power Electronics Specialist Conference (PESC), IEEE, 2008, , .	0.0	1
378	Analysis of 2-level random aperiodic PWM schemes for DC-DC converters. Power Electronics Specialist Conference (PESC), IEEE, 2008, , .	0.0	1

#	ARTICLE	IF	CITATIONS
379	Offset rejection for PLL based synchronization in grid-connected converters. IEEE Applied Power Electronics Conference and Exposition, 2008, , .	0.0	108
380	Accurate and less-disturbing active anti-islanding method based on PLL for grid-connected PV Inverters. Power Electronics Specialist Conference (PESC), IEEE, 2008, , .	0.0	48
381	Comparative evaluation of symmetrical and non-symmetrical bipolar SHE-PWM techniques. Power Electronics Specialist Conference (PESC), IEEE, 2008, , .	0.0	3
382	Five-level active NPC converter topology: SHE-PWM control and operation principles. , 2007, , .		23
383	Non-Symmetrical Selective Harmonic Elimination PWM Techniques: The Unipolar Waveform. , 2007, , .		20
384	A buck converter with simple maximum power point tracking for power electronics education on solar energy systems. , 2007, , .		14
385	Harmonic performance of multiple sets of solutions of SHE-PWM for a 2-level VSC topology with fluctuating DC-link voltage. , 2007, , .		9
386	Modified Phase-Shifted PWM Control for Flying Capacitor Multilevel Converters. IEEE Transactions on Power Electronics, 2007, 22, 178-185.	5.4	206
387	VSC Transmission System Using Flying Capacitor Multilevel Converters and Hybrid PWM Control. IEEE Transactions on Power Delivery, 2007, 22, 693-702.	2.9	72
388	Multiple sets of solutions for harmonic elimination PWM bipolar waveforms: analysis and experimental verification. IEEE Transactions on Power Electronics, 2006, 21, 415-421.	5.4	153
389	A VSC Transmission System Using Flying Capacitor Multilevel Converters and Selective Harmonic Elimination PWM Control. International Journal of Emerging Electric Power Systems, 2006, 5, .	0.6	6
390	A Multi-Modular System Based On Parallel-Connected Multilevel Flying Capacitor Converters Controlled with Fundamental Frequency SPWM. Industrial Electronics Society (IECON), Annual Conference of IEEE, 2006, , .	0.0	10
391	On Abolishing Symmetry Requirements in the Formulation of a Five-Level Selective Harmonic Elimination Pulse-Width Modulation Technique. IEEE Transactions on Power Electronics, 2006, 21, 1833-1837.	5.4	54
392	Recent Advances in High-Voltage Direct-Current Power Transmission Systems. , 2006, , .		71
393	The future of power electronics/power engineering education: challenges and opportunities. , 2005, , .		16
394	Five-Level Selective Harmonic Elimination PWM Strategies and Multicarrier Phase-Shifted Sinusoidal PWM: A Comparison. , 2005, , .		13
395	On Applying a Minimization Technique to the Harmonic Elimination PWM Control: The Bipolar Waveform. IEEE Power Electronics Letters, 2004, 2, 41-44.	1.1	91
396	Active capacitor voltage control of flying capacitor multilevel converters. IET Electric Power Applications, 2004, 151, 313.	1.4	58

#	ARTICLE	IF	CITATIONS
397	Dual ramp-time nonlinear current control applied to a single phase five level cascaded inverter. International Journal of Electronics, 2003, 90, 721-735.	0.9	1
398	Technology of Offshore Wind Turbines and Farms and Novel Multilevel Converter-Based HVDC Systems for Their Grid Connections. Wind Engineering, 2002, 26, 383-395.	1.1	7
399	Flying capacitor multilevel PWM converter based UPFC. IET Electric Power Applications, 2002, 149, 304.	1.4	43
400	On considering magnetic saturation with maximum torque to current control in interior permanent magnet synchronous motor drives. IEEE Transactions on Energy Conversion, 2001, 16, 246-252.	3.7	71
401	A cascaded inverter for transformerless single-phase grid-connected photovoltaic systems. Renewable Energy, 2001, 22, 255-262.	4.3	59
402	Development considerations of DSP-controlled PWM VSC-based STATCOM. IET Electric Power Applications, 2001, 148, 449.	1.4	31
403	A new digital zero average current error control algorithm for inverters. International Journal of Electronics, 2000, 87, 481-496.	0.9	7
404	Multilevel converters for single-phase grid connected photovoltaic systems: an overview. Solar Energy, 1999, 66, 325-335.	2.9	141
405	Incorporating instructional feedback in electrical engineering laboratory experiments-an example. IEEE Transactions on Education, 1997, 40, 111-114.	2.0	5
406	"Dead-band" PWM switching patterns. IEEE Transactions on Power Electronics, 1996, 11, 522-531.	5.4	65
407	An optimum modulation strategy for a novel "notch" commutated 3- $\hat{1}$ PWM inverter. IEEE Transactions on Industry Applications, 1994, 30, 52-61.	3.3	25
408	Application specific harmonic performance evaluation of multicarrier PWM techniques. , 0, , .		127
409	A transformerless five level cascaded inverter based single phase photovoltaic system. , 0, , .		49
410	Development of prototype custom power devices for power quality enhancement. , 0, , .		7
411	A flying capacitor multilevel PWM converter based UPFC. , 0, , .		12
412	Multimodular systems based on multilevel flying capacitor converters. , 0, , .		2
413	Introducing power electronics technologies into the aerospace engineering undergraduate curriculum. , 0, , .		3
414	Generalized Formulation of Multilevel Selective Harmonic Elimination PWM: Case I -Non-Equal DC Sources. , 0, , .		16

#	ARTICLE	IF	CITATIONS
415	A Seven-Level Defined Selective Harmonic Elimination PWM Strategy. , 0, , .		5