
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6638101/publications.pdf

Version: 2024-02-01



ΙΕΙ ΕΝΑ Ά.ΤΡΙΕΚΟΥΙΆΤ

#	Article	IF	CITATIONS
1	Comprehensive electrophoretic profiling of proteins as a powerful tool for authenticity assessment of seeds of cultivated berry fruits. Food Chemistry, 2022, 383, 132583.	8.2	3
2	Primary Metabolite Chromatographic Profiling as a Tool for Chemotaxonomic Classification of Seeds from Berry Fruits. Food Technology and Biotechnology, 2022, 60, 406-417.	2.1	3
3	Melissopalynology analysis, determination of physicochemical parameters, sugars and phenolics in Maltese honey collected in different seasons. Journal of the Serbian Chemical Society, 2022, 87, 983-995.	0.8	3
4	Screening of semiâ€volatile compounds in plants treated with coated cerium oxide nanoparticles by comprehensive twoâ€dimensional gas chromatography. Journal of Separation Science, 2021, 44, 2260-2268.	2.5	2
5	Two aspects of honeydew honey authenticity: Application of advance analytical methods and chemometrics. Food Chemistry, 2020, 305, 125457.	8.2	29
6	Assessment of radioactivity contribution and transfer characteristics of natural radionuclides in agroecosystem. Journal of Radioanalytical and Nuclear Chemistry, 2020, 323, 805-815.	1.5	11
7	Physicochemical analysis and phenolic profile of polyfloral and honeydew honey from Montenegro. RSC Advances, 2020, 10, 2462-2471.	3.6	20
8	Recent trends in image evaluation of HPTLC chromatograms. Journal of Liquid Chromatography and Related Technologies, 2020, 43, 291-299.	1.0	12
9	Comparison of Custodiol® and modified St. Thomas cardioplegia for myocardial protection in coronary artery bypass grafting. Vojnosanitetski Pregled, 2020, 77, 1126-1134.	0.2	0
10	Distribution of elements in seeds of some wild and cultivated fruits. Nutrition and authenticity aspects. Journal of the Science of Food and Agriculture, 2019, 99, 546-554.	3.5	12
11	The content of toxic and essential elements in trabecular and cortical femoral neck: a correlation with whole blood samples. Environmental Science and Pollution Research, 2019, 26, 16577-16587.	5.3	5
12	Phenolic Composition Influences the Health-Promoting Potential of Bee-Pollen. Biomolecules, 2019, 9, 783.	4.0	33
13	Towards better quality criteria of European honeydew honey: Phenolic profile and antioxidant capacity. Food Chemistry, 2019, 274, 629-641.	8.2	62
14	Scandium, yttrium, and lanthanide contents in soil from Serbia and their accumulation in the mushroom Macrolepiota procera (Scop.) Singer. Environmental Science and Pollution Research, 2019, 26, 5422-5434.	5.3	28
15	Profiling of Turkish propolis subtypes: Comparative evaluation of their phytochemical compositions, antioxidant and antimicrobial activities. LWT - Food Science and Technology, 2018, 95, 367-379.	5.2	40
16	Determination of toxic and essential trace elements in serum of healthy and hypothyroid respondents by ICP-MS: A chemometric approach for discrimination of hypothyroidism. Journal of Trace Elements in Medicine and Biology, 2018, 48, 134-140.	3.0	21
17	Assessment of contamination, environmental risk, and origin of heavy metals in soils surrounding industrial facilities in Vojvodina, Serbia. Environmental Monitoring and Assessment, 2018, 190, 208.	2.7	25
18	Authentication of Turkish propolis through HPTLC fingerprints combined with multivariate analysis and palynological data and their comparative antioxidant activity. LWT - Food Science and Technology, 2018, 87, 23-32.	5.2	52

#	Article	IF	CITATIONS
19	Thin-layer chromatography in quantitative structure-activity relationship studies. Journal of Liquid Chromatography and Related Technologies, 2018, 41, 272-281.	1.0	6
20	Determination of the phenolic profile of peach (Prunus persica L.) kernels using UHPLC–LTQ OrbiTrap MS/MS technique. European Food Research and Technology, 2018, 244, 2051-2064.	3.3	33
21	Relationship between ripening time and sugar content of apricot (Prunus armeniaca L.) kernels. Acta Physiologiae Plantarum, 2018, 40, 1.	2.1	7
22	Cyclic voltammetry and UV/Vis spectroscopy in combination with multivariate data analysis for the assessment of authenticity of poplar type propolis. Journal of Apicultural Research, 2017, 56, 559-568.	1.5	8
23	Influence of dietary cadmium exposure on fitness traits and its accumulation (with an overview on) Tj ETQq1 1 Toxicology and Pharmacology, 2017, 200, 27-33.	0.784314 2.6	rgBT /Overloc 13
24	Comparative study of different approaches for multivariate image analysis in HPTLC fingerprinting of natural products such as plant resin. Talanta, 2017, 162, 72-79.	5.5	50
25	Analytical Methods in Tracing Honey Authenticity. Journal of AOAC INTERNATIONAL, 2017, 100, 827-839.	1.5	46
26	Mineral Content as a Tool for the Assessment of Honey Authenticity. Journal of AOAC INTERNATIONAL, 2017, 100, 862-870.	1.5	15
27	TLC Fingerprinting and Pattern Recognition Methods in the Assessment of Authenticity of Poplar-Type Propolis. Journal of Chromatographic Science, 2016, 54, 1077-1083.	1.4	45
28	Metal accumulation capacity of parasol mushroom (Macrolepiota procera) from Rasina region (Serbia). Environmental Science and Pollution Research, 2016, 23, 13178-13190.	5.3	35
29	Bioaccumulation and effects of metals on oxidative stress and neurotoxicity parameters in the frogs from the Pelophylax esculentus complex. Ecotoxicology, 2016, 25, 1531-1542.	2.4	17
30	Phenolic profiles and antimicrobial activity of various plant resins as potential botanical sources of Serbian propolis. Industrial Crops and Products, 2016, 94, 856-871.	5.2	50
31	Study of silver, selenium and arsenic concentration in wild edible mushroom Macrolepiota procera, health benefit and risk. Environmental Science and Pollution Research, 2016, 23, 22084-22098.	5.3	35
32	Biomarkers of oxidative stress and metal accumulation in marsh frog (Pelophylax ridibundus). Environmental Science and Pollution Research, 2016, 23, 9649-9659.	5.3	12
33	Antimicrobial Activity of Serbian Propolis Evaluated by Means of MIC, HPTLC, Bioautography and Chemometrics. PLoS ONE, 2016, 11, e0157097.	2.5	67
34	Uptake of metals and metalloids by Conyza canadensis L. from a thermoelectric power plant landfill. Archives of Biological Sciences, 2016, 68, 829-835.	0.5	8
35	Polyphenolic Profile of Maize Seedlings Treated with 24-Epibrassinolide. Journal of Chemistry, 2015, 2015, 1-10.	1.9	6
36	Poplar-type Propolis: Chemical Composition, Botanical Origin and Biological Activity. Natural Product Communications, 2015, 10, 1934578X1501001.	0.5	69

#	Article	IF	CITATIONS
37	Mineral content of bee pollen from Serbia / Sadržaj minerala u uzorcima pÄelinjega peluda iz Srbije. Arhiv Za Higijenu Rada I Toksikologiju, 2015, 66, 251-258.	0.7	59
38	Phytoextraction of metals by Erigeron canadensis L. from fly ash landfill of power plant "Kolubaraâ€. Environmental Science and Pollution Research, 2015, 22, 10506-10515.	5.3	17
39	Sugar Profile of Kernels as a Marker of Origin and Ripening Time of Peach (Prunus persicae L.). Plant Foods for Human Nutrition, 2015, 70, 433-440.	3.2	13
40	Ultrahighâ€performance Liquid Chromatography and Mass Spectrometry (UHPLC–LTQ/Orbitrap/MS/MS) Study of Phenolic Profile of Serbian Poplar Type Propolis. Phytochemical Analysis, 2015, 26, 127-136.	2.4	72
41	Poplar-type Propolis: Chemical Composition, Botanical Origin and Biological Activity. Natural Product Communications, 2015, 10, 1869-76.	0.5	56
42	Leaching of Major and Minor Elements during the Transport and Storage of Coal Ash Obtained in Power Plant. Scientific World Journal, The, 2014, 2014, 1-8.	2.1	8
43	Phytochemical Fingerprints of Lime Honey Collected in Serbia. Journal of AOAC INTERNATIONAL, 2014, 97, 1259-1267.	1.5	22
44	Pattern recognition methods and multivariate image analysis in HPTLC fingerprinting of propolis extracts. Journal of Chemometrics, 2014, 28, 301-310.	1.3	69
45	Phenolic profile and antioxidant activity of Serbian polyfloral honeys. Food Chemistry, 2014, 145, 599-607.	8.2	93
46	ASSESSMENT OF LIPOPHILICITY OF SOME BIOLOGICALLY ACTIVE ARYLPIPERAZINES BY RPTLC AND MULTIVARIATE ANALYSIS. Journal of Liquid Chromatography and Related Technologies, 2014, 37, 2814-2828.	1.0	5
47	Correlation study of retention data and antimalarial activity of 1,2,4,5-mixed tetraoxanes with their molecular structure descriptors and LSER parameters. Journal of Pharmaceutical and Biomedical Analysis, 2014, 97, 178-183.	2.8	9
48	GIS technology in regional recognition of the distribution pattern of multifloral honey: The chemical traits in Serbia. Archives of Biological Sciences, 2014, 66, 935-946.	0.5	3
49	Correlation between structure, retention, property, and activity of biologically relevant 1,7-bis(aminoalkyl)diazachrysene derivatives. Journal of Pharmaceutical and Biomedical Analysis, 2013, 72, 231-239.	2.8	11
50	Planar Chromatographic Systems in Pattern Recognition and Fingerprint Analysis. Chromatographia, 2013, 76, 1239-1247.	1.3	39
51	Amino acids profile of Serbian unifloral honeys. Journal of the Science of Food and Agriculture, 2013, 93, 3368-3376.	3.5	46
52	Quality parameters and pattern recognition methods as a tool in tracing regional origin of multifloral honey. Journal of the Serbian Chemical Society, 2013, 78, 1875-1892.	0.8	11
53	Quantitative structure-toxicity relationship study of some natural and synthetic coumarins using retention parameters. Journal of the Serbian Chemical Society, 2012, 77, 1443-1456.	0.8	3
54	Characterisation of Serbian unifloral honeys according to their physicochemical parameters. Food Chemistry, 2012, 132, 2060-2064.	8.2	87

#	Article	IF	CITATIONS
55	Determination of the soil–water partition coefficients (logKOC) of some mono- and poly-substituted phenols by reversed-phase thin-layer chromatography. Chemosphere, 2010, 81, 299-305.	8.2	14
56	Structure–retention relationship study of arylpiperazines by linear multivariate modeling. Journal of Separation Science, 2010, 33, 2619-2628.	2.5	18
57	An Approximate Linear Solvation Energy Relationships Model Based on Snyder's Selectivity Parameters. Chromatographic Behavior of Some 1-Aralkyl-4-Arylpiperazines. Chromatographia, 2008, 68, 453-458.	1.3	2