## Koro de la Caba

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6638360/koro-de-la-caba-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 36 4,707 110 h-index g-index citations papers 6.6 6.1 5,728 125 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
110	Green hemostatic sponge-like scaffold composed of soy protein and chitin for the treatment of epistaxis <i>Materials Today Bio</i> , <b>2022</b> , 15, 100273	9.9	
109	Tailoring physicochemical properties of collagen-based composites with ionic liquids and wool for advanced applications. <i>Polymer</i> , <b>2022</b> , 252, 124943	3.9	2
108	Properties of chicken protein isolate/fish gelatin blend film incorporated with phenolic compounds and its application as pouch for packing chicken skin oil. <i>Food Packaging and Shelf Life</i> , <b>2021</b> , 30, 100761	8.2	1
107	Evaluation of bioactive release kinetics from crosslinked chitosan films with Aloe vera. <i>International Journal of Biological Macromolecules</i> , <b>2021</b> , 182, 1331-1338	7.9	2
106	Horse mackerel (Trachurus trachurus) fillets biopreservation by using gallic acid and chitosan coatings. <i>Food Control</i> , <b>2021</b> , 120, 107511	6.2	15
105	Fish gelatin films laminated with emulsified gelatin film or poly(lactic) acid film: Properties and their use as bags for storage of fried salmon skin. <i>Food Hydrocolloids</i> , <b>2021</b> , 111, 106199	10.6	12
104	Composite films based on chitosan and epigallocatechin gallate grafted chitosan: Characterization, antioxidant and antimicrobial activities. <i>Food Hydrocolloids</i> , <b>2021</b> , 111, 106384	10.6	17
103	Storage stability of fish gelatin films by molecular modification or direct incorporation of oxidized linoleic acid: Comparative studies. <i>Food Hydrocolloids</i> , <b>2021</b> , 113, 106481	10.6	5
102	Biopolymers Derived from Marine Sources for Food Packaging Applications <b>2021</b> , 35-56		2
101	Characterization of Bio-Inspired Electro-Conductive Soy Protein Films. <i>Polymers</i> , <b>2021</b> , 13,	4.5	2
100	The versatility of collagen and chitosan: From food to biomedical applications. <i>Food Hydrocolloids</i> , <b>2021</b> , 116, 106633	10.6	34
99	New algorithm for the elucidation of functional properties of gelatin-based materials. <i>Computers and Chemical Engineering</i> , <b>2021</b> , 153, 107410	4	
98	Structure-properties relationship of chitosan/collagen films with potential for biomedical applications. <i>Carbohydrate Polymers</i> , <b>2020</b> , 237, 116159	10.3	37
97	Effect of Fructose and Ascorbic Acid on the Performance of Cross-Linked Fish Gelatin Films. <i>Polymers</i> , <b>2020</b> , 12,	4.5	6
96	Soy protein and chitin sponge-like scaffolds: from natural by-products to cell delivery systems for biomedical applications. <i>Green Chemistry</i> , <b>2020</b> , 22, 3445-3460	10	13
95	Properties and application of bilayer films based on poly (lactic acid) and fish gelatin containing epigallocatechin gallate fabricated by thermo-compression molding. <i>Food Hydrocolloids</i> , <b>2020</b> , 105, 105	792 <sup>6</sup>	20
94	Development of chitosan films containing Etyclodextrin inclusion complex for controlled release of bioactives. <i>Food Hydrocolloids</i> , <b>2020</b> , 104, 105720	10.6	25

93	The Effect of Cross-Linking with Citric Acid on the Properties of Agar/Fish Gelatin Films. <i>Polymers</i> , <b>2020</b> , 12,	4.5	13
92	Assessment of active chitosan films incorporated with gallic acid. Food Hydrocolloids, 2020, 101, 105486	10.6	26
91	ZnO nanoparticle-incorporated native collagen films with electro-conductive properties. <i>Materials Science and Engineering C</i> , <b>2020</b> , 108, 110394	8.3	17
90	Valorization of marine-derived biowaste to develop chitin/fish gelatin products as bioactive carriers and moisture scavengers. <i>Science of the Total Environment</i> , <b>2020</b> , 706, 135747	10.2	15
89	Physicochemical and Biological Performance of Aloe Vera-Incorporated Native Collagen Films. <i>Pharmaceutics</i> , <b>2020</b> , 12,	6.4	7
88	A Green Approach towards Native Collagen Scaffolds: Environmental and Physicochemical Assessment. <i>Polymers</i> , <b>2020</b> , 12,	4.5	4
87	Physical and antioxidant properties of starch/gelatin films incorporated with Garcinia atroviridis leaves. <i>Food Packaging and Shelf Life</i> , <b>2020</b> , 26, 100583	8.2	7
86	Chitosan Films Incorporated with Exopolysaccharides from Deep Seawater Sp. <i>Marine Drugs</i> , <b>2020</b> , 18,	6	3
85	Characterization of ribose-induced crosslinking extension in gelatin films. <i>Food Hydrocolloids</i> , <b>2020</b> , 99, 105324	10.6	18
84	Effect of citric acid on collagen sheets processed by compression. <i>Food Hydrocolloids</i> , <b>2020</b> , 100, 105427	<b>7</b> 10.6	10
83	Quality characteristics of fried fish crackers packaged in gelatin bags: Effect of squalene and storage time. <i>Food Hydrocolloids</i> , <b>2020</b> , 99, 105378	10.6	9
82	Electrospinning of Fish Gelatin Solution Containing Citric Acid: An Environmentally Friendly Approach to Prepare Crosslinked Gelatin Fibers. <i>Materials</i> , <b>2019</b> , 12,	3.5	12
81	Development and characterization of ribose-crosslinked gelatin products prepared by indirect 3D printing. <i>Food Hydrocolloids</i> , <b>2019</b> , 96, 65-71	10.6	16
80	Optimizing the extraction process of natural antioxidants from chardonnay grape marc using microwave-assisted extraction. <i>Waste Management</i> , <b>2019</b> , 88, 110-117	8.6	38
79	Development of Bioinspired Gelatin and Gelatin/Chitosan Bilayer Hydrofilms for Wound Healing. <i>Pharmaceutics</i> , <b>2019</b> , 11,	6.4	21
78	Properties of fish gelatin films containing epigallocatechin gallate fabricated by thermo-compression molding. <i>Food Hydrocolloids</i> , <b>2019</b> , 97, 105236	10.6	18
77	3D printed lactose-crosslinked gelatin scaffolds as a drug delivery system for dexamethasone. <i>European Polymer Journal</i> , <b>2019</b> , 114, 90-97	5.2	24
76	Fish gelatin monolayer and bilayer films incorporated with epigallocatechin gallate: Properties and their use as pouches for storage of chicken skin oil. <i>Food Hydrocolloids</i> , <b>2019</b> , 89, 783-791	10.6	30

75	Crosslinking of chitosan films processed by compression molding. <i>Carbohydrate Polymers</i> , <b>2019</b> , 206, 820-826	10.3	48
74	From seafood waste to active seafood packaging: An emerging opportunity of the circular economy. <i>Journal of Cleaner Production</i> , <b>2019</b> , 208, 86-98	10.3	62
73	A more efficient process to develop protein films derived from agro-industrial by-products. <i>Food Hydrocolloids</i> , <b>2019</b> , 86, 11-17	10.6	13
72	Citric acid-incorporated fish gelatin/chitosan composite films. <i>Food Hydrocolloids</i> , <b>2019</b> , 86, 95-103	10.6	96
71	Valorisation of blueberry waste and use of compression to manufacture sustainable starch films with enhanced properties. <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 115, 955-960	7.9	26
70	Development of active fish gelatin films with anthocyanins by compression molding. <i>Food Hydrocolloids</i> , <b>2018</b> , 84, 313-320	10.6	63
69	The Potential of Vegetal and Animal Proteins to Develop More Sustainable Food Packaging <b>2018</b> , 25-59	9	7
68	Development and characterization of cassava starch films incorporated with blueberry pomace. <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 106, 834-839	7.9	77
67	Chicken feathers as a natural source of sulphur to develop sustainable protein films with enhanced properties. <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 106, 523-531	7.9	16
66	Assessment of gallic acid-modified fish gelatin formulations to optimize the mechanical performance of films. <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 120, 2131-2136	7.9	7
65	Extraction and incorporation of bioactives into protein formulations for food and biomedical applications. <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 120, 2094-2105	7.9	14
64	Lactose-crosslinked fish gelatin-based porous scaffolds embedded with tetrahydrocurcumin for cartilage regeneration. <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 117, 199-208	7.9	13
63	Effect of cross-linking in surface properties and antioxidant activity of gelatin films incorporated with a curcumin derivative. <i>Food Hydrocolloids</i> , <b>2017</b> , 66, 168-175	10.6	35
62	Effect of pH and lactose on cross-linking extension and structure of fish gelatin films. <i>Reactive and Functional Polymers</i> , <b>2017</b> , 117, 140-146	4.6	22
61	Chitosan as a bioactive polymer: Processing, properties and applications. <i>International Journal of Biological Macromolecules</i> , <b>2017</b> , 105, 1358-1368	7.9	502
60	Ultra thin hydro-films based on lactose-crosslinked fish gelatin for wound healing applications. <i>International Journal of Pharmaceutics</i> , <b>2017</b> , 530, 455-467	6.5	26
59	Versatile soy protein films and hydrogels by the incorporation of Ethitin from squid pens (Loligo sp.). <i>Green Chemistry</i> , <b>2017</b> , 19, 5923-5931	10	28
58	Development of active gelatin films by means of valorisation of food processing waste: A review. <i>Food Hydrocolloids</i> , <b>2017</b> , 68, 192-198	10.6	108

Applications of Chitosan in Food Packaging 2017, 2 57 Characterization of agar/soy protein biocomposite films: Effect of agar on the extruded pellets and 56 56 10.3 compression moulded films. Carbohydrate Polymers, 2016, 151, 408-416 Cross-linking of fish gelatins to develop sustainable films with enhanced properties. European 55 5.2 51 Polymer Journal, 2016, 78, 82-90 Injection-manufactured biocomposites from extruded soy protein with algae waste as a filler. 10 12 54 Composites Part B: Engineering, 2016, 86, 197-202 Tailoring soy protein film properties by selecting casting or compression as processing methods. 5.2 26 53 European Polymer Journal, 2016, 85, 499-507 A novel approach to manufacture porous biocomposites using extrusion and injection moulding. 52 5.2 11 European Polymer Journal, **2016**, 82, 324-333 Control of cross-linking reaction to tailor the properties of thin films based on gelatin. Materials 51 9 3.3 Letters, 2016, 185, 366-369 Sustainable Fish Gelatin Films: from Food Processing Waste to Compost. ACS Sustainable Chemistry 50 8.3 32 and Engineering, 2016, 4, 4626-4634 Ageing of chitosan films: Effect of storage time on structure and optical, barrier and mechanical 5.2 49 33 properties. European Polymer Journal, 2015, 66, 170-179 Valorization of industrial by-products: development of active coatings to reduce food losses. 48 10.3 15 Journal of Cleaner Production, 2015, 100, 179-184 Improvement of barrier properties of fish gelatin films promoted by gelatin glycation with lactose 47 5.4 59 at high temperatures. LWT - Food Science and Technology, 2015, 63, 315-321 Application of soy protein coatings and their effect on the quality and shelf-life stability of beef 46 3.7 29 patties. RSC Advances, **2015**, 5, 8182-8189 Effects of cross-linking in nanostructure and physicochemical properties of fish gelatins for 4.6 28 45 bio-applications. Reactive and Functional Polymers, 2015, 94, 55-62 Quality attributes of map packaged ready-to-eat baby carrots by using chitosan-based coatings. 6.2 44 50 Postharvest Biology and Technology, 2015, 100, 142-150 Valorisation of fishery industry wastes to manufacture sustainable packaging films: modelling 10.3 14 43 moisture-sorption behaviour. Journal of Cleaner Production, 2015, 91, 36-42 Valorization of soya by-products for sustainable packaging. Journal of Cleaner Production, 2014, 64, 228-233, 42 34 Bio-based films prepared with by-products and wastes: environmental assessment. Journal of 41 10.3 80 Cleaner Production, 2014, 64, 218-227 Optical and mechanical properties of thin films based on proteins. Materials Letters, 2014, 124, 286-288 3.3 40

39	FTIR characterization of protein-polysaccharide interactions in extruded blends. <i>Carbohydrate Polymers</i> , <b>2014</b> , 111, 598-605	10.3	123
38	Extraction of agar from Gelidium sesquipedale (Rhodopyta) and surface characterization of agar based films. <i>Carbohydrate Polymers</i> , <b>2014</b> , 99, 491-8	10.3	76
37	Structure thoisture sorption relation in chitosan thin films. Materials Letters, 2014, 128, 125-127	3.3	14
36	Preparation and characterization of soy protein thin films: Processingproperties correlation.  Materials Letters, 2013, 105, 110-112	3.3	33
35	Films based on proteins and polysaccharides: Preparation and physical@hemical characterization. <i>European Polymer Journal</i> , <b>2013</b> , 49, 3713-3721	5.2	73
34	Environmental assessment of chitosan-based films. <i>Journal of Cleaner Production</i> , <b>2013</b> , 41, 312-318	10.3	74
33	Characterization and antimicrobial analysis of chitosan-based films. <i>Journal of Food Engineering</i> , <b>2013</b> , 116, 889-899	6	204
32	Functional properties of chitosan-based films. <i>Carbohydrate Polymers</i> , <b>2013</b> , 93, 339-46	10.3	262
31	Extrusion of soy protein with gelatin and sugars at low moisture content. <i>Journal of Food Engineering</i> , <b>2012</b> , 110, 53-59	6	78
30	Characterization of soybean protein concentratelltearic acid/palmitic acid blend edible films.  Journal of Applied Polymer Science, 2012, 124, 1796-1807	2.9	33
29	Functional properties of films based on soy protein isolate and gelatin processed by compression molding. <i>Journal of Food Engineering</i> , <b>2011</b> , 105, 65-72	6	118
28	Characterization of soy protein-based films prepared with acids and oils by compression. <i>Journal of Food Engineering</i> , <b>2011</b> , 107, 41-49	6	80
27	Thermal and mechanical properties of soy protein films processed at different pH by compression. Journal of Food Engineering, <b>2010</b> , 100, 261-269	6	74
26	Bacterial cellulose films with controlled microstructurefhechanical property relationships. <i>Cellulose</i> , <b>2010</b> , 17, 661-669	5.5	108
25	Influence of phenoxy addition on the curing kinetics for uncatalyzed and catalyzed cyanate ester resin. <i>Journal of Applied Polymer Science</i> , <b>2010</b> , 118, 2869-2880	2.9	10
24	Mechanical and thermal properties of soy protein films processed by casting and compression. <i>Journal of Food Engineering</i> , <b>2010</b> , 100, 145-151	6	134
23	Enhancing water repellence and mechanical properties of gelatin films by tannin addition. <i>Bioresource Technology</i> , <b>2010</b> , 101, 6836-42	11	194
22	Mimosa and chestnut tannin extracts reacted with hexamine in solution. Journal of Thermal Analysis	4.1	

21	A comparative study of nanocomposites based on a recycled poly(methyl methacrylate) matrix containing several nanoclays. <i>Polymer Composites</i> , <b>2008</b> , 29, 782-790	3	8
20	Thermoplastic polyurethane elastomers based on polycarbonate diols with different soft segment molecular weight and chemical structure: Mechanical and thermal properties. <i>Polymer Engineering and Science</i> , <b>2008</b> , 48, 297-306	2.3	206
19	Microdomain composition and properties differences of biodegradable polyurethanes based on MDI and HDI. <i>Polymer Engineering and Science</i> , <b>2008</b> , 48, 519-529	2.3	90
18	Structure property relationships of thermoplastic polyurethane elastomers based on polycarbonate diols. <i>Journal of Applied Polymer Science</i> , <b>2008</b> , 108, 3092-3103	2.9	70
17	Kinetic and thermodynamic studies of the formation of a polyurethane based on 1,6-hexamethylene diisocyanate and poly(carbonate-co-ester)diol. <i>Thermochimica Acta</i> , <b>2007</b> , 459, 94-10	0 <del>3</del> 9	77
16	Weathering behaviour of wood-faced construction materials. <i>Construction and Building Materials</i> , <b>2007</b> , 21, 1288-1294	6.7	14
15	Mechanical properties horphology relationships in nano-/microstructured epoxy matrices modified with PEOPPOPEO block copolymers. <i>Polymer International</i> , <b>2007</b> , 56, 1392-1403	3.3	52
14	Rheokinetic and Dynamic Mechanical Analysis of Tetrafunctional Epoxy/anhydride Mixtures. Influence of Stoichiometry and Cure Conditions. <i>High Performance Polymers</i> , <b>2006</b> , 18, 17-30	1.6	2
13	Molecular Dynamics of PGA Bioabsorbable Polymer During Isothermal Cold Crystallization. <i>Macromolecular Symposia</i> , <b>2006</b> , 239, 152-158	0.8	4
12	Kinetics and Morphology of an Epoxy Resin Modified with PEO-PPO-PEO Block Copolymers. <i>Macromolecular Symposia</i> , <b>2006</b> , 239, 30-35	0.8	5
11	Towards microphase separation in epoxy systems containing PEO/PPO/PEO block copolymers by controlling cure conditions and molar ratios between blocks. Part 2. Structural characterization. <i>Colloid and Polymer Science</i> , <b>2006</b> , 284, 1419-1430	2.4	37
10	Properties of a Vinyl Ester Resin Modified with a Liquid Polymer. <i>High Performance Polymers</i> , <b>2005</b> , 17, 605-616	1.6	1
9	Influence of molecular weight and chemical structure of soft segment in reaction kinetics of polycarbonate diols with 4,4?-diphenylmethane diisocyanate. <i>European Polymer Journal</i> , <b>2005</b> , 41, 3051	-3039	38
8	The influence of molecular weight and chemical structure of soft segment in reaction kinetics with tolyl isocyanate. <i>European Polymer Journal</i> , <b>2001</b> , 37, 1685-1693	5.2	22
7	Fracture behaviorthorphology relationships in an unsaturated polyester resin modified with a liquid oligomer. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>1999</b> , 37, 1677-1685	2.6	11
6	Comparative study by DSC and FTIR techniques of an unsaturated polyester resin cured at different temperatures. <i>Polymer International</i> , <b>1998</b> , 45, 333-338	3.3	32
5	The effect of temperature on the curing of unsaturated polyester resins modified with a liquid polymer. <i>Macromolecular Symposia</i> , <b>1997</b> , 114, 271-277	0.8	1
4	Kinetic and rheological studies of two unsaturated polyester resins cured at different temperatures. <i>European Polymer Journal</i> , <b>1997</b> , 33, 19-23	5.2	27

3	Influence of cure schedule and stoichiometry on the dynamic mechanical behaviour of tetrafunctional epoxy resins cured with anhydrides. <i>Polymer</i> , <b>1996</b> , 37, 2195-2200	3.9	56	
2	Kinetic and rheological studies of an unsaturated polyester cured with different catalyst amounts. <i>Polymer</i> , <b>1996</b> , 37, 275-280	3.9	47	
1	Characteristics and seal ability of blend films based on chicken protein isolate and fish skin gelatin.  Journal of Food Science and Technology,1	3.3	0	