
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6638906/publications.pdf

Version: 2024-02-01



IACEK BUDZVÅ SKL

#	Article	IF	CITATIONS
1	Physical and psychological functioning of patients with chronic limb ischemia during a 1-year period after endovascular revascularization. Journal of Vascular Surgery, 2022, 75, 1679-1686.	1.1	2
2	BMI as a Biomarker in Patientsâ $€$ ™ Nutritional Assessment. Biomarkers in Disease, 2022, , 1-35.	0.1	2
3	Circulating Leptin, Adiponectin, and Tumor Necrosis Factor-Alpha in Patients Undergoing Surgery Due to Colorectal Cancer. Digestion, 2021, 102, 246-255.	2.3	5
4	Body composition among patients undergoing surgery for colorectal cancer. Przeglad Gastroenterologiczny, 2021, 16, 47-55.	0.7	3
5	ls Neuropathic Pain a Good Marker of Peripheral Neuropathy in Hospice Patients with Advanced Cancer? The Single Center Pilot Study. Diagnostics, 2021, 11, 1377.	2.6	1
6	Blood adipocytokine concentration in patients with peripheral artery disease. International Angiology, 2021, 39, 500-508.	0.9	4
7	Initial Study on COMT and DRD2 Gene Polymorphisms as Well as the Influence of Temperament and Character Trait on the Severity of Alcohol Craving in Alcohol-Dependent Patients. Journal of Clinical Medicine, 2021, 10, 5892.	2.4	2
8	Total blood lymphocyte count as a prognostic factor among unselected inpatients. Advances in Medical Sciences, 2020, 65, 141-148.	2.1	8
9	Nutritional status and outcomes of superficial femoral artery stenting due to intermittent claudication. International Angiology, 2020, 39, 145-154.	0.9	6
10	Effect of a training program of overground walking on BTS gait parameters in elderly women during single and dual cognitive tasks. International Journal of Rehabilitation Research, 2020, 43, 355-360.	1.3	0
11	Coexistence of proangiogenic potential and increased MMP-9, TIMP-1, and TIMP-2 levels in the plasma of patients with critical limb ischemia. Journal of Zhejiang University: Science B, 2019, 20, 687-692.	2.8	0
12	Usefulness of non-contrast-enhanced magnetic resonance imaging prior to venous interventions. Postepy W Kardiologii Interwencyjnej, 2019, 15, 338-344.	0.2	0
13	Clinical significance of nutritional status in patients with chronic heart failure—a systematic review. Heart Failure Reviews, 2019, 24, 671-700.	3.9	40
14	Blood albumin as a prognostic factor among unselected medically treated inpatients. Biomarkers in Medicine, 2019, 13, 1059-1069.	1.4	2
15	Body mass index as a biomarker for the evaluation of the "Obesity Paradox―among inpatients. Clinical Nutrition, 2019, 38, 412-421.	5.0	11
16	Leptin, adiponectin, tumor necrosis factor α, and irisin concentrations as factors linking obesity with the risk of atrial fibrillation among inpatients with cardiovascular diseases. Kardiologia Polska, 2019, 77, 1055-1061.	0.6	14
17	Body Composition in Patients with Atrial Fibrillation. Acta Cardiologica Sinica, 2019, 35, 484-492.	0.2	11
18	The "cholesterol paradox―among inpatients – retrospective analysis of medical documentation. Archives of Medical Sciences Atherosclerotic Diseases, 2018, 3, 46-57.	1.0	13

#	Article	IF	CITATIONS
19	The influence of patients' nutritional status on the prevalence, course and treatment outcomes of lower limb ischemia: an overview of current evidence. International Angiology, 2018, 37, 100-111.	0.9	10
20	Helicobacter pylori eradication: Not only early consequences. EBioMedicine, 2018, 35, 8-9.	6.1	2
21	Reply-Letter to the Editor - About acute coronary syndromes and obesity. Small lessons from RESCUE. Clinical Nutrition, 2018, 37, 1775-1776.	5.0	0
22	Systemowa równowaga antyoksyacyjna u pacjentów bez klinicznej manifestacji miażdżycy. Acta Angiologica, 2018, 24, 1-8.	0.1	0
23	The fecal occult blood test as a tool for improved outpatient qualification for colonoscopy. A single-center experience and 10-year follow-up survey. Advances in Medical Sciences, 2017, 62, 171-176.	2.1	4
24	Physiotherapy programme reduces fatigue in patients with advanced cancer receiving palliative care: randomized controlled trial. Supportive Care in Cancer, 2017, 25, 2899-2908.	2.2	85
25	Clinical significance of nutritional status in patients with atrial fibrillation: An overview of current evidence. Journal of Cardiology, 2017, 69, 719-730.	1.9	33
26	Clinical risk factors for loss of stent primary patency in patients with chronic legs ischemia. Advances in Clinical and Experimental Medicine, 2017, 26, 311-318.	1.4	4
27	The associations between atrial fibrillation and parameters of nutritional status assessment in the general hospital population — a cross-sectional analysis of medical documentation. Kardiologia Polska, 2017, 75, 231-239.	0.6	9
28	Giant gastroduodenal artery pseudoaneurysm as a pancreatic tumor and cause of acute bleeding into the digestive tract. Przeglad Gastroenterologiczny, 2016, 4, 299-301.	0.7	3
29	The Effect of Two Different Cognitive Tests on Gait Parameters during Dual Tasks in Healthy Postmenopausal Women. BioMed Research International, 2016, 2016, 1-7.	1.9	8
30	Oxidoreductive homeostasis in alcohol-dependent male patients and the risk of alcohol drinking relapse in a 6-month follow-up. Alcohol, 2016, 50, 57-64.	1.7	8
31	Blood glucose and lipid concentrations after overload are not associated with the risk of alcohol relapse. Drug and Alcohol Dependence, 2016, 161, 356-362.	3.2	2
32	Scores of nutritional risk and parameters of nutritional status assessment as predictors of in-hospital mortality and readmissions in the general hospital population. Clinical Nutrition, 2016, 35, 1464-1471.	5.0	49
33	Overweight and obesity versus concentrations of VEGF-A, sVEGFR-1, and sVEGFR-2 in plasma of patients with lower limb chronic ischemia. Journal of Zhejiang University: Science B, 2016, 17, 842-849.	2.8	14
34	Orexin in Patients with Alcohol Dependence Treated for Relapse Prevention: A Pilot Study. Alcohol and Alcoholism, 2016, 51, 416-421.	1.6	15
35	Association between Bacterial Infection and Peripheral Vascular Disease: A Review. International Journal of Angiology, 2016, 25, 003-013.	0.6	41
36	Risk factors for major leg amputation in patients treated endovascularly due to critical limb ischaemia. Acta Angiologica, 2016, 21, 122-128.	0.1	2

#	Article	IF	CITATIONS
37	Links between parameters of long-term latent memory and progression from paroxysmal to permanent atrial fibrillation during a five-year observation period. A preliminary study. Kardiologia Polska, 2016, 74, 754-761.	0.6	2
38	ls rosuvastatin better than atorvastatin and simvastatin in the prevention of in-stent restenosis and atherosclerosis progression in patients after superficial femoral artery stenting due to chronic lower limb ischaemia? The preliminary case-control study. Acta Angiologica, 2016, 22, 5-11.	0.1	0
39	Impact of type 2 diabetes on the plasma levels of vascular endothelial growth factor and its soluble receptors type 1 and type 2 in patients with peripheral arterial disease. Journal of Zhejiang University: Science B, 2015, 16, 948-956.	2.8	16
40	The influence of a ten-week Nordic walking training-rehabilitation program on the level of lipids in blood in overweight and obese postmenopausal women. Journal of Physical Therapy Science, 2015, 27, 3039-3044.	0.6	7
41	Changes in concentration of visfatin during four weeks of inpatient treatment of alcohol dependent males. Alkoholizm I Narkomania, 2015, 28, 173-181.	0.1	3
42	Effects of Nordic Walking and Pilates exercise programs on blood glucose and lipid profile in overweight and obese postmenopausal women in an experimental, nonrandomized, open-label, prospective controlled trial. Menopause, 2015, 22, 1215-1223.	2.0	38
43	Thrombophilia diagnosis. Blood Coagulation and Fibrinolysis, 2015, 26, 649-654.	1.0	2
44	The association between periprocedural factors and the late outcome of percutaneous stenting of lower extremity arteries. A retrospective cohort study. Postepy W Kardiologii Interwencyjnej, 2015, 2, 108-113.	0.2	1
45	The effect of a 10-week Nordic walking training program on the level of GH and LH in elderly women. Climacteric, 2015, 18, 835-840.	2.4	11
46	Brain-gut axis in the pathogenesis of <i>Helicobacter pylori</i> infection. World Journal of Gastroenterology, 2014, 20, 5212.	3.3	78
47	Attempt to determine the restrictions of ankle — brachial index and usefulness of elevated anklebrachial index in patients treated on an internal medicine ward. Open Medicine (Poland), 2014, 9, 325-331.	1.3	0
48	Clinical significance of Helicobacter pylori infection in patients with acute coronary syndromes: an overview of current evidence. Clinical Research in Cardiology, 2014, 103, 855-886.	3.3	19
49	The effect of superficial femoral artery stenting and some atherosclerosis risk factors on changes in selected global endothelial function tests in patients with chronic lower limb ischemia. A pilot study. Postepy W Kardiologii Interwencyjnej, 2012, 3, 205-215.	0.2	1
50	The favourable effect of Helicobacter pylori eradication therapy in patients with recurrent angina-like chest pain and non-responsive to proton pump inhibitors – a preliminary study. Archives of Medical Science, 2011, 1, 73-80.	0.9	10
51	Angina-Like Chest Pain as a Symptom of Digestive Tract Disorders. , 2011, , .		0
52	Improvement in health-related quality of life after therapy with omeprazole in patients with coronary artery disease and recurrent angina-like chest pain. A double-blind, placebo-controlled trial of the SF-36 survey. Health and Quality of Life Outcomes, 2011, 9, 77.	2.4	12
53	Original research Treatment with double dose of omeprazole increases -endorphin plasma level in patients with coronary artery disease. Archives of Medical Science, 2010, 2, 201-207.	0.9	4
54	Exertional esophageal pH-metry and manometry in recurrent chest pain. World Journal of Gastroenterology, 2010, 16, 4305.	3.3	4

#	Article	IF	Citations
55	Exercise-provoked esophageal motility disorder in patients with recurrent chest pain. World Journal of Gastroenterology, 2010, 16, 4428.	3.3	3
56	Does esophageal dysfunction affect the course of treadmill stress test in patients with recurrent angina-like chest pain?. Polish Archives of Internal Medicine, 2010, 120, 484-490.	0.4	1
57	Does esophageal dysfunction affect the course of treadmill stress test in patients with recurrent angina-like chest pain?. , 2010, 120, 484-90.		1
58	Pantoprazole may enhance antiplatelet effect of enteric-coated aspirin in patients with acute coronary syndrome. Cardiology Journal, 2009, 16, 535-44.	1.2	24
59	The effect of double dose of omeprazole on the course of angina pectoris and treadmill stress test in patients with coronary artery disease — A randomised, double-blind, placebo controlled, crossover trial. International Journal of Cardiology, 2008, 127, 233-239.	1.7	20
60	Autonomic nervous function in Helicobacter pylori-infected patients with atypical chest pain studied by analysis of heart rate variability. European Journal of Gastroenterology and Hepatology, 2004, 16, 451-457.	1.6	16
61	Parameters of the functional and morphological status of the upper digestive tract in alcohol-dependent male patients with depression and alexithymia in the context of autonomic nervous system activity and nitric oxide plasma level. Medical Science Monitor, 2004, 10, CR68-74.	1.1	1
62	Suppression of gastric acid production may improve the course of angina pectoris and the results of treadmill stress test in patients with coronary artery disease. Medical Science Monitor, 2004, 10, CR524-9.	1.1	8
63	LIPOPROTEIN(a) IN ALCOHOL-DEPENDENT MALE PATIENTS DURING A SIX-MONTH ABSTINENCE PERIOD. Alcohol and Alcoholism, 2003, 38, 157-162.	1.6	8