
MaÅ,gorzata Syczewska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6641212/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Relationship between clinical parameters and cytokine profiles in inflamed gingival tissue and serum samples from patients with chronic periodontitis. Journal of Clinical Periodontology, 2003, 30, 1046-1052.	4.9	274
2	Antiepileptic treatment before the onset of seizures reduces epilepsy severity and risk of mental retardation in infants with tuberous sclerosis complex. European Journal of Paediatric Neurology, 2011, 15, 424-431.	1.6	254
3	Segmental movements of the spine during treadmill walking with normal speed. Clinical Biomechanics, 1999, 14, 384-388.	1.2	74
4	Nijmegen Breakage Syndrome: Clinical and Immunological Features, Long-Term Outcome and Treatment Options – a Retrospective Analysis. Journal of Clinical Immunology, 2015, 35, 538-549.	3.8	73
5	Cerebral tuber count and its impact on mental outcome of patients with tuberous sclerosis complex. Epilepsia, 2011, 52, 22-27.	5.1	65
6	Efficacy of recombinant human α-L-iduronidase (laronidase) on restricted range of motion of upper extremities in mucopolysaccharidosis typeÂl patients. Journal of Inherited Metabolic Disease, 2010, 33, 151-157.	3.6	54
7	Influence of the structural deformity of the spine on the gait pathology in scoliotic patients. Gait and Posture, 2012, 35, 209-213.	1.4	51
8	Invariant sway properties in children. Gait and Posture, 2000, 12, 200-204.	1.4	49
9	Carrier frequency of mutation 657del5 in the NBS1 gene in a population of polish pediatric patients with sporadic lymphoid malignancies. International Journal of Cancer, 2006, 118, 1269-1274.	5.1	44
10	Posture control development in children aged 2–7 years old, based on the changes of repeatability of the stability indices. Neuroscience Letters, 2011, 491, 13-17.	2.1	44
11	The relationship between clinical measurements and gait analysis data in children with cerebral palsy. Gait and Posture, 2013, 38, 1038-1043.	1.4	37
12	High Prevalence of Primary Ovarian Insufficiency in Girls and Young Women with Nijmegen Breakage Syndrome: Evidence from a Longitudinal Study. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 3133-3140.	3.6	33
13	Gait pathology assessed with Gillette Gait Index in patients after CNS tumour treatment. Gait and Posture, 2010, 32, 358-362.	1.4	32
14	Heterozygous germ-line mutations in the NBN gene predispose to medulloblastoma in pediatric patients. Acta Neuropathologica, 2010, 119, 325-334.	7.7	30
15	The IgG subclass profile of anti-HBs response in vaccinated children and children seroconverted after natural infection. Vaccine, 2000, 18, 1210-1217.	3.8	26
16	Magnesium status in children and adolescents with coeliac disease without malabsorption symptoms. Clinical Nutrition, 2004, 23, 1074-1079.	5.0	26
17	Quantifying repeatability of the Wartenberg pendulum test parameters in children with spasticity. Journal of Neuroscience Methods, 2009, 178, 340-344.	2.5	24
18	Quadriceps femoris spasticity in children with cerebral palsy: measurement with the pendulum test and relationship with gait abnormalities. Journal of NeuroEngineering and Rehabilitation, 2014, 11, 166.	4.6	22

#	Article	IF	CITATIONS
19	Developmental charts for children with osteogenesis imperfecta, type I (body height, body weight and) Tj ETQq1	L 0.78431 2.7	4_rgBT /Ove
20	Persistence of HBV-DNA in children with chronic hepatitis B who seroconverted to anti-HBs antibodies after interferon-α therapy: correlation with specific IgG subclass responses to HBsAg. Journal of Hepatology, 2005, 42, 486-490.	3.7	18
21	Different BMI cardiovascular risk thresholds as markers of organ damage and metabolic syndrome in primary hypertension. Pediatric Nephrology, 2008, 23, 787-796.	1.7	18
22	Congenital brain tumors in a series of 56 patients. Child's Nervous System, 2012, 28, 1193-1201.	1.1	18
23	Use of the surface electromyography for a quantitative trend validation of estimated muscle forces. Biocybernetics and Biomedical Engineering, 2018, 38, 243-250.	5.9	18
24	Restricted joint range of motion in patients with MPS II: correlation with height, age and functional status. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, e183-8.	1.5	17
25	Influence of Uncertainty in Selected Musculoskeletal Model Parameters on Muscle Forces Estimated in Inverse Dynamics-Based Static Optimization and Hybrid Approach. Journal of Biomechanical Engineering, 2018, 140, .	1.3	16
26	IgG Subclass Distribution of Hepatitis B Surface Antigen Antibodies Induced in Children with Chronic Hepatitis B Infection after Interferonâ€Î± Therapy. Journal of Infectious Diseases, 2000, 181, 2059-2062.	4.0	15
27	Application of biomechanical growth models of the quantitative evaluation of the motor system in children. Disability and Rehabilitation, 1996, 18, 137-142.	1.8	13
28	Functional status of children after treatment for a malignant tumour of the CNS: a preliminary report. Gait and Posture, 2006, 23, 206-210.	1.4	11
29	The frequency of NBN molecular variants in pediatric astrocytic tumors. Journal of Neuro-Oncology, 2010, 96, 161-168.	2.9	11
30	Serum very long-chain fatty acids (VLCFA) levels as predictive biomarkers of diseases severity and probability of survival in peroxisomal disorders. PLoS ONE, 2020, 15, e0238796.	2.5	11
31	Skeletal and Muscular Status in Juveniles With GFD Treated Clinical and Newly Diagnosed Atypical Celiac Disease—Preliminary Data. Journal of Clinical Densitometry, 2007, 10, 76-85.	1.2	9
32	Procollagen I amino-terminal propeptide as a potential marker for multiple myeloma. Clinical Biochemistry, 2010, 43, 604-608.	1.9	9
33	Determination of urinary d-/l-arabinitol ratios as a biomarker for invasive candidiasis in children with cardiac diseases. Journal of Medical Microbiology, 2010, 59, 1490-1496.	1.8	8
34	Urinary d -Arabinitol/ l -Arabinitol Levels in Infants Undergoing Long-Term Antibiotic Therapy. Journal of Clinical Microbiology, 2005, 43, 5351-5354.	3.9	7
35	Discriminant analysis involving serum cytokine levels and prediction of the response to therapy of patients with Hodgkin lymphoma. Tumor Biology, 2012, 33, 1733-1738.	1.8	7
36	Using the TUG Test for the Functional Assessment of Patients with Selected Disorders. International Journal of Environmental Research and Public Health, 2022, 19, 4602.	2.6	5

#	Article	IF	CITATIONS
37	Are Gait and Balance Problems in Neurological Patients Interdependent? Enhanced Analysis Using Gait Indices, Cyclograms, Balance Parameters and Entropy. Entropy, 2021, 23, 359.	2.2	4
38	Selection of gait parameters for modified Gillette Gait Index using Hellwig Correlation Based Filter method, random forest method, and correlation methods. Biocybernetics and Biomedical Engineering, 2020, 40, 1267-1276.	5.9	3
39	How to Define Pediatric Flatfoot: Comparison of 2 Methods: Foot Posture in Static and Dynamic Conditions in Children 5 to 9 Years Old. Foot and Ankle Specialist, 2021, , 193864002199134.	1.0	3
40	Effect of Plano-Valgus Foot on Lower-Extremity Kinematics and Spatiotemporal Gait Parameters in Children of Age 5–9. Diagnostics, 2022, 12, 2.	2.6	3
41	Hip and Knee Kinematics in Sagittal Plane during Stair Ascent and Descent in Children, Adolescents and Young Adults. Journal of Human Kinetics, 2010, 26, 45-49.	1.5	2
42	Timing of electromyographic activity and ranges of motion during simple motor tasks of upper extremities. Biomedical Human Kinetics, 2017, 9, 146-157.	0.6	2
43	Connection Between Gait and Balance Functions in Pediatric Patients with Either Neurological or Sensory Integration Problems. Lecture Notes in Computational Vision and Biomechanics, 2020, , 335-338	0.5	Ο