

Oscar M Camacho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6641755/publications.pdf>

Version: 2024-02-01

21
papers

464
citations

840585

11
h-index

794469

19
g-index

25
all docs

25
docs citations

25
times ranked

407
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Electronic cigarette aerosol induces significantly less cytotoxicity than tobacco smoke. <i>Toxicology Mechanisms and Methods</i> , 2016, 26, 477-491. | 1.3 | 89 |
| 2 | Changes in Biomarkers of Exposure on Switching From a Conventional Cigarette to Tobacco Heating Products: A Randomized, Controlled Study in Healthy Japanese Subjects. <i>Nicotine and Tobacco Research</i> , 2019, 21, 1220-1227. | 1.4 | 57 |
| 3 | Assessing modified risk tobacco and nicotine products: Description of the scientific framework and assessment of a closed modular electronic cigarette. <i>Regulatory Toxicology and Pharmacology</i> , 2017, 90, 342-357. | 1.3 | 50 |
| 4 | A system dynamics modelling approach to assess the impact of launching a new nicotine product on population health outcomes. <i>Regulatory Toxicology and Pharmacology</i> , 2017, 86, 265-278. | 1.3 | 45 |
| 5 | Changes in Biomarkers of Exposure on Switching From a Conventional Cigarette to the glo Tobacco Heating Product: A Randomized, Controlled Ambulatory Study. <i>Nicotine and Tobacco Research</i> , 2021, 23, 584-591. | 1.4 | 35 |
| 6 | Changes in biomarkers after 180 days of tobacco heating product use: a randomised trial. <i>Internal and Emergency Medicine</i> , 2021, 16, 2201-2212. | 1.0 | 27 |
| 7 | Changes in levels of biomarkers of exposure and biological effect in a controlled study of smokers switched from conventional cigarettes to reduced-toxicant-prototype cigarettes. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 72, 273-291. | 1.3 | 26 |
| 8 | A randomized controlled study in healthy participants to explore the exposure continuum when smokers switch to a tobacco heating product or an E-cigarette relative to cessation. <i>Toxicology Reports</i> , 2021, 8, 994-1001. | 1.6 | 24 |
| 9 | A randomised, controlled, two-Centre open-label study in healthy Japanese subjects to evaluate the effect on biomarkers of exposure of switching from a conventional cigarette to a tobacco heating product. <i>BMC Public Health</i> , 2017, 17, 673. | 1.2 | 21 |
| 10 | Changes in levels of biomarkers of exposure observed in a controlled study of smokers switched from conventional to reduced toxicant prototype cigarettes. <i>Regulatory Toxicology and Pharmacology</i> , 2013, 66, 147-162. | 1.3 | 20 |
| 11 | Estimating the Population Health Impact of Recently Introduced Modified Risk Tobacco Products: A Comparison of Different Approaches. <i>Nicotine and Tobacco Research</i> , 2021, 23, 426-437. | 1.4 | 16 |
| 12 | The development of an in vitro 3D model of goblet cell hyperplasia using MUC5AC expression and repeated whole aerosol exposures. <i>Toxicology Letters</i> , 2021, 347, 45-57. | 0.4 | 15 |
| 13 | Empirical characterisation of ranges of mainstream smoke toxicant yields from contemporary cigarette products using quantile regression methodology. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 72, 458-472. | 1.3 | 8 |
| 14 | Statistical analysis plan for a randomised, controlled study to evaluate the effects of switching from cigarette smoking to using a tobacco heating product on health effect indicators in healthy subjects. <i>Contemporary Clinical Trials Communications</i> , 2020, 17, 100535. | 0.5 | 7 |
| 15 | In Response to "Association Between Youth Smoking, Electronic Cigarette Use, and COVID-19". <i>Journal of Adolescent Health</i> , 2021, 68, 214. | 1.2 | 5 |
| 16 | A longitudinal study of smokers' exposure to cigarette smoke and the effects of spontaneous product switching. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 72, 8-16. | 1.3 | 4 |
| 17 | Evidence From the Scientific Assessment of Electronic Cigarettes and Their Role in Tobacco Harm Reduction. <i>Contributions To Tobacco and Nicotine Research</i> , 2021, 30, 63-108. | 0.2 | 4 |
| 18 | Protocol for a Japanese nationwide repeated cross-sectional study to assess tobacco and nicotine product use behaviour after market introduction of tobacco heating products (THPs). <i>F1000Research</i> , 0, 8, 739. | 0.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Reference change values to assess changes in concentrations of biomarkers of exposure in individuals participating in a cigarette-switching study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 399-411. | 1.4 | 2 |
| 20 | Reference change values in concentrations of urinary and salivary biomarkers of exposure and mouth level exposure in individuals participating in an ambulatory smoking study. <i>Practical Laboratory Medicine</i> , 2016, 5, 47-56. | 0.6 | 1 |
| 21 | Investigating the Health Effects of 3 Coexisting Tobacco-Related Products Using System Dynamics Population Modeling: An Italian Population Case Study. <i>Frontiers in Public Health</i> , 2021, 9, 700473. | 1.3 | 1 |