
## Takayuki Akimoto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6642255/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Molecular Mechanisms of Skeletal Muscle Hypertrophy. Journal of Neuromuscular Diseases, 2021, 8,<br>169-183.  | 2.6  | 64        |
| 2  | Changes in Urinary Titin Fragment in Response to Different Types of Dynamic Eccentric Exercises.<br>International Journal of Sports Medicine, 2021, 42, 432-440.  | 1.7  | 3         |
| 3  | Dicer-mediated miRNA processing is not involved in controlling muscle mass during muscle atrophy.<br>Scientific Reports, 2021, 11, 19361.   | 3.3  | 3         |
| 4  | Live-cell imaging of microRNA expression with post-transcriptional feedback control. Molecular<br>Therapy - Nucleic Acids, 2021, 26, 547-556.   | 5.1  | 5         |
| 5  | An acute eccentric exercise increases circulating myomesin 3 fragments. Journal of Physiological Sciences, 2021, 71, 4.   | 2.1  | 2         |
| 6  | Role of damage and management in muscle hypertrophy: Different behaviors of muscle stem cells in<br>regeneration and hypertrophy. Biochimica Et Biophysica Acta - Molecular Cell Research, 2020, 1867,<br>118742.     | 4.1  | 37        |
| 7  | Effects of trunk extensor eccentric exercise on lipid profile and glycaemic response. BMJ Open Sport and Exercise Medicine, 2020, 6, e000861.   | 2.9  | 2         |
| 8  | Effects of Exercise Training on Growth and Differentiation Factor 11 Expression in Aged Mice.<br>Frontiers in Physiology, 2019, 10, 970.  | 2.8  | 9         |
| 9  | Loss of microRNA-23–27–24 clusters in skeletal muscle is not influential in skeletal muscle<br>development and exercise-induced muscle adaptation. Scientific Reports, 2019, 9, 1092.                                 | 3.3  | 16        |
| 10 | Conditional Deletion of Dicer in Adult Mice Impairs Skeletal Muscle Regeneration. International<br>Journal of Molecular Sciences, 2019, 20, 5686.   | 4.1  | 13        |
| 11 | An inducible knockout of Dicer in adult mice does not affect endurance exercise-induced muscle<br>adaptation. American Journal of Physiology - Cell Physiology, 2019, 316, C285-C292.                                 | 4.6  | 13        |
| 12 | Effect of endothelial microRNAs on blood pressure homeostasis. The Journal of Physical Fitness and Sports Medicine, 2018, 7, 41-45.   | 0.3  | 1         |
| 13 | Role of endothelial microRNA-23 clusters in angiogenesis in vivo. American Journal of Physiology -<br>Heart and Circulatory Physiology, 2018, 315, H838-H846.   | 3.2  | 23        |
| 14 | Effect of acute mid-intensity treadmill exercise on the androgen hormone level and uncoupling<br>protein-1 expression in brown fat tissue of mouse. Journal of Exercise Nutrition & Biochemistry, 2018,<br>22, 15-21. | 1.3  | 5         |
| 15 | Heat Stress Modulates Both Anabolic and Catabolic Signaling Pathways Preventing<br>Dexamethasone-Induced Muscle Atrophy In Vitro. Journal of Cellular Physiology, 2017, 232, 650-664.                                 | 4.1  | 22        |
| 16 | Detection of titin fragments in urine in response to exercise-induced muscle damage. PLoS ONE, 2017, 12, e0181623.  | 2.5  | 42        |
| 17 | MRF4 negatively regulates adult skeletal muscle growth by repressing MEF2 activity. Nature Communications, 2016, 7, 12397.  | 12.8 | 88        |
| 18 | MicroRNA expression profiling in skeletal muscle reveals different regulatory patterns in high and low responders to resistance training. Physiological Genomics, 2016, 48, 320-324.                                  | 2.3  | 61        |

Τακαγμκι Ακιμότο

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | New mouse model of skeletal muscle atrophy using spiral wire immobilization. Muscle and Nerve, 2016, 54, 788-791.  | 2.2 | 16        |
| 20 | The Impact of Different Amounts of Calcium Intake on Bone Mass and Arterial Calcification in Ovariectomized Rats. Journal of Nutritional Science and Vitaminology, 2015, 61, 391-399.  | 0.6 | 7         |
| 21 | Influence of caloric restriction and exercise on mitochondrial quality control in skeletal muscle.<br>Japanese Journal of Physical Fitness and Sports Medicine, 2015, 64, 389-396.   | 0.0 | 0         |
| 22 | Effects of systemic hypoxia on human muscular adaptations to resistance exercise training.<br>Physiological Reports, 2015, 3, e12267.  | 1.7 | 12        |
| 23 | Mesenchymalâ€stemâ€cellâ€derived exosomes accelerate skeletal muscle regeneration. FEBS Letters, 2015,<br>589, 1257-1265.  | 2.8 | 420       |
| 24 | Changes in the number of circulating CD34+ cells after eccentric exercise of the elbow flexors in relation to muscle damage. Journal of Sport and Health Science, 2015, 4, 275-281.  | 6.5 | 2         |
| 25 | MicroRNA-23a has minimal effect on endurance exercise-induced adaptation of mouse skeletal muscle.<br>Pflugers Archiv European Journal of Physiology, 2015, 467, 389-398.  | 2.8 | 18        |
| 26 | Effects of systemic hypoxia on human muscular adaptations to resistance exercise training.<br>Physiological Reports, 2014, 2, e12033.  | 1.7 | 85        |
| 27 | Food Restriction Causes Low Bone Strength and Microarchitectural Deterioration in Exercised<br>Growing Male Rats. Journal of Nutritional Science and Vitaminology, 2014, 60, 35-42.  | 0.6 | 7         |
| 28 | Regulation of miRNAs in human skeletal muscle following acute endurance exercise and shortâ€ŧerm<br>endurance training. Journal of Physiology, 2013, 591, 4637-4653.   | 2.9 | 207       |
| 29 | Skeletal muscle adaptation in response to mechanical stress in p130casâ^'/â^' mice. American Journal of<br>Physiology - Cell Physiology, 2013, 304, C541-C547.   | 4.6 | 14        |
| 30 | Disruption of skeletal muscle mitochondrial network genes and miRNAs in amyotrophic lateral sclerosis. Neurobiology of Disease, 2013, 49, 107-117.   | 4.4 | 194       |
| 31 | Influence of Food Restriction Combined with Voluntary Running on Bone Morphology and Strength<br>in Male Rats. Calcified Tissue International, 2013, 93, 540-548.  | 3.1 | 16        |
| 32 | The Effect of Different Amounts of Calcium Intake on Bone Metabolism and Arterial Calcification in<br>Ovariectomized Rats. Journal of Nutritional Science and Vitaminology, 2013, 59, 29-36.   | 0.6 | 24        |
| 33 | Profiling of Circulating MicroRNAs after a Bout of Acute Resistance Exercise in Humans. PLoS ONE, 2013, 8, e70823.   | 2.5 | 102       |
| 34 | Control of cell differentiation by mechanical stress. The Journal of Physical Fitness and Sports<br>Medicine, 2013, 2, 49-62.  | 0.3 | 8         |
| 35 | Moderate Running and Plyometric Training During Off-Season Did Not Show a Significant Difference<br>on Soccer-Related High-Intensity Performances Compared with No-Training Controls. Journal of<br>Strength and Conditioning Research, 2012, 26, 3392-3397. | 2.1 | 28        |
| 36 | Cyclic mechanical strain maintains Nanog expression through PI3K/Akt signaling in mouse embryonic stem cells. Experimental Cell Research, 2012, 318, 1726-1732.  | 2.6 | 27        |

Такауикі Акімото

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Translational Supression of Atroginâ€1 and MuRF1 by miRâ€23a Integrates Resistance to Skeletal Muscle<br>Atrophy. FASEB Journal, 2012, 26, 1086.3.   | 0.5 | 0         |
| 38 | Acupuncture ameliorated skeletal muscle atrophy induced by hindlimb suspension in mice.<br>Biochemical and Biophysical Research Communications, 2011, 410, 434-439.                                  | 2.1 | 33        |
| 39 | Influences of Weight Loss on Monocytes and T-Cell Subpopulations in Male Judo Athletes. Journal of Strength and Conditioning Research, 2011, 25, 1943-1950.  | 2.1 | 23        |
| 40 | DHEA Administration Activates Local Bioactive Androgen Metabolism in Cancellous Site of Tibia of Ovariectomized Rats. Calcified Tissue International, 2011, 89, 105-110.                             | 3.1 | 6         |
| 41 | Modulation of viability of live cells by focused ionâ€beam exposure. Biotechnology and Bioengineering, 2011, 108, 222-225.   | 3.3 | 2         |
| 42 | Translational Suppression of Atrophic Regulators by MicroRNA-23a Integrates Resistance to Skeletal<br>Muscle Atrophy. Journal of Biological Chemistry, 2011, 286, 38456-38465.                       | 3.4 | 165       |
| 43 | Endurance Exercise Training Enhances Local Sex Steroidogenesis in Skeletal Muscle. Medicine and Science in Sports and Exercise, 2011, 43, 2072-2080.   | 0.4 | 48        |
| 44 | Salivary Secretory Immunoglobulin A Response of Elite Speed Skaters During a Competition Period.<br>Journal of Strength and Conditioning Research, 2010, 24, 2249-2254.                              | 2.1 | 13        |
| 45 | Effects of Acute Hypoxia on Metabolic and Hormonal Responses to Resistance Exercise. Medicine and Science in Sports and Exercise, 2010, 42, 1279-1285.   | 0.4 | 81        |
| 46 | Effect of Acupuncture on Salivary Immunoglobulin a after a Bout of Intense Exercise. Acupuncture in<br>Medicine, 2010, 28, 214-214.  | 1.0 | 6         |
| 47 | The <i>Mohawk</i> homeobox gene is a critical regulator of tendon differentiation. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 10538-10542.          | 7.1 | 379       |
| 48 | Effect of Acupuncture on Salivary Immunoglobulin a after a Bout of Intense Exercise. Acupuncture in<br>Medicine, 2010, 28, 28-32.  | 1.0 | 8         |
| 49 | Acute exercise activates local bioactive androgen metabolism in skeletal muscle. Steroids, 2010, 75, 219-223.  | 1.8 | 68        |
| 50 | Effects of Cold Environment Exposure and Cold Acclimatization on Exercise-Induced Salivary<br>Cortisol Response. Wilderness and Environmental Medicine, 2009, 20, 239-243.                           | 0.9 | 11        |
| 51 | ALTERATIONS OF SALIVARY SIgA DURING TRAINING CAMP IN COLLEGIATE RUGBY FOOTBALL PLAYERS.<br>Japanese Journal of Physical Fitness and Sports Medicine, 2009, 58, 131-142.                              | 0.0 | 4         |
| 52 | Deletion of the Protein Kinase A/Protein Kinase G Target SMTNL1 Promotes an Exercise-adapted<br>Phenotype in Vascular Smooth Muscle. Journal of Biological Chemistry, 2008, 283, 11850-11859.        | 3.4 | 37        |
| 53 | Functional interaction of regulatory factors with the <i>Pgc-1</i> α promoter in response to exercise<br>by in vivo imaging. American Journal of Physiology - Cell Physiology, 2008, 295, C288-C292. | 4.6 | 52        |
| 54 | Reducing exercise-induced muscular injury in <i>kendo</i> athletes with supplementation of coenzyme Q <sub>10</sub> . British Journal of Nutrition, 2008, 100, 903-909.                              | 2.3 | 63        |

Такауикі Акімото

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Stress responsive miR-23a attenuates skeletal muscle atrophy by targeting MAFbx /atrogin-1. Nature<br>Precedings, 2008, , .   | 0.1 | 7         |
| 56 | Transcriptional Control of the Pgc-1α Gene in Skeletal Muscle In Vivo. Exercise and Sport Sciences<br>Reviews, 2007, 35, 97-101.  | 3.0 | 24        |
| 57 | Effect of Free-Living Daily Physical Activity on Salivary Secretory IgA in Elderly. Medicine and Science<br>in Sports and Exercise, 2007, 39, 593-598.  | 0.4 | 38        |
| 58 | Eccentric muscle contractions induce greater oxidative stress than concentric contractions in skeletal muscle. Applied Physiology, Nutrition and Metabolism, 2007, 32, 273-281.   | 1.9 | 22        |
| 59 | Effects of exercise, age and gender on salivary secretory immunoglobulin A in elderly individuals.<br>Exercise Immunology Review, 2007, 13, 55-66.  | 0.4 | 25        |
| 60 | The Effects of Walking Exercise Training on Immune Response in Elderly Subjects. International<br>Journal of Sport and Health Science, 2006, 4, 508-514.  | 0.2 | 11        |
| 61 | Resident stem cells are not required for exercise-induced fiber-type switching and angiogenesis but<br>are necessary for activity-dependent muscle growth. American Journal of Physiology - Cell Physiology,<br>2006, 290, C1461-C1468.                                     | 4.6 | 57        |
| 62 | Study of Conditioning of National Team Mogul Skiers. International Journal of Sport and Health<br>Science, 2006, 4, 57-66.  | 0.2 | 2         |
| 63 | CHASM is a Unique Biomarker of Type IIa Muscle Fibers and is Regulated by PKA in vivo. FASEB Journal, 2006, 20, LB31.   | 0.5 | Ο         |
| 64 | Effects of Cryotherapy after Contusion Using Real-Time Intravital Microscopy. Medicine and Science in Sports and Exercise, 2005, 37, 1093-1098.   | 0.4 | 46        |
| 65 | Transcriptional profiling in mouse skeletal muscle following a single bout of voluntary running:<br>evidence of increased cell proliferation. Journal of Applied Physiology, 2005, 99, 2406-2415.   | 2.5 | 37        |
| 66 | Peroxisome Proliferator-activated Receptor-Î <sup>3</sup> Co-activator 1α-mediated Metabolic Remodeling of Skeletal<br>Myocytes Mimics Exercise Training and Reverses Lipid-induced Mitochondrial Inefficiency. Journal of<br>Biological Chemistry, 2005, 280, 33588-33598. | 3.4 | 416       |
| 67 | Exercise Stimulates Pgc-1α Transcription in Skeletal Muscle through Activation of the p38 MAPK<br>Pathway. Journal of Biological Chemistry, 2005, 280, 19587-19593.   | 3.4 | 575       |
| 68 | Mechanical stretch inhibits myoblast-to-adipocyte differentiation through Wnt signaling.<br>Biochemical and Biophysical Research Communications, 2005, 329, 381-385.  | 2.1 | 68        |
| 69 | Effects Of Cryotherapy After Contusion Using Real-time Intra-vital Microscopy. Medicine and Science in Sports and Exercise, 2005, 37, S356.   | 0.4 | Ο         |
| 70 | CHANGES IN SALIVA DEHYDROEPIANDROSTERONE IN FEMALE FOOTBALL PLAYERS DURING COMPETITIVE SPORTS. Japanese Journal of Physical Fitness and Sports Medicine, 2004, 53, 149-156.   | 0.0 | 0         |
| 71 | Real-time imaging of peroxisome proliferator-activated receptor-Î <sup>3</sup> coactivator-1α promoter activity in skeletal muscles of living mice. American Journal of Physiology - Cell Physiology, 2004, 287, C790-C796.   | 4.6 | 108       |
| 72 | Skeletal muscle adaptation in response to voluntary running in<br>Ca <sup>2+</sup> /calmodulin-dependent protein kinase IV-deficient mice. American Journal of<br>Physiology - Cell Physiology, 2004, 287, C1311-C1319.   | 4.6 | 109       |

Такауикі Акімото

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Effect of mechanical stretch on TGF-Î <sup>2</sup> 1 expression of C2C12 myogenic cells. Materials Science and Engineering C, 2004, 24, 387-389.   | 7.3 | 4         |
| 74 | Identification of membrane and secreted proteins in anterior cruciate ligament derived cells using<br>"signal-sequence-trapâ€; a retrovirus-mediated expression screening method. Materials Science and<br>Engineering C, 2004, 24, 397-401. | 7.3 | 0         |
| 75 | Ascorbic acid 2-phosphate enhances albumin mRNA expression and secretion of porcine hepatocytes.<br>Materials Science and Engineering C, 2004, 24, 323-327.  | 7.3 | 1         |
| 76 | Basic fibroblast growth factor supports in vitro chondrogenesis of bone marrow-derived<br>mesenchymal stem cells from patients with osteoarthritis. Materials Science and Engineering C, 2004,<br>24, 403-406.                               | 7.3 | 6         |
| 77 | DIFFERENCES IN UNDERWATER AND LAND-BASED LEG MUSCLE ACTIVITY. Japanese Journal of Physical Fitness and Sports Medicine, 2004, 53, 141-147.   | 0.0 | 6         |
| 78 | Resting serum dehydroepiandrosterone sulfate level increases after 8-week resistance training among<br>young females. European Journal of Applied Physiology, 2003, 90, 575-580.   | 2.5 | 29        |
| 79 | Acupuncture and Responses of Immunologic and Endocrine Markers during Competition. Medicine and Science in Sports and Exercise, 2003, 35, 1296-1302.   | 0.4 | 69        |
| 80 | EFFECTS OF LONG-TERM EXERCISE TRAINING ON PERIPHERAL LYMPHOCYTE SUBSETS IN ELDERLY SUBJECTS.<br>Japanese Journal of Physical Fitness and Sports Medicine, 2003, 52, 193-202.   | 0.0 | 6         |
| 81 | EFFECTS OF EXERCISE ON IMMUNE FUNCTION IN ELDERLY PERSONS. Japanese Journal of Physical Fitness and Sports Medicine, 2003, 52, 65-71.  | 0.0 | 1         |
| 82 | EFFECT OF ICING TREATMENT ON MUSCLE REACTION TIME AND FUNCTIONAL PERFORMANCE OF A SPRAINED ANKLE. Japanese Journal of Physical Fitness and Sports Medicine, 2002, 51, 175-183.   | 0.0 | 0         |
| 83 | Increased plasma concentrations of intercellular adhesion molecule-1 after strenuous exercise associated with muscle damage. European Journal of Applied Physiology, 2002, 86, 185-190.  | 2.5 | 34        |
| 84 | Antiprothrombin autoantibodies in severe preeclampsia and abortion. American Journal of Medicine, 2001, 110, 188-191.  | 1.5 | 16        |
| 85 | Mechanical stretch is a down-regulatory signal for differentiation of C2C12 myogenic cells. Materials Science and Engineering C, 2001, 17, 75-78.  | 7.3 | 31        |
| 86 | SERUM STEROID HORMONE RESPONSES TO ACUTE RESISTANCE EXERCISE. Japanese Journal of Physical Fitness and Sports Medicine, 2001, 50, 293-302.   | 0.0 | 2         |
| 87 | Effect of brief maximal exercise on circulating levels of interleukin-12. European Journal of Applied Physiology, 2000, 81, 510-512.   | 2.5 | 21        |
| 88 | ALTERATION OF LOCAL IMMUNITY IN THE ORAL CAVITY AFTER ENDURANCE RUNNING. Japanese Journal of Physical Fitness and Sports Medicine, 1998, 47, 53-61.  | 0.0 | 11        |
| 89 | EFFECTS OF REPETITIOUS INTENSE EXERCISE TRAINING ON RESTING SALIVARY IGA. Japanese Journal of Physical Fitness and Sports Medicine, 1998, 47, 245-251.   | 0.0 | 4         |
| 90 | ALTERATION OF SALIVARY IMMUNOGLOBULIN A BY A BOUT OF EXERCISE IN THE VISUALLY IMPAIRED MALES.<br>Japanese Journal of Physical Fitness and Sports Medicine, 1997, 46, 523-527.  | 0.0 | 0         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 91 | Tendon-Specific Dicer Deficient Mice Exhibit Hypoplastic Tendon Through the Downregulation of<br>Tendon-Related Genes and MicroRNAs. Frontiers in Cell and Developmental Biology, 0, 10, . | 3.7 | 3         |