

# Ahmed El-Sohemy

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6643594/ahmed-el-sohemy-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168  
papers

5,402  
citations

44  
h-index

66  
g-index

177  
ext. papers

6,123  
ext. citations

4.7  
avg, IF

5.83  
L-index

#	Paper	IF	Citations
168	β and β desaturase indices are not associated with zinc intake as determined by dietary assessment or modified by a zinc-FADS1 rs174547 SNP interaction in young Canadian adults.. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , <b>2022</b> , 180, 102439	2.8	
167	HFE Genotype and Endurance Performance in Competitive Male Athletes. <i>Medicine and Science in Sports and Exercise</i> , <b>2021</b> , 53, 1385-1390	1.2	2
166	Nutrition, genetic variation and male fertility. <i>Translational Andrology and Urology</i> , <b>2021</b> , 10, 1410-1431	2.3	2
165	Genetics of Iron Metabolism and Premenstrual Symptoms: A Mendelian Randomization Study. <i>Journal of Nutrition</i> , <b>2021</b> , 151, 1747-1754	4.1	3
164	Recent advances and current controversies in genetic testing for personalized nutrition. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2021</b> , 24, 289-295	3.8	2
163	Neither low salivary amylase activity, cooling cooked white rice, nor single nucleotide polymorphisms in starch-digesting enzymes reduce glycemic index or starch digestibility: a randomized, crossover trial in healthy adults. <i>American Journal of Clinical Nutrition</i> , <b>2021</b> , 114, 1633-1645	7	1
162	Soy Consumption, but Not Dairy Consumption, Is Inversely Associated with Fatty Acid Desaturase Activity in Young Adults. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	1
161	Caffeine, genetic variation and anaerobic performance in male athletes: a randomized controlled trial. <i>European Journal of Applied Physiology</i> , <b>2021</b> , 121, 3499-3513	3.4	1
160	CYP1A2 Genotype Modifies the Effects of Caffeine Compared With Placebo on Muscle Strength in Competitive Male Athletes. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , <b>2021</b> , 1-7	4.4	3
159	Variation in the vitamin D receptor gene, plasma 25-hydroxyvitamin D, and risk of premenstrual symptoms. <i>Genes and Nutrition</i> , <b>2021</b> , 16, 15	4.3	1
158	The modifying effect of nutritional factors on the association between IL1-β single nucleotide polymorphism and serum CXCL10 levels in young Canadian adults. <i>Nutrition and Health</i> , <b>2020</b> , 26, 151-159 <sup>1</sup>	2.1	1
157	Effect of Caffeine on Endurance Performance in Athletes May Depend on HTR2A and CYP1A2 Genotypes. <i>Journal of Strength and Conditioning Research</i> , <b>2020</b> ,	3.2	6
156	Nutrigenomics for Sport and Exercise Performance <b>2020</b> , 375-390		
155	Toward the Definition of Personalized Nutrition: A Proposal by The American Nutrition Association. <i>Journal of the American College of Nutrition</i> , <b>2020</b> , 39, 5-15	3.5	43
154	Goals in Nutrition Science 2020-2025. <i>Frontiers in Nutrition</i> , <b>2020</b> , 7, 606378	6.2	7
153	Sport Nutrigenomics: Personalized Nutrition for Athletic Performance. <i>Frontiers in Nutrition</i> , <b>2019</b> , 6, 8	6.2	34
152	Investigating Gene-Gene and Gene-Environment Interactions in the Association Between Overnutrition and Obesity-Related Phenotypes. <i>Frontiers in Genetics</i> , <b>2019</b> , 10, 151	4.5	5

151	The future of genetically based nutritional and pharmacological ergogenic aids in sport <b>2019</b> , 461-485		
150	The Association between Plasma Omega-6/Omega-3 Ratio and Anthropometric Traits Differs by Racial/Ethnic Groups and Genotypes in Healthy Young Adults. <i>Journal of Personalized Medicine</i> , <b>2019</b> , 9,	3.6	3
149	Association between Vitamin D Status and Premenstrual Symptoms. <i>Journal of the Academy of Nutrition and Dietetics</i> , <b>2019</b> , 119, 115-123	3.9	8
148	Caffeine, CYP1A2 Genotype, and Endurance Performance in Athletes. <i>Medicine and Science in Sports and Exercise</i> , <b>2018</b> , 50, 1570-1578	1.2	86
147	The Effect of the CYP1A2 163 C > A Polymorphism on Caffeine Metabolism and Subsequent Cycling Performance. <i>Journal of Caffeine and Adenosine Research</i> , <b>2018</b> , 8, 65-70	1.6	13
146	ABO Genotype Does Not Modify the Association between the "Blood-Type" Diet and Biomarkers of Cardiometabolic Disease in Overweight Adults. <i>Journal of Nutrition</i> , <b>2018</b> , 148, 518-525	4.1	1
145	Biomarkers of cardiometabolic health and nutritional status in individuals with positive celiac disease serology. <i>Nutrition and Health</i> , <b>2018</b> , 24, 37-45	2.1	3
144	genotype, dietary protein intake, and body weight in a multiethnic population of young adults: a cross-sectional study. <i>Genes and Nutrition</i> , <b>2018</b> , 13, 4	4.3	34
143	Genetic Variation in 9p21 and the Plasma Proteome. <i>Journal of Proteome Research</i> , <b>2018</b> , 17, 2649-2656	5.6	1
142	The Influence Of Caffeine And A CYP1A2 Polymorphism On The Ventilatory Threshold - A Pilot Study. <i>Medicine and Science in Sports and Exercise</i> , <b>2018</b> , 50, 598-599	1.2	
141	The Alleged Health-Protective Effects of Coffee. <i>JAMA Internal Medicine</i> , <b>2018</b> , 178, 1724-1725	11.5	
140	Genetic variant in the βadrenergic receptor (Arg16Gly) influences fat-free mass, muscle strength and motor unit behaviour in young men. <i>Experimental Physiology</i> , <b>2018</b> , 103, 1645-1655	2.4	3
139	Genetic variation in 9p21 is associated with fasting insulin in women but not men. <i>PLoS ONE</i> , <b>2018</b> , 13, e0202365	3.7	3
138	Effect of Current Dietary Recommendations on Weight Loss and Cardiovascular Risk Factors. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 69, 1103-1112	15.1	24
137	Only DNA-based dietary advice improved adherence to the Mediterranean diet score. <i>American Journal of Clinical Nutrition</i> , <b>2017</b> , 105, 770	7	2
136	Circulating concentrations and relative percent composition of trans fatty acids in healthy Canadian young adults between 2004 and 2010: a cross-sectional study. <i>CMAJ Open</i> , <b>2017</b> , 5, E130-E136	2.5	2
135	Lactose Intolerance (-13910C>T) Genotype Is Associated with Plasma 25-Hydroxyvitamin D Concentrations in Caucasians: A Mendelian Randomization Study. <i>Journal of Nutrition</i> , <b>2017</b> , 147, 1063-1069	11.9	16
134	Retraction: Circulating plant miRNAs can regulate human gene expression in vitro. <i>Scientific Reports</i> , <b>2017</b> , 7, 46826	4.9	6

133	Recalled taste intensity, liking and habitual intake of commonly consumed foods. <i>Appetite</i> , <b>2017</b> , 109, 182-189	4.5	26
132	Proposed guidelines to evaluate scientific validity and evidence for genotype-based dietary advice. <i>Genes and Nutrition</i> , <b>2017</b> , 12, 35	4.3	72
131	Hormonal contraceptive use and prevalence of premenstrual symptoms in a multiethnic Canadian population. <i>BMC Women's Health</i> , <b>2017</b> , 17, 87	2.9	9
130	The Effect Of The Cyp1a2 -163 c>A Polymorphism On The Metabolism Of Caffeine And Effect On Performance. <i>Medicine and Science in Sports and Exercise</i> , <b>2017</b> , 49, 293	1.2	
129	Prevalence of positive coeliac disease serology and HLA risk genotypes in a multiethnic population of adults in Canada: a cross-sectional study. <i>BMJ Open</i> , <b>2017</b> , 7, bmjopen-2017-017678	3	5
128	Circulating plant miRNAs can regulate human gene expression in vitro. <i>Scientific Reports</i> , <b>2016</b> , 6, 32773	4.9	27
127	Caffeine and 3-km cycling performance: Effects of mouth rinsing, genotype, and time of day. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2016</b> , 26, 613-9	4.6	52
126	Caffeine: Friend or Foe?. <i>Annual Review of Food Science and Technology</i> , <b>2016</b> , 7, 117-37	14.7	38
125	Moving towards Specific Nutrigenetic Recommendation Algorithms: Caffeine, Genetic Variation and Cardiovascular Risk. <i>Journal of Nutrigenetics and Nutrigenomics</i> , <b>2016</b> , 9, 106-115		10
124	Variation in the TAS1R2 Gene, Sweet Taste Perception and Intake of Sugars. <i>Journal of Nutrigenetics and Nutrigenomics</i> , <b>2015</b> , 8, 81-90		55
123	Maternal Choline Status, but Not Fetal Genotype, Influences Cord Plasma Choline Metabolite Concentrations. <i>Journal of Nutrition</i> , <b>2015</b> , 145, 1491-7	4.1	25
122	1,25-dihydroxyvitamin D3 regulates expression of sex steroid receptors in human uterine fibroid cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, E572-82	5.6	45
121	Gluten Intake Is Positively Associated with Plasma $\alpha$ -Macroglobulin in Young Adults. <i>Journal of Nutrition</i> , <b>2015</b> , 145, 1256-62	4.1	16
120	Genetic variation related to caffeine metabolism or response during exercise. <i>Journal of the International Society of Sports Nutrition</i> , <b>2015</b> , 12,	4.5	78
119	Comprehensive profiling of plasma fatty acid concentrations in young healthy Canadian adults. <i>PLoS ONE</i> , <b>2015</b> , 10, e0116195	3.7	155
118	Ethnicity, sex, FADS genetic variation, and hormonal contraceptive use influence delta-5- and delta-6-desaturase indices and plasma docosahexaenoic acid concentration in young Canadian adults: a cross-sectional study. <i>Nutrition and Metabolism</i> , <b>2015</b> , 12, 14	4.6	29
117	Changes in Food Group and Nutrient Intakes Following a DNA-based Dietary Advice Intervention for Sodium Intake. <i>FASEB Journal</i> , <b>2015</b> , 29, LB307	0.9	
116	Arginine Silicate Supplementation Decreases Markers of Cardiovascular, Renal and Metabolic Dysfunction and Increases Markers of Vasodilation and Cardiovascular Health in Healthy Adult Males. <i>FASEB Journal</i> , <b>2015</b> , 29, 748.2	0.9	1

115	Effects of Gluten on the Plasma Proteome in Humans. <i>FASEB Journal</i> , <b>2015</b> , 29, 275-3	0.9	
114	Plasma levels of 14:0, 16:0, 16:1n-7, and 20:3n-6 are positively associated, but 18:0 and 18:2n-6 are inversely associated with markers of inflammation in young healthy adults. <i>Lipids</i> , <b>2014</b> , 49, 255-63	1.6	46
113	Opioid receptor mu 1 gene, fat intake and obesity in adolescence. <i>Molecular Psychiatry</i> , <b>2014</b> , 19, 63-8	15.1	39
112	Perceptions of genetic testing for personalized nutrition: a randomized trial of DNA-based dietary advice. <i>Journal of Nutrigenetics and Nutrigenomics</i> , <b>2014</b> , 7, 94-104		31
111	ABO genotype, blood-type diet and cardiometabolic risk factors. <i>PLoS ONE</i> , <b>2014</b> , 9, e84749	3.7	13
110	Disclosure of genetic information and change in dietary intake: a randomized controlled trial. <i>PLoS ONE</i> , <b>2014</b> , 9, e112665	3.7	76
109	Plasma concentration of cis9trans11 CLA in males and females is influenced by SCD1 genetic variations and hormonal contraceptives: a cross-sectional study. <i>Nutrition and Metabolism</i> , <b>2013</b> , 10, 50	4.6	11
108	Ethnic- and sex-specific associations between plasma fatty acids and markers of insulin resistance in healthy young adults. <i>Nutrition and Metabolism</i> , <b>2013</b> , 10, 42	4.6	11
107	High coffee intake, but not caffeine, is associated with reduced estrogen receptor negative and postmenopausal breast cancer risk with no effect modification by CYP1A2 genotype. <i>Nutrition and Cancer</i> , <b>2013</b> , 65, 398-409	2.8	30
106	Association Between Caffeine Intake and the Plasma Proteome in Humans. <i>Journal of Caffeine Research</i> , <b>2013</b> , 3, 175-181		2
105	Genetic variation in putative salt taste receptors and salt taste perception in humans. <i>Chemical Senses</i> , <b>2013</b> , 38, 137-45	4.8	64
104	Variation in the FADS1/2 gene cluster alters plasma n-6 PUFA and is weakly associated with hsCRP levels in healthy young adults. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , <b>2013</b> , 89, 257-63	2.8	29
103	Association between the plasma proteome and serum ascorbic acid concentrations in humans. <i>Journal of Nutritional Biochemistry</i> , <b>2013</b> , 24, 842-7	6.3	9
102	Association of GLUT2 and TAS1R2 genotypes with risk for dental caries. <i>Caries Research</i> , <b>2013</b> , 47, 219-25	4.2	47
101	Association between the plasma proteome and plasma Tocopherol concentrations in humans. <i>Journal of Nutritional Biochemistry</i> , <b>2013</b> , 24, 396-400	6.3	11
100	Plasma 25-hydroxyvitamin D, hormonal contraceptive use, and the plasma proteome in Caucasian, East Asian, and South Asian young adults. <i>Journal of Proteome Research</i> , <b>2013</b> , 12, 1797-807	5.6	7
99	Genetic variation in the vitamin D receptor, plasma 25-hydroxyvitamin D, and biomarkers of cardiometabolic disease in Caucasian young adults. <i>Journal of Nutrigenetics and Nutrigenomics</i> , <b>2013</b> , 6, 256-67		8
98	Positive association between 25-hydroxyvitamin D and C-reactive protein is confounded by hormonal contraceptive use. <i>Journal of Womens Health</i> , <b>2013</b> , 22, 417-25	3	6

97	Plasma 25-hydroxyvitamin D, hormonal contraceptive use, and cardiometabolic disease risk in an ethnically diverse population of young adults. <i>Journal of the American College of Nutrition</i> , <b>2013</b> , 32, 296-306	3.5	12
96	Effect of Nitrous Oxide Exposure During Surgery on the Homocysteine Concentrations of Children. <i>Survey of Anesthesiology</i> , <b>2013</b> , 57, 31		
95	Plasma vitamin D and biomarkers of cardiometabolic disease risk in adult Canadians, 2007-2009. <i>Preventing Chronic Disease</i> , <b>2013</b> , 10, E91	3.7	26
94	Literature search and review related to specific preparatory work in the establishment of Dietary Reference Values for Thiamin, Pantothenic Acid and Choline. <i>EFSA Supporting Publications</i> , <b>2013</b> , 10,	1.1	4
93	The single nucleotide polymorphism CRTh2 rs533116 is associated with allergic asthma and increased expression of CRTh2. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , <b>2012</b> , 67, 1357-64	9.3	15
92	Applying genomics to nutrition and lifestyle modification. <i>Personalized Medicine</i> , <b>2012</b> , 9, 739-749	2.2	11
91	Glutathione S-transferase (GST) M1, but not GSTT1, genotype influences plasma proteomic profiles in Caucasian and East Asian young adults. <i>Journal of Proteome Research</i> , <b>2012</b> , 11, 5022-33	5.6	3
90	Enzymatic activity and genetic variation in SCD1 modulate the relationship between fatty acids and inflammation. <i>Molecular Genetics and Metabolism</i> , <b>2012</b> , 105, 421-7	3.7	34
89	Association between circulating ascorbic acid, tocopherol, 25-hydroxyvitamin D, and plasma cytokine concentrations in young adults: a cross-sectional study. <i>Nutrition and Metabolism</i> , <b>2012</b> , 9, 102	4.6	15
88	Prevalence of cilantro ( <i>Coriandrum sativum</i> ) disliking among different ethnocultural groups. <i>Flavour</i> , <b>2012</b> , 1,		18
87	Nutrigenetics and modulation of oxidative stress. <i>Annals of Nutrition and Metabolism</i> , <b>2012</b> , 60 Suppl 3, 27-36	4.5	70
86	Genetic determinants of dietary antioxidant status. <i>Progress in Molecular Biology and Translational Science</i> , <b>2012</b> , 108, 179-200	4	13
85	Genetic Variation and Nutrient Metabolism <b>2012</b> , 27-37		
84	Novel effects of hormonal contraceptive use on the plasma proteome. <i>PLoS ONE</i> , <b>2012</b> , 7, e45162	3.7	14
83	A common polymorphism near the interleukin-6 gene modifies the association between dietary fat intake and insulin sensitivity. <i>Journal of Inflammation Research</i> , <b>2012</b> , 5, 1-6	4.8	4
82	The association between obesity, cardiometabolic disease biomarkers, and innate immunity-related inflammation in Canadian adults. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , <b>2012</b> , 5, 347-55	3.4	17
81	A randomized trial of genetic information for personalized nutrition. <i>Genes and Nutrition</i> , <b>2012</b> , 7, 559-66	4.3	66
80	Effects of polymorphisms in nucleotide-binding oligomerization domains 1 and 2 on biomarkers of the metabolic syndrome and type II diabetes. <i>Genes and Nutrition</i> , <b>2012</b> , 7, 427-35	4.3	14

79	Associations between polymorphisms in the AHR and CYP1A1-CYP1A2 gene regions and habitual caffeine consumption. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 665-71	7	62
78	Dietary patterns and ethnicity are associated with distinct plasma proteomic groups. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 95, 352-61	7	47
77	Effect of nitrous oxide exposure during surgery on the homocysteine concentrations of children. <i>Anesthesiology</i> , <b>2012</b> , 117, 15-21	4.3	19
76	Nutrigenetics and nutrigenomics: viewpoints on the current status and applications in nutrition research and practice. <i>Journal of Nutrigenetics and Nutrigenomics</i> , <b>2011</b> , 4, 69-89		192
75	Polymorphisms in FADS1 and FADS2 alter desaturase activity in young Caucasian and Asian adults. <i>Molecular Genetics and Metabolism</i> , <b>2011</b> , 103, 171-8	3.7	97
74	Dietary patterns in an ethnoculturally diverse population of young Canadian adults. <i>Canadian Journal of Dietetic Practice and Research</i> , <b>2011</b> , 72, e161-8	1.3	20
73	Vitamins D, C, and E in the prevention of type 2 diabetes mellitus: modulation of inflammation and oxidative stress. <i>Biologics: Targets and Therapy</i> , <b>2011</b> , 5, 7-19	4.4	67
72	Postprandial effects of almond consumption on human osteoclast precursors--an ex vivo study. <i>Metabolism: Clinical and Experimental</i> , <b>2011</b> , 60, 923-9	12.7	3
71	Polymorphisms in Toll-like receptor 4 are associated with factors of the metabolic syndrome and modify the association between dietary saturated fat and fasting high-density lipoprotein cholesterol. <i>Metabolism: Clinical and Experimental</i> , <b>2011</b> , 60, 1131-5	12.7	27
70	Genetic polymorphisms of innate immunity-related inflammatory pathways and their association with factors related to type 2 diabetes. <i>BMC Medical Genetics</i> , <b>2011</b> , 12, 95	2.1	47
69	Catechol-O-Methyltransferase Genotype Is Associated with Self-Reported Increased Heart Rate Following Caffeine Consumption. <i>Journal of Caffeine Research</i> , <b>2011</b> , 1, 123-130		8
68	Plasma vitamin D levels and risk of metabolic syndrome in Canadians. <i>Clinical and Investigative Medicine</i> , <b>2011</b> , 34, E377	0.9	54
67	Haptoglobin genotype modifies the association between dietary vitamin C and serum ascorbic acid deficiency. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 92, 1494-500	7	42
66	Reply to F Imamura. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 91, 1071-1071	7	1
65	Genetic variation in TAS1R2 (Ile191Val) is associated with consumption of sugars in overweight and obese individuals in 2 distinct populations. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 92, 1501-10	7	101
64	The Genetic Determinants of Ingestive Behavior: Sensory, Energy Homeostasis and Food Reward Aspects of Ingestive Behavior <b>2010</b> , 149-160		3
63	Type 2 diabetes mellitus and inflammation: Prospects for biomarkers of risk and nutritional intervention. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , <b>2010</b> , 3, 173-86	3.4	90
62	CYP1A2 genotype and rheumatoid arthritis in Koreans. <i>Rheumatology International</i> , <b>2010</b> , 30, 1349-54	3.6	6



61	The Micronutrient Genomics Project: a community-driven knowledge base for micronutrient research. <i>Genes and Nutrition</i> , <b>2010</b> , 5, 285-96	4.3	40
60	Comparison of body mass index and waist circumference as predictors of cardiometabolic health in a population of young Canadian adults. <i>Diabetology and Metabolic Syndrome</i> , <b>2010</b> , 2, 28	5.6	44
59	Genetic variation in taste and its influence on food selection. <i>OMICS A Journal of Integrative Biology</i> , <b>2009</b> , 13, 69-80	3.8	189
58	Vitamin C deficiency in a population of young Canadian adults. <i>American Journal of Epidemiology</i> , <b>2009</b> , 170, 464-71	3.8	72
57	Functional genetic variants of glutathione S-transferase protect against serum ascorbic acid deficiency. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 90, 1411-7	7	61
56	Fourteen well-described caffeine withdrawal symptoms factor into three clusters. <i>Psychopharmacology</i> , <b>2009</b> , 201, 541-8	4.7	9
55	Regulation of osteoblast and adipocyte differentiation from human mesenchymal stem cells by conjugated linoleic acid. <i>Journal of Nutritional Biochemistry</i> , <b>2009</b> , 20, 956-64	6.3	41
54	TAS2R38 genotypes and phenylthiocarbamide bitter taste perception in a population of young adults. <i>Journal of Nutrigenetics and Nutrigenomics</i> , <b>2009</b> , 2, 251-6		19
53	Effects of 9cis,11trans and 10trans,12cis CLA on osteoclast formation and activity from human CD14+ monocytes. <i>Lipids in Health and Disease</i> , <b>2009</b> , 8, 15	4.4	13
52	NF-kappaB -94Ins/Del ATTG polymorphism modifies the association between dietary polyunsaturated fatty acids and HDL-cholesterol in two distinct populations. <i>Atherosclerosis</i> , <b>2009</b> , 204, 465-70	3.1	30
51	Dopamine D2 receptor genotype (C957T) and habitual consumption of sugars in a free-living population of men and women. <i>Journal of Nutrigenetics and Nutrigenomics</i> , <b>2009</b> , 2, 235-42		24
50	Vitamin C transporter gene polymorphisms, dietary vitamin C and serum ascorbic acid. <i>Journal of Nutrigenetics and Nutrigenomics</i> , <b>2009</b> , 2, 292-301		48
49	Genetic polymorphisms of tumor necrosis factor-alpha modify the association between dietary polyunsaturated fatty acids and plasma high-density lipoprotein-cholesterol concentrations in a population of young adults. <i>Journal of Nutrigenetics and Nutrigenomics</i> , <b>2008</b> , 1, 215-23		21
48	Does caffeine alter muscle carbohydrate and fat metabolism during exercise?. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2008</b> , 33, 1311-8	3	63
47	Interactions between hepatic lipase and apolipoprotein E gene polymorphisms affect serum lipid profiles of healthy Canadian adults. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2008</b> , 33, 761-8	3	12
46	Impact of genetic and environmental determinants of taste with food preferences in older adults. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , <b>2008</b> , 27, 267-76		25
45	Genetic variant in the glucose transporter type 2 is associated with higher intakes of sugars in two distinct populations. <i>Physiological Genomics</i> , <b>2008</b> , 33, 355-60	3.6	75
44	SVCT1 and SVCT2 Genotypes Modify the Association between Dietary Vitamin C and Serum Ascorbic Acid Concentrations in Men. <i>FASEB Journal</i> , <b>2008</b> , 22, 157.8	0.9	1



43	Tumor necrosis factor alpha -238G>A genotype alters postprandial plasma levels of free fatty acids in obese individuals with type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , <b>2007</b> , 56, 649-55	12.7	32
42	Genetic polymorphisms of tumor necrosis factor-alpha modify the association between dietary polyunsaturated fatty acids and fasting HDL-cholesterol and apo A-I concentrations. <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 86, 768-74	7	45
41	Epigallocatechin-3-gallate increases the formation of mineralized bone nodules by human osteoblast-like cells. <i>Journal of Nutritional Biochemistry</i> , <b>2007</b> , 18, 341-7	6.3	92
40	Microsomal epoxide hydrolase genotype and risk of myocardial infarction. <i>Archives of Toxicology</i> , <b>2007</b> , 81, 641-5	5.8	1
39	Coffee, CYP1A2 genotype and risk of myocardial infarction. <i>Genes and Nutrition</i> , <b>2007</b> , 2, 155-6	4.3	20
38	Nutrigenetics. <i>Forum of Nutrition</i> , <b>2007</b> , 60, 25-30		29
37	Nutrigenomics of taste - impact on food preferences and food production. <i>Forum of Nutrition</i> , <b>2007</b> , 60, 176-182		34
36	The CYP1A2 genotype modifies the association between coffee consumption and breast cancer risk among BRCA1 mutation carriers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 912-6	4	61
35	The TNF-alpha-238G > a single-nucleotide polymorphism protects against memory decline in older adults with type 2 diabetes. <i>Behavioral Neuroscience</i> , <b>2007</b> , 121, 619-24	2.1	8
34	Genetic polymorphism of the adenosine A2A receptor is associated with habitual caffeine consumption. <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 86, 240-4	7	166
33	GSTT1 genotype modifies the association between cruciferous vegetable intake and the risk of myocardial infarction. <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 86, 752-8	7	72
32	Coffee, caffeine, and coronary heart disease. <i>Current Opinion in Lipidology</i> , <b>2007</b> , 18, 13-9	4.4	80
31	Coffee, caffeine, and coronary heart disease. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2007</b> , 10, 745-51	3.8	73
30	Statins and cancer. <i>Epidemiology</i> , <b>2007</b> , 18, 520; author reply 520-1	3.1	9
29	Effects of zinc on the mineralization of bone nodules from human osteoblast-like cells. <i>Biological Trace Element Research</i> , <b>2007</b> , 116, 61-71	4.5	
28	Isomer-specific effects of conjugated linoleic acid on mineralized bone nodule formation from human osteoblast-like cells. <i>Experimental Biology and Medicine</i> , <b>2007</b> , 232, 246-52	3.7	19
27	Catalase and PPARgamma2 genotype and risk of rheumatoid arthritis in Koreans. <i>Rheumatology International</i> , <b>2006</b> , 26, 388-92	3.6	20
26	Cyclooxygenase-2 polymorphisms and risk of systemic lupus erythematosus in Koreans. <i>Rheumatology International</i> , <b>2006</b> , 27, 1-5	3.6	5

25	Statins and the risk of cancer. <i>JAMA - Journal of the American Medical Association</i> , <b>2006</b> , 295, 2720; author reply 2721-2	27.4	22
24	Coffee, CYP1A2 genotype, and risk of myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , <b>2006</b> , 295, 1135-41	27.4	309
23	Coffee, Myocardial Infarction, and CYP Nomenclature Reply. <i>JAMA - Journal of the American Medical Association</i> , <b>2006</b> , 296, 764	27.4	
22	Cost-effectiveness analysis of MTHFR polymorphism screening by polymerase chain reaction in Korean patients with rheumatoid arthritis receiving methotrexate. <i>Journal of Rheumatology</i> , <b>2006</b> , 33, 1266-74	4.1	35
21	Regulation of HMG-CoA reductase in MCF-7 cells by genistein, EPA, and DHA, alone and in combination with mevastatin. <i>Cancer Letters</i> , <b>2005</b> , 224, 221-8	9.9	42
20	Dietary factors and the regulation of 3-hydroxy-3-methylglutaryl coenzyme A reductase: implications for breast cancer and development. <i>Molecular Nutrition and Food Research</i> , <b>2005</b> , 49, 93-100 <sup>5.9</sup>	5.9	12
19	Statins and cancer development. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2005</b> , 14, 1897-8	4	76
18	Catalase and PPARgamma2 genotype and risk of systemic lupus erythematosus in Koreans. <i>Lupus</i> , <b>2005</b> , 14, 351-5	2.6	13
17	Glutathione S-transferase genotype and risk of systemic lupus erythematosus in Koreans. <i>Lupus</i> , <b>2005</b> , 14, 381-4	2.6	24
16	Glutathione S-transferase M1, T1, and P1 genotypes and rheumatoid arthritis. <i>Journal of Rheumatology</i> , <b>2005</b> , 32, 992-7	4.1	19
15	Genetic polymorphism of CYP1A2 increases the risk of myocardial infarction. <i>Journal of Medical Genetics</i> , <b>2004</b> , 41, 758-62	5.8	60
14	Mevalonate promotes the growth of tumors derived from human cancer cells in vivo and stimulates proliferation in vitro with enhanced cyclin-dependent kinase-2 activity. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 33079-84	5.4	82
13	Delivery of mevalonate to murine extrahepatic tissues via mini-osmotic pumps. <i>Journal of Pharmacological and Toxicological Methods</i> , <b>2004</b> , 50, 139-43	1.7	3
12	Geraniol and beta-ionone inhibit proliferation, cell cycle progression, and cyclin-dependent kinase 2 activity in MCF-7 breast cancer cells independent of effects on HMG-CoA reductase activity. <i>Biochemical Pharmacology</i> , <b>2004</b> , 68, 1739-47	6	107
11	Glutathione S-transferase M1, T1, and P1 gene polymorphisms and carotid atherosclerosis in Korean patients with rheumatoid arthritis. <i>Rheumatology International</i> , <b>2004</b> , 24, 157-63	3.6	16
10	Individual carotenoid concentrations in adipose tissue and plasma as biomarkers of dietary intake. <i>American Journal of Clinical Nutrition</i> , <b>2002</b> , 76, 172-9	7	143
9	Effects of dietary conjugated linoleic acid on the expression of uncoupling proteins in mice and rats. <i>Lipids</i> , <b>2002</b> , 37, 853-61	1.6	35
8	Dietary and adipose tissue gamma-tocopherol and risk of myocardial infarction. <i>Epidemiology</i> , <b>2002</b> , 13, 216-23	3.1	16

7	Frequent intake of tropical fruits that are rich in beta-cryptoxanthin is associated with higher plasma beta-cryptoxanthin concentrations in Costa Rican adolescents. <i>Journal of Nutrition</i> , <b>2002</b> , 132, 3161-7	4.1	29
6	Cyclooxygenase-2 inhibitor celecoxib inhibits promotion of mammary tumorigenesis in rats fed a high fat diet rich in n-6 polyunsaturated fatty acids. <i>Cancer Letters</i> , <b>2002</b> , 184, 7-12	9.9	23
5	Population-based study of alpha- and gamma-tocopherol in plasma and adipose tissue as biomarkers of intake in Costa Rican adults. <i>American Journal of Clinical Nutrition</i> , <b>2001</b> , 74, 356-63	7	48
4	Inhibition of N-methyl-N-nitrosourea- and 7,12-dimethylbenz[a] anthracene-induced rat mammary tumorigenesis by dietary cholesterol is independent of Ha-Ras mutations. <i>Carcinogenesis</i> , <b>2000</b> , 21, 827-31	4.6	23
3	Effects of n-3 and n-6 polyunsaturated fatty acids on 3-hydroxy-3-methylglutaryl-CoA reductase in liver and mammary glands of low density lipoprotein-receptor knockout mice. <i>Lipids</i> , <b>1999</b> , 34 Suppl, S135	1.6	1
2	Regulation of mevalonate synthesis in low density lipoprotein receptor knockout mice fed n-3 or n-6 polyunsaturated fatty acids. <i>Lipids</i> , <b>1999</b> , 34, 1037-43	1.6	24
1	The effect of dietary n-3 and n-6 polyunsaturated fatty acids on the expression of cyclooxygenase 1 and 2 and levels of p21ras in rat mammary glands. <i>Carcinogenesis</i> , <b>1998</b> , 19, 905-10	4.6	59