## Bart J Currie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6644173/publications.pdf

Version: 2024-02-01

460 papers

22,901 citations

9264 74 h-index 124 g-index

471 all docs

471 docs citations

times ranked

471

11400 citing authors

#	Article	IF	CITATIONS
1	Melioidosis: Epidemiology, Pathophysiology, and Management. Clinical Microbiology Reviews, 2005, 18, 383-416.	13.6	1,187
2	Melioidosis. New England Journal of Medicine, 2012, 367, 1035-1044.	27.0	648
3	The Epidemiology and Clinical Spectrum of Melioidosis: 540 Cases from the 20 Year Darwin Prospective Study. PLoS Neglected Tropical Diseases, 2010, 4, e900.	3.0	580
4	Melioidosis. Nature Reviews Disease Primers, 2018, 4, 17107.	30.5	430
5	Epidemiology and Host- and Variety-Dependent Characteristics of Infection Due to Cryptococcus neoformans in Australia and New Zealand. Clinical Infectious Diseases, 2000, 31, 499-508.	5.8	421
6	Pathogens Penetrating the Central Nervous System: Infection Pathways and the Cellular and Molecular Mechanisms of Invasion. Clinical Microbiology Reviews, 2014, 27, 691-726.	13.6	306
7	Scabies: a ubiquitous neglected skin disease. Lancet Infectious Diseases, The, 2006, 6, 769-779.	9.1	302
8	Problems in Diagnosing Scabies, a Global Disease in Human and Animal Populations. Clinical Microbiology Reviews, 2007, 20, 268-279.	13.6	287
9	The global distribution of Burkholderia pseudomallei and melioidosis: an update. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, S1-S4.	1.8	282
10	Permethrin and Ivermectin for Scabies. New England Journal of Medicine, 2010, 362, 717-725.	27.0	265
11	Melioidosis: Evolving Concepts in Epidemiology, Pathogenesis, and Treatment. Seminars in Respiratory and Critical Care Medicine, 2015, 36, 111-125.	2.1	248
12	First Documentation of In Vivo and In Vitro Ivermectin Resistance in Sarcoptes scabiei. Clinical Infectious Diseases, 2004, 39, e8-e12.	5.8	244
13	Acute rheumatic fever: a chink in the chain that links the heart to the throat?. Lancet Infectious Diseases, The, 2004, 4, 240-245.	9.1	237
14	Intensity of Rainfall and Severity of Melioidosis, Australia. Emerging Infectious Diseases, 2003, 9, 1538-1542.	4.3	222
15	Melioidosis: acute and chronic disease, relapse and re-activation. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2000, 94, 301-304.	1.8	218
16	The epidemiology of melioidosis in Australia and Papua New Guinea. Acta Tropica, 2000, 74, 121-127.	2.0	203
17	Acute rheumatic fever and rheumatic heart disease in the Top End of Australia's Northern Territory. Medical Journal of Australia, 1996, 164, 146-149.	1.7	190
18	Skin infections and infestations in Aboriginal communities in northern Australia. Australasian Journal of Dermatology, 2000, 41, 139-143.	0.7	182

#	Article	IF	CITATIONS
19	Low Rates of Streptococcal Pharyngitis and High Rates of Pyoderma in Australian Aboriginal Communities Where Acute Rheumatic Fever Is Hyperendemic. Clinical Infectious Diseases, 2006, 43, 683-689.	5.8	175
20	Development and Evaluation of a Real-Time PCR Assay Targeting the Type III Secretion System of Burkholderia pseudomallei. Journal of Clinical Microbiology, 2006, 44, 85-90.	3.9	175
21	Clinical Manifestations of Cryptococcus gattii Infection: Determinants of Neurological Sequelae and Death. Clinical Infectious Diseases, 2012, 55, 789-798.	5.8	171
22	Workshop on Treatment of and Postexposure Prophylaxis for <i>Burkholderia pseudomallei</i> B. malleiInfection, 2010. Emerging Infectious Diseases, 2012, 18, e2-e2.	4.3	170
23	Success of a scabies control program in an Australian Aboriginal community. Pediatric Infectious Disease Journal, 1997, 16, 494-499.	2.0	157
24	Phylogeographic reconstruction of a bacterial species with high levels of lateral gene transfer. BMC Biology, 2009, 7, 78.	3.8	155
25	Melioidosis epidemiology and risk factors from a prospective whole-population study in northern Australia. Tropical Medicine and International Health, 2004, 9, 1167-1174.	2.3	151
26	Acaricidal Activity of Melaleuca alternifolia (Tea Tree) Oil. Archives of Dermatology, 2004, 140, 563-6.	1.4	149
27	Burkholderia stagnalis sp. nov. and Burkholderia territorii sp. nov., two novel Burkholderia cepacia complex species from environmental and human sources. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2265-2271.	1.7	149
28	Field Evaluation of the ICT Malaria P.f/P.v Immunochromatographic Test for Detection of <i>Plasmodium falciparum</i> and <i>Plasmodium vivax</i> Diagnosis of Malaria in Eastern Indonesia. Journal of Clinical Microbiology, 1999, 37, 2412-2417.	3.9	149
29	Emerging epidemic of communityâ€acquired methicillinâ€resistant <i>Staphylococcus aureus</i> infection in the Northern Territory. Medical Journal of Australia, 1996, 164, 721-723.	1.7	147
30	Clinical Features and Epidemiology of Melioidosis Pneumonia: Results From a 21-Year Study and Review of the Literature. Clinical Infectious Diseases, 2012, 54, 362-369.	5.8	143
31	A Very Early-Branching Staphylococcus aureus Lineage Lacking the Carotenoid Pigment Staphyloxanthin. Genome Biology and Evolution, 2011, 3, 881-895.	2.5	142
32	Antibiotic susceptibility of Burkholderia pseudomallei from tropical northern Australia and implications for therapy of melioidosis. International Journal of Antimicrobial Agents, 2001, 17, 109-113.	2.5	138
33	Scabies: New Future for a Neglected Disease. Advances in Parasitology, 2004, 57, 309-376.	3.2	138
34	Ross River Virus and Barmah Forest Virus Infections: A Review of History, Ecology, and Predictive Models, with Implications for Tropical Northern Australia. Vector-Borne and Zoonotic Diseases, 2008, 8, 283-298.	1.5	128
35	Global and regional dissemination and evolution of Burkholderia pseudomallei. Nature Microbiology, 2017, 2, 16263.	13.3	124
36	Disease burden and health-care climic attendances for young children in remote Aboriginal communities of northern Australia. Bulletin of the World Health Organization, 2008, 86, 275-281.	3.3	122

#	Article	lF	CITATIONS
37	Within-Host Evolution of Burkholderia pseudomallei over a Twelve-Year Chronic Carriage Infection. MBio, 2013, 4, .	4.1	121
38	Neurological melioidosis. Acta Tropica, 2000, 74, 145-151.	2.0	120
39	Animal melioidosis in Australia. Acta Tropica, 2000, 74, 153-158.	2.0	120
40	Atlas of group A streptococcal vaccine candidates compiled using large-scale comparative genomics. Nature Genetics, 2019, 51, 1035-1043.	21.4	120
41	Community-Acquired Bacteremic Acinetobacter Pneumonia in Tropical Australia Is Caused by Diverse Strains of Acinetobacter baumannii, with Carriage in the Throat in At-Risk Groups. Journal of Clinical Microbiology, 2002, 40, 685-686.	3.9	117
42	Clonality and Recombination in Genetically Differentiated Subgroups of Cryptococcus gattii. Eukaryotic Cell, 2005, 4, 1403-1409.	3.4	117
43	Use of a Single-Nucleotide Polymorphism Genotyping System To Demonstrate the Unique Epidemiology of Methicillin-Resistant Staphylococcus aureus in Remote Aboriginal Communities. Journal of Clinical Microbiology, 2006, 44, 3720-3727.	3.9	113
44	Systematic Review and Consensus Guidelines for Environmental Sampling of Burkholderia pseudomallei. PLoS Neglected Tropical Diseases, 2013, 7, e2105.	3.0	113
45	Pharyngeal carriage of group C and group G streptococci and acute rheumatic fever in an Aboriginal population. Lancet, The, 2000, 356, 1167-1169.	13.7	110
46	Identification of T cell autoepitopes that cross-react with the C-terminal segment of the M protein of group A streptococci. International Immunology, 1994, 6, 1235-1244.	4.0	106
47	Antifungal Therapy and Management of Complications of Cryptococcosis due to Cryptococcus gattii. Clinical Infectious Diseases, 2013, 57, 543-551.	5.8	106
48	Ivermectin for Sarcoptes scabiei hyperinfestation. International Journal of Infectious Diseases, 1998, 2, 152-154.	3.3	105
49	Dengue and climate change in Australia: predictions for the future should incorporate knowledge from the past. Medical Journal of Australia, 2009, 190, 265-268.	1.7	105
50	A Randomized Controlled Trial of Granulocyte Colony-Stimulating Factor for the Treatment of Severe Sepsis Due to Melioidosis in Thailand. Clinical Infectious Diseases, 2007, 45, 308-314.	5.8	103
51	Current use of Australian snake antivenoms and frequency of immediateâ€type hypersensitivity reactions and anaphylaxis. Medical Journal of Australia, 2008, 188, 473-476.	1.7	101
52	Adjunctive Granulocyte Colony‧timulating Factor for Treatment of Septic Shock Due to Melioidosis. Clinical Infectious Diseases, 2004, 38, 32-37.	5.8	100
53	Surface Analyses and Immune Reactivities of Major Cell Wall-Associated Proteins of Group A Streptococcus. Infection and Immunity, 2005, 73, 3137-3146.	2.2	99
54	Variable Virulence Factors in Burkholderia pseudomallei (Melioidosis) Associated with Human Disease. PLoS ONE, 2014, 9, e91682.	2.5	99

#	Article	IF	Citations
55	Landscape Changes Influence the Occurrence of the Melioidosis Bacterium Burkholderia pseudomallei in Soil in Northern Australia. PLoS Neglected Tropical Diseases, 2009, 3, e364.	3.0	98
56	Communityâ€Associated Strains of Methicillinâ€ResistantStaphylococcus aureusand Methicillinâ€SusceptibleS. aureusin Indigenous Northern Australia: Epidemiology and Outcomes. Journal of Infectious Diseases, 2009, 199, 1461-1470.	4.0	96
57	Short-course oral co-trimoxazole versus intramuscular benzathine benzylpenicillin for impetigo in a highly endemic region: an open-label, randomised, controlled, non-inferiority trial. Lancet, The, 2014, 384, 2132-2140.	13.7	96
58	Persistent ICT Malaria P.f/P.v Panmalarial and HRP2 Antigen Reactivity after Treatment of Plasmodium falciparum Malaria Is Associated with Gametocytemia and Results in False-Positive Diagnoses of Plasmodium vivax in Convalescence. Journal of Clinical Microbiology, 2001, 39, 1025-1031.	3.9	93
59	A Regional Initiative to Reduce Skin Infections amongst Aboriginal Children Living in Remote Communities of the Northern Territory, Australia. PLoS Neglected Tropical Diseases, 2009, 3, e554.	3.0	93
60	Development of a Prototype Lateral Flow Immunoassay (LFI) for the Rapid Diagnosis of Melioidosis. PLoS Neglected Tropical Diseases, 2014, 8, e2727.	3.0	93
61	INDIRECT HEMAGGLUTINATION ASSAY IN PATIENTS WITH MELIOIDOSIS IN NORTHERN AUSTRALIA. American Journal of Tropical Medicine and Hygiene, 2006, 74, 330-334.	1.4	91
62	Genomic islands from five strains of Burkholderia pseudomallei. BMC Genomics, 2008, 9, 566.	2.8	90
63	Mechanisms for a Novel Immune Evasion Strategy in the Scabies Mite Sarcoptes Scabiei: A Multigene Family of Inactivated Serine Proteases. Journal of Investigative Dermatology, 2003, 121, 1419-1424.	0.7	87
64	Acute Post-Streptococcal Glomerulonephritis in the Northern Territory of Australia: A Review of 16 Years Data and Comparison with the Literature. American Journal of Tropical Medicine and Hygiene, 2011, 85, 703-710.	1.4	87
65	Prospective study of <i>Chironex fleckeri</i> and other box jellyfish stings in the "Top End―of Australia's Northern Territory. Medical Journal of Australia, 2005, 183, 631-636.	1.7	84
66	Intravenous Therapy Duration and Outcomes in Melioidosis: A New Treatment Paradigm. PLoS Neglected Tropical Diseases, 2015, 9, e0003586.	3.0	83
67	A Horizontal Gene Transfer Event Defines Two Distinct Groups within <i>Burkholderia pseudomallei</i> That Have Dissimilar Geographic Distributions. Journal of Bacteriology, 2007, 189, 9044-9049.	2.2	81
68	Increased Allergic Immune Response to <i>Sarcoptes scabiei</i> Antigens in Crusted versus Ordinary Scabies. Vaccine Journal, 2010, 17, 1428-1438.	3.1	81
69	Impact of an Ivermectin Mass Drug Administration on Scabies Prevalence in a Remote Australian Aboriginal Community. PLoS Neglected Tropical Diseases, 2015, 9, e0004151.	3.0	81
70	Prospective study of jellyfish stings from tropical Australia, including the major box jellyfish <i>Chironex flecked </i> . Medical Journal of Australia, 2001, 175, 652-655.	1.7	79
71	Cutaneous Melioidosis in the Tropical Top End of Australia: A Prospective Study and Review of the Literature. Clinical Infectious Diseases, 2008, 47, 603-609.	5.8	79
72	Longitudinal Evidence of Increasing In Vitro Tolerance of Scabies Mites to Ivermectin in Scabies-Endemic Communities. Archives of Dermatology, 2009, 145, 840-1.	1.4	79

#	Article	IF	Citations
73	Out of the ground: aerial and exotic habitats of the melioidosis bacterium <i>Burkholderia pseudomallei</i> in grasses in Australia. Environmental Microbiology, 2012, 14, 2058-2070.	3.8	79
74	Clinical Presentation and Medical Management of Melioidosis in Children: A 24-Year Prospective Study in the Northern Territory of Australia and Review of the Literature. Clinical Infectious Diseases, 2015, 60, 21-26.	5.8	79
75	Outcomes of Patients with Melioidosis Treated with Meropenem. Antimicrobial Agents and Chemotherapy, 2004, 48, 1763-1765.	3.2	78
76	Characterization of Ceftazidime Resistance Mechanisms in Clinical Isolates of Burkholderia pseudomallei from Australia. PLoS ONE, 2012, 7, e30789.	2.5	75
77	Neurological Melioidosis: Seven Cases from the Northern Territory of Australia. Clinical Infectious Diseases, 1992, 15, 163-169.	5.8	74
78	Epidemiology and Prevention of Group A Streptococcal Infections: Acute Respiratory Tract Infections, Skin Infections, and their Sequelae at the Close of the Twentieth Century. Clinical Infectious Diseases, 1999, 28, 205-210.	5.8	74
79	Burkholderia pseudomallei virulence: definition, stability and association with clonality. Microbes and Infection, 2001, 3, 621-631.	1.9	74
80	The neurobehavioural consequences of petrol (gasoline) sniffing. Neuroscience and Biobehavioral Reviews, 2002, 26, 81-89.	6.1	74
81	Extreme weather events and environmental contamination are associated with case-clusters of melioidosis in the Northern Territory of Australia. International Journal of Epidemiology, 2006, 35, 323-329.	1.9	74
82	Clinical Effects and Antivenom Dosing in Brown Snake (Pseudonaja spp.) Envenoming — Australian Snakebite Project (ASP-14). PLoS ONE, 2012, 7, e53188.	2.5	74
83	Nonrandom Distribution of Burkholderia pseudomallei Clones in Relation to Geographical Location and Virulence. Journal of Clinical Microbiology, 2006, 44, 2553-2557.	3.9	73
84	Murray Valley encephalitis: a review of clinical features, diagnosis and treatment. Medical Journal of Australia, 2012, 196, 322-326.	1.7	73
85	2020 Review and revision of the 2015 Darwin melioidosis treatment guideline; paradigm drift not shift. PLoS Neglected Tropical Diseases, 2020, 14, e0008659.	3.0	73
86	Outcome of an interventional program for scabies in an Indigenous community. Medical Journal of Australia, 2001, 175, 367-370.	1.7	72
87	Group A Streptococci from a Remote Community Have Novel Multilocus Genotypes but ShareemmTypes and Housekeeping Alleles with Isolates from Worldwide Sources. Journal of Infectious Diseases, 2004, 189, 717-723.	4.0	72
88	Plasminogen Binding by Group A Streptococcal Isolates from a Region of Hyperendemicity for Streptococcal Skin Infection and a High Incidence of Invasive Infection. Infection and Immunity, 2004, 72, 364-370.	2,2	72
89	Burkholderia pseudomallei Isolates from Sarawak, Malaysian Borneo, Are Predominantly Susceptible to Aminoglycosides and Macrolides. Antimicrobial Agents and Chemotherapy, 2014, 58, 162-166.	3.2	72
90	Clonality and α-a Recombination in the Australian Cryptococcus gattii VGII Population - An Emerging Outbreak in Australia. PLoS ONE, 2011, 6, e16936.	2.5	71

#	Article	IF	Citations
91	Crusted Scabies: A Molecular Analysis of Sarcoptes scabiei Variety hominis Populations from Patients with Repeated Infestations. Clinical Infectious Diseases, 1999, 29, 1226-1230.	5.8	70
92	Tandem repeat regions within the Burkholderia pseudomallei genome and their application for high resolution genotyping. BMC Microbiology, 2007, 7, 23.	3.3	70
93	Within-Host Evolution of <i>Burkholderia pseudomallei</i> during Chronic Infection of Seven Australasian Cystic Fibrosis Patients. MBio, 2017, 8, .	4.1	70
94	Sensitive and Specific Molecular Detection of <i>Burkholderia pseudomallei</i> , the Causative Agent of Melioidosis, in the Soil of Tropical Northern Australia. Applied and Environmental Microbiology, 2007, 73, 6891-6897.	3.1	69
95	The Genetic and Molecular Basis of O-Antigenic Diversity in Burkholderia pseudomallei Lipopolysaccharide. PLoS Neglected Tropical Diseases, 2012, 6, e1453.	3.0	69
96	Phylogenetically Distinct <i>Staphylococcus aureus</i> Lineage Prevalent among Indigenous Communities in Northern Australia. Journal of Clinical Microbiology, 2009, 47, 2295-2300.	3.9	67
97	Strongyloidiasis: A review of the evidence for Australian practitioners. Australian Journal of Rural Health, 2005, 13, 247-254.	1.5	66
98	Accuracy of Burkholderia pseudomallei Identification Using the API 20NE System and a Latex Agglutination Test. Journal of Clinical Microbiology, 2007, 45, 3774-3776.	3.9	66
99	Global Implications of the Emergence of Communityâ€Associated Methicillinâ€Resistant <i>Staphylococcus aureus</i> in Indigenous Populations. Clinical Infectious Diseases, 2008, 46, 1871-1878.	5.8	66
100	Long-Term Outcomes From Acute Rheumatic Fever and Rheumatic Heart Disease. Circulation, 2016, 134, 222-232.	1.6	66
101	A Novel Clinical Grading Scale to Guide the Management of Crusted Scabies. PLoS Neglected Tropical Diseases, 2013, 7, e2387.	3.0	65
102	The 2020 Australian guideline for prevention, diagnosis and management of acute rheumatic fever and rheumatic heart disease. Medical Journal of Australia, 2021, 214, 220-227.	1.7	64
103	Cystic Fibrosis andBurkholderia pseudomalleiInfection: An Emerging Problem?. Clinical Infectious Diseases, 2002, 35, e138-e140.	5.8	62
104	Clinic Attendances during the First 12 Months of Life for Aboriginal Children in Five Remote Communities of Northern Australia. PLoS ONE, 2013, 8, e58231.	2.5	61
105	Circulating IgE in Patients with Ordinary and Crusted Scabies. Journal of Medical Entomology, 2004, 41, 74-77.	1.8	60
106	Epidemiology of community-acquired and nosocomial bloodstream infections in tropical Australia: a 12-month prospective study. Tropical Medicine and International Health, 2004, 9, 795-804.	2.3	60
107	The epidemiology and clinical features of melioidosis in Far North Queensland: Implications for patient management. PLoS Neglected Tropical Diseases, 2017, 11, e0005411.	3.0	60
108	Liver Function Test Abnormalities in Users of Aqueous Kava Extracts. Journal of Toxicology: Clinical Toxicology, 2003, 41, 821-829.	1.5	59

#	Article	IF	CITATIONS
109	Clinical Evaluation of a Type III Secretion System Real-Time PCR Assay for Diagnosing Melioidosis. Journal of Clinical Microbiology, 2006, 44, 3028-3030.	3.9	59
110	The Darwin Prospective Melioidosis Study: a 30-year prospective, observational investigation. Lancet Infectious Diseases, The, 2021, 21, 1737-1746.	9.1	58
111	Marine Antivenoms. Journal of Toxicology: Clinical Toxicology, 2003, 41, 301-308.	1.5	57
112	Phylogenomic Analysis Reveals an Asian Origin for African Burkholderia pseudomallei and Further Supports Melioidosis Endemicity in Africa. MSphere, 2016, 1, .	2.9	57
113	Indirect hemagglutination assay in patients with melioidosis in northern Australia. American Journal of Tropical Medicine and Hygiene, 2006, 74, 330-4.	1.4	57
114	A 16-Year Prospective Study of Community-Onset Bacteremic Acinetobacter Pneumonia. Chest, 2014, 146, 1038-1045.	0.8	56
115	A DNA fingerprinting system for the ectoparasite Sarcoptes scabiei. Molecular and Biochemical Parasitology, 1997, 85, 187-196.	1.1	55
116	Factors supporting sustainability of a community-based scabies control program. Australasian Journal of Dermatology, 2002, 43, 274-277.	0.7	55
117	A Multigene Family of Inactivated Cysteine Proteases in Sarcoptes scabiei. Journal of Investigative Dermatology, 2004, 123, 240-241.	0.7	54
118	Randomized, double-blind, placebo-controlled trial of granulocyte colony-stimulating factor in patients with septic shock. Critical Care Medicine, 2008, 36, 448-454.	0.9	54
119	Challenging perceptions of nonâ€compliance with rheumatic fever prophylaxis in a remote Aboriginal community. Medical Journal of Australia, 2006, 184, 514-517.	1.7	53
120	Burkholderia pseudomallei in Unchlorinated Domestic Bore Water, Tropical Northern Australia. Emerging Infectious Diseases, 2011, 17, 1283-1285.	4.3	53
121	Melioidosis at Royal Darwin Hospital in the big 2009–2010 wet season: comparison with the preceding 20 years. Medical Journal of Australia, 2012, 196, 345-348.	1.7	53
122	Clinical Toxinology—Where Are We Now?. Journal of Toxicology: Clinical Toxicology, 2003, 41, 263-276.	1.5	52
123	A diagnostic test for scabies: IgE specificity for a recombinant allergen of Sarcoptes scabiei. Diagnostic Microbiology and Infectious Disease, 2011, 71, 403-407.	1.8	52
124	Scabies in animals and humans: history, evolutionary perspectives, and modern clinical management. Annals of the New York Academy of Sciences, 2011, 1230, E50-60.	3.8	52
125	Is Streptococcus pyogenes Resistant or Susceptible to Trimethoprim-Sulfamethoxazole?. Journal of Clinical Microbiology, 2012, 50, 4067-4072.	3.9	52
126	Epidemiology of <i>Streptococcus dysgalactiae </i> subsp. <i>equisimilis </i> in Tropical Communities, Northern Australia. Emerging Infectious Diseases, 2007, 13, 1694-1700.	4.3	51

#	Article	IF	Citations
127	Using BOX-PCR to exclude a clonal outbreak of melioidosis. BMC Infectious Diseases, 2007, 7, 68.	2.9	51
128	Strongyloides seroprevalence before and after an ivermectin mass drug administration in a remote Australian Aboriginal community. PLoS Neglected Tropical Diseases, 2017, 11, e0005607.	3.0	51
129	Clinical implications of research on the box-jellyfish Chironex fleckeri. Toxicon, 1994, 32, 1305-1313.	1.6	50
130	Ivermectin for scabies. Lancet, The, 1997, 350, 1551.	13.7	50
131	Cryptococcus Infection in Tropical Australia. Journal of Clinical Microbiology, 2004, 42, 3865-3868.	3.9	50
132	Inter-species genetic movement may blur the epidemiology of streptococcal diseases in endemic regions. Microbes and Infection, 2005, 7, 1128-1138.	1.9	50
133	Molecular characterisation of a pH-gated chloride channel from Sarcoptes scabiei. Invertebrate Neuroscience, 2007, 7, 149-156.	1.8	50
134	Prostatic Abscess Due to Burkholderia pseudomallei: 81 Cases From a 19-Year Prospective Melioidosis Study. Journal of Urology, 2009, 182, 542-547.	0.4	50
135	Development and Validation of Burkholderia pseudomallei-Specific Real-Time PCR Assays for Clinical, Environmental or Forensic Detection Applications. PLoS ONE, 2012, 7, e37723.	2.5	50
136	The Effects of Signal Erosion and Core Genome Reduction on the Identification of Diagnostic Markers. MBio, $2016, 7, .$	4.1	49
137	Mortality due to acute rheumatic fever and rheumatic heart disease in the Northern Territory: a preventable cause of death in Aboriginal people. Australian and New Zealand Journal of Public Health, 1999, 23, 159-163.	1.8	48
138	Isolates of Burkholderia pseudomallei from Northern Australia Are Distinct by Multilocus Sequence Typing, but Strain Types Do Not Correlate with Clinical Presentation. Journal of Clinical Microbiology, 2004, 42, 5477-5483.	3.9	48
139	Neurological and Cognitive Recovery Following Abstinence from Petrol Sniffing. Neuropsychopharmacology, 2005, 30, 1019-1027.	5.4	48
140	Clinical Definitions of Melioidosis. American Journal of Tropical Medicine and Hygiene, 2013, 88, 411-413.	1.4	48
141	Snakebite in tropical Australia: a prospective study in the "Top End―of the Northern Territory. Medical Journal of Australia, 2004, 181, 693-697.	1.7	47
142	Efficacy of antivenom against the procoagulant effect of Australian brown snake (Pseudonaja sp.) venom: In vivo and in vitro studies. Toxicon, 2007, 49, 57-67.	1.6	47
143	Mechanisms of Resistance to Folate Pathway Inhibitors in <i>Burkholderia pseudomallei</i> Deviation from the Norm. MBio, 2017, 8, .	4.1	47
144	Scabies programs in Aboriginal communities. Medical Journal of Australia, 1994, 161, 636-637.	1.7	46

#	Article	IF	Citations
145	Enzyme immunoassays in brown snake (Pseudonaja spp.) envenoming: Detecting venom, antivenom and venom–antivenom complexes. Toxicon, 2006, 48, 4-11.	1.6	46
146	Prospective Study in a Porcine Model of Sarcoptes scabiei Indicates the Association of Th2 and Th17 Pathways with the Clinical Severity of Scabies. PLoS Neglected Tropical Diseases, 2015, 9, e0003498.	3.0	46
147	Unprecedented Melioidosis Cases in Northern Australia Caused by an Asian Burkholderia pseudomallei Strain Identified by Using Large-Scale Comparative Genomics. Applied and Environmental Microbiology, 2016, 82, 954-963.	3.1	46
148	Distribution and Antigenicity of Fibronectin Binding Proteins (SfbI and SfbII) of Streptococcus pyogenes Clinical Isolates from the Northern Territory, Australia. Journal of Clinical Microbiology, 2000, 38, 389-392.	3.9	46
149	Identification of <i>Chironex fleckeri</i> envenomation by nematocyst recovery from skin. Medical Journal of Australia, 1995, 162, 478-480.	1.7	45
150	Prevalence and Sequence Diversity of a Factor Required for Actin-Based Motility in Natural Populations of <i>Burkholderia</i> Species. Journal of Clinical Microbiology, 2008, 46, 2418-2422.	3.9	45
151	Impact of ethnicity and socio-economic status on Staphylococcus aureus bacteremia incidence and mortality: a heavy burden in Indigenous Australians. BMC Infectious Diseases, 2012, 12, 249.	2.9	45
152	Distribution of Burkholderia pseudomallei in Northern Australia, a Land of Diversity. Applied and Environmental Microbiology, 2014, 80, 3463-3468.	3.1	45
153	Burkholderia humptydooensis sp. nov., a New Species Related to Burkholderia thailandensis and the Fifth Member of the Burkholderia pseudomallei Complex. Applied and Environmental Microbiology, 2017, 83, .	3.1	45
154	From Breast Cancer to Antimicrobial: Combating Extremely Resistant Gram-Negative "Superbugs―Using Novel Combinations of Polymyxin B with Selective Estrogen Receptor Modulators. Microbial Drug Resistance, 2017, 23, 640-650.	2.0	45
155	Venomous Snakebites Worldwide with a Focus on the Australia-Pacific Region: Current Management and Controversies. Journal of Intensive Care Medicine, 2004, 19, 259-269.	2.8	44
156	Predictive indicators for Ross River virus infection in the Darwin area of tropical northern Australia, using longâ€ŧerm mosquito trapping data. Tropical Medicine and International Health, 2008, 13, 943-952.	2.3	44
157	Comparison of TaqMan PCR Assays for Detection of the Melioidosis Agent Burkholderia pseudomallei in Clinical Specimens. Journal of Clinical Microbiology, 2012, 50, 2059-2062.	3.9	44
158	Whole-Genome Sequencing Confirms that Burkholderia pseudomallei Multilocus Sequence Types Common to Both Cambodia and Australia Are Due to Homoplasy. Journal of Clinical Microbiology, 2015, 53, 323-326.	3.9	44
159	Snakebite in tropical Australia, Papua New Guinea and Irian Jaya. EMA - Emergency Medicine Australasia, 2000, 12, 285-294.	1.1	43
160	Skin disease in the first two years of life in Aboriginal children in East Arnhem Land. Australasian Journal of Dermatology, 2011, 52, 270-273.	0.7	43
161	Recurrent Melioidosis in the Darwin Prospective Melioidosis Study: Improving Therapies Mean that Relapse Cases Are Now Rare. Journal of Clinical Microbiology, 2014, 52, 650-653.	3.9	43
162	Sulfamethoxazole-Trimethoprim (Cotrimoxazole) for Skin and Soft Tissue Infections Including Impetigo, Cellulitis, and Abscess. Open Forum Infectious Diseases, 2017, 4, ofx232.	0.9	42

#	Article	IF	Citations
163	Intersexual variations in Northern (Missulena pruinosa) and Eastern (M. bradleyi) mouse spider venom. Toxicon, 2008, 51, 1167-1177.	1.6	41
164	Trough Concentrations of Vancomycin. Pediatric Infectious Disease Journal, 2012, 31, 1269-1271.	2.0	41
165	Use of Whole-Genome Sequencing to Link <i>Burkholderia pseudomallei</i> from Air Sampling to Mediastinal Melioidosis, Australia. Emerging Infectious Diseases, 2015, 21, 2052-2054.	4.3	41
166	Consensus Guidelines for Dosing of Amoxicillin-Clavulanate in Melioidosis. American Journal of Tropical Medicine and Hygiene, 2008, 78, 208-209.	1.4	41
167	Genomic epidemiology of severe community-onset Acinetobacter baumannii infection. Microbial Genomics, 2019, 5, .	2.0	40
168	An epidemiological study of snake bite envenomation in Papua New Guinea. Medical Journal of Australia, 1991, 154, 266-268.	1.7	39
169	Genetic Diversity of <i>Burkholderia pseudomallei</i> Isolates in Australia. Journal of Clinical Microbiology, 2008, 46, 249-254.	3.9	39
170	Identification of Melioidosis Outbreak by Multilocus Variable Number Tandem Repeat Analysis. Emerging Infectious Diseases, 2009, 15, 169-174.	4.3	39
171	Investigating pressure bandaging for snakebite in a simulated setting: Bandage type, training and the effect of transport. EMA - Emergency Medicine Australasia, 2009, 21, 184-190.	1.1	39
172	Irukandji Syndrome Case Series From Australia's Tropical Northern Territory. Annals of Emergency Medicine, 2009, 54, 395-403.	0.6	39
173	The association of melioidosis with climatic factors in Darwin, Australia: A 23-year time-series analysis. Journal of Infection, 2016, 72, 687-697.	3.3	39
174	Evaluation of PCR for Diagnosis of Melioidosis. Journal of Clinical Microbiology, 1998, 36, 1039-1041.	3.9	39
175	BurkDiff: A Real-Time PCR Allelic Discrimination Assay for Burkholderia Pseudomallei and B. mallei. PLoS ONE, 2010, 5, e15413.	2.5	38
176	Use of dried blood spots to define antibody response to the Strongyloides stercoralis recombinant antigen NIE. Acta Tropica, 2014, 138, 78-82.	2.0	38
177	Current antimicrobial susceptibility of first-episode melioidosis Burkholderia pseudomallei isolates from the Northern Territory, Australia. International Journal of Antimicrobial Agents, 2014, 44, 160-162.	2.5	38
178	Whole-Genome Sequences of 80 Environmental and Clinical Isolates of Burkholderia pseudomallei. Genome Announcements, 2015, 3, .	0.8	38
179	Ivermectin and crusted (Norwegian) scabies. Medical Journal of Australia, 1995, 163, 559-560.	1.7	38
180	Pangenome Analysis of Burkholderia pseudomallei: Genome Evolution Preserves Gene Order despite High Recombination Rates. PLoS ONE, 2015, 10, e0140274.	2.5	37

#	Article	IF	Citations
181	Melioidosis Causing Critical Illness: A Review of 24 Years of Experience From the Royal Darwin Hospital ICU*. Critical Care Medicine, 2016, 44, 1500-1505.	0.9	37
182	Kava hepatotoxicity with Western herbal products: does it occur with traditional kava use?. Medical Journal of Australia, 2003, 178, 421-422.	1.7	36
183	Comparative Genomics of Burkholderia singularis sp. nov., a Low G+C Content, Free-Living Bacterium That Defies Taxonomic Dissection of the Genus Burkholderia. Frontiers in Microbiology, 2017, 8, 1679.	3.5	36
184	Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry for the identification of Burkholderia pseudomallei from Asia and Australia and differentiation between Burkholderia species. PLoS ONE, 2017, 12, e0175294.	2.5	36
185	Antigens released at schizont burst stimulate Plasmodium falciparum-specific CD4+ T cells from non-exposed donors: potential for cross-reactive memory T cells to cause disease. International Immunology, 1995, 7, 821-833.	4.0	35
186	Saccade and cognitive impairment associated with kava intoxication. Human Psychopharmacology, 2003, 18, 525-533.	1.5	35
187	Group A streptococcal infections of the skin: molecular advances but limited therapeutic progress. Current Opinion in Infectious Diseases, 2006, 19, 132-138.	3.1	35
188	Epidemiology and Investigation of Melioidosis, Southern Arizona. Emerging Infectious Diseases, 2011, 17, 1286-1288.	4.3	35
189	Tracing Melioidosis Back to the Source: Using Whole-Genome Sequencing To Investigate an Outbreak Originating from a Contaminated Domestic Water Supply. Journal of Clinical Microbiology, 2015, 53, 1144-1148.	3.9	35
190	Scabies and mortality. Lancet Infectious Diseases, The, 2017, 17, 1234.	9.1	35
191	Locally acquired hepatitis E in the Northern Territory of Australia. Medical Journal of Australia, 1995, 162, 318-319.	1.7	34
192	Further Evaluation of a Rapid Diagnostic Test for Melioidosis in an Area of Endemicity. Journal of Clinical Microbiology, 2004, 42, 2239-2240.	3.9	34
193	Changes in serial laboratory test results in snakebite patients: when can we safely exclude envenoming?. Medical Journal of Australia, 2010, 193, 285-290.	1.7	34
194	Identification of Burkholderia pseudomallei Near-Neighbor Species in the Northern Territory of Australia. PLoS Neglected Tropical Diseases, 2015, 9, e0003892.	3.0	34
195	A global picture of melioidosis. Nature, 2016, 529, 290-291.	27.8	34
196	Raising the Stakes: Loss of Efflux Pump Regulation Decreases Meropenem Susceptibility in Burkholderia pseudomallei. Clinical Infectious Diseases, 2018, 67, 243-250.	5.8	34
197	Transmission of Burkholderia pseudomallei via breast milk in northern Australia. Pediatric Infectious Disease Journal, 2004, 23, 1169-71.	2.0	34
198	Fibronectin-Binding Protein Gene Recombination and Horizontal Transfer between Group A and G Streptococci. Journal of Clinical Microbiology, 2004, 42, 5357-5361.	3.9	33

#	Article	IF	CITATIONS
199	Diversity of 16S-23S rDNA Internal Transcribed Spacer (ITS) Reveals Phylogenetic Relationships in Burkholderia pseudomallei and Its Near-Neighbors. PLoS ONE, 2011, 6, e29323.	2.5	33
200	A National Prospective Surveillance Study of Acute Rheumatic Fever in Australian Children. Pediatric Infectious Disease Journal, 2013, 32, e26-e32.	2.0	33
201	What Drives the Occurrence of the Melioidosis Bacterium Burkholderia pseudomallei in Domestic Gardens?. PLoS Neglected Tropical Diseases, 2015, 9, e0003635.	3.0	33
202	Crusted scabies in northern and central Australia â€" now is the time for eradication. Medical Journal of Australia, 2017, 206, 96-96.	1.7	33
203	A targeted, singleâ€dose azithromycin strategy for trachoma. Medical Journal of Australia, 2000, 172, 163-166.	1.7	32
204	Community-acquired pneumonia in northern Australia: low mortality in a tropical region using locally-developed treatment guidelines. International Journal of Infectious Diseases, 2005, 9, 15-20.	3.3	32
205	VNTR analysis of selected outbreaks of Burkholderia pseudomallei in Australia. Infection, Genetics and Evolution, 2007, 7, 416-423.	2.3	32
206	Fatal communityâ€associated methicillinâ€resistant Staphylococcus aureus pneumonia after influenza. Medical Journal of Australia, 2008, 188, 61-61.	1.7	32
207	Whole-Genome Sequencing of Burkholderia pseudomallei Isolates from an Unusual Melioidosis Case Identifies a Polyclonal Infection with the Same Multilocus Sequence Type. Journal of Clinical Microbiology, 2015, 53, 282-286.	3.9	32
208	Melioidosis: An Australian Perspective. Tropical Medicine and Infectious Disease, 2018, 3, 27.	2.3	32
209	A call to action: time to recognise melioidosis as a neglected tropical disease. Lancet Infectious Diseases, The, 2022, 22, e176-e182.	9.1	32
210	Resolution of neurotoxicity with anticholinesterase therapy in deathâ€adder envenomation. Medical Journal of Australia, 1988, 148, 522-525.	1.7	31
211	Evolution of sfbl Encoding Streptococcal Fibronectin-Binding Protein I: Horizontal Genetic Transfer and Gene Mosaic Structure. Journal of Clinical Microbiology, 2003, 41, 5398-5406.	3.9	31
212	Saccade and Cognitive Function in Chronic Kava Users. Neuropsychopharmacology, 2003, 28, 389-396.	5.4	31
213	Treatment of snakebite in Australia: The current evidence base and questions requiring collaborative multicentre prospective studies. Toxicon, 2006, 48, 941-956.	1.6	31
214	Vibrio vulnificus and V. parahaemolyticus necrotising fasciitis in fishermen visiting an estuarine tropical northern Australian location. Journal of Infection, 2007, 54, e111-e114.	3.3	31
215	Multistate Outbreak of Melioidosis Associated with Imported Aromatherapy Spray. New England Journal of Medicine, 2022, 386, 861-868.	27.0	31
216	Neurological and cognitive impairment associated with leaded gasoline encephalopathy. Drug and Alcohol Dependence, 2004, 73, 183-188.	3.2	30

#	Article	IF	CITATIONS
217	Osteomyelitis and septic arthritis from infection with Burkholderia pseudomallei: A 20-year prospective melioidosis study from northern Australia. Journal of Orthopaedics, 2013, 10, 86-91.	1.3	30
218	Endemic Melioidosis in Residents of Desert Region after Atypically Intense Rainfall in Central Australia, 2011. Emerging Infectious Diseases, 2015, 21, 1038-1040.	4.3	30
219	Improving Delivery of Secondary Prophylaxis for Rheumatic Heart Disease in a Highâ€Burden Setting: Outcome of a Steppedâ€Wedge, Community, Randomized Trial. Journal of the American Heart Association, 2018, 7, .	3.7	30
220	Suspected cases of intracontinental Burkholderia pseudomallei sequence type homoplasy resolved using whole-genome sequencing. Microbial Genomics, 2017, 3, .	2.0	30
221	Transcriptomic analysis of longitudinal Burkholderia pseudomallei infecting the cystic fibrosis lung. Microbial Genomics, 2018, 4, .	2.0	30
222	Mitochondrial Genome Sequence of the Scabies Mite Provides Insight into the Genetic Diversity of Individual Scabies Infections. PLoS Neglected Tropical Diseases, 2016, 10, e0004384.	3.0	30
223	SCABIES MITE INACTIVATED SERINE PROTEASE PARALOGUES ARE PRESENT BOTH INTERNALLY IN THE MITE GUT AND EXTERNALLY IN FECES. American Journal of Tropical Medicine and Hygiene, 2006, 75, 683-687.	1.4	30
224	Chromobacterium violaceum in tropical northern Australia. Medical Journal of Australia, 1998, 168, 335-337.	1.7	29
225	Preventing rheumatic heart disease in Australia. Medical Journal of Australia, 1998, 168, 428-429.	1.7	29
226	Acute rheumatic fever: Adherence to secondary prophylaxis and follow up of Indigenous patients in the Katherine region of the Northern Territory. Australian Journal of Rural Health, 2007, 15, 234-240.	1.5	29
227	West Nile Virus (Kunjin Subtype) Disease in the Northern Territory of Australiaâ€"A Case of Encephalitis and Review of All Reported Cases. American Journal of Tropical Medicine and Hygiene, 2011, 85, 952-956.	1.4	29
228	Concerns for efficacy of a 30-valent M-protein-based Streptococcus pyogenes vaccine in regions with high rates of rheumatic heart disease. PLoS Neglected Tropical Diseases, 2019, 13, e0007511.	3.0	29
229	Snakebite associated thrombotic microangiopathy: a systematic review of clinical features, outcomes, and evidence for interventions including plasmapheresis. PLoS Neglected Tropical Diseases, 2020, 14, e0008936.	3.0	29
230	CONTAMINATION OF HAND WASH DETERGENT LINKED TO OCCUPATIONALLY ACQUIRED MELIOIDOSIS. American Journal of Tropical Medicine and Hygiene, 2004, 71, 360-362.	1.4	29
231	Functional analysis of IgA antibodies specific for a conserved epitope within the M protein of group A streptococci from Australian Aboriginal endemic communities. International Immunology, 1999, 11, 569-576.	4.0	28
232	Recovery of a Burkholderia thailandensis-like isolate from an Australian water source. BMC Microbiology, 2008, 8, 54.	3.3	28
233	Genomic resources and draft assemblies of the human and porcine varieties of scabies mites, Sarcoptes scabiei var. hominis and var. suis. GigaScience, 2016, 5, 23.	6.4	28
234	Lipopolysaccharide heterogeneity among Burkholderia pseudomallei from different geographic and clinical origins. American Journal of Tropical Medicine and Hygiene, 2006, 74, 348-52.	1.4	28

#	Article	IF	Citations
235	Evaluation of strategies used by a remote Aboriginal community to eliminate petrol sniffing. Medical Journal of Australia, 1995, 163, 82-86.	1.7	27
236	A model of immunity to : unique responses following immunization and acute lethal infection. Microbes and Infection, 2005, 7, 1263-1275.	1.9	27
237	Clinically applicable laboratory end-points for treating snakebite coagulopathy. Pathology, 2006, 38, 568-572.	0.6	27
238	Epidemiological Tracking and Population Assignment of the Non-Clonal Bacterium, Burkholderia pseudomallei. PLoS Neglected Tropical Diseases, 2011, 5, e1381.	3.0	27
239	Scabies. Advances in Parasitology, 2012, 79, 339-373.	3.2	27
240	Antibody Responses to Sarcoptes scabiei Apolipoprotein in a Porcine Model: Relevance to Immunodiagnosis of Recent Infection. PLoS ONE, 2013, 8, e65354.	2.5	27
241	Scabies and Global Control of Neglected Tropical Diseases. New England Journal of Medicine, 2015, 373, 2371-2372.	27.0	27
242	A general protein O-glycosylation machinery conserved in Burkholderia species improves bacterial fitness and elicits glycan immunogenicity in humans. Journal of Biological Chemistry, 2019, 294, 13248-13268.	3.4	27
243	Treatment, prevention and public health management of impetigo, scabies, crusted scabies and fungal skin infections in endemic populations: a systematic review. Tropical Medicine and International Health, 2019, 24, 280-293.	2.3	27
244	Clinical effects of bites from formally identified spiders in tropical Northern Territory. Medical Journal of Australia, 2001, 174, 79-82.	1.7	26
245	Impact of single dose azithromycin on group A streptococci in the upper respiratory tract and skin of Aboriginal children. Pediatric Infectious Disease Journal, 2002, 21, 375-380.	2.0	26
246	Melioidosis in Birds and Burkholderia pseudomallei Dispersal, Australia. Emerging Infectious Diseases, 2011, 17, 1310-1312.	4.3	26
247	Towards a rapid molecular diagnostic for melioidosis: Comparison of DNA extraction methods from clinical specimens. Journal of Microbiological Methods, 2012, 88, 179-181.	1.6	26
248	A New Focus of Scrub Typhus in Tropical Australia. American Journal of Tropical Medicine and Hygiene, 1993, 49, 425-429.	1.4	26
249	Recovering Streptococci from the Throat, a Practical Alternative to Direct Plating in Remote Tropical Communities. Journal of Clinical Microbiology, 2006, 44, 547-552.	3.9	25
250	Reliability of Automated Biochemical Identification of Burkholderia pseudomallei Is Regionally Dependent. Journal of Clinical Microbiology, 2013, 51, 3076-3078.	3.9	25
251	Improving delivery of secondary prophylaxis for rheumatic heart disease in remote Indigenous communities: study protocol for a stepped-wedge randomised trial. Trials, 2016, 17, 51.	1.6	25
252	Genomic Characterization of Burkholderia pseudomallei Isolates Selected for Medical Countermeasures Testing: Comparative Genomics Associated with Differential Virulence. PLoS ONE, 2015, 10, e0121052.	2.5	25

#	Article	IF	CITATIONS
253	Trimethoprimâ€sulfamethoxazole compared with benzathine penicillin for treatment of impetigo in Aboriginal children: A pilot randomised controlled trial. Journal of Paediatrics and Child Health, 2010, 46, 131-133.	0.8	24
254	Scabies. Current Opinion in Infectious Diseases, 2013, 26, 107-109.	3.1	24
255	Preliminary consultation on preferred product characteristics of benzathine penicillin G for secondary prophylaxis of rheumatic fever. Drug Delivery and Translational Research, 2016, 6, 572-578.	5.8	24
256	Cryptococcus neoformans var gattii. Lancet, The, 1990, 336, 1442.	13.7	23
257	Occupational infection with herpes simplex virus type 1 after a needlestick injury. Medical Journal of Australia, 2002, 176, 240-240.	1.7	23
258	Melioidosis in New Caledonia. Emerging Infectious Diseases, 2005, 11, 1607-1609.	4.3	23
259	Molecular Investigations of a Locally Acquired Case of Melioidosis in Southern AZ, USA. PLoS Neglected Tropical Diseases, 2011, 5, e1347.	3.0	23
260	An international, multicentre evaluation and description of Burkholderia pseudomallei infection in cystic fibrosis. BMC Pulmonary Medicine, 2015, 15, 116.	2.0	23
261	The Importance of Scabies Coinfection in the Treatment Considerations for Impetigo. Pediatric Infectious Disease Journal, 2016, 35, 374-378.	2.0	23
262	Loss of Methyltransferase Function and Increased Efflux Activity Leads to Doxycycline Resistance in Burkholderia pseudomallei. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	23
263	Whole-genome sequencing of a quarter-century melioidosis outbreak in temperate Australia uncovers a region of low-prevalence endemicity. Microbial Genomics, 2016, 2, e000067.	2.0	23
264	Intestinal parasites of children and adults in a remote Aboriginal community of the Northern Territory, Australia, 1994–1996. Western Pacific Surveillance and Response Journal: WPSAR, 2015, 6, 44-51.	0.6	23
265	Out of hospital treatment of patients with melioidosis using ceftazidime in 24 h elastomeric infusors, via peripherally inserted central catheters. Tropical Medicine and International Health, 2004, 9, 715-717.	2.3	22
266	Use of a Variable Amplicon Typing Scheme Reveals Considerable Variation in the Accessory Genomes of Isolates of Burkholderia pseudomallei. Journal of Clinical Microbiology, 2006, 44, 1323-1334.	3.9	22
267	Pediatric melioidosis in Sarawak, Malaysia: Epidemiological, clinical and microbiological characteristics. PLoS Neglected Tropical Diseases, 2017, 11, e0005650.	3.0	22
268	Melioidosis in northern Australia, 2001-02. Communicable Diseases Intelligence Quarterly Report, 2003, 27, 272-7.	0.5	22
269	Endemic invasive amoebiasis in northern Australia. Medical Journal of Australia, 2002, 177, 570-570.	1.7	21
270	Australian and Thai Isolates of <i>Burkholderia pseudomallei</i> Are Distinct by Multilocus Sequence Typing: Revision of a Case of Mistaken Identity. Journal of Clinical Microbiology, 2007, 45, 3828-3829.	3.9	21

#	Article	IF	Citations
271	Effectiveness of pressureâ€immobilization first aid for snakebite requires further study. EMA - Emergency Medicine Australasia, 2008, 20, 267-270.	1.1	21
272	Detection of Burkholderia pseudomallei O-antigen serotypes in near-neighbor species. BMC Microbiology, 2012, 12, 250.	3.3	21
273	Accurate and Rapid Identification of the Burkholderia pseudomallei Near-Neighbour, Burkholderia ubonensis, Using Real-Time PCR. PLoS ONE, 2013, 8, e71647.	2.5	21
274	Extensive Diversity of Streptococcus pyogenes in a Remote Human Population Reflects Global-Scale Transmission Rather than Localised Diversification. PLoS ONE, 2013, 8, e73851.	2.5	21
275	Melioidosis. Pediatric Infectious Disease Journal, 2014, 33, 770-771.	2.0	21
276	Molecular Characterization of Clinical Burkholderia pseudomallei Isolates from India. American Journal of Tropical Medicine and Hygiene, 2011, 85, 121-123.	1.4	20
277	A prospective study of neurocognitive changes 15 years after chronic inhalant abuse. Addiction, 2013, 108, 1107-1114.	3.3	20
278	Biogeography of Burkholderia pseudomallei in the Torres Strait Islands of Northern Australia. Journal of Clinical Microbiology, 2013, 51, 2520-2525.	3.9	20
279	Clinical Toxicology: A Tropical Australian Perspective. Therapeutic Drug Monitoring, 2000, 22, 73-78.	2.0	20
280	Diverse Burkholderia Species Isolated from Soils in the Southern United States with No Evidence of B. pseudomallei. PLoS ONE, 2015, 10, e0143254.	2.5	20
281	Snakebite Associated Thrombotic Microangiopathy and Recommendations for Clinical Practice. Toxins, 2022, 14, 57.	3.4	20
282	Identification and characterization of Sarcoptes scabiei and Dermatophagoides pteronyssinus glutathione S-transferases: implication as a potential major allergen in crusted scabies. American Journal of Tropical Medicine and Hygiene, 2005, 73, 977-84.	1.4	20
283	Bâ€cell antigen D8/17 is a marker of rheumatic fever susceptibility in Aboriginal Australians and can be tested in remote settings. Medical Journal of Australia, 2006, 184, 507-510.	1.7	19
284	Pneumonia risk stratification in tropical Australia: does the SMART OP score apply?. Medical Journal of Australia, 2010, 192, 133-136.	1.7	19
285	Melioidosis from Contaminated Bore Water and Successful UV Sterilization. American Journal of Tropical Medicine and Hygiene, 2013, 89, 367-368.	1.4	19
286	Autochthonous Melioidosis in Humans, Madagascar, 2012 and 2013. Emerging Infectious Diseases, 2014, 20, 1735-1737.	4.3	19
287	Comparative genomics confirms a rare melioidosis human-to-human transmission event and reveals incorrect phylogenomic reconstruction due to polyclonality. Microbial Genomics, 2020, 6, .	2.0	19
288	Prevention of opportunistic infections in immunosuppressed patients in the tropical top end of the Northern Territory. Communicable Diseases Intelligence Quarterly Report, 2003, 27, 526-32.	0.5	19

#	Article	IF	Citations
289	New world cutaneous leishmaniasis imported into australia. Pathology, 1998, 30, 73-76.	0.6	18
290	Hookworm in the Northern Territory: down but not out. Medical Journal of Australia, 2013, 198, 278-281.	1.7	18
291	Trimethoprim+Sulfamethoxazole Reduces Rates of Melioidosis in High-Risk Hemodialysis Patients. Kidney International Reports, 2018, 3, 160-167.	0.8	18
292	Oral eradication therapy for melioidosis: Important but not without risks. International Journal of Infectious Diseases, 2019, 80, 111-114.	3.3	18
293	Taking the next-gen step: Comprehensive antimicrobial resistance detection from Burkholderia pseudomallei. EBioMedicine, 2021, 63, 103152.	6.1	18
294	Improved multilocus sequence typing of Burkholderia pseudomallei and closely related species. Journal of Medical Microbiology, 2016, 65, 992-997.	1.8	18
295	Identification of a homologue of a house dust mite allergen in a cDNA library from Sarcoptes scabiei var hominis and evaluation of its vaccine potential in a rabbit/S. scabiei var. canis model. American Journal of Tropical Medicine and Hygiene, 2003, 68, 54-60.	1.4	18
296	Contamination of hand wash detergent linked to occupationally acquired melioidosis. American Journal of Tropical Medicine and Hygiene, 2004, 71, 360-2.	1.4	18
297	Burkholderia pseudomallei Genotype Distribution in the Northern Territory, Australia. American Journal of Tropical Medicine and Hygiene, 2016, 94, 68-72.	1.4	17
298	Genomic Insights Into the Melioidosis Pathogen, Burkholderia pseudomallei. Current Tropical Medicine Reports, 2017, 4, 95-102.	3.7	17
299	Increased Neurotropic Threat from <i>Burkholderia pseudomallei</i> Strains with a <i>B. mallei</i> â€"like Variation in the <i>bimA</i> Motility Gene, Australia. Emerging Infectious Diseases, 2017, 23, .	4.3	17
300	Whole-genome sequencing of Burkholderia pseudomallei from an urban melioidosis hotÂspot reveals a fine-scale population structure and localised spatial clustering in the environment. Scientific Reports, 2020, 10, 5443.	3.3	17
301	Scabies mite inactivated serine protease paralogues are present both internally in the mite gut and externally in feces. American Journal of Tropical Medicine and Hygiene, 2006, 75, 683-7.	1.4	17
302	MELIOIDOTIC OSTEOMYELITIS IN NORTHERN AUSTRALIA. ANZ Journal of Surgery, 1997, 67, 692-695.	0.7	16
303	NAD-Glycohydrolase Production and speA and speC Distribution in Group A Streptococcus (GAS) Isolates Do Not Correlate with Severe GAS Diseases in the Australian Population. Journal of Clinical Microbiology, 2002, 40, 2642-2644.	3.9	16
304	Susceptibility to Acute Rheumatic Fever Based on Differential Expression of Genes Involved in Cytotoxicity, Chemotaxis, and Apoptosis. Infection and Immunity, 2014, 82, 753-761.	2.2	16
305	SnakebiteÂassociated thrombotic microangiopathy: a protocol for the systematic review of clinical features, outcomes, and role of interventions. Systematic Reviews, 2019, 8, 212.	5.3	16
306	<i>Burkholderia pseudomallei</i> Lipopolysaccharide Genotype Does Not Correlate With Severity or Outcome in Melioidosis: Host Risk Factors Remain the Critical Determinant. Open Forum Infectious Diseases, 2019, 6, ofz091.	0.9	16

#	Article	IF	Citations
307	<i>Burkholderia</i> , <i>Stenotrophomonas</i> , <i>Ralstonia</i> , <i>Cupriavidus</i> , , <i>Pandoraea</i> , <i>Brevundimonas</i> , <i>Comamonas</i> , <i>Delftia</i> , and <i>Acidovorax</i> , , 791-812.		16
308	Phylogeographic, genomic, and meropenem susceptibility analysis of Burkholderia ubonensis. PLoS Neglected Tropical Diseases, 2017, 11, e0005928.	3.0	16
309	Should Aboriginals in the "Top End―of the Northern Territory be vaccinated against hepatitis A?. Medical Journal of Australia, 1994, 161, 372-373.	1.7	16
310	<scp>M</scp> elioidosis and the kidney. Nephrology, 2013, 18, 169-175.	1.6	15
311	Burkholderia pseudomallei and Burkholderia mallei. , 2015, , 2541-2551.e2.		15
312	Whole-Genome Sequences of Burkholderia pseudomallei Isolates Exhibiting Decreased Meropenem Susceptibility. Genome Announcements, 2017, 5, .	0.8	15
313	Soil-Transmitted Helminths in Children in a Remote Aboriginal Community in the Northern Territory: Hookworm is Rare but Strongyloides stercoralis and Trichuris trichiura Persist. Tropical Medicine and Infectious Disease, 2017, 2, 51.	2.3	15
314	Snakebite-associated thrombotic microangiopathy: an Australian prospective cohort study [ASP30]. Clinical Toxicology, 2022, 60, 205-213.	1.9	15
315	Intestinal parasites of children and adults in a remote Aboriginal community of the Northern Territory, Australia, 1994-1996. Western Pacific Surveillance and Response Journal: WPSAR, 2015, 6, 44-51.	0.6	15
316	Burkholderia pseudomallei strain type, based on pulsed-field gel electrophoresis, does not determine disease presentation in melioidosis. Microbes and Infection, 2005, 7, 104-109.	1.9	14
317	Surprisingly Low Seroprevalence of Burkholderia pseudomallei in Exposed Healthy Adults in the Darwin Region of Tropical Australia Where Melioidosis Is Highly Endemic. Vaccine Journal, 2013, 20, 759-760.	3.1	14
318	Decreasing prevalence of Trichuris trichiura (whipworm) in the Northern Territory from 2002Âto 2012. Medical Journal of Australia, 2014, 200, 286-289.	1.7	14
319	Tracing the environmental footprint of the Burkholderia pseudomallei lipopolysaccharide genotypes in the tropical "Top End―of the Northern Territory, Australia. PLoS Neglected Tropical Diseases, 2019, 13, e0007369.	3.0	14
320	An outbreak of epidemic polyarthritis (Ross River virus disease) in the Northern Territory during the 1990â€1991 wet season. Medical Journal of Australia, 1993, 158, 522-525.	1.7	14
321	Cardiac Myosin Epitopes for Monitoring Progression of Rheumatic Fever. Pediatric Infectious Disease Journal, 2011, 30, 1015-1016.	2.0	13
322	Melioidosis as a Consequence of Sporting Activity. American Journal of Tropical Medicine and Hygiene, 2013, 89, 365-366.	1.4	13
323	Burkholderia pseudomallei: Challenges for the Clinical Microbiology Laboratory—a Response from the Front Line. Journal of Clinical Microbiology, 2017, 55, 980-982.	3.9	13
324	Virulence of the Melioidosis Pathogen Burkholderia pseudomallei Requires the Oxidoreductase Membrane Protein DsbB. Infection and Immunity, 2018, 86, .	2.2	13

#	Article	IF	Citations
325	Pediatric melioidosis in tropical Australia. Pediatric Infectious Disease Journal, 1998, 17, 77-80.	2.0	13
326	Crusted scabies; a 2-year prospective study from the Northern Territory of Australia. PLoS Neglected Tropical Diseases, 2020, 14, e0008994.	3.0	13
327	Short report: application of a polymerase chain reaction to detect Burkholderia pseudomallei in clinical specimens from patients with suspected melioidosis. American Journal of Tropical Medicine and Hygiene, 2005, 73, 1162-4.	1.4	13
328	Melioidosis in Papua New Guinea: is it less common than in tropical Australia?. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1993, 87, 417.	1.8	12
329	Disruption of erythrocyte rosettes and agglutination of erythrocytes infected with Plasmodium falciparum by the sera of Papua New Guineans. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1996, 90, 80-84.	1.8	12
330	Rapid detection of H and R Panton–Valentine leukocidin isoforms in Staphylococcus aureus by high-resolution melting analysis. Diagnostic Microbiology and Infectious Disease, 2010, 67, 399-401.	1.8	12
331	The Use of Positive Serological Tests as Evidence of Exposure to Burkholderia pseudomallei. American Journal of Tropical Medicine and Hygiene, 2011, 84, 1021-1022.	1.4	12
332	The SMARTâ€COP score performs well for pneumonia risk stratification in Australia's Tropical Northern Territory: a prospective cohort study. Tropical Medicine and International Health, 2012, 17, 914-919.	2.3	12
333	<i>Cryptococcus gattii</i> infection complicated by immune reconstitution inflammatory syndrome in three apparently immunocompetent children. Journal of Paediatrics and Child Health, 2019, 55, 943-947.	0.8	12
334	Pathogen to commensal? Longitudinal within-host population dynamics, evolution, and adaptation during a chronic >16-year Burkholderia pseudomallei infection. PLoS Pathogens, 2020, 16, e1008298.	4.7	12
335	An epidemiological study of snake bite envenomation in Papua New Guinea. Medical Journal of Australia, 1992, 156, 290-290.	1.7	11
336	Thoracic Radiology of Infections Emerging After Natural Disasters. Journal of Thoracic Imaging, 2006, 21, 265-275.	1.5	11
337	Variations in the protective immune response against streptococcal superantigens in populations of different ethnicity. Medical Microbiology and Immunology, 2006, 195, 37-43.	4.8	11
338	Melioidosis: Epidemiology, Pathophysiology, and Management. Clinical Microbiology Reviews, 2007, 20, 533-533.	13.6	11
339	Melioidosis and Aboriginal seasons in northern Australia. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, S26-S29.	1.8	11
340	Primary ocular melioidosis due to a single genotype of Burkholderia pseudomallei in two cats from Arnhem Land in the Northern Territory of Australia. Journal of Feline Medicine and Surgery, 2009, 11, 856-863.	1.6	11
341	Commentary: Pressure Bandaging for North American Snake Bite? No!. Journal of Medical Toxicology, 2011, 7, 324-326.	1.5	11
342	Melioidosis and end-stage renal disease in tropical northern Australia. Kidney International, 2014, 86, 867-870.	5 <b>.</b> 2	11

#	Article	IF	Citations
343	Protocol for the systematic review of the prevention, treatment and public health management of impetigo, scabies and fungal skin infections in resource-limited settings. Systematic Reviews, 2016, 5, 162.	5.3	11
344	Burkholderia pseudomallei distribution in Australasia is linked to paleogeographic and anthropogenic history. PLoS ONE, 2018, 13, e0206845.	2.5	11
345	Radiology of Chronic Cavitary Infections. Journal of Thoracic Imaging, 2018, 33, 334-343.	1.5	11
346	The global impact and cost-effectiveness of a melioidosis vaccine. BMC Medicine, 2019, 17, 129.	5 <b>.</b> 5	11
347	Opportunistic pathogens and large microbial diversity detected in source-to-distribution drinking water of three remote communities in Northern Australia. PLoS Neglected Tropical Diseases, 2019, 13, e0007672.	3.0	11
348	Myanmar Burkholderia pseudomallei strains are genetically diverse and originate from Asia with phylogenetic evidence of reintroductions from neighbouring countries. Scientific Reports, 2020, 10, 16260.	3.3	11
349	Consensus guidelines for dosing of amoxicillin-clavulanate in melioidosis. American Journal of Tropical Medicine and Hygiene, 2008, 78, 208-9.	1.4	11
350	Modified horseshoe crab peptides target and kill bacteria inside host cells. Cellular and Molecular Life Sciences, 2022, 79, .	5.4	11
351	Melioidosis: when in doubt leave the quinolone alone!. Medical Journal of Australia, 1992, 157, 427-428.	1.7	10
352	Chromoblastomycosis: A retrospective study of six cases at the royal darwin hospital from 1989 to 1994. Pathology, 1996, 28, 182-187.	0.6	10
353	Communication between hospitals and isolated Aboriginal Community Health Clinics. Australian and New Zealand Journal of Public Health, 1999, 23, 204-206.	1.8	10
354	Snakebite in Australia: The role of the Venom Detection Kit. EMA - Emergency Medicine Australasia, 2004, 16, 384-386.	1.1	10
355	Hot water immersion <i>v</i> icepacks for treating the pain of <i>Chironex fleckeri</i> stings: a randomised controlled trial. Medical Journal of Australia, 2017, 206, 258-261.	1.7	10
356	Epidemiological and Clinical Characteristics of Melioidosis Caused by Gentamicin-Susceptible <i>Burkholderia pseudomallei</i> Diseases, 2021, 8, ofab460.	0.9	10
357	Whole-genome sequencing to investigate a non-clonal melioidosis cluster on a remote Australian island. Microbial Genomics, 2017, 3, e000117.	2.0	10
358	An Evaluation of Unleaded Petrol as a Harm Reduction Strategy for Petrol Sniffers in an Aboriginal Community. Journal of Toxicology: Clinical Toxicology, 1996, 34, 27-36.	1.5	9
359	Caprine humoral response to Burkholderia pseudomallei antigens during acute melioidosis from aerosol exposure. PLoS Neglected Tropical Diseases, 2019, 13, e0006851.	3.0	9
360	Next-generation Diagnostics for Melioidosis: Evaluation of a Prototype i-STAT Cartridge to Detect Burkholderia pseudomallei Biomarkers. Clinical Infectious Diseases, 2019, 69, 421-427.	5.8	9

#	Article	IF	CITATIONS
361	A Persisting Nontropical Focus of Burkholderia pseudomallei with Limited Genome Evolution over Five Decades. MSystems, 2020, 5, .	3.8	9
362	Interpreting Burkholderia pseudomallei disc diffusion susceptibility test results by the EUCAST method. Clinical Microbiology and Infection, 2021, 27, 827-829.	6.0	9
363	Burkholderia pseudomallei and Burkholderia mallei. , 2010, , 2869-2879.		9
364	Trends in Bacteremia Over 2 Decades in the Top End of the Northern Territory of Australia. Open Forum Infectious Diseases, 2020, 7, ofaa472.	0.9	9
365	Arboviral diseases and malaria in Australia, 2012-13: Annual report of the National Arbovirus and Malaria Advisory Committee. Communicable Diseases Intelligence, 2016, 40, E17-47.	0.5	9
366	Snakebite in Australia: Moving from anecdotes to prospective studies. EMA - Emergency Medicine Australasia, 2003, 15, 406-408.	1.1	8
367	Practical challenges of conducting research into rheumatic fever in remote Aboriginal communities. Medical Journal of Australia, 2006, 184, 511-513.	1.7	8
368	Priapism and Irukandji Syndrome. Annals of Emergency Medicine, 2010, 55, 581-582.	0.6	8
369	Effects of binge alcohol exposure on Burkholderia thailandensis–alveolar macrophage interaction. Alcohol, 2017, 64, 55-63.	1.7	8
370	Rapid design and fielding of four diagnostic technologies in Sierra Leone, Thailand, Peru, and Australia: Successes and challenges faced introducing these biosensors. Sensing and Bio-Sensing Research, 2018, 20, 22-33.	4.2	8
371	Emergence of Melioidosis in Indonesia and Today's Challenges. Tropical Medicine and Infectious Disease, 2018, 3, 32.	2.3	8
372	Emergence of <i>Burkholderia pseudomallei</i> Sequence Type 562, Northern Australia. Emerging Infectious Diseases, 2021, 27, 1057-1067.	4.3	8
373	Case Report: Chorioamnionitis and Premature Delivery due to Burkholderia pseudomallei Infection in Pregnancy. American Journal of Tropical Medicine and Hygiene, 2018, 98, 797-799.	1.4	8
374	Clinical Utility of Platelet Count as a Prognostic Marker for Melioidosis. American Journal of Tropical Medicine and Hygiene, 2019, 100, 1085-1087.	1.4	8
375	C-reactive protein in the diagnosis of melioidosis. American Journal of Tropical Medicine and Hygiene, 2004, 70, 580-2.	1.4	8
376	Arboviral diseases and malaria in Australia, 2014–15: Annual report of the National Arbovirus and Malaria Advisory Committee. Communicable Diseases Intelligence (2018), 2019, 43, .	0.7	8
377	Antibody levels to the class I and II epitopes of the M protein and myosin are related to group A streptococcal exposure in endemic populations. International Immunology, 2001, 13, 1335-1343.	4.0	7
378	The fibronectin-binding capacity and host cell adherence of strains are discordant with each other. Microbes and Infection, 2004, 6, 1156-1162.	1.9	7

#	Article	IF	CITATIONS
379	Neurotropic Threat Characterization of <i>Burkholderia pseudomallei </i> Strains. Emerging Infectious Diseases, 2015, 21, 58-63.	4.3	7
380	Development and validation of a triplex quantitative real-time PCR assay to detect efflux pump-mediated antibiotic resistance in <i>Burkholderia pseudomallei</i> . Future Microbiology, 2018, 13, 1403-1418.	2.0	7
381	Chronic Pulmonary Melioidosis Masquerading as lung malignancy diagnosed by EBUS guided sheath technique. Respiratory Medicine Case Reports, 2019, 28, 100894.	0.4	7
382	Schistocyte quantitation, thrombotic microangiopathy and acute kidney injury in Australian snakebite coagulopathy [ASP28]. International Journal of Laboratory Hematology, 2021, 43, 959-965.	1.3	7
383	Molecular diagnosis of scabies using a novel probe-based polymerase chain reaction assay targeting high-copy number repetitive sequences in the Sarcoptes scabiei genome. PLoS Neglected Tropical Diseases, 2021, 15, e0009149.	3.0	7
384	A cluster of melioidosis infections in hatchling saltwater crocodiles (Crocodylus porosus) resolved using genome-wide comparison of a common north Australian strain of Burkholderia pseudomallei. Microbial Genomics, 2019, 5, .	2.0	7
385	Human immunodeficiency virus infection in Papua New Guinea. Medical Journal of Australia, 1988, 148, 100-101.	1.7	7
386	Neurosyphilis: Still prevalent and overlooked in an at risk population. PLoS ONE, 2020, 15, e0238617.	2.5	7
387	What is the Role of Lateral Flow Immunoassay for the Diagnosis of Melioidosis?. Open Forum Infectious Diseases, 2022, 9, ofac149.	0.9	7
388	Can class I epitope of M protein be a diagnostic marker for rheumatic fever in populations endemic for group A streptococci?. Lancet, The, 1998, 351, 1860.	13.7	6
389	Paraplegia secondary to Burkholderia pseudomallei myelitis: A case report. Archives of Physical Medicine and Rehabilitation, 2001, 82, 1630-1632.	0.9	6
390	Possible toxicity and withdrawal seizures in Aboriginal kava drinkers in Arnhem Land, (Australia). South Pacific Journal of Psychology, 2001, 13, 26-33.	0.2	6
391	Coagulopathy from tiger snake envenoming and its treatment. Pathology, 2002, 34, 588-590.	0.6	6
392	Inhibition of Streptococcus pyogenes adherence to HaCaT cells by a peptide corresponding to the streptococcal fibronectin-binding protein, SfbI, is strain dependent. Microbes and Infection, 2004, 6, 926-928.	1.9	6
393	Use of the Jones Criteria in the diagnosis of acute rheumatic fever in an Australian rural setting. Australian and New Zealand Journal of Public Health, 2005, 29, 526-529.	1.8	6
394	Cost-effectiveness analysis of parenteral antimicrobials for acute melioidosis in Thailand: FigureÂ1 Transactions of the Royal Society of Tropical Medicine and Hygiene, 2015, 109, 416-418.	1.8	6
395	Prescribing for people with acute rheumatic fever. Australian Prescriber, 2017, 40, 70-75.	1.0	6
396	Melioidosis fatalities in captive slender-tailed meerkats (Suricata suricatta): combining epidemiology, pathology and whole-genome sequencing supports variable mechanisms of transmission with one health implications. BMC Veterinary Research, 2019, 15, 458.	1.9	6

#	Article	IF	Citations
397	Active case detection methods for crusted scabies and leprosy: A systematic review. PLoS Neglected Tropical Diseases, 2021, 15, e0009577.	3.0	6
398	Arboviral diseases and malaria in Australia, 2013-14: Annual report of the National Arbovirus and Malaria Advisory Committee. Communicable Diseases Intelligence, 2016, 40, E400-E436.	0.5	6
399	High rate of immediate systemic hypersensitivity reactions to tiger snake antivenom. Medical Journal of Australia, 2006, 184, 419-420.	1.7	5
400	Autoantigens Identified by Screening a Human Heart cDNA Library with Acute Rheumatic Fever Sera. Annals of the New York Academy of Sciences, 2009, 1173, 83-91.	3.8	5
401	Acute hepatitis B infection in Aboriginal Australians. Australian Journal of Public Health, 1993, 17, 331-333.	0.2	5
402	Utility of a Rapid Lateral Flow Assay To Resolve Erroneous Identification of Burkholderia pseudomallei as Burkholderia thailandensis by Matrix-Assisted Laser Desorption Ionization–Time of Flight (MALDI-TOF) Mass Spectrometry. Journal of Clinical Microbiology, 2018, 56, .	3.9	5
403	Persistence of Burkholderia thailandensis E264 in lung tissue after a single binge alcohol episode. PLoS ONE, 2019, 14, e0218147.	2.5	5
404	Using Land Runoff To Survey the Distribution and Genetic Diversity of Burkholderia pseudomallei Strains in Vientiane, Laos. Applied and Environmental Microbiology, 2021, 87, .	3.1	5
405	Burkholderia ubonensis High-Level Tetracycline Resistance Is Due to Efflux Pump Synergy Involving a Novel TetA(64) Resistance Determinant. Antimicrobial Agents and Chemotherapy, 2021, 65, .	3.2	5
406	Safer In Vitro Drug Screening Models for Melioidosis Therapy Development. American Journal of Tropical Medicine and Hygiene, 2020, 103, 1846-1851.	1.4	5
407	Melioidosis in the remote Katherine region of northern Australia. PLoS Neglected Tropical Diseases, 2022, 16, e0010486.	3.0	5
408	Isn't one institutional ethics committee's approval enough?. Medical Journal of Australia, 1994, 161, 398-399.	1.7	4
409	AN UNUSUAL PRESENTATION OF SECONDARY SYPHILIS IN THE NORTHERN TERRITORY. Australasian Journal of Dermatology, 1994, 35, 23-27.	0.7	4
410	Use of terbinafine for tinea in Australian Aboriginal communities in the Top End. Australasian Journal of Dermatology, 2003, 44, 243-249.	0.7	4
411	Strains of Streptococcus pyogenes from Severe Invasive Infections Bind HEp2 and HaCaT Cells More Avidly than Strains from Uncomplicated Infections. Journal of Clinical Microbiology, 2003, 41, 3936-3938.	3.9	4
412	Diagnosis and Treatment of Mycotic Aneurysm Due to Burkholderia pseudomallei. Clinical Infectious Diseases, 2005, 41, 572-573.	5.8	4
413	Increased Anti-saccade Latency Is an Isolated Lingering Abnormality in Sydenham Chorea. Journal of Neuro-Ophthalmology, 2009, 29, 143-145.	0.8	4
414	Clinical diagnosis of crusted scabies: Reverse focal pattern of plantar keratoderma. Australasian Journal of Dermatology, 2018, 59, 233-235.	0.7	4

#	Article	lF	CITATIONS
415	A mouse model of binge alcohol consumption and Burkholderia infection. PLoS ONE, 2018, 13, e0208061.	2.5	4
416	Detection and differentiation of Burkholderia species with pathogenic potential in environmental soil samples. PLoS ONE, 2021, 16, e0245175.	2.5	4
417	A cross-jurisdictional research collaboration aiming to improve health outcomes in the tropical north of Australia. The Lancet Regional Health - Western Pacific, 2021, 9, 100124.	2.9	4
418	Melioidosisan uncommon but also under-recognized cause of pneumonia in Papua New Guinea. Papua and New Guinea Medical Journal, 2010, 53, 176-9.	1.0	4
419	Evaluation of an ARF diagnosis calculator: a survey and content analysis. BMC Medical Informatics and Decision Making, 2022, 22, 77.	3.0	4
420	Action is required to reduce kava supply in Arnhem Land … again!. Medical Journal of Australia, 2006, 184, 91-92.	1.7	3
421	A Prospective Study of Melioidosis After Environmental Exposure of Healthy Participants to Burkholderia pseudomallei During a Muddy Endurance Challenge. American Journal of Tropical Medicine and Hygiene, 2015, 92, 773-775.	1.4	3
422	Whole-Genome Sequencing to Differentiate Relapse From Reinfection in Community-Onset Bacteremic Acinetobacter baumannii Pneumonia. Open Forum Infectious Diseases, 2019, 6, ofz263.	0.9	3
423	Use of a rapid faeces multiplex PCR assay for diagnosis of amoebic liver abscess. Pathology, 2020, 52, 725-727.	0.6	3
424	Strongyloides stercoralis seropositivity is not associated with increased symptoms in a remote Aboriginal community. Internal Medicine Journal, 2020, 51, 1286-1291.	0.8	3
425	Genomic Epidemiology Links Burkholderia pseudomallei from Individual Human Cases to B. pseudomallei from Targeted Environmental Sampling in Northern Australia. Journal of Clinical Microbiology, 2022, 60, JCM0164821.	3.9	3
426	Why does Australia have no national drug policy?. Medical Journal of Australia, 1992, 157, 210-210.	1.7	2
427	Elevated Serum Creatine Kinase (CK-MM) in Petrol Sniffers Using Leaded or Unleaded Fuel. Journal of Toxicology: Clinical Toxicology, 1994, 32, 527-539.	1.5	2
428	Hunger and the perception of the scent of petrol: A potential neurobiological basis for increased risk of petrol inhalation abuse. Addiction Research and Theory, 2009, 17, 518-524.	1.9	2
429	Infectious diseases in Australia — the next decade. Medical Journal of Australia, 2012, 196, 292-293.	1.7	2
430	Complete Genome Sequence of the Environmental Burkholderia pseudomallei Sequence Type 131 Isolate MSHR1435, Associated with a Chronic Melioidosis Infection. Genome Announcements, 2018, 6, .	0.8	2
431	Pulmonary cryptococcal infection presenting with multiple lung nodules. Respiratory Medicine Case Reports, 2018, 23, 122-124.	0.4	2
432	Melioidosis in Papua New Guinea and Oceania. Tropical Medicine and Infectious Disease, 2018, 3, 34.	2.3	2

#	Article	IF	CITATIONS
433	First Description of the Composition and the Functional Capabilities of the Skin Microbial Community Accompanying Severe Scabies Infestation in Humans. Microorganisms, 2021, 9, 907.	<b>3.</b> 6	2
434	Enhanced melioidosis surveillance in patients attending four tertiary hospitals in Yangon, Myanmar. Epidemiology and Infection, 2021, 149, 1-23.	2.1	2
435	Disseminated cutaneous nocardiosis as a presenting illness of HIV infection. Medical Journal of Australia, 1994, 161, 609-611.	1.7	2
436	Acute rheumatic fever (ARF) in non-Aboriginal patients in the Northern Territory. Australian and New Zealand Journal of Medicine, 1998, 28, 63-64.	0.5	1
437	World cup fever. Medical Journal of Australia, 2010, 193, 425-425.	1.7	1
438	Melioidosis: The hazards of incomplete peer-review. PLoS Neglected Tropical Diseases, 2019, 13, e0007123.	3.0	1
439	Melioidosis breast abscess diagnosed by screening mammography. Breast Journal, 2020, 26, 2070-2071.	1.0	1
440	Addressing the urban–rural health gap through a northern research collaboration. Medical Journal of Australia, 2021, 214, 484.	1.7	1
441	Fatal jellyfish envenomingâ€"Pediatric and geographic vulnerabilities. Journal of Forensic Sciences, 2021, 66, 2006-2009.	1.6	1
442	Petrol sniffer's encephalopathy and lead exposure. Medical Journal of Australia, 1994, 161, 452-452.	1.7	1
443	Taenia plasticum: first case report. Medical Journal of Australia, 1998, 168, 124-124.	1.7	0
444	Does cleansing the birth canal at delivery reduce postnatal infection rates?. Medical Journal of Australia, 2001, 175, 501-502.	1.7	0
445	Critical issues in prevention and control of rheumatic fever and rheumatic heart disease. International Congress Series, 2006, 1289, 281-284.	0.2	0
446	Pneumonia risk stratification in tropical Australia: does the SMARTâ€COP score apply?. Medical Journal of Australia, 2010, 192, 542-543.	1.7	0
447	Should Aboriginals in the "Top End―of the Northern Territory be vaccinated against hepatitis A?. Medical Journal of Australia, 2014, 200, 678-679.	1.7	0
448	Melioidosis: A Neglected Bacterial Infection Associated with High Mortality. Neglected Tropical Diseases, 2016, , 273-294.	0.4	0
449	Pan-drug-resistant and biofilm-producing strain of <em>Burkholderia pseudomallei</em> : first report of melioidosis from a diabetic patient in Yogyakarta, Indonesia [Letter]. International Medical Case Reports Journal, 2019, Volume 12, 117-118.	0.8	0
450	Cohort profile: a migratory cohort study of US Marines who train in Australia. BMJ Open, 2021, 11, e050330.	1.9	0

#	Article	IF	CITATIONS
451	Dangerous bacteria in unexpected locations; Burkholderia pseudomallei and melioidosis in Australia. Microbiology Australia, 2009, 30, 195.	0.4	0
452	The case for herd immunity. Medical Journal of Australia, 2012, 196, 359-359.	1.7	0
453	Good seroconversion after a fourth hepatitis B vaccination in Aboriginal children. Medical Journal of Australia, 1995, 162, 336-336.	1.7	O
454	HIV testing rate increased following recommendation of routine screening of acute medical admissions at Royal Darwin Hospital. Sexual Health, 2015, 12, 433.	0.9	0
455	Author reply. Internal Medicine Journal, 2021, 51, 2162-2162.	0.8	0
456	Neurosyphilis: Still prevalent and overlooked in an at risk population., 2020, 15, e0238617.		0
457	Neurosyphilis: Still prevalent and overlooked in an at risk population., 2020, 15, e0238617.		0
458	Neurosyphilis: Still prevalent and overlooked in an at risk population., 2020, 15, e0238617.		0
459	Neurosyphilis: Still prevalent and overlooked in an at risk population., 2020, 15, e0238617.		0
460	Parathyroid hormoneâ€independent hypercalcaemia secondary to granulomatous inflammation: could this be melioidosis?. Internal Medicine Journal, 2022, 52, 893-894.	0.8	0