

# Bart J Currie

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6644173/publications.pdf>

Version: 2024-02-01

460  
papers

22,901  
citations

9264

74  
h-index

16183

124  
g-index

471  
all docs

471  
docs citations

471  
times ranked

11400  
citing authors

#	ARTICLE	IF	CITATIONS
1	Snakebite-associated thrombotic microangiopathy: an Australian prospective cohort study [ASP30]. <i>Clinical Toxicology</i> , 2022, 60, 205-213.	1.9	15
2	Genomic Epidemiology Links <i>Burkholderia pseudomallei</i> from Individual Human Cases to <i>B. pseudomallei</i> from Targeted Environmental Sampling in Northern Australia. <i>Journal of Clinical Microbiology</i> , 2022, 60, JCM0164821.	3.9	3
3	Snakebite Associated Thrombotic Microangiopathy and Recommendations for Clinical Practice. <i>Toxins</i> , 2022, 14, 57.	3.4	20
4	Evaluation of an ARF diagnosis calculator: a survey and content analysis. <i>BMC Medical Informatics and Decision Making</i> , 2022, 22, 77.	3.0	4
5	What is the Role of Lateral Flow Immunoassay for the Diagnosis of Melioidosis?. <i>Open Forum Infectious Diseases</i> , 2022, 9, ofac149.	0.9	7
6	Multistate Outbreak of Melioidosis Associated with Imported Aromatherapy Spray. <i>New England Journal of Medicine</i> , 2022, 386, 861-868.	27.0	31
7	Modified horseshoe crab peptides target and kill bacteria inside host cells. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, .	5.4	11
8	A call to action: time to recognise melioidosis as a neglected tropical disease. <i>Lancet Infectious Diseases</i> , The, 2022, 22, e176-e182.	9.1	32
9	Parathyroid hormone-independent hypercalcaemia secondary to granulomatous inflammation: could this be melioidosis?. <i>Internal Medicine Journal</i> , 2022, 52, 893-894.	0.8	0
10	Melioidosis in the remote Katherine region of northern Australia. <i>PLoS Neglected Tropical Diseases</i> , 2022, 16, e0010486.	3.0	5
11	Using Land Runoff To Survey the Distribution and Genetic Diversity of <i>Burkholderia pseudomallei</i> Strains in Vientiane, Laos. <i>Applied and Environmental Microbiology</i> , 2021, 87, .	3.1	5
12	Taking the next-gen step: Comprehensive antimicrobial resistance detection from <i>Burkholderia pseudomallei</i> . <i>EBioMedicine</i> , 2021, 63, 103152.	6.1	18
13	The 2020 Australian guideline for prevention, diagnosis and management of acute rheumatic fever and rheumatic heart disease. <i>Medical Journal of Australia</i> , 2021, 214, 220-227.	1.7	64
14	<i>Burkholderia ubonensis</i> High-Level Tetracycline Resistance Is Due to Efflux Pump Synergy Involving a Novel TetA(64) Resistance Determinant. <i>Antimicrobial Agents and Chemotherapy</i> , 2021, 65, .	3.2	5
15	Detection and differentiation of <i>Burkholderia</i> species with pathogenic potential in environmental soil samples. <i>PLoS ONE</i> , 2021, 16, e0245175.	2.5	4
16	Schistocyte quantitation, thrombotic microangiopathy and acute kidney injury in Australian snakebite coagulopathy [ASP28]. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 959-965.	1.3	7
17	Molecular diagnosis of scabies using a novel probe-based polymerase chain reaction assay targeting high-copy number repetitive sequences in the <i>Sarcoptes scabiei</i> genome. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009149.	3.0	7
18	First Description of the Composition and the Functional Capabilities of the Skin Microbial Community Accompanying Severe Scabies Infestation in Humans. <i>Microorganisms</i> , 2021, 9, 907.	3.6	2

#	ARTICLE	IF	CITATIONS
19	A cross-jurisdictional research collaboration aiming to improve health outcomes in the tropical north of Australia. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 9, 100124.	2.9	4
20	Addressing the urban-rural health gap through a northern research collaboration. <i>Medical Journal of Australia</i> , 2021, 214, 484.	1.7	1
21	Fatal jellyfish envenoming-Pediatric and geographic vulnerabilities. <i>Journal of Forensic Sciences</i> , 2021, 66, 2006-2009.	1.6	1
22	Interpreting <i>Burkholderia pseudomallei</i> disc diffusion susceptibility test results by the EUCAST method. <i>Clinical Microbiology and Infection</i> , 2021, 27, 827-829.	6.0	9
23	Active case detection methods for crusted scabies and leprosy: A systematic review. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009577.	3.0	6
24	The Darwin Prospective Melioidosis Study: a 30-year prospective, observational investigation. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1737-1746.	9.1	58
25	Cohort profile: a migratory cohort study of US Marines who train in Australia. <i>BMJ Open</i> , 2021, 11, e050330.	1.9	0
26	Epidemiological and Clinical Characteristics of Melioidosis Caused by Gentamicin-Susceptible <i>Burkholderia pseudomallei</i> in Sarawak, Malaysia. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab460.	0.9	10
27	Enhanced melioidosis surveillance in patients attending four tertiary hospitals in Yangon, Myanmar. <i>Epidemiology and Infection</i> , 2021, 149, 1-23.	2.1	2
28	Emergence of <i>Burkholderia pseudomallei</i> Sequence Type 562, Northern Australia. <i>Emerging Infectious Diseases</i> , 2021, 27, 1057-1067.	4.3	8
29	Author reply. <i>Internal Medicine Journal</i> , 2021, 51, 2162-2162.	0.8	0
30	Myanmar <i>Burkholderia pseudomallei</i> strains are genetically diverse and originate from Asia with phylogenetic evidence of reintroductions from neighbouring countries. <i>Scientific Reports</i> , 2020, 10, 16260.	3.3	11
31	Melioidosis breast abscess diagnosed by screening mammography. <i>Breast Journal</i> , 2020, 26, 2070-2071.	1.0	1
32	A Persisting Nontropical Focus of <i>Burkholderia pseudomallei</i> with Limited Genome Evolution over Five Decades. <i>MSystems</i> , 2020, 5, .	3.8	9
33	Use of a rapid faeces multiplex PCR assay for diagnosis of amoebic liver abscess. <i>Pathology</i> , 2020, 52, 725-727.	0.6	3
34	<i>Strongyloides stercoralis</i> seropositivity is not associated with increased symptoms in a remote Aboriginal community. <i>Internal Medicine Journal</i> , 2020, 51, 1286-1291.	0.8	3
35	Pathogen to commensal? Longitudinal within-host population dynamics, evolution, and adaptation during a chronic >16-year <i>Burkholderia pseudomallei</i> infection. <i>PLoS Pathogens</i> , 2020, 16, e1008298.	4.7	12
36	Whole-genome sequencing of <i>Burkholderia pseudomallei</i> from an urban melioidosis hot spot reveals a fine-scale population structure and localised spatial clustering in the environment. <i>Scientific Reports</i> , 2020, 10, 5443.	3.3	17

#	ARTICLE	IF	CITATIONS
37	Comparative genomics confirms a rare melioidosis human-to-human transmission event and reveals incorrect phylogenomic reconstruction due to polyclonality. <i>Microbial Genomics</i> , 2020, 6, .	2.0	19
38	2020 Review and revision of the 2015 Darwin melioidosis treatment guideline; paradigm drift not shift. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008659.	3.0	73
39	Snakebite associated thrombotic microangiopathy: a systematic review of clinical features, outcomes, and evidence for interventions including plasmapheresis. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008936.	3.0	29
40	Crusted scabies; a 2-year prospective study from the Northern Territory of Australia. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008994.	3.0	13
41	Safer In Vitro Drug Screening Models for Melioidosis Therapy Development. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, 103, 1846-1851.	1.4	5
42	Neurosyphilis: Still prevalent and overlooked in an at risk population. <i>PLoS ONE</i> , 2020, 15, e0238617.	2.5	7
43	Trends in Bacteremia Over 2 Decades in the Top End of the Northern Territory of Australia. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa472.	0.9	9
44	Neurosyphilis: Still prevalent and overlooked in an at risk population. , 2020, 15, e0238617.		0
45	Neurosyphilis: Still prevalent and overlooked in an at risk population. , 2020, 15, e0238617.		0
46	Neurosyphilis: Still prevalent and overlooked in an at risk population. , 2020, 15, e0238617.		0
47	Neurosyphilis: Still prevalent and overlooked in an at risk population. , 2020, 15, e0238617.		0
48	Tracing the environmental footprint of the <i>Burkholderia pseudomallei</i> lipopolysaccharide genotypes in the tropical "Top End" of the Northern Territory, Australia. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007369.	3.0	14
49	Whole-Genome Sequencing to Differentiate Relapse From Reinfection in Community-Onset Bacteremic <i>Acinetobacter baumannii</i> Pneumonia. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz263.	0.9	3
50	The global impact and cost-effectiveness of a melioidosis vaccine. <i>BMC Medicine</i> , 2019, 17, 129.	5.5	11
51	A general protein O-glycosylation machinery conserved in <i>Burkholderia</i> species improves bacterial fitness and elicits glycan immunogenicity in humans. <i>Journal of Biological Chemistry</i> , 2019, 294, 13248-13268.	3.4	27
52	Concerns for efficacy of a 30-valent M-protein-based <i>Streptococcus pyogenes</i> vaccine in regions with high rates of rheumatic heart disease. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007511.	3.0	29
53	<p>Pan-drug-resistant and biofilm-producing strain of <em>Burkholderia pseudomallei</em>: first report of melioidosis from a diabetic patient in Yogyakarta, Indonesia [Letter]</p>. <i>International Medical Case Reports Journal</i> , 2019, Volume 12, 117-118.	0.8	0
54	Chronic Pulmonary Melioidosis Masquerading as lung malignancy diagnosed by EBUS guided sheath technique. <i>Respiratory Medicine Case Reports</i> , 2019, 28, 100894.	0.4	7

#	ARTICLE	IF	CITATIONS
55	Snakebite-associated thrombotic microangiopathy: a protocol for the systematic review of clinical features, outcomes, and role of interventions. <i>Systematic Reviews</i> , 2019, 8, 212.	5.3	16
56	Opportunistic pathogens and large microbial diversity detected in source-to-distribution drinking water of three remote communities in Northern Australia. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007672.	3.0	11
57	Atlas of group A streptococcal vaccine candidates compiled using large-scale comparative genomics. <i>Nature Genetics</i> , 2019, 51, 1035-1043.	21.4	120
58	<i>Burkholderia pseudomallei</i> Lipopolysaccharide Genotype Does Not Correlate With Severity or Outcome in Melioidosis: Host Risk Factors Remain the Critical Determinant. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz091.	0.9	16
59	Oral eradication therapy for melioidosis: Important but not without risks. <i>International Journal of Infectious Diseases</i> , 2019, 80, 111-114.	3.3	18
60	Caprine humoral response to <i>Burkholderia pseudomallei</i> antigens during acute melioidosis from aerosol exposure. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0006851.	3.0	9
61	Melioidosis: The hazards of incomplete peer-review. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007123.	3.0	1
62	Melioidosis fatalities in captive slender-tailed meerkats ( <i>Suricata suricatta</i> ): combining epidemiology, pathology and whole-genome sequencing supports variable mechanisms of transmission with one health implications. <i>BMC Veterinary Research</i> , 2019, 15, 458.	1.9	6
63	Persistence of <i>Burkholderia thailandensis</i> E264 in lung tissue after a single binge alcohol episode. <i>PLoS ONE</i> , 2019, 14, e0218147.	2.5	5
64	Treatment, prevention and public health management of impetigo, scabies, crusted scabies and fungal skin infections in endemic populations: a systematic review. <i>Tropical Medicine and International Health</i> , 2019, 24, 280-293.	2.3	27
65	<i>Cryptococcus gattii</i> infection complicated by immune reconstitution inflammatory syndrome in three apparently immunocompetent children. <i>Journal of Paediatrics and Child Health</i> , 2019, 55, 943-947.	0.8	12
66	Next-generation Diagnostics for Melioidosis: Evaluation of a Prototype i-STAT Cartridge to Detect <i>Burkholderia pseudomallei</i> Biomarkers. <i>Clinical Infectious Diseases</i> , 2019, 69, 421-427.	5.8	9
67	Genomic epidemiology of severe community-onset <i>Acinetobacter baumannii</i> infection. <i>Microbial Genomics</i> , 2019, 5, .	2.0	40
68	A cluster of melioidosis infections in hatchling saltwater crocodiles ( <i>Crocodylus porosus</i> ) resolved using genome-wide comparison of a common north Australian strain of <i>Burkholderia pseudomallei</i> . <i>Microbial Genomics</i> , 2019, 5, .	2.0	7
69	Clinical Utility of Platelet Count as a Prognostic Marker for Melioidosis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 100, 1085-1087.	1.4	8
70	Arboviral diseases and malaria in Australia, 2014-15: Annual report of the National Arbovirus and Malaria Advisory Committee. <i>Communicable Diseases Intelligence</i> (2018), 2019, 43, .	0.7	8
71	Virulence of the Melioidosis Pathogen <i>Burkholderia pseudomallei</i> Requires the Oxidoreductase Membrane Protein DsbB. <i>Infection and Immunity</i> , 2018, 86, .	2.2	13
72	Complete Genome Sequence of the Environmental <i>Burkholderia pseudomallei</i> Sequence Type 131 Isolate MSHR1435, Associated with a Chronic Melioidosis Infection. <i>Genome Announcements</i> , 2018, 6, .	0.8	2

#	ARTICLE	IF	CITATIONS
73	Raising the Stakes: Loss of Efflux Pump Regulation Decreases Meropenem Susceptibility in <i>Burkholderia pseudomallei</i> . <i>Clinical Infectious Diseases</i> , 2018, 67, 243-250.	5.8	34
74	Melioidosis. <i>Nature Reviews Disease Primers</i> , 2018, 4, 17107.	30.5	430
75	Clinical diagnosis of crusted scabies: Reverse focal pattern of plantar keratoderma. <i>Australasian Journal of Dermatology</i> , 2018, 59, 233-235.	0.7	4
76	Pulmonary cryptococcal infection presenting with multiple lung nodules. <i>Respiratory Medicine Case Reports</i> , 2018, 23, 122-124.	0.4	2
77	Trimethoprim+Sulfamethoxazole Reduces Rates of Melioidosis in High-Risk Hemodialysis Patients. <i>Kidney International Reports</i> , 2018, 3, 160-167.	0.8	18
78	<i>Burkholderia pseudomallei</i> distribution in Australasia is linked to paleogeographic and anthropogenic history. <i>PLoS ONE</i> , 2018, 13, e0206845.	2.5	11
79	A mouse model of binge alcohol consumption and <i>Burkholderia</i> infection. <i>PLoS ONE</i> , 2018, 13, e0208061.	2.5	4
80	Utility of a Rapid Lateral Flow Assay To Resolve Erroneous Identification of <i>Burkholderia pseudomallei</i> as <i>Burkholderia thailandensis</i> by Matrix-Assisted Laser Desorption Ionization Time of Flight (MALDI-TOF) Mass Spectrometry. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	3.9	5
81	Development and validation of a triplex quantitative real-time PCR assay to detect efflux pump-mediated antibiotic resistance in <i>Burkholderia pseudomallei</i> . <i>Future Microbiology</i> , 2018, 13, 1403-1418.	2.0	7
82	Rapid design and fielding of four diagnostic technologies in Sierra Leone, Thailand, Peru, and Australia: Successes and challenges faced introducing these biosensors. <i>Sensing and Bio-Sensing Research</i> , 2018, 20, 22-33.	4.2	8
83	Melioidosis: An Australian Perspective. <i>Tropical Medicine and Infectious Disease</i> , 2018, 3, 27.	2.3	32
84	Emergence of Melioidosis in Indonesia and Today's Challenges. <i>Tropical Medicine and Infectious Disease</i> , 2018, 3, 32.	2.3	8
85	Melioidosis in Papua New Guinea and Oceania. <i>Tropical Medicine and Infectious Disease</i> , 2018, 3, 34.	2.3	2
86	Improving Delivery of Secondary Prophylaxis for Rheumatic Heart Disease in a High-Burden Setting: Outcome of a Stepped-Wedge, Community, Randomized Trial. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	30
87	Radiology of Chronic Cavitory Infections. <i>Journal of Thoracic Imaging</i> , 2018, 33, 334-343.	1.5	11
88	Transcriptomic analysis of longitudinal <i>Burkholderia pseudomallei</i> infecting the cystic fibrosis lung. <i>Microbial Genomics</i> , 2018, 4, .	2.0	30
89	Case Report: Chorioamnionitis and Premature Delivery due to <i>Burkholderia pseudomallei</i> Infection in Pregnancy. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018, 98, 797-799.	1.4	8
90	Global and regional dissemination and evolution of <i>Burkholderia pseudomallei</i> . <i>Nature Microbiology</i> , 2017, 2, 16263.	13.3	124

#	ARTICLE	IF	CITATIONS
91	Within-Host Evolution of <i>Burkholderia pseudomallei</i> during Chronic Infection of Seven Australasian Cystic Fibrosis Patients. <i>MBio</i> , 2017, 8, .	4.1	70
92	Whole-Genome Sequences of <i>Burkholderia pseudomallei</i> Isolates Exhibiting Decreased Meropenem Susceptibility. <i>Genome Announcements</i> , 2017, 5, .	0.8	15
93	Loss of Methyltransferase Function and Increased Efflux Activity Leads to Doxycycline Resistance in <i>Burkholderia pseudomallei</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	3.2	23
94	<i>Burkholderia pseudomallei</i> : Challenges for the Clinical Microbiology Laboratory—a Response from the Front Line. <i>Journal of Clinical Microbiology</i> , 2017, 55, 980-982.	3.9	13
95	<i>Burkholderia humptydoensis</i> sp. nov., a New Species Related to <i>Burkholderia thailandensis</i> and the Fifth Member of the <i>Burkholderia pseudomallei</i> Complex. <i>Applied and Environmental Microbiology</i> , 2017, 83, .	3.1	45
96	From Breast Cancer to Antimicrobial: Combating Extremely Resistant Gram-Negative “Superbugs” Using Novel Combinations of Polymyxin B with Selective Estrogen Receptor Modulators. <i>Microbial Drug Resistance</i> , 2017, 23, 640-650.	2.0	45
97	Mechanisms of Resistance to Folate Pathway Inhibitors in <i>Burkholderia pseudomallei</i> : Deviation from the Norm. <i>MBio</i> , 2017, 8, .	4.1	47
98	Effects of binge alcohol exposure on <i>Burkholderia thailandensis</i> —alveolar macrophage interaction. <i>Alcohol</i> , 2017, 64, 55-63.	1.7	8
99	Genomic Insights Into the Melioidosis Pathogen, <i>Burkholderia pseudomallei</i> . <i>Current Tropical Medicine Reports</i> , 2017, 4, 95-102.	3.7	17
100	Sulfamethoxazole-Trimethoprim (Cotrimoxazole) for Skin and Soft Tissue Infections Including Impetigo, Cellulitis, and Abscess. <i>Open Forum Infectious Diseases</i> , 2017, 4, ofx232.	0.9	42
101	Scabies and mortality. <i>Lancet Infectious Diseases</i> , The, 2017, 17, 1234.	9.1	35
102	Soil-Transmitted Helminths in Children in a Remote Aboriginal Community in the Northern Territory: Hookworm is Rare but <i>Strongyloides stercoralis</i> and <i>Trichuris trichiura</i> Persist. <i>Tropical Medicine and Infectious Disease</i> , 2017, 2, 51.	2.3	15
103	Hot water immersion <v>/icepacks for treating the pain of <i>Chironex fleckeri</i> stings: a randomised controlled trial. <i>Medical Journal of Australia</i> , 2017, 206, 258-261.	1.7	10
104	Comparative Genomics of <i>Burkholderia singularis</i> sp. nov., a Low G+C Content, Free-Living Bacterium That Defies Taxonomic Dissection of the Genus <i>Burkholderia</i> . <i>Frontiers in Microbiology</i> , 2017, 8, 1679.	3.5	36
105	Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry for the identification of <i>Burkholderia pseudomallei</i> from Asia and Australia and differentiation between <i>Burkholderia</i> species. <i>PLoS ONE</i> , 2017, 12, e0175294.	2.5	36
106	The epidemiology and clinical features of melioidosis in Far North Queensland: Implications for patient management. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005411.	3.0	60
107	<i>Strongyloides</i> seroprevalence before and after an ivermectin mass drug administration in a remote Australian Aboriginal community. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005607.	3.0	51
108	Pediatric melioidosis in Sarawak, Malaysia: Epidemiological, clinical and microbiological characteristics. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005650.	3.0	22



#	ARTICLE	IF	CITATIONS
109	Prescribing for people with acute rheumatic fever. Australian Prescriber, 2017, 40, 70-75.	1.0	6
110	Increased Neurotropic Threat from <i>Burkholderia pseudomallei</i> Strains with a B. mallei-like Variation in the <i>bimA</i> Motility Gene, Australia. Emerging Infectious Diseases, 2017, 23, .	4.3	17
111	Crusted scabies in northern and central Australia – now is the time for eradication. Medical Journal of Australia, 2017, 206, 96-96.	1.7	33
112	Whole-genome sequencing to investigate a non-clonal melioidosis cluster on a remote Australian island. Microbial Genomics, 2017, 3, e000117.	2.0	10
113	Suspected cases of intracontinental <i>Burkholderia pseudomallei</i> sequence type homoplasmy resolved using whole-genome sequencing. Microbial Genomics, 2017, 3, .	2.0	30
114	Phylogeographic, genomic, and meropenem susceptibility analysis of <i>Burkholderia ubonensis</i> . PLoS Neglected Tropical Diseases, 2017, 11, e0005928.	3.0	16
115	Phylogenomic Analysis Reveals an Asian Origin for African <i>Burkholderia pseudomallei</i> and Further Supports Melioidosis Endemicity in Africa. MSphere, 2016, 1, .	2.9	57
116	The Importance of Scabies Coinfection in the Treatment Considerations for Impetigo. Pediatric Infectious Disease Journal, 2016, 35, 374-378.	2.0	23
117	Melioidosis: A Neglected Bacterial Infection Associated with High Mortality. Neglected Tropical Diseases, 2016, , 273-294.	0.4	0
118	Preliminary consultation on preferred product characteristics of benzathine penicillin G for secondary prophylaxis of rheumatic fever. Drug Delivery and Translational Research, 2016, 6, 572-578.	5.8	24
119	Long-Term Outcomes From Acute Rheumatic Fever and Rheumatic Heart Disease. Circulation, 2016, 134, 222-232.	1.6	66
120	Protocol for the systematic review of the prevention, treatment and public health management of impetigo, scabies and fungal skin infections in resource-limited settings. Systematic Reviews, 2016, 5, 162.	5.3	11
121	The Effects of Signal Erosion and Core Genome Reduction on the Identification of Diagnostic Markers. MBio, 2016, 7, .	4.1	49
122	Genomic resources and draft assemblies of the human and porcine varieties of scabies mites, <i>Sarcoptes scabiei</i> var. <i>hominis</i> and var. <i>suis</i> . GigaScience, 2016, 5, 23.	6.4	28
123	Improving delivery of secondary prophylaxis for rheumatic heart disease in remote Indigenous communities: study protocol for a stepped-wedge randomised trial. Trials, 2016, 17, 51.	1.6	25
124	Melioidosis Causing Critical Illness: A Review of 24 Years of Experience From the Royal Darwin Hospital ICU*. Critical Care Medicine, 2016, 44, 1500-1505.	0.9	37
125	Unprecedented Melioidosis Cases in Northern Australia Caused by an Asian <i>Burkholderia pseudomallei</i> Strain Identified by Using Large-Scale Comparative Genomics. Applied and Environmental Microbiology, 2016, 82, 954-963.	3.1	46
126	A global picture of melioidosis. Nature, 2016, 529, 290-291.	27.8	34



#	ARTICLE	IF	CITATIONS
127	Burkholderia pseudomallei Genotype Distribution in the Northern Territory, Australia. American Journal of Tropical Medicine and Hygiene, 2016, 94, 68-72.	1.4	17
128	The association of melioidosis with climatic factors in Darwin, Australia: A 23-year time-series analysis. Journal of Infection, 2016, 72, 687-697.	3.3	39
129	Improved multilocus sequence typing of Burkholderia pseudomallei and closely related species. Journal of Medical Microbiology, 2016, 65, 992-997.	1.8	18
130	Whole-genome sequencing of a quarter-century melioidosis outbreak in temperate Australia uncovers a region of low-prevalence endemicity. Microbial Genomics, 2016, 2, e000067.	2.0	23
131	Mitochondrial Genome Sequence of the Scabies Mite Provides Insight into the Genetic Diversity of Individual Scabies Infections. PLoS Neglected Tropical Diseases, 2016, 10, e0004384.	3.0	30
132	Arboviral diseases and malaria in Australia, 2012-13: Annual report of the National Arbovirus and Malaria Advisory Committee. Communicable Diseases Intelligence, 2016, 40, E17-47.	0.5	9
133	Arboviral diseases and malaria in Australia, 2013-14: Annual report of the National Arbovirus and Malaria Advisory Committee. Communicable Diseases Intelligence, 2016, 40, E400-E436.	0.5	6
134	An international, multicentre evaluation and description of Burkholderia pseudomallei infection in cystic fibrosis. BMC Pulmonary Medicine, 2015, 15, 116.	2.0	23
135	Neurotropic Threat Characterization of Burkholderia pseudomallei Strains. Emerging Infectious Diseases, 2015, 21, 58-63.	4.3	7
136	Use of Whole-Genome Sequencing to Link Burkholderia pseudomallei from Air Sampling to Mediastinal Melioidosis, Australia. Emerging Infectious Diseases, 2015, 21, 2052-2054.	4.3	41
137	Identification of Burkholderia pseudomallei Near-Neighbor Species in the Northern Territory of Australia. PLoS Neglected Tropical Diseases, 2015, 9, e0003892.	3.0	34
138	Impact of an Ivermectin Mass Drug Administration on Scabies Prevalence in a Remote Australian Aboriginal Community. PLoS Neglected Tropical Diseases, 2015, 9, e0004151.	3.0	81
139	Pangenome Analysis of Burkholderia pseudomallei: Genome Evolution Preserves Gene Order despite High Recombination Rates. PLoS ONE, 2015, 10, e0140274.	2.5	37
140	Burkholderia pseudomallei and Burkholderia mallei. , 2015, , 2541-2551.e2.		15
141	Cost-effectiveness analysis of parenteral antimicrobials for acute melioidosis in Thailand: Figure 1. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2015, 109, 416-418.	1.8	6
142	Scabies and Global Control of Neglected Tropical Diseases. New England Journal of Medicine, 2015, 373, 2371-2372.	27.0	27
143	Whole-Genome Sequences of 80 Environmental and Clinical Isolates of Burkholderia pseudomallei. Genome Announcements, 2015, 3, .	0.8	38
144	Whole-Genome Sequencing Confirms that Burkholderia pseudomallei Multilocus Sequence Types Common to Both Cambodia and Australia Are Due to Homoplasy. Journal of Clinical Microbiology, 2015, 53, 323-326.	3.9	44

#	ARTICLE	IF	CITATIONS
145	Melioidosis: Evolving Concepts in Epidemiology, Pathogenesis, and Treatment. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2015, 36, 111-125.	2.1	248
146	What Drives the Occurrence of the Melioidosis Bacterium <i>Burkholderia pseudomallei</i> in Domestic Gardens?. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003635.	3.0	33
147	Intravenous Therapy Duration and Outcomes in Melioidosis: A New Treatment Paradigm. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003586.	3.0	83
148	Whole-Genome Sequencing of <i>Burkholderia pseudomallei</i> Isolates from an Unusual Melioidosis Case Identifies a Polyclonal Infection with the Same Multilocus Sequence Type. <i>Journal of Clinical Microbiology</i> , 2015, 53, 282-286.	3.9	32
149	A Prospective Study of Melioidosis After Environmental Exposure of Healthy Participants to <i>Burkholderia pseudomallei</i> During a Muddy Endurance Challenge. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015, 92, 773-775.	1.4	3
150	<i>Burkholderia stagnalis</i> sp. nov. and <i>Burkholderia territorii</i> sp. nov., two novel <i>Burkholderia cepacia</i> complex species from environmental and human sources. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2265-2271.	1.7	149
151	Tracing Melioidosis Back to the Source: Using Whole-Genome Sequencing To Investigate an Outbreak Originating from a Contaminated Domestic Water Supply. <i>Journal of Clinical Microbiology</i> , 2015, 53, 1144-1148.	3.9	35
152	Prospective Study in a Porcine Model of <i>Sarcoptes scabiei</i> Indicates the Association of Th2 and Th17 Pathways with the Clinical Severity of Scabies. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003498.	3.0	46
153	Endemic Melioidosis in Residents of Desert Region after Atypically Intense Rainfall in Central Australia, 2011. <i>Emerging Infectious Diseases</i> , 2015, 21, 1038-1040.	4.3	30
154	Clinical Presentation and Medical Management of Melioidosis in Children: A 24-Year Prospective Study in the Northern Territory of Australia and Review of the Literature. <i>Clinical Infectious Diseases</i> , 2015, 60, 21-26.	5.8	79
155	Genomic Characterization of <i>Burkholderia pseudomallei</i> Isolates Selected for Medical Countermeasures Testing: Comparative Genomics Associated with Differential Virulence. <i>PLoS ONE</i> , 2015, 10, e0121052.	2.5	25
156	Diverse <i>Burkholderia</i> Species Isolated from Soils in the Southern United States with No Evidence of <i>B. pseudomallei</i> . <i>PLoS ONE</i> , 2015, 10, e0143254.	2.5	20
157	Intestinal parasites of children and adults in a remote Aboriginal community of the Northern Territory, Australia, 1994-1996. <i>Western Pacific Surveillance and Response Journal: WPSAR</i> , 2015, 6, 44-51.	0.6	23
158	HIV testing rate increased following recommendation of routine screening of acute medical admissions at Royal Darwin Hospital. <i>Sexual Health</i> , 2015, 12, 433.	0.9	0
159	Intestinal parasites of children and adults in a remote Aboriginal community of the Northern Territory, Australia, 1994-1996. <i>Western Pacific Surveillance and Response Journal: WPSAR</i> , 2015, 6, 44-51.	0.6	15
160	Should Aboriginals in the "Top End" of the Northern Territory be vaccinated against hepatitis A?. <i>Medical Journal of Australia</i> , 2014, 200, 678-679.	1.7	0
161	Variable Virulence Factors in <i>Burkholderia pseudomallei</i> (Melioidosis) Associated with Human Disease. <i>PLoS ONE</i> , 2014, 9, e91682.	2.5	99
162	Decreasing prevalence of <i>Trichuris trichiura</i> (whipworm) in the Northern Territory from 2002 to 2012. <i>Medical Journal of Australia</i> , 2014, 200, 286-289.	1.7	14

#	ARTICLE	IF	CITATIONS
163	Autochthonous Melioidosis in Humans, Madagascar, 2012 and 2013. <i>Emerging Infectious Diseases</i> , 2014, 20, 1735-1737.	4.3	19
164	Use of dried blood spots to define antibody response to the <i>Strongyloides stercoralis</i> recombinant antigen NIE. <i>Acta Tropica</i> , 2014, 138, 78-82.	2.0	38
165	Melioidosis and end-stage renal disease in tropical northern Australia. <i>Kidney International</i> , 2014, 86, 867-870.	5.2	11
166	Development of a Prototype Lateral Flow Immunoassay (LFI) for the Rapid Diagnosis of Melioidosis. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2727.	3.0	93
167	Melioidosis. <i>Pediatric Infectious Disease Journal</i> , 2014, 33, 770-771.	2.0	21
168	<i>Burkholderia pseudomallei</i> Isolates from Sarawak, Malaysian Borneo, Are Predominantly Susceptible to Aminoglycosides and Macrolides. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 162-166.	3.2	72
169	Recurrent Melioidosis in the Darwin Prospective Melioidosis Study: Improving Therapies Mean that Relapse Cases Are Now Rare. <i>Journal of Clinical Microbiology</i> , 2014, 52, 650-653.	3.9	43
170	Distribution of <i>Burkholderia pseudomallei</i> in Northern Australia, a Land of Diversity. <i>Applied and Environmental Microbiology</i> , 2014, 80, 3463-3468.	3.1	45
171	Susceptibility to Acute Rheumatic Fever Based on Differential Expression of Genes Involved in Cytotoxicity, Chemotaxis, and Apoptosis. <i>Infection and Immunity</i> , 2014, 82, 753-761.	2.2	16
172	Pathogens Penetrating the Central Nervous System: Infection Pathways and the Cellular and Molecular Mechanisms of Invasion. <i>Clinical Microbiology Reviews</i> , 2014, 27, 691-726.	13.6	306
173	Short-course oral co-trimoxazole versus intramuscular benzathine benzylpenicillin for impetigo in a highly endemic region: an open-label, randomised, controlled, non-inferiority trial. <i>Lancet</i> , The, 2014, 384, 2132-2140.	13.7	96
174	Current antimicrobial susceptibility of first-episode melioidosis <i>Burkholderia pseudomallei</i> isolates from the Northern Territory, Australia. <i>International Journal of Antimicrobial Agents</i> , 2014, 44, 160-162.	2.5	38
175	A 16-Year Prospective Study of Community-Onset Bacteremic <i>Acinetobacter</i> Pneumonia. <i>Chest</i> , 2014, 146, 1038-1045.	0.8	56
176	<sc>M</sc>elioidosis and the kidney. <i>Nephrology</i> , 2013, 18, 169-175.	1.6	15
177	Osteomyelitis and septic arthritis from infection with <i>Burkholderia pseudomallei</i> : A 20-year prospective melioidosis study from northern Australia. <i>Journal of Orthopaedics</i> , 2013, 10, 86-91.	1.3	30
178	A prospective study of neurocognitive changes 15 years after chronic inhalant abuse. <i>Addiction</i> , 2013, 108, 1107-1114.	3.3	20
179	Within-Host Evolution of <i>Burkholderia pseudomallei</i> over a Twelve-Year Chronic Carriage Infection. <i>MBio</i> , 2013, 4, .	4.1	121
180	Clinical Definitions of Melioidosis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2013, 88, 411-413.	1.4	48

#	ARTICLE	IF	CITATIONS
181	A Novel Clinical Grading Scale to Guide the Management of Crusted Scabies. PLoS Neglected Tropical Diseases, 2013, 7, e2387.	3.0	65
182	Biogeography of <i>Burkholderia pseudomallei</i> in the Torres Strait Islands of Northern Australia. Journal of Clinical Microbiology, 2013, 51, 2520-2525.	3.9	20
183	Systematic Review and Consensus Guidelines for Environmental Sampling of <i>Burkholderia pseudomallei</i> . PLoS Neglected Tropical Diseases, 2013, 7, e2105.	3.0	113
184	Scabies. Current Opinion in Infectious Diseases, 2013, 26, 107-109.	3.1	24
185	Reliability of Automated Biochemical Identification of <i>Burkholderia pseudomallei</i> Is Regionally Dependent. Journal of Clinical Microbiology, 2013, 51, 3076-3078.	3.9	25
186	Melioidosis from Contaminated Bore Water and Successful UV Sterilization. American Journal of Tropical Medicine and Hygiene, 2013, 89, 367-368.	1.4	19
187	Melioidosis as a Consequence of Sporting Activity. American Journal of Tropical Medicine and Hygiene, 2013, 89, 365-366.	1.4	13
188	Antifungal Therapy and Management of Complications of Cryptococcosis due to <i>Cryptococcus gattii</i> . Clinical Infectious Diseases, 2013, 57, 543-551.	5.8	106
189	Surprisingly Low Seroprevalence of <i>Burkholderia pseudomallei</i> in Exposed Healthy Adults in the Darwin Region of Tropical Australia Where Melioidosis Is Highly Endemic. Vaccine Journal, 2013, 20, 759-760.	3.1	14
190	A National Prospective Surveillance Study of Acute Rheumatic Fever in Australian Children. Pediatric Infectious Disease Journal, 2013, 32, e26-e32.	2.0	33
191	Hookworm in the Northern Territory: down but not out. Medical Journal of Australia, 2013, 198, 278-281.	1.7	18
192	Clinic Attendances during the First 12 Months of Life for Aboriginal Children in Five Remote Communities of Northern Australia. PLoS ONE, 2013, 8, e58231.	2.5	61
193	Antibody Responses to <i>Sarcoptes scabiei</i> Apolipoprotein in a Porcine Model: Relevance to Immunodiagnosis of Recent Infection. PLoS ONE, 2013, 8, e65354.	2.5	27
194	Accurate and Rapid Identification of the <i>Burkholderia pseudomallei</i> Near-Neighbour, <i>Burkholderia ubonensis</i> , Using Real-Time PCR. PLoS ONE, 2013, 8, e71647.	2.5	21
195	Extensive Diversity of <i>Streptococcus pyogenes</i> in a Remote Human Population Reflects Global-Scale Transmission Rather than Localised Diversification. PLoS ONE, 2013, 8, e73851.	2.5	21
196	The Genetic and Molecular Basis of O-Antigenic Diversity in <i>Burkholderia pseudomallei</i> Lipopolysaccharide. PLoS Neglected Tropical Diseases, 2012, 6, e1453.	3.0	69
197	Is <i>Streptococcus pyogenes</i> Resistant or Susceptible to Trimethoprim-Sulfamethoxazole?. Journal of Clinical Microbiology, 2012, 50, 4067-4072.	3.9	52
198	Scabies. Advances in Parasitology, 2012, 79, 339-373.	3.2	27

#	ARTICLE	IF	CITATIONS
199	Comparison of TaqMan PCR Assays for Detection of the Melioidosis Agent <i>Burkholderia pseudomallei</i> in Clinical Specimens. <i>Journal of Clinical Microbiology</i> , 2012, 50, 2059-2062.	3.9	44
200	Clinical Features and Epidemiology of Melioidosis Pneumonia: Results From a 21-Year Study and Review of the Literature. <i>Clinical Infectious Diseases</i> , 2012, 54, 362-369.	5.8	143
201	Characterization of Ceftazidime Resistance Mechanisms in Clinical Isolates of <i>Burkholderia pseudomallei</i> from Australia. <i>PLoS ONE</i> , 2012, 7, e30789.	2.5	75
202	Trough Concentrations of Vancomycin. <i>Pediatric Infectious Disease Journal</i> , 2012, 31, 1269-1271.	2.0	41
203	Melioidosis. <i>New England Journal of Medicine</i> , 2012, 367, 1035-1044.	27.0	648
204	Towards a rapid molecular diagnostic for melioidosis: Comparison of DNA extraction methods from clinical specimens. <i>Journal of Microbiological Methods</i> , 2012, 88, 179-181.	1.6	26
205	Detection of <i>Burkholderia pseudomallei</i> O-antigen serotypes in near-neighbor species. <i>BMC Microbiology</i> , 2012, 12, 250.	3.3	21
206	Impact of ethnicity and socio-economic status on <i>Staphylococcus aureus</i> bacteremia incidence and mortality: a heavy burden in Indigenous Australians. <i>BMC Infectious Diseases</i> , 2012, 12, 249.	2.9	45
207	Clinical Manifestations of <i>Cryptococcus gattii</i> Infection: Determinants of Neurological Sequelae and Death. <i>Clinical Infectious Diseases</i> , 2012, 55, 789-798.	5.8	171
208	Clinical Effects and Antivenom Dosing in Brown Snake ( <i>Pseudonaja</i> spp.) Envenoming – Australian Snakebite Project (ASP-14). <i>PLoS ONE</i> , 2012, 7, e33188.	2.5	74
209	Murray Valley encephalitis: a review of clinical features, diagnosis and treatment. <i>Medical Journal of Australia</i> , 2012, 196, 322-326.	1.7	73
210	Infectious diseases in Australia – the next decade. <i>Medical Journal of Australia</i> , 2012, 196, 292-293.	1.7	2
211	Melioidosis at Royal Darwin Hospital in the big 2009–2010 wet season: comparison with the preceding 20 years. <i>Medical Journal of Australia</i> , 2012, 196, 345-348.	1.7	53
212	The SMART-COP score performs well for pneumonia risk stratification in Australia's Tropical Northern Territory: a prospective cohort study. <i>Tropical Medicine and International Health</i> , 2012, 17, 914-919.	2.3	12
213	Out of the ground: aerial and exotic habitats of the melioidosis bacterium <i>Burkholderia pseudomallei</i> in grasses in Australia. <i>Environmental Microbiology</i> , 2012, 14, 2058-2070.	3.8	79
214	Development and Validation of <i>Burkholderia pseudomallei</i> -Specific Real-Time PCR Assays for Clinical, Environmental or Forensic Detection Applications. <i>PLoS ONE</i> , 2012, 7, e37723.	2.5	50
215	Workshop on Treatment of and Postexposure Prophylaxis for <i>Burkholderia pseudomallei</i> and <i>B. mallei</i> Infection, 2010. <i>Emerging Infectious Diseases</i> , 2012, 18, e2-e2.	4.3	170
216	The case for herd immunity. <i>Medical Journal of Australia</i> , 2012, 196, 359-359.	1.7	0

#	ARTICLE	IF	CITATIONS
217	Melioidosis in Birds and Burkholderia pseudomallei Dispersal, Australia. Emerging Infectious Diseases, 2011, 17, 1310-1312.	4.3	26
218	A diagnostic test for scabies: IgE specificity for a recombinant allergen of Sarcoptes scabiei. Diagnostic Microbiology and Infectious Disease, 2011, 71, 403-407.	1.8	52
219	Epidemiology and Investigation of Melioidosis, Southern Arizona. Emerging Infectious Diseases, 2011, 17, 1286-1288.	4.3	35
220	Burkholderia pseudomallei in Unchlorinated Domestic Bore Water, Tropical Northern Australia. Emerging Infectious Diseases, 2011, 17, 1283-1285.	4.3	53
221	Diversity of 16S-23S rDNA Internal Transcribed Spacer (ITS) Reveals Phylogenetic Relationships in Burkholderia pseudomallei and Its Near-Neighbors. PLoS ONE, 2011, 6, e29323.	2.5	33
222	Cardiac Myosin Epitopes for Monitoring Progression of Rheumatic Fever. Pediatric Infectious Disease Journal, 2011, 30, 1015-1016.	2.0	13
223	A Very Early-Branching Staphylococcus aureus Lineage Lacking the Carotenoid Pigment Staphyloxanthin. Genome Biology and Evolution, 2011, 3, 881-895.	2.5	142
224	Skin disease in the first two years of life in Aboriginal children in East Arnhem Land. Australasian Journal of Dermatology, 2011, 52, 270-273.	0.7	43
225	Scabies in animals and humans: history, evolutionary perspectives, and modern clinical management. Annals of the New York Academy of Sciences, 2011, 1230, E50-60.	3.8	52
226	Commentary: Pressure Bandaging for North American Snake Bite? No!. Journal of Medical Toxicology, 2011, 7, 324-326.	1.5	11
227	The Use of Positive Serological Tests as Evidence of Exposure to Burkholderia pseudomallei. American Journal of Tropical Medicine and Hygiene, 2011, 84, 1021-1022.	1.4	12
228	Molecular Characterization of Clinical Burkholderia pseudomallei Isolates from India. American Journal of Tropical Medicine and Hygiene, 2011, 85, 121-123.	1.4	20
229	Acute Post-Streptococcal Glomerulonephritis in the Northern Territory of Australia: A Review of 16 Years Data and Comparison with the Literature. American Journal of Tropical Medicine and Hygiene, 2011, 85, 703-710.	1.4	87
230	West Nile Virus (Kunjin Subtype) Disease in the Northern Territory of Australia—A Case of Encephalitis and Review of All Reported Cases. American Journal of Tropical Medicine and Hygiene, 2011, 85, 952-956.	1.4	29
231	Epidemiological Tracking and Population Assignment of the Non-Clonal Bacterium, Burkholderia pseudomallei. PLoS Neglected Tropical Diseases, 2011, 5, e1381.	3.0	27
232	Molecular Investigations of a Locally Acquired Case of Melioidosis in Southern AZ, USA. PLoS Neglected Tropical Diseases, 2011, 5, e1347.	3.0	23
233	Clonality and $\pm$ -a Recombination in the Australian Cryptococcus gattii VGII Population - An Emerging Outbreak in Australia. PLoS ONE, 2011, 6, e16936.	2.5	71
234	Priapism and Irukandji Syndrome. Annals of Emergency Medicine, 2010, 55, 581-582.	0.6	8



#	ARTICLE	IF	CITATIONS
235	Trimethoprimâ€sulfamethoxazole compared with benzathine penicillin for treatment of impetigo in Aboriginal children: A pilot randomised controlled trial. <i>Journal of Paediatrics and Child Health</i> , 2010, 46, 131-133.	0.8	24
236	Pneumonia risk stratification in tropical Australia: does the SMARTâ€COP score apply?. <i>Medical Journal of Australia</i> , 2010, 192, 133-136.	1.7	19
237	Changes in serial laboratory test results in snakebite patients: when can we safely exclude envenoming?. <i>Medical Journal of Australia</i> , 2010, 193, 285-290.	1.7	34
238	Pneumonia risk stratification in tropical Australia: does the SMARTâ€COP score apply?. <i>Medical Journal of Australia</i> , 2010, 192, 542-543.	1.7	0
239	World cup fever. <i>Medical Journal of Australia</i> , 2010, 193, 425-425.	1.7	1
240	BurkDiff: A Real-Time PCR Allelic Discrimination Assay for <i>Burkholderia Pseudomallei</i> and <i>B. mallei</i> . <i>PLoS ONE</i> , 2010, 5, e15413.	2.5	38
241	Increased Allergic Immune Response to <i>Sarcoptes scabiei</i> Antigens in Crusted versus Ordinary Scabies. <i>Vaccine Journal</i> , 2010, 17, 1428-1438.	3.1	81
242	The Epidemiology and Clinical Spectrum of Melioidosis: 540 Cases from the 20 Year Darwin Prospective Study. <i>PLoS Neglected Tropical Diseases</i> , 2010, 4, e900.	3.0	580
243	Rapid detection of H and R Pantonâ€Valentine leukocidin isoforms in <i>Staphylococcus aureus</i> by high-resolution melting analysis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2010, 67, 399-401.	1.8	12
244	Permethrin and Ivermectin for Scabies. <i>New England Journal of Medicine</i> , 2010, 362, 717-725.	27.0	265
245	<i>Burkholderia pseudomallei</i> and <i>Burkholderia mallei</i> . , 2010, , 2869-2879.		9
246	Melioidosis--an uncommon but also under-recognized cause of pneumonia in Papua New Guinea. <i>Papua and New Guinea Medical Journal</i> , 2010, 53, 176-9.	1.0	4
247	Dengue and climate change in Australia: predictions for the future should incorporate knowledge from the past. <i>Medical Journal of Australia</i> , 2009, 190, 265-268.	1.7	105
248	Autoantigens Identified by Screening a Human Heart cDNA Library with Acute Rheumatic Fever Sera. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 83-91.	3.8	5
249	Communityâ€Associated Strains of Methicillinâ€Resistant <i>Staphylococcus aureus</i> and Methicillinâ€Susceptible <i>S. aureus</i> in Indigenous Northern Australia: Epidemiology and Outcomes. <i>Journal of Infectious Diseases</i> , 2009, 199, 1461-1470.	4.0	96
250	Identification of Melioidosis Outbreak by Multilocus Variable Number Tandem Repeat Analysis. <i>Emerging Infectious Diseases</i> , 2009, 15, 169-174.	4.3	39
251	A Regional Initiative to Reduce Skin Infections amongst Aboriginal Children Living in Remote Communities of the Northern Territory, Australia. <i>PLoS Neglected Tropical Diseases</i> , 2009, 3, e554.	3.0	93
252	Longitudinal Evidence of Increasing In Vitro Tolerance of Scabies Mites to Ivermectin in Scabies-Endemic Communities. <i>Archives of Dermatology</i> , 2009, 145, 840-1.	1.4	79



#	ARTICLE	IF	CITATIONS
253	Phylogenetically Distinct <i>Staphylococcus aureus</i> Lineage Prevalent among Indigenous Communities in Northern Australia. <i>Journal of Clinical Microbiology</i> , 2009, 47, 2295-2300.	3.9	67
254	Phylogeographic reconstruction of a bacterial species with high levels of lateral gene transfer. <i>BMC Biology</i> , 2009, 7, 78.	3.8	155
255	Investigating pressure bandaging for snakebite in a simulated setting: Bandage type, training and the effect of transport. <i>EMA - Emergency Medicine Australasia</i> , 2009, 21, 184-190.	1.1	39
256	Irukandji Syndrome Case Series From Australia's Tropical Northern Territory. <i>Annals of Emergency Medicine</i> , 2009, 54, 395-403.	0.6	39
257	Hunger and the perception of the scent of petrol: A potential neurobiological basis for increased risk of petrol inhalation abuse. <i>Addiction Research and Theory</i> , 2009, 17, 518-524.	1.9	2
258	Primary ocular melioidosis due to a single genotype of <i>Burkholderia pseudomallei</i> in two cats from Arnhem Land in the Northern Territory of Australia. <i>Journal of Feline Medicine and Surgery</i> , 2009, 11, 856-863.	1.6	11
259	Prostatic Abscess Due to <i>Burkholderia pseudomallei</i> : 81 Cases From a 19-Year Prospective Melioidosis Study. <i>Journal of Urology</i> , 2009, 182, 542-547.	0.4	50
260	Increased Anti-saccade Latency Is an Isolated Lingering Abnormality in Sydenham Chorea. <i>Journal of Neuro-Ophthalmology</i> , 2009, 29, 143-145.	0.8	4
261	Landscape Changes Influence the Occurrence of the Melioidosis Bacterium <i>Burkholderia pseudomallei</i> in Soil in Northern Australia. <i>PLoS Neglected Tropical Diseases</i> , 2009, 3, e364.	3.0	98
262	Dangerous bacteria in unexpected locations; <i>Burkholderia pseudomallei</i> and melioidosis in Australia. <i>Microbiology Australia</i> , 2009, 30, 195.	0.4	0
263	Effectiveness of pressure-immobilization first aid for snakebite requires further study. <i>EMA - Emergency Medicine Australasia</i> , 2008, 20, 267-270.	1.1	21
264	The global distribution of <i>Burkholderia pseudomallei</i> and melioidosis: an update. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008, 102, S1-S4.	1.8	282
265	Melioidosis and Aboriginal seasons in northern Australia. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008, 102, S26-S29.	1.8	11
266	Predictive indicators for Ross River virus infection in the Darwin area of tropical northern Australia, using long-term mosquito trapping data. <i>Tropical Medicine and International Health</i> , 2008, 13, 943-952.	2.3	44
267	Genomic islands from five strains of <i>Burkholderia pseudomallei</i> . <i>BMC Genomics</i> , 2008, 9, 566.	2.8	90
268	Recovery of a <i>Burkholderia thailandensis</i> -like isolate from an Australian water source. <i>BMC Microbiology</i> , 2008, 8, 54.	3.3	28
269	Intersexual variations in Northern ( <i>Missulena pruinosa</i> ) and Eastern ( <i>M. bradleyi</i> ) mouse spider venom. <i>Toxicon</i> , 2008, 51, 1167-1177.	1.6	41
270	Ross River Virus and Barmah Forest Virus Infections: A Review of History, Ecology, and Predictive Models, with Implications for Tropical Northern Australia. <i>Vector-Borne and Zoonotic Diseases</i> , 2008, 8, 283-298.	1.5	128

#	ARTICLE	IF	CITATIONS
271	Genetic Diversity of <i>Burkholderia pseudomallei</i> Isolates in Australia. <i>Journal of Clinical Microbiology</i> , 2008, 46, 249-254.	3.9	39
272	Prevalence and Sequence Diversity of a Factor Required for Actin-Based Motility in Natural Populations of <i>Burkholderia</i> Species. <i>Journal of Clinical Microbiology</i> , 2008, 46, 2418-2422.	3.9	45
273	Disease burden and health-care clinic attendances for young children in remote Aboriginal communities of northern Australia. <i>Bulletin of the World Health Organization</i> , 2008, 86, 275-281.	3.3	122
274	Cutaneous Melioidosis in the Tropical Top End of Australia: A Prospective Study and Review of the Literature. <i>Clinical Infectious Diseases</i> , 2008, 47, 603-609.	5.8	79
275	Global Implications of the Emergence of Community-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> in Indigenous Populations. <i>Clinical Infectious Diseases</i> , 2008, 46, 1871-1878.	5.8	66
276	Randomized, double-blind, placebo-controlled trial of granulocyte colony-stimulating factor in patients with septic shock. <i>Critical Care Medicine</i> , 2008, 36, 448-454.	0.9	54
277	Current use of Australian snake antivenoms and frequency of immediate-type hypersensitivity reactions and anaphylaxis. <i>Medical Journal of Australia</i> , 2008, 188, 473-476.	1.7	101
278	Fatal community-associated methicillin-resistant <i>Staphylococcus aureus</i> pneumonia after influenza. <i>Medical Journal of Australia</i> , 2008, 188, 61-61.	1.7	32
279	Consensus Guidelines for Dosing of Amoxicillin-Clavulanate in Melioidosis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 208-209.	1.4	41
280	Consensus guidelines for dosing of amoxicillin-clavulanate in melioidosis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 208-9.	1.4	11
281	Accuracy of <i>Burkholderia pseudomallei</i> Identification Using the API 20NE System and a Latex Agglutination Test. <i>Journal of Clinical Microbiology</i> , 2007, 45, 3774-3776.	3.9	66
282	Melioidosis: Epidemiology, Pathophysiology, and Management. <i>Clinical Microbiology Reviews</i> , 2007, 20, 533-533.	13.6	11
283	Australian and Thai Isolates of <i>Burkholderia pseudomallei</i> Are Distinct by Multilocus Sequence Typing: Revision of a Case of Mistaken Identity. <i>Journal of Clinical Microbiology</i> , 2007, 45, 3828-3829.	3.9	21
284	A Randomized Controlled Trial of Granulocyte Colony-Stimulating Factor for the Treatment of Severe Sepsis Due to Melioidosis in Thailand. <i>Clinical Infectious Diseases</i> , 2007, 45, 308-314.	5.8	103
285	Sensitive and Specific Molecular Detection of <i>Burkholderia pseudomallei</i> , the Causative Agent of Melioidosis, in the Soil of Tropical Northern Australia. <i>Applied and Environmental Microbiology</i> , 2007, 73, 6891-6897.	3.1	69
286	A Horizontal Gene Transfer Event Defines Two Distinct Groups within <i>Burkholderia pseudomallei</i> That Have Dissimilar Geographic Distributions. <i>Journal of Bacteriology</i> , 2007, 189, 9044-9049.	2.2	81
287	Efficacy of antivenom against the procoagulant effect of Australian brown snake ( <i>Pseudonaja</i> sp.) venom: In vivo and in vitro studies. <i>Toxicon</i> , 2007, 49, 57-67.	1.6	47
288	Problems in Diagnosing Scabies, a Global Disease in Human and Animal Populations. <i>Clinical Microbiology Reviews</i> , 2007, 20, 268-279.	13.6	287

#	ARTICLE	IF	CITATIONS
289	Epidemiology of <i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i> in Tropical Communities, Northern Australia. <i>Emerging Infectious Diseases</i> , 2007, 13, 1694-1700.	4.3	51
290	VNTR analysis of selected outbreaks of <i>Burkholderia pseudomallei</i> in Australia. <i>Infection, Genetics and Evolution</i> , 2007, 7, 416-423.	2.3	32
291	<i>Vibrio vulnificus</i> and <i>V. parahaemolyticus</i> necrotising fasciitis in fishermen visiting an estuarine tropical northern Australian location. <i>Journal of Infection</i> , 2007, 54, e111-e114.	3.3	31
292	Using BOX-PCR to exclude a clonal outbreak of melioidosis. <i>BMC Infectious Diseases</i> , 2007, 7, 68.	2.9	51
293	Acute rheumatic fever: Adherence to secondary prophylaxis and follow up of Indigenous patients in the Katherine region of the Northern Territory. <i>Australian Journal of Rural Health</i> , 2007, 15, 234-240.	1.5	29
294	Tandem repeat regions within the <i>Burkholderia pseudomallei</i> genome and their application for high resolution genotyping. <i>BMC Microbiology</i> , 2007, 7, 23.	3.3	70
295	Molecular characterisation of a pH-gated chloride channel from <i>Sarcoptes scabiei</i> . <i>Invertebrate Neuroscience</i> , 2007, 7, 149-156.	1.8	50
296	Scabies: a ubiquitous neglected skin disease. <i>Lancet Infectious Diseases</i> , The, 2006, 6, 769-779.	9.1	302
297	Critical issues in prevention and control of rheumatic fever and rheumatic heart disease. <i>International Congress Series</i> , 2006, 1289, 281-284.	0.2	0
298	Enzyme immunoassays in brown snake ( <i>Pseudonaja</i> spp.) envenoming: Detecting venom, antivenom and venom-antivenom complexes. <i>Toxicon</i> , 2006, 48, 4-11.	1.6	46
299	Treatment of snakebite in Australia: The current evidence base and questions requiring collaborative multicentre prospective studies. <i>Toxicon</i> , 2006, 48, 941-956.	1.6	31
300	Challenging perceptions of non-compliance with rheumatic fever prophylaxis in a remote Aboriginal community. <i>Medical Journal of Australia</i> , 2006, 184, 514-517.	1.7	53
301	Action is required to reduce kava supply in Arnhem Land – again!. <i>Medical Journal of Australia</i> , 2006, 184, 91-92.	1.7	3
302	Practical challenges of conducting research into rheumatic fever in remote Aboriginal communities. <i>Medical Journal of Australia</i> , 2006, 184, 511-513.	1.7	8
303	High rate of immediate systemic hypersensitivity reactions to tiger snake antivenom. <i>Medical Journal of Australia</i> , 2006, 184, 419-420.	1.7	5
304	B-cell antigen D8/17 is a marker of rheumatic fever susceptibility in Aboriginal Australians and can be tested in remote settings. <i>Medical Journal of Australia</i> , 2006, 184, 507-510.	1.7	19
305	Group A streptococcal infections of the skin: molecular advances but limited therapeutic progress. <i>Current Opinion in Infectious Diseases</i> , 2006, 19, 132-138.	3.1	35
306	Thoracic Radiology of Infections Emerging After Natural Disasters. <i>Journal of Thoracic Imaging</i> , 2006, 21, 265-275.	1.5	11

#	ARTICLE	IF	CITATIONS
307	Variations in the protective immune response against streptococcal superantigens in populations of different ethnicity. <i>Medical Microbiology and Immunology</i> , 2006, 195, 37-43.	4.8	11
308	Clinically applicable laboratory end-points for treating snakebite coagulopathy. <i>Pathology</i> , 2006, 38, 568-572.	0.6	27
309	Extreme weather events and environmental contamination are associated with case-clusters of melioidosis in the Northern Territory of Australia. <i>International Journal of Epidemiology</i> , 2006, 35, 323-329.	1.9	74
310	Nonrandom Distribution of <i>Burkholderia pseudomallei</i> Clones in Relation to Geographical Location and Virulence. <i>Journal of Clinical Microbiology</i> , 2006, 44, 2553-2557.	3.9	73
311	Low Rates of Streptococcal Pharyngitis and High Rates of Pyoderma in Australian Aboriginal Communities Where Acute Rheumatic Fever Is Hyperendemic. <i>Clinical Infectious Diseases</i> , 2006, 43, 683-689.	5.8	175
312	Use of a Variable Amplicon Typing Scheme Reveals Considerable Variation in the Accessory Genomes of Isolates of <i>Burkholderia pseudomallei</i> . <i>Journal of Clinical Microbiology</i> , 2006, 44, 1323-1334.	3.9	22
313	Recovering Streptococci from the Throat, a Practical Alternative to Direct Plating in Remote Tropical Communities. <i>Journal of Clinical Microbiology</i> , 2006, 44, 547-552.	3.9	25
314	Use of a Single-Nucleotide Polymorphism Genotyping System To Demonstrate the Unique Epidemiology of Methicillin-Resistant <i>Staphylococcus aureus</i> in Remote Aboriginal Communities. <i>Journal of Clinical Microbiology</i> , 2006, 44, 3720-3727.	3.9	113
315	Clinical Evaluation of a Type III Secretion System Real-Time PCR Assay for Diagnosing Melioidosis. <i>Journal of Clinical Microbiology</i> , 2006, 44, 3028-3030.	3.9	59
316	Development and Evaluation of a Real-Time PCR Assay Targeting the Type III Secretion System of <i>Burkholderia pseudomallei</i> . <i>Journal of Clinical Microbiology</i> , 2006, 44, 85-90.	3.9	175
317	INDIRECT HEMAGGLUTINATION ASSAY IN PATIENTS WITH MELIOIDOSIS IN NORTHERN AUSTRALIA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006, 74, 330-334.	1.4	91
318	SCABIES MITE INACTIVATED SERINE PROTEASE PARALOGUES ARE PRESENT BOTH INTERNALLY IN THE MITE GUT AND EXTERNALLY IN FECES. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006, 75, 683-687.	1.4	30
319	Indirect hemagglutination assay in patients with melioidosis in northern Australia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006, 74, 330-4.	1.4	57
320	Lipopolysaccharide heterogeneity among <i>Burkholderia pseudomallei</i> from different geographic and clinical origins. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006, 74, 348-52.	1.4	28
321	Scabies mite inactivated serine protease paralogues are present both internally in the mite gut and externally in feces. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006, 75, 683-7.	1.4	17
322	Inter-species genetic movement may blur the epidemiology of streptococcal diseases in endemic regions. <i>Microbes and Infection</i> , 2005, 7, 1128-1138.	1.9	50
323	Use of the Jones Criteria in the diagnosis of acute rheumatic fever in an Australian rural setting. <i>Australian and New Zealand Journal of Public Health</i> , 2005, 29, 526-529.	1.8	6
324	Strongyloidiasis: A review of the evidence for Australian practitioners. <i>Australian Journal of Rural Health</i> , 2005, 13, 247-254.	1.5	66

#	ARTICLE	IF	CITATIONS
325	Burkholderia pseudomallei strain type, based on pulsed-field gel electrophoresis, does not determine disease presentation in melioidosis. <i>Microbes and Infection</i> , 2005, 7, 104-109.	1.9	14
326	A model of immunity to : unique responses following immunization and acute lethal infection. <i>Microbes and Infection</i> , 2005, 7, 1263-1275.	1.9	27
327	Prospective study of <i>Chironex fleckeri</i> and other box jellyfish stings in the "Top End" of Australia's Northern Territory. <i>Medical Journal of Australia</i> , 2005, 183, 631-636.	1.7	84
328	Melioidosis in New Caledonia. <i>Emerging Infectious Diseases</i> , 2005, 11, 1607-1609.	4.3	23
329	Neurological and Cognitive Recovery Following Abstinence from Petrol Sniffing. <i>Neuropsychopharmacology</i> , 2005, 30, 1019-1027.	5.4	48
330	Surface Analyses and Immune Reactivities of Major Cell Wall-Associated Proteins of Group A Streptococcus. <i>Infection and Immunity</i> , 2005, 73, 3137-3146.	2.2	99
331	Clonality and Recombination in Genetically Differentiated Subgroups of <i>Cryptococcus gattii</i> . <i>Eukaryotic Cell</i> , 2005, 4, 1403-1409.	3.4	117
332	Diagnosis and Treatment of Mycotic Aneurysm Due to <i>Burkholderia pseudomallei</i> . <i>Clinical Infectious Diseases</i> , 2005, 41, 572-573.	5.8	4
333	Melioidosis: Epidemiology, Pathophysiology, and Management. <i>Clinical Microbiology Reviews</i> , 2005, 18, 383-416.	13.6	1,187
334	Community-acquired pneumonia in northern Australia: low mortality in a tropical region using locally-developed treatment guidelines. <i>International Journal of Infectious Diseases</i> , 2005, 9, 15-20.	3.3	32
335	Identification and characterization of <i>Sarcoptes scabiei</i> and <i>Dermatophagoides pteronyssinus</i> glutathione S-transferases: implication as a potential major allergen in crusted scabies. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005, 73, 977-84.	1.4	20
336	Short report: application of a polymerase chain reaction to detect <i>Burkholderia pseudomallei</i> in clinical specimens from patients with suspected melioidosis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005, 73, 1162-4.	1.4	13
337	Snakebite in tropical Australia: a prospective study in the "Top End" of the Northern Territory. <i>Medical Journal of Australia</i> , 2004, 181, 693-697.	1.7	47
338	Group A Streptococci from a Remote Community Have Novel Multilocus Genotypes but ShareemmTypes and Housekeeping Alleles with Isolates from Worldwide Sources. <i>Journal of Infectious Diseases</i> , 2004, 189, 717-723.	4.0	72
339	Circulating IgE in Patients with Ordinary and Crusted Scabies. <i>Journal of Medical Entomology</i> , 2004, 41, 74-77.	1.8	60
340	First Documentation of In Vivo and In Vitro Ivermectin Resistance in <i>Sarcoptes scabiei</i> . <i>Clinical Infectious Diseases</i> , 2004, 39, e8-e12.	5.8	244
341	Scabies: New Future for a Neglected Disease. <i>Advances in Parasitology</i> , 2004, 57, 309-376.	3.2	138
342	Adjunctive Granulocyte Colony-Stimulating Factor for Treatment of Septic Shock Due to Melioidosis. <i>Clinical Infectious Diseases</i> , 2004, 38, 32-37.	5.8	100

#	ARTICLE	IF	CITATIONS
343	Venomous Snakebites Worldwide with a Focus on the Australia-Pacific Region: Current Management and Controversies. <i>Journal of Intensive Care Medicine</i> , 2004, 19, 259-269.	2.8	44
344	Further Evaluation of a Rapid Diagnostic Test for Melioidosis in an Area of Endemicity. <i>Journal of Clinical Microbiology</i> , 2004, 42, 2239-2240.	3.9	34
345	Isolates of <i>Burkholderia pseudomallei</i> from Northern Australia Are Distinct by Multilocus Sequence Typing, but Strain Types Do Not Correlate with Clinical Presentation. <i>Journal of Clinical Microbiology</i> , 2004, 42, 5477-5483.	3.9	48
346	Acaricidal Activity of <i>Melaleuca alternifolia</i> (Tea Tree) Oil. <i>Archives of Dermatology</i> , 2004, 140, 563-6.	1.4	149
347	Plasminogen Binding by Group A Streptococcal Isolates from a Region of Hyperendemicity for Streptococcal Skin Infection and a High Incidence of Invasive Infection. <i>Infection and Immunity</i> , 2004, 72, 364-370.	2.2	72
348	Fibronectin-Binding Protein Gene Recombination and Horizontal Transfer between Group A and G Streptococci. <i>Journal of Clinical Microbiology</i> , 2004, 42, 5357-5361.	3.9	33
349	Cryptococcus Infection in Tropical Australia. <i>Journal of Clinical Microbiology</i> , 2004, 42, 3865-3868.	3.9	50
350	Out of hospital treatment of patients with melioidosis using ceftazidime in 24 h elastomeric infusors, via peripherally inserted central catheters. <i>Tropical Medicine and International Health</i> , 2004, 9, 715-717.	2.3	22
351	Epidemiology of community-acquired and nosocomial bloodstream infections in tropical Australia: a 12-month prospective study. <i>Tropical Medicine and International Health</i> , 2004, 9, 795-804.	2.3	60
352	Melioidosis epidemiology and risk factors from a prospective whole-population study in northern Australia. <i>Tropical Medicine and International Health</i> , 2004, 9, 1167-1174.	2.3	151
353	Snakebite in Australia: The role of the Venom Detection Kit. <i>EMA - Emergency Medicine Australasia</i> , 2004, 16, 384-386.	1.1	10
354	A Multigene Family of Inactivated Cysteine Proteases in <i>Sarcoptes scabiei</i> . <i>Journal of Investigative Dermatology</i> , 2004, 123, 240-241.	0.7	54
355	Inhibition of <i>Streptococcus pyogenes</i> adherence to HaCaT cells by a peptide corresponding to the streptococcal fibronectin-binding protein, SfbI, is strain dependent. <i>Microbes and Infection</i> , 2004, 6, 926-928.	1.9	6
356	The fibronectin-binding capacity and host cell adherence of strains are discordant with each other. <i>Microbes and Infection</i> , 2004, 6, 1156-1162.	1.9	7
357	Outcomes of Patients with Melioidosis Treated with Meropenem. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 1763-1765.	3.2	78
358	Neurological and cognitive impairment associated with leaded gasoline encephalopathy. <i>Drug and Alcohol Dependence</i> , 2004, 73, 183-188.	3.2	30
359	Acute rheumatic fever: a chink in the chain that links the heart to the throat?. <i>Lancet Infectious Diseases</i> , 2004, 4, 240-245.	9.1	237
360	CONTAMINATION OF HAND WASH DETERGENT LINKED TO OCCUPATIONALLY ACQUIRED MELIOIDOSIS. <i>American Journal of Tropical Medicine and Hygiene</i> , 2004, 71, 360-362.	1.4	29



#	ARTICLE	IF	CITATIONS
361	C-reactive protein in the diagnosis of melioidosis. American Journal of Tropical Medicine and Hygiene, 2004, 70, 580-2.	1.4	8
362	Contamination of hand wash detergent linked to occupationally acquired melioidosis. American Journal of Tropical Medicine and Hygiene, 2004, 71, 360-2.	1.4	18
363	Transmission of Burkholderia pseudomallei via breast milk in northern Australia. Pediatric Infectious Disease Journal, 2004, 23, 1169-71.	2.0	34
364	Saccade and cognitive impairment associated with kava intoxication. Human Psychopharmacology, 2003, 18, 525-533.	1.5	35
365	Use of terbinafine for tinea in Australian Aboriginal communities in the Top End. Australasian Journal of Dermatology, 2003, 44, 243-249.	0.7	4
366	Mechanisms for a Novel Immune Evasion Strategy in the Scabies Mite Sarcoptes Scabiei: A Multigene Family of Inactivated Serine Proteases. Journal of Investigative Dermatology, 2003, 121, 1419-1424.	0.7	87
367	Snakebite in Australia: Moving from anecdotes to prospective studies. EMA - Emergency Medicine Australasia, 2003, 15, 406-408.	1.1	8
368	Clinical Toxicology—Where Are We Now?. Journal of Toxicology: Clinical Toxicology, 2003, 41, 263-276.	1.5	52
369	Liver Function Test Abnormalities in Users of Aqueous Kava Extracts. Journal of Toxicology: Clinical Toxicology, 2003, 41, 821-829.	1.5	59
370	Marine Antivenoms. Journal of Toxicology: Clinical Toxicology, 2003, 41, 301-308.	1.5	57
371	Evolution of sfbl Encoding Streptococcal Fibronectin-Binding Protein I: Horizontal Genetic Transfer and Gene Mosaic Structure. Journal of Clinical Microbiology, 2003, 41, 5398-5406.	3.9	31
372	Strains of Streptococcus pyogenes from Severe Invasive Infections Bind HEp2 and HaCaT Cells More Avidly than Strains from Uncomplicated Infections. Journal of Clinical Microbiology, 2003, 41, 3936-3938.	3.9	4
373	Saccade and Cognitive Function in Chronic Kava Users. Neuropsychopharmacology, 2003, 28, 389-396.	5.4	31
374	Kava hepatotoxicity with Western herbal products: does it occur with traditional kava use?. Medical Journal of Australia, 2003, 178, 421-422.	1.7	36
375	Intensity of Rainfall and Severity of Melioidosis, Australia. Emerging Infectious Diseases, 2003, 9, 1538-1542.	4.3	222
376	Identification of a homologue of a house dust mite allergen in a cDNA library from Sarcoptes scabiei var hominis and evaluation of its vaccine potential in a rabbit/S. scabiei var. canis model. American Journal of Tropical Medicine and Hygiene, 2003, 68, 54-60.	1.4	18
377	Melioidosis in northern Australia, 2001-02. Communicable Diseases Intelligence Quarterly Report, 2003, 27, 272-7.	0.5	22
378	Prevention of opportunistic infections in immunosuppressed patients in the tropical top end of the Northern Territory. Communicable Diseases Intelligence Quarterly Report, 2003, 27, 526-32.	0.5	19



#	ARTICLE	IF	CITATIONS
379	Cystic Fibrosis and Burkholderia pseudomallei Infection: An Emerging Problem?. Clinical Infectious Diseases, 2002, 35, e138-e140.	5.8	62
380	NAD-Glycohydrolase Production and speA and speC Distribution in Group A Streptococcus (GAS) Isolates Do Not Correlate with Severe GAS Diseases in the Australian Population. Journal of Clinical Microbiology, 2002, 40, 2642-2644.	3.9	16
381	Community-Acquired Bacteremic Acinetobacter Pneumonia in Tropical Australia Is Caused by Diverse Strains of Acinetobacter baumannii, with Carriage in the Throat in At-Risk Groups. Journal of Clinical Microbiology, 2002, 40, 685-686.	3.9	117
382	Impact of single dose azithromycin on group A streptococci in the upper respiratory tract and skin of Aboriginal children. Pediatric Infectious Disease Journal, 2002, 21, 375-380.	2.0	26
383	Coagulopathy from tiger snake envenoming and its treatment. Pathology, 2002, 34, 588-590.	0.6	6
384	Endemic invasive amoebiasis in northern Australia. Medical Journal of Australia, 2002, 177, 570-570.	1.7	21
385	Occupational infection with herpes simplex virus type 1 after a needlestick injury. Medical Journal of Australia, 2002, 176, 240-240.	1.7	23
386	Factors supporting sustainability of a community-based scabies control program. Australasian Journal of Dermatology, 2002, 43, 274-277.	0.7	55
387	The neurobehavioural consequences of petrol (gasoline) sniffing. Neuroscience and Biobehavioral Reviews, 2002, 26, 81-89.	6.1	74
388	Antibiotic susceptibility of Burkholderia pseudomallei from tropical northern Australia and implications for therapy of melioidosis. International Journal of Antimicrobial Agents, 2001, 17, 109-113.	2.5	138
389	Paraplegia secondary to Burkholderia pseudomallei myelitis: A case report. Archives of Physical Medicine and Rehabilitation, 2001, 82, 1630-1632.	0.9	6
390	Possible toxicity and withdrawal seizures in Aboriginal kava drinkers in Arnhem Land, (Australia). South Pacific Journal of Psychology, 2001, 13, 26-33.	0.2	6
391	Prospective study of jellyfish stings from tropical Australia, including the major box jellyfish <i>Chironex fleckii</i> . Medical Journal of Australia, 2001, 175, 652-655.	1.7	79
392	Clinical effects of bites from formally identified spiders in tropical Northern Territory. Medical Journal of Australia, 2001, 174, 79-82.	1.7	26
393	Outcome of an interventional program for scabies in an Indigenous community. Medical Journal of Australia, 2001, 175, 367-370.	1.7	72
394	Does cleansing the birth canal at delivery reduce postnatal infection rates?. Medical Journal of Australia, 2001, 175, 501-502.	1.7	0
395	Burkholderia pseudomallei virulence: definition, stability and association with clonality. Microbes and Infection, 2001, 3, 621-631.	1.9	74
396	Persistent ICT Malaria P.f/P.v Panmalarial and HRP2 Antigen Reactivity after Treatment of Plasmodium falciparum Malaria Is Associated with Gametocytemia and Results in False-Positive Diagnoses of Plasmodium vivax in Convalescence. Journal of Clinical Microbiology, 2001, 39, 1025-1031.	3.9	93

#	ARTICLE	IF	CITATIONS
397	Antibody levels to the class I and II epitopes of the M protein and myosin are related to group A streptococcal exposure in endemic populations. <i>International Immunology</i> , 2001, 13, 1335-1343.	4.0	7
398	Snakebite in tropical Australia, Papua New Guinea and Irian Jaya. <i>EMA - Emergency Medicine Australasia</i> , 2000, 12, 285-294.	1.1	43
399	Skin infections and infestations in Aboriginal communities in northern Australia. <i>Australasian Journal of Dermatology</i> , 2000, 41, 139-143.	0.7	182
400	Melioidosis: acute and chronic disease, relapse and re-activation. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2000, 94, 301-304.	1.8	218
401	A targeted, single-dose azithromycin strategy for trachoma. <i>Medical Journal of Australia</i> , 2000, 172, 163-166.	1.7	32
402	Epidemiology and Host- and Variety-Dependent Characteristics of Infection Due to <i>Cryptococcus neoformans</i> in Australia and New Zealand. <i>Clinical Infectious Diseases</i> , 2000, 31, 499-508.	5.8	421
403	The epidemiology of melioidosis in Australia and Papua New Guinea. <i>Acta Tropica</i> , 2000, 74, 121-127.	2.0	203
404	Neurological melioidosis. <i>Acta Tropica</i> , 2000, 74, 145-151.	2.0	120
405	Animal melioidosis in Australia. <i>Acta Tropica</i> , 2000, 74, 153-158.	2.0	120
406	Pharyngeal carriage of group C and group G streptococci and acute rheumatic fever in an Aboriginal population. <i>Lancet, The</i> , 2000, 356, 1167-1169.	13.7	110
407	Clinical Toxicology: A Tropical Australian Perspective. <i>Therapeutic Drug Monitoring</i> , 2000, 22, 73-78.	2.0	20
408	Distribution and Antigenicity of Fibronectin Binding Proteins (Sfbl and SfbII) of <i>Streptococcus pyogenes</i> Clinical Isolates from the Northern Territory, Australia. <i>Journal of Clinical Microbiology</i> , 2000, 38, 389-392.	3.9	46
409	Functional analysis of IgA antibodies specific for a conserved epitope within the M protein of group A streptococci from Australian Aboriginal endemic communities. <i>International Immunology</i> , 1999, 11, 569-576.	4.0	28
410	Epidemiology and Prevention of Group A Streptococcal Infections: Acute Respiratory Tract Infections, Skin Infections, and their Sequelae at the Close of the Twentieth Century. <i>Clinical Infectious Diseases</i> , 1999, 28, 205-210.	5.8	74
411	Crusted Scabies: A Molecular Analysis of <i>Sarcoptes scabiei</i> Variety <i>hominis</i> Populations from Patients with Repeated Infestations. <i>Clinical Infectious Diseases</i> , 1999, 29, 1226-1230.	5.8	70
412	Mortality due to acute rheumatic fever and rheumatic heart disease in the Northern Territory: a preventable cause of death in Aboriginal people. <i>Australian and New Zealand Journal of Public Health</i> , 1999, 23, 159-163.	1.8	48
413	Communication between hospitals and isolated Aboriginal Community Health Clinics. <i>Australian and New Zealand Journal of Public Health</i> , 1999, 23, 204-206.	1.8	10
414	Field Evaluation of the ICT Malaria P.f/P.v Immunochromatographic Test for Detection of <i>Plasmodium falciparum</i> and <i>Plasmodium vivax</i> in Patients with a Presumptive Clinical Diagnosis of Malaria in Eastern Indonesia. <i>Journal of Clinical Microbiology</i> , 1999, 37, 2412-2417.	3.9	149

#	ARTICLE	IF	CITATIONS
415	Acute rheumatic fever (ARF) in non-Aboriginal patients in the Northern Territory. Australian and New Zealand Journal of Medicine, 1998, 28, 63-64.	0.5	1
416	Can class I epitope of M protein be a diagnostic marker for rheumatic fever in populations endemic for group A streptococci?. Lancet, The, 1998, 351, 1860.	13.7	6
417	Ivermectin for Sarcoptes scabiei hyperinfestation. International Journal of Infectious Diseases, 1998, 2, 152-154.	3.3	105
418	New world cutaneous leishmaniasis imported into australia. Pathology, 1998, 30, 73-76.	0.6	18
419	Chromobacterium violaceum in tropical northern Australia. Medical Journal of Australia, 1998, 168, 335-337.	1.7	29
420	Taenia plasticum: first case report. Medical Journal of Australia, 1998, 168, 124-124.	1.7	0
421	Preventing rheumatic heart disease in Australia. Medical Journal of Australia, 1998, 168, 428-429.	1.7	29
422	Pediatric melioidosis in tropical Australia. Pediatric Infectious Disease Journal, 1998, 17, 77-80.	2.0	13
423	Evaluation of PCR for Diagnosis of Melioidosis. Journal of Clinical Microbiology, 1998, 36, 1039-1041.	3.9	39
424	Ivermectin for scabies. Lancet, The, 1997, 350, 1551.	13.7	50
425	MELIOIDOTIC OSTEOMYELITIS IN NORTHERN AUSTRALIA. ANZ Journal of Surgery, 1997, 67, 692-695.	0.7	16
426	A DNA fingerprinting system for the ectoparasite Sarcoptes scabiei. Molecular and Biochemical Parasitology, 1997, 85, 187-196.	1.1	55
427	Success of a scabies control program in an Australian Aboriginal community. Pediatric Infectious Disease Journal, 1997, 16, 494-499.	2.0	157
428	Acute rheumatic fever and rheumatic heart disease in the Top End of Australia's Northern Territory. Medical Journal of Australia, 1996, 164, 146-149.	1.7	190
429	Emerging epidemic of community-acquired methicillin-resistant <i>Staphylococcus aureus</i> infection in the Northern Territory. Medical Journal of Australia, 1996, 164, 721-723.	1.7	147
430	Disruption of erythrocyte rosettes and agglutination of erythrocytes infected with Plasmodium falciparum by the sera of Papua New Guineans. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1996, 90, 80-84.	1.8	12
431	An Evaluation of Unleaded Petrol as a Harm Reduction Strategy for Petrol Sniffers in an Aboriginal Community. Journal of Toxicology: Clinical Toxicology, 1996, 34, 27-36.	1.5	9
432	Chromoblastomycosis: A retrospective study of six cases at the royal darwin hospital from 1989 to 1994. Pathology, 1996, 28, 182-187.	0.6	10

#	ARTICLE	IF	CITATIONS
433	Locally acquired hepatitis E in the Northern Territory of Australia. Medical Journal of Australia, 1995, 162, 318-319.	1.7	34
434	Evaluation of strategies used by a remote Aboriginal community to eliminate petrol sniffing. Medical Journal of Australia, 1995, 163, 82-86.	1.7	27
435	Identification of <i>Chironex fleckeri</i> envenomation by nematocyst recovery from skin. Medical Journal of Australia, 1995, 162, 478-480.	1.7	45
436	Antigens released at schizont burst stimulate Plasmodium falciparum-specific CD4+ T cells from non-exposed donors: potential for cross-reactive memory T cells to cause disease. International Immunology, 1995, 7, 821-833.	4.0	35
437	Ivermectin and crusted (Norwegian) scabies. Medical Journal of Australia, 1995, 163, 559-560.	1.7	38
438	Good seroconversion after a fourth hepatitis B vaccination in Aboriginal children. Medical Journal of Australia, 1995, 162, 336-336.	1.7	0
439	Scabies programs in Aboriginal communities. Medical Journal of Australia, 1994, 161, 636-637.	1.7	46
440	Isn't one institutional ethics committee's approval enough?. Medical Journal of Australia, 1994, 161, 398-399.	1.7	4
441	Identification of T cell autoepitopes that cross-react with the C-terminal segment of the M protein of group A streptococci. International Immunology, 1994, 6, 1235-1244.	4.0	106
442	Elevated Serum Creatine Kinase (CK-MM) in Petrol Sniffers Using Leaded or Unleaded Fuel. Journal of Toxicology: Clinical Toxicology, 1994, 32, 527-539.	1.5	2
443	AN UNUSUAL PRESENTATION OF SECONDARY SYPHILIS IN THE NORTHERN TERRITORY. Australasian Journal of Dermatology, 1994, 35, 23-27.	0.7	4
444	Clinical implications of research on the box-jellyfish <i>Chironex fleckeri</i> . Toxicon, 1994, 32, 1305-1313.	1.6	50
445	Should Aboriginals in the "Top End" of the Northern Territory be vaccinated against hepatitis A?. Medical Journal of Australia, 1994, 161, 372-373.	1.7	16
446	Disseminated cutaneous nocardiosis as a presenting illness of HIV infection. Medical Journal of Australia, 1994, 161, 609-611.	1.7	2
447	Petrol sniffer's encephalopathy and lead exposure. Medical Journal of Australia, 1994, 161, 452-452.	1.7	1
448	Melioidosis in Papua New Guinea: is it less common than in tropical Australia?. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1993, 87, 417.	1.8	12
449	Acute hepatitis B infection in Aboriginal Australians. Australian Journal of Public Health, 1993, 17, 331-333.	0.2	5
450	A New Focus of Scrub Typhus in Tropical Australia. American Journal of Tropical Medicine and Hygiene, 1993, 49, 425-429.	1.4	26

#	ARTICLE	IF	CITATIONS
451	An outbreak of epidemic polyarthritis (Ross River virus disease) in the Northern Territory during the 1990-1991 wet season. Medical Journal of Australia, 1993, 158, 522-525.	1.7	14
452	Neurological Melioidosis: Seven Cases from the Northern Territory of Australia. Clinical Infectious Diseases, 1992, 15, 163-169.	5.8	74
453	Melioidosis: when in doubt leave the quinolone alone!. Medical Journal of Australia, 1992, 157, 427-428.	1.7	10
454	Why does Australia have no national drug policy?. Medical Journal of Australia, 1992, 157, 210-210.	1.7	2
455	An epidemiological study of snake bite envenomation in Papua New Guinea. Medical Journal of Australia, 1992, 156, 290-290.	1.7	11
456	An epidemiological study of snake bite envenomation in Papua New Guinea. Medical Journal of Australia, 1991, 154, 266-268.	1.7	39
457	Cryptococcus neoformans var gattii. Lancet, The, 1990, 336, 1442.	13.7	23
458	Resolution of neurotoxicity with anticholinesterase therapy in deathadder envenomation. Medical Journal of Australia, 1988, 148, 522-525.	1.7	31
459	Human immunodeficiency virus infection in Papua New Guinea. Medical Journal of Australia, 1988, 148, 100-101.	1.7	7
460	<i>Burkholderia</i> , <i>Stenotrophomonas</i> , <i>Ralstonia</i> , <i>Cupriavidus</i> , <i>Pandoraea</i> , <i>Brevundimonas</i> , <i>Comamonas</i> , <i>Delftia</i> , and <i>Acidovorax</i> . , 0, , 791-812.		16