Fujie Tanaka

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/664481/fujie-tanaka-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8,407 114 91 39 h-index g-index citations papers 8,857 5.87 158 7.4 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
114	Organocatalytic diastereo- and enantioselective oxa-hetero-Diels-Alder reactions of enones with aryl trifluoromethyl ketones for the synthesis of trifluoromethyl-substituted tetrahydropyrans. <i>Organic and Biomolecular Chemistry</i> , 2021 , 19, 9242-9250	3.9	2
113	Intramolecular Formal [4 + 2] Cycloadditions: Synthesis of Spiro Isoindolinone Derivatives and Related Molecules. <i>Organic Letters</i> , 2021 , 23, 1874-1879	6.2	3
112	Dynamic Kinetic Asymmetric Transformation of Racemic Diastereomers: Diastereo- and Enantioconvergent Michael Henry Reactions to Afford Spirooxindoles Bearing Furan-Fused Rings. <i>Angewandte Chemie</i> , 2021 , 133, 21426-21430	3.6	1
111	Dynamic Kinetic Asymmetric Transformation of Racemic Diastereomers: Diastereo- and Enantioconvergent Michael-Henry Reactions to Afford Spirooxindoles Bearing Furan-Fused Rings. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 21256-21260	16.4	2
110	Catalytic Enantioselective Oxa-Hetero-Diels-Alder Reactions of Enones with Aryl Trifluoromethyl Ketones: Synthesis of Tetrahydropyranones. <i>Heterocycles</i> , 2021 , 103, 198	0.8	3
109	Enantioselective Direct -Selective Mannich-type Reactions Catalyzed by 3-Pyrrolidinecarboxylic Acid in the Presence of Potassium Carbonate: Addition of Potassium Carbonate Improves Enantioselectivities. <i>Organic Letters</i> , 2020 , 22, 4542-4546	6.2	6
108	Switching Electrophile Intermediates to Nucleophiles: Michael and Oxa-Diels-Alder Reactions to Afford Polyoxy-Functionalized Piperidine Derivatives with Tetrasubstituted Carbon. <i>Organic Letters</i> , 2020, 22, 2751-2755	6.2	4
107	Intramolecular Oxa-Michael Reactions of Aldols Generated from Enones and Isatins to Afford Spirooxindole Tetrahydropyrans. <i>Heterocycles</i> , 2020 , 101, 339	0.8	5
106	Direct Catalytic Asymmetric Synthesis of Oxindole-Derived EHydroxy-根etoesters by Aldol Reactions. <i>Organic Letters</i> , 2020 , 22, 6-10	6.2	8
105	Control of Chemical Reactions by Using Molecules that Buffer Non-aqueous Solutions. <i>Chemistry - A European Journal</i> , 2020 , 26, 222-229	4.8	3
104	Intramolecular Mannich and Michael Annulation Reactions of Lactam Derivatives Bearing Enals To Afford Bicyclic N-Heterocycles. <i>Organic Letters</i> , 2019 , 21, 8444-8448	6.2	8
103	Mannich Reactions of Carbohydrate Derivatives with Ketones To Afford Polyoxy-Functionalized Piperidines. <i>Organic Letters</i> , 2019 , 21, 1165-1169	6.2	3
102	Dynamic stereoselective annulation via aldol-oxa-cyclization cascade reaction to afford spirooxindole pyran polycycles. <i>Communications Chemistry</i> , 2019 , 2,	6.3	3
101	Detection of enantiomers of chiral primary amines by 1H NMR analysis via enamine formation with an enantiopure Eposition aldol product of a Reto ester. <i>Tetrahedron Letters</i> , 2018 , 59, 2248-2250	2	1
100	C-Glycosidation of Unprotected Di- and Trisaccharide Aldopyranoses with Ketones Using Pyrrolidine-Boric Acid Catalysis. <i>Journal of Organic Chemistry</i> , 2018 , 83, 4581-4597	4.2	13
99	Catalytic Enantioselective Formal (4+2) Cycloaddition by Aldol-Aldol Annulation of Pyruvate Derivatives with Cyclohexane-1,3-Diones to Afford Functionalized Decalins. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 13298-13301	16.4	6
98	Reactions of Pyruvate-Derived Dihydropyrans with Formaldehyde: Synthesis of Functionalized Furopyrans and Related Products. <i>Heterocycles</i> , 2018 , 97, 569	0.8	1

(2014-2018)

97	Catalytic Enantioselective Formal (4+2) Cycloaddition by AldolAldol Annulation of Pyruvate Derivatives with Cyclohexane-1,3-Diones to Afford Functionalized Decalins. <i>Angewandte Chemie</i> , 2018 , 130, 13482-13485	3.6	1	
96	Formal (4+1) Cycloaddition and Enantioselective Michael-Henry Cascade Reactions To Synthesize Spiro[4,5]decanes and Spirooxindole Polycycles. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 5853-5857	16.4	34	
95	Formal (4+1) Cycloaddition and Enantioselective Michael Henry Cascade Reactions To Synthesize Spiro[4,5] decanes and Spirooxindole Polycycles. <i>Angewandte Chemie</i> , 2017 , 129, 5947-5951	3.6	10	
94	Determination of Relative Frequency of Carbanion Formation at Positions of Ketones under Aldol Reaction Catalysis Conditions. <i>Organic Letters</i> , 2017 , 19, 3803-3806	6.2	9	
93	Synthesis of pyrrolidine-3-carboxylic acid derivatives via asymmetric Michael addition reactions of carboxylate-substituted enones. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 6089-6092	3.9	5	
92	Synthesis of 4-Substituted-Pyridine-2,6-dicarboxylic Acid Derivatives from Pyruvates and Aldehydes in One Pot. <i>Heterocycles</i> , 2017 , 95, 587	0.8	21	
91	Discovery of SOAT2 inhibitors from synthetic small molecules. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 5899-5901	2.9	7	
90	Catalytic asymmetric hetero-Diels-Alder reactions of enones with isatins to access functionalized spirooxindole tetrahydropyrans: scope, derivatization, and discovery of bioactives. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 1777-83	3.9	29	
89	Direct synthesis of C-glycosides from unprotected 2-N-acyl-aldohexoses via aldol condensation-oxa-Michael reactions with unactivated ketones. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 259-64	3.9	14	
88	Catalytic enantioselective oxa-hetero-DielsAlder reactions of enones with aryl trifluoromethyl ketones. <i>RSC Advances</i> , 2016 , 6, 61454-61457	3.7	7	
87	Reaction-Based Mechanistic Investigations of Asymmetric Hetero-DielsAlder Reactions of Enones with Isatins Catalyzed by Amine-Based Three-Component Catalyst Systems. <i>Asian Journal of Organic Chemistry</i> , 2016 , 5, 153-161	3	25	
86	Aldol Reactions of Ketone Donors with Aryl Trifluoromethyl Ketone Acceptors Catalyzed by 1,8-Diazabicyclo[5.4.0]undec-7-ene (DBU) for Concise Access to Aryl- and Trifluoromethyl-Substituted Tertiary Alcohols. <i>Advanced Synthesis and Catalysis</i> , 2015 , 357, 3458-3462	5.6	15	
85	Aldol reactions of 1,2-diketones catalyzed by amines to afford furanose derivatives. <i>Tetrahedron Letters</i> , 2015 , 56, 735-738	2	2	
84	Reactions of pyruvates: organocatalytic synthesis of functionalized dihydropyrans in one pot and further transformations to functionalized carbocycles and heterocycles. <i>Chemical Communications</i> , 2014 , 50, 14881-4	5.8	12	
83	One-pot synthesis of polysubstituted 3-acylpyrroles by cooperative catalysis. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 5822-6	3.9	11	
82	Synthesis of Furanose Spirooxindoles via 1,8-Diazabicyclo[5.4.0]undec-7-ene (DBU)-Catalyzed Aldol Reactions of a Pyruvic Aldehyde Derivative. <i>Asian Journal of Organic Chemistry</i> , 2014 , 3, 391-394	3	13	
81	Fluorogenic probes for aldol reactions: tuning of fluorescence using Econjugation systems. <i>Tetrahedron Letters</i> , 2014 , 55, 74-78	2	6	
80	Fluorogenic aldehydes bearing arylethynyl groups: turn-on aldol reaction sensors for evaluation of organocatalysis in DMSO. <i>Tetrahedron Letters</i> , 2014 , 55, 1946-1948	2	5	

79	Substituent-dependent reactivity in aldehyde transformations: 4-(phenylethynyl)benzaldehydes versus simple benzaldehydes. <i>Tetrahedron</i> , 2013 , 69, 4098-4104	2.4	5
78	Fluorogenic probes for chemical transformations: 9-anthracene derivatives for monitoring reaction progress by an increase in fluorescence. <i>Tetrahedron Letters</i> , 2013 , 54, 4306-4308	2	7
77	Catalytic enantioselective formal hetero-Diels-Alder reactions of enones with isatins to give spirooxindole tetrahydropyranones. <i>Chemistry - A European Journal</i> , 2013 , 19, 6213-6	4.8	80
76	Enamine-Based Reactions: Strategies for the Development of Organocatalysts and Catalyzed Reactions. <i>Journal of the Society of Japanese Women Scientists</i> , 2009 , 10, 1-9	Ο	
75	Synthesis and evaluation of a cyclic imine derivative conjugated to a fluorescent molecule for labeling of proteins. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 1210-3	2.9	27
74	Direct observation of an enamine intermediate in amine catalysis. <i>Journal of the American Chemical Society</i> , 2009 , 131, 18206-7	16.4	56
73	A fluorogenic aldehyde bearing a 1,2,3-triazole moiety for monitoring the progress of aldol reactions. <i>Journal of Organic Chemistry</i> , 2009 , 74, 2417-24	4.2	29
72	Catalysis of 3-pyrrolidinecarboxylic acid and related pyrrolidine derivatives in enantioselective anti-Mannich-type reactions: importance of the 3-acid group on pyrrolidine for stereocontrol. <i>Journal of the American Chemical Society</i> , 2008 , 130, 875-86	16.4	144
71	Imines that react with phenols in water over a wide pH range. <i>Journal of Organic Chemistry</i> , 2008 , 73, 8669-72	4.2	28
70	Fluorogenic imines for fluorescent detection of Mannich-type reactions of phenols in water. <i>Journal of Organic Chemistry</i> , 2008 , 73, 3964-6	4.2	25
69	De novo computational design of retro-aldol enzymes. <i>Science</i> , 2008 , 319, 1387-91	33.3	892
68	Organocatalytic anti-Mannich Reactions with Dihydroxyacetone and Acyclic Dihydroxyacetone Derivatives: A Facile Route to Amino Sugars. <i>Advanced Synthesis and Catalysis</i> , 2008 , 350, 791-796	5.6	32
67	Selection of phage-displayed peptides that bind to a particular ligand-bound antibody. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 5926-31	3.4	3
66	Development of a small peptide tag for covalent labeling of proteins. <i>Bioconjugate Chemistry</i> , 2007 , 18, 1318-24	6.3	21
65	Mimicking aldolases through organocatalysis: syn-selective aldol reactions with protected dihydroxyacetone. <i>Organic Letters</i> , 2007 , 9, 3445-8	6.2	95
64	A way to highly enantiomerically enriched aza-Morita-Baylis-Hillman-type products. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 1878-80	16.4	129
63	Mimicking fructose and rhamnulose aldolases: organocatalytic syn-aldol reactions with unprotected dihydroxyacetone. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 5572-5	16.4	103
62	A Way to Highly Enantiomerically Enriched aza-MoritaBaylisHillmanIIype Products. <i>Angewandte Chemie</i> , 2007 , 119, 1910-1912	3.6	34

(2005-2007)

61	Mimicking Fructose and Rhamnulose Aldolases: Organocatalytic syn-Aldol Reactions with Unprotected Dihydroxyacetone. <i>Angewandte Chemie</i> , 2007 , 119, 5668-5671	3.6	27
60	Amine-catalyzed Michael reactions of an aminoaldehyde derivative to nitroolefins. <i>Tetrahedron Letters</i> , 2007 , 48, 693-696	2	30
59	Anti-formyl peptide antibodies. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007 , 17, 1943-5	2.9	2
58	Crystallographic evidence for water-assisted photo-induced peptide cleavage in the stony coral fluorescent protein Kaede. <i>Journal of Molecular Biology</i> , 2007 , 372, 918-926	6.5	75
57	Direct catalytic asymmetric synthesis of anti-1,2-amino alcohols and syn-1,2-diols through organocatalytic anti-Mannich and syn-aldol reactions. <i>Journal of the American Chemical Society</i> , 2007 , 129, 288-9	16.4	293
56	Dihydroxyacetone variants in the organocatalytic construction of carbohydrates: mimicking tagatose and fuculose aldolases. <i>Journal of Organic Chemistry</i> , 2006 , 71, 3822-8	4.2	108
55	3-Pyrrolidinecarboxylic acid for direct catalytic asymmetric anti-Mannich-type reactions of unmodified ketones. <i>Journal of the American Chemical Society</i> , 2006 , 128, 9630-1	16.4	147
54	Direct asymmetric anti-Mannich-type reactions catalyzed by a designed amino acid. <i>Journal of the American Chemical Society</i> , 2006 , 128, 1040-1	16.4	276
53	Pipecolic acid-catalyzed direct asymmetric mannich reactions. Organic Letters, 2006, 8, 811-4	6.2	87
52	Expedient synthesis of chiral 1,2- and 1,4-diamines: protecting group dependent regioselectivity in direct organocatalytic asymmetric Mannich reactions. <i>Organic Letters</i> , 2006 , 8, 2839-42	6.2	116
51	Organocatalytic direct michael reaction of ketones and aldehydes with beta-nitrostyrene in brine. Journal of the American Chemical Society, 2006 , 128, 4966-7	16.4	423
50	Organocatalytic direct asymmetric aldol reactions in water. <i>Journal of the American Chemical Society</i> , 2006 , 128, 734-5	16.4	608
49	Control of function of a small peptide by a protein. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006 , 16, 4059-62	2.9	6
48	7 Catalytic antibodies. <i>Annual Reports on the Progress of Chemistry Section C</i> , 2005 , 101, 202		1
47	Development of small designer aldolase enzymes: catalytic activity, folding, and substrate specificity. <i>Biochemistry</i> , 2005 , 44, 7583-92	3.2	62
46	Organocatalytic Approaches to Enantioenriched Amino Acids 2005 , 195-213		1
45	Reactive Immunization: A Unique Approach to Aldolase Antibodies 2005 , 304-335		1
44	Development of protein, peptide, and small molecule catalysts using catalysis-based selection strategies. <i>Chemical Record</i> , 2005 , 5, 276-85	6.6	5

43	Enamine-based Reactions Using Organocatalysts: from Aldolase Antibodies to Small Amino Acid and Amine Catalysts. <i>Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry</i> , 2005 , 63, 709-	7 2 7	3
42	Catalytic Direct Asymmetric Michael Reactions: Addition of Unmodified Ketone and Aldehyde Donors to Alkylidene Malonates and Nitro Olefins. <i>Synthesis</i> , 2004 , 2004, 1509-1521	2.9	11
41	Synthesis of beta-hydroxyaldehydes with stereogenic quaternary carbon centers by direct organocatalytic asymmetric aldol reactions. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 2420-3	3 ^{16.4}	218
40	The Scope of the Direct Proline-Catalyzed Asymmetric Addition of Ketones to Imines. <i>Advanced Synthesis and Catalysis</i> , 2004 , 346, 1131-1140	5.6	114
39	Synthesis of Hydroxyaldehydes with Stereogenic Quaternary Carbon Centers by Direct Organocatalytic Asymmetric Aldol Reactions. <i>Angewandte Chemie</i> , 2004 , 116, 2474-2477	3.6	68
38	Aldolase antibody activation of prodrugs of potent aldehyde-containing cytotoxics for selective chemotherapy. <i>Chemistry - A European Journal</i> , 2004 , 10, 5467-72	4.8	8
37	Rapid analysis of solvent effects on enamine formation by fluorescence: how might enzymes facilitate enamine chemistry with primary amines?. <i>Tetrahedron Letters</i> , 2004 , 45, 325-328	2	67
36	Antibody-catalyzed aminolysis of a chloropyrimidine derivative. <i>Chemical Communications</i> , 2004 , 1242-3	5.8	1
35	Design and use of fluorogenic aldehydes for monitoring the progress of aldehyde transformations. <i>Journal of the American Chemical Society</i> , 2004 , 126, 3692-3	16.4	43
34	Direct organocatalytic asymmetric aldol reactions of alpha-amino aldehydes: expedient syntheses of highly enantiomerically enriched anti-beta-hydroxy-alpha-amino acids. <i>Organic Letters</i> , 2004 , 6, 3541-	. 6 .2	134
33	Evolution of aldolase antibodies in vitro: correlation of catalytic activity and reaction-based selection. <i>Journal of Molecular Biology</i> , 2004 , 335, 1007-18	6.5	29
32	The origin of enantioselectivity in aldolase antibodies: crystal structure, site-directed mutagenesis, and computational analysis. <i>Journal of Molecular Biology</i> , 2004 , 343, 1269-80	6.5	58
31	Enamine-based organocatalysis with proline and diamines: the development of direct catalytic asymmetric Aldol, Mannich, Michael, and Diels-alder reactions. <i>Accounts of Chemical Research</i> , 2004 , 37, 580-91	24.3	1258
30	Direct asymmetric organocatalytic Michael reactions of alpha,alpha-disubstituted aldehydes with beta-nitrostyrenes for the synthesis of quaternary carbon-containing products. <i>Organic Letters</i> , 2004 , 6, 2527-30	6.2	305
29	Determination of cysteine concentration by fluorescence increase: reaction of cysteine with a fluorogenic aldehyde. <i>Chemical Communications</i> , 2004 , 1762-3	5.8	194
28	Rapid fluorescent screening for bifunctional amine-acid catalysts: efficient syntheses of quaternary carbon-containing aldols under organocatalysis. <i>Organic Letters</i> , 2003 , 5, 4369-72	6.2	98
27	The direct organocatalytic asymmetric mannich reaction: unmodified aldehydes as nucleophiles. <i>Journal of Organic Chemistry</i> , 2003 , 68, 9624-34	4.2	245
26	Fluorescent detection of carbon-carbon bond formation. <i>Journal of the American Chemical Society</i> , 2003 , 125, 8523-8	16.4	60

(1995-2002)

25	Reactive immunization: a unique approach to catalytic antibodies. <i>Journal of Immunological Methods</i> , 2002 , 269, 67-79	2.5	35
24	Amine-catalyzed direct DielsAlder reactions of 理unsaturated ketones with nitro olefins. <i>Tetrahedron Letters</i> , 2002 , 43, 3817-3820	2	147
23	One-pot asymmetric synthesis of beta-cyanohydroxymethyl alpha-amino acid derivatives: formation of three contiguous stereogenic centers. <i>Organic Letters</i> , 2002 , 4, 4519-22	6.2	64
22	A modular assembly strategy for improving the substrate specificity of small catalytic peptides. Journal of the American Chemical Society, 2002 , 124, 3510-1	16.4	34
21	Catalytic antibodies as designer proteases and esterases. <i>Chemical Reviews</i> , 2002 , 102, 4885-906	68.1	64
20	A highly enantioselective route to either enantiomer of both alpha- and beta-amino acid derivatives. <i>Journal of the American Chemical Society</i> , 2002 , 124, 1866-7	16.4	311
19	Visualizing antibody-catalyzed retro-aldol-retro-Michael reactions. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001 , 11, 2983-6	2.9	20
18	Phage display selection of peptides possessing aldolase activity. <i>Chemical Communications</i> , 2001 , 769-7	′7<u>9</u>8	38
17	Using antibody catalysis to study the outcome of multiple evolutionary trials of a chemical task. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 3878-83	11.5	40
16	Reconstructing Aldolase Antibodies to Alter Their Substrate Specificity and Turnover. <i>Journal of the American Chemical Society</i> , 2000 , 122, 4835-4836	16.4	47
15	Catalytic single-chain antibodies possessing <code>#actamase</code> activity selected from a phage displayed combinatorial library using a mechanism-based inhibitor. <i>Tetrahedron Letters</i> , 1999 , 40, 8063-8066	2	26
14	Thiazolium-dependent catalytic antibodies produced using a covalent modification strategy Chemical Communications, 1999 , 1383-1384	5.8	21
13	Pyridoxal-mediated abzyme system for aldol and retro-aldol reactions. <i>Tetrahedron Letters</i> , 1998 , 39, 5057-5060	2	9
12	A structural basis for transition-state stabilization in antibody-catalyzed hydrolysis: crystal structures of an abzyme at 1. 8 A resolution. <i>Journal of Molecular Biology</i> , 1998 , 281, 501-11	6.5	41
11	Relaxing Substrate Specificity in Antibody-Catalyzed Reactions: Enantioselective Hydrolysis of N-Cbz-Amino Acid Esters. <i>Journal of the American Chemical Society</i> , 1996 , 118, 2332-2339	16.4	52
10	A lipid-coated catalytic antibody in water-miscible organic solvents. <i>Tetrahedron</i> , 1995 , 51, 7673-7680	2.4	22
9	1,1TBinaphthalene-2,2Tdiol as a Chiral Auxiliary. Diastereoselective Alkylation of Binaphthyl Esters, Complex-Induced Proximity Effects in Enolate Formation, and One-Step Synthesis of an Optically Active .betaSubstituted Ketone. <i>Journal of the American Chemical Society</i> , 1995 , 117, 12159-12171	16.4	37
8	Correlation between Antigen-Combining-Site Structures and Functions within a Panel of Catalytic Antibodies Generated against a Single Transition State Analog. <i>Journal of the American Chemical Society</i> 1995 , 117, 6199-6209	16.4	64

7	A common ancestry for multiple catalytic antibodies generated against a single transition-state analog. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 6045-9	9 ^{11.5}	38	
6	Stereochemistry of the enolate from methyl phenylacetate. <i>Tetrahedron Letters</i> , 1992 , 33, 7885-7888	2	12	
5	Binaphthol as a chiral auxilliary: diastereoselective alkylation of binaphthyl esters of 囲unsaturated carboxylic acids. <i>Tetrahedron Letters</i> , 1991 , 32, 7281-7282	2	11	
4	Complex-induced proximity effects in enolate formation. Highly diastereoselective Emethylation of binaphthyl esters of arylacetic acids <i>Tetrahedron Letters</i> , 1990 , 31, 6553-6556	2	16	
3	Binaphthol as a chiral auxiliary. Asymmetrical alkylation of arylacetic acid. <i>Tetrahedron Letters</i> , 1989 , 30, 2825-2828	2	32	
2	Enamine Catalysis: Aldol and Mannich-Type Reactions19-55		17	
1	Antibody-catalyzed Aldol Reactions273-310		15	