Daniel S Margulies

List of Publications by Citations

Source: https://exaly.com/author-pdf/6645156/daniel-s-margulies-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16,763 128 202 57 h-index g-index citations papers 6.62 21,667 6.5 236 avg, IF L-index ext. papers ext. citations

| # | Paper | IF | Citations |
|-----|---|-------------------|-----------|
| 202 | Toward discovery science of human brain function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 4734-9 | 11.5 | 2183 |
| 201 | Functional connectivity of human striatum: a resting state FMRI study. Cerebral Cortex, 2008, 18, 2735-4 | ł 7 .1 | 807 |
| 200 | Precuneus shares intrinsic functional architecture in humans and monkeys. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 20069-74 | 11.5 | 714 |
| 199 | Situating the default-mode network along a principal gradient of macroscale cortical organization. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 12574-12579 |) ^{11.5} | 706 |
| 198 | The resting brain: unconstrained yet reliable. <i>Cerebral Cortex</i> , 2009 , 19, 2209-29 | 5.1 | 706 |
| 197 | Cingulate-precuneus interactions: a new locus of dysfunction in adult attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2008 , 63, 332-7 | 7.9 | 671 |
| 196 | Mapping the functional connectivity of anterior cingulate cortex. <i>NeuroImage</i> , 2007 , 37, 579-88 | 7.9 | 581 |
| 195 | Functional connectivity of the human amygdala using resting state fMRI. <i>NeuroImage</i> , 2009 , 45, 614-26 | 7.9 | 572 |
| 194 | Growing together and growing apart: regional and sex differences in the lifespan developmental trajectories of functional homotopy. <i>Journal of Neuroscience</i> , 2010 , 30, 15034-43 | 6.6 | 464 |
| 193 | Development of anterior cingulate functional connectivity from late childhood to early adulthood. <i>Cerebral Cortex</i> , 2009 , 19, 640-57 | 5.1 | 430 |
| 192 | Sex beyond the genitalia: The human brain mosaic. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 15468-73 | 11.5 | 335 |
| 191 | NeuroVault.org: a web-based repository for collecting and sharing unthresholded statistical maps of the human brain. <i>Frontiers in Neuroinformatics</i> , 2015 , 9, 8 | 3.9 | 332 |
| 190 | Eigenvector centrality mapping for analyzing connectivity patterns in fMRI data of the human brain. <i>PLoS ONE</i> , 2010 , 5, e10232 | 3.7 | 325 |
| 189 | Network homogeneity reveals decreased integrity of default-mode network in ADHD. <i>Journal of Neuroscience Methods</i> , 2008 , 169, 249-54 | 3 | 322 |
| 188 | Effects of resveratrol on memory performance, hippocampal functional connectivity, and glucose metabolism in healthy older adults. <i>Journal of Neuroscience</i> , 2014 , 34, 7862-70 | 6.6 | 292 |
| 187 | Large-Scale Gradients in Human Cortical Organization. <i>Trends in Cognitive Sciences</i> , 2018 , 22, 21-31 | 14 | 275 |
| 186 | An open science resource for establishing reliability and reproducibility in functional connectomics. <i>Scientific Data</i> , 2014 , 1, 140049 | 8.2 | 247 |

(2018-2017)

| 185 | Predicting brain-age from multimodal imaging data captures cognitive impairment. <i>NeuroImage</i> , 2017 , 148, 179-188 | 7.9 | 221 | |
|-----|--|------|-----|--|
| 184 | Personality is reflected in the brain's intrinsic functional architecture. <i>PLoS ONE</i> , 2011 , 6, e27633 | 3.7 | 217 | |
| 183 | Regional variation in interhemispheric coordination of intrinsic hemodynamic fluctuations. <i>Journal of Neuroscience</i> , 2008 , 28, 13754-64 | 6.6 | 216 | |
| 182 | Long-term effects of motor training on resting-state networks and underlying brain structure. <i>Neurolmage</i> , 2011 , 57, 1492-8 | 7.9 | 202 | |
| 181 | Medial and lateral networks in anterior prefrontal cortex support metacognitive ability for memory and perception. <i>Journal of Neuroscience</i> , 2013 , 33, 16657-65 | 6.6 | 193 | |
| 180 | Resting developments: a review of fMRI post-processing methodologies for spontaneous brain activity. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2010 , 23, 289-307 | 2.8 | 174 | |
| 179 | Broca's region: linking human brain functional connectivity data and non-human primate tracing anatomy studies. <i>European Journal of Neuroscience</i> , 2010 , 32, 383-98 | 3.5 | 163 | |
| 178 | Microstructural and functional gradients are increasingly dissociated in transmodal cortices. <i>PLoS Biology</i> , 2019 , 17, e3000284 | 9.7 | 131 | |
| 177 | Atypical functional connectome hierarchy in autism. <i>Nature Communications</i> , 2019 , 10, 1022 | 17.4 | 128 | |
| 176 | Residual functional connectivity in the split-brain revealed with resting-state functional MRI. <i>NeuroReport</i> , 2008 , 19, 703-9 | 1.7 | 123 | |
| 175 | A Systematic Relationship Between Functional Connectivity and Intracortical Myelin in the Human Cerebral Cortex. <i>Cerebral Cortex</i> , 2017 , 27, 981-997 | 5.1 | 120 | |
| 174 | Default mode network can support the level of detail in experience during active task states. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 9318-9323 | 11.5 | 116 | |
| 173 | Reward processing in obesity, substance addiction and non-substance addiction. <i>Obesity Reviews</i> , 2014 , 15, 853-69 | 10.6 | 113 | |
| 172 | Anatomical and microstructural determinants of hippocampal subfield functional connectome embedding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 10154-10159 | 11.5 | 111 | |
| 171 | Distant from input: Evidence of regions within the default mode network supporting perceptually-decoupled and conceptually-guided cognition. <i>NeuroImage</i> , 2018 , 171, 393-401 | 7.9 | 109 | |
| 170 | A correspondence between individual differences in the brain's intrinsic functional architecture and the content and form of self-generated thoughts. <i>PLoS ONE</i> , 2014 , 9, e97176 | 3.7 | 109 | |
| 169 | The Neuro Bureau ADHD-200 Preprocessed repository. <i>NeuroImage</i> , 2017 , 144, 275-286 | 7.9 | 105 | |
| 168 | An Open Resource for Non-human Primate Imaging. <i>Neuron</i> , 2018 , 100, 61-74.e2 | 13.9 | 103 | |

| 167 | Dynamic modulation of intrinsic functional connectivity by transcranial direct current stimulation. Journal of Neurophysiology, 2012 , 108, 3253-63 | 3.2 | 102 |
|-----|--|-------------------|-----|
| 166 | Delineating self-referential processing from episodic memory retrieval: common and dissociable networks. <i>NeuroImage</i> , 2010 , 50, 1606-17 | 7.9 | 98 |
| 165 | Functional connectivity of visual cortex in the blind follows retinotopic organization principles. <i>Brain</i> , 2015 , 138, 1679-95 | 11.2 | 93 |
| 164 | Individual variation in intentionality in the mind-wandering state is reflected in the integration of the default-mode, fronto-parietal, and limbic networks. <i>NeuroImage</i> , 2017 , 146, 226-235 | 7.9 | 92 |
| 163 | Representing Representation: Integration between the Temporal Lobe and the Posterior Cingulate Influences the Content and Form of Spontaneous Thought. <i>PLoS ONE</i> , 2016 , 11, e0152272 | 3.7 | 91 |
| 162 | An improved neuroanatomical model of the default-mode network reconciles previous neuroimaging and neuropathological findings. <i>Communications Biology</i> , 2019 , 2, 370 | 6.7 | 89 |
| 161 | Identifying the perfusion deficit in acute stroke with resting-state functional magnetic resonance imaging. <i>Annals of Neurology</i> , 2013 , 73, 136-40 | 9.4 | 84 |
| 160 | Auditory Hallucinations and the Brain's Resting-State Networks: Findings and Methodological Observations. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1110-23 | 1.3 | 81 |
| 159 | Common intrinsic connectivity states among posteromedial cortex subdivisions: Insights from analysis of temporal dynamics. <i>NeuroImage</i> , 2014 , 93 Pt 1, 124-37 | 7.9 | 81 |
| 158 | Toward a hierarchical model of social cognition: A neuroimaging meta-analysis and integrative review of empathy and theory of mind. <i>Psychological Bulletin</i> , 2021 , 147, 293-327 | 19.1 | 78 |
| 157 | Visualizing the human connectome. <i>NeuroImage</i> , 2013 , 80, 445-61 | 7.9 | 76 |
| 156 | Topographic organization of the human subcortex unveiled with functional connectivity gradients. <i>Nature Neuroscience</i> , 2020 , 23, 1421-1432 | 25.5 | 74 |
| 155 | Subspecialization within default mode nodes characterized in 10,000 UK Biobank participants. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 12295-12300 |) ^{11.5} | 71 |
| 154 | The role of the default mode network in component processes underlying the wandering mind. <i>Social Cognitive and Affective Neuroscience</i> , 2017 , 12, 1047-1062 | 4 | 70 |
| 153 | Serotonergic modulation of intrinsic functional connectivity. <i>Current Biology</i> , 2014 , 24, 2314-8 | 6.3 | 70 |
| 152 | Introduction to the 2015 Brainhack Proceedings. <i>GigaScience</i> , 2016 , 5, 1-26 | 7.6 | 68 |
| 151 | The era of the wandering mind? Twenty-first century research on self-generated mental activity. <i>Frontiers in Psychology</i> , 2013 , 4, 891 | 3.4 | 68 |
| 150 | A mind-brain-body dataset of MRI, EEG, cognition, emotion, and peripheral physiology in young and old adults. <i>Scientific Data</i> , 2019 , 6, 180308 | 8.2 | 66 |

(2020-2020)

| 149 | BrainSpace: a toolbox for the analysis of macroscale gradients in neuroimaging and connectomics datasets. <i>Communications Biology</i> , 2020 , 3, 103 | 6.7 | 63 | |
|-----|--|------|----|--|
| 148 | Recent advances in structural and functional brain imaging studies of attention-deficit/hyperactivity disorder. <i>Current Psychiatry Reports</i> , 2007 , 9, 401-7 | 9.1 | 63 | |
| 147 | Functional network centrality in obesity: A resting-state and task fMRI study. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 331-8 | 2.9 | 61 | |
| 146 | Longitudinal effects of lesions on functional networks after stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013 , 33, 1279-85 | 7.3 | 58 | |
| 145 | NeuroVault.org: A repository for sharing unthresholded statistical maps, parcellations, and atlases of the human brain. <i>NeuroImage</i> , 2016 , 124, 1242-1244 | 7.9 | 55 | |
| 144 | Distinct parietal and temporal connectivity profiles of ventrolateral frontal areas involved in language production. <i>Journal of Neuroscience</i> , 2013 , 33, 16846-52 | 6.6 | 55 | |
| 143 | The ebb and flow of attention: Between-subject variation in intrinsic connectivity and cognition associated with the dynamics of ongoing experience. <i>NeuroImage</i> , 2019 , 185, 286-299 | 7.9 | 54 | |
| 142 | Accelerating the Evolution of Nonhuman Primate Neuroimaging. <i>Neuron</i> , 2020 , 105, 600-603 | 13.9 | 51 | |
| 141 | Increased functional connectivity between prefrontal cortex and reward system in pathological gambling. <i>PLoS ONE</i> , 2013 , 8, e84565 | 3.7 | 51 | |
| 140 | Using executive control training to suppress amygdala reactivity to aversive information. <i>NeuroImage</i> , 2016 , 125, 1022-1031 | 7.9 | 50 | |
| 139 | Dynamic network participation of functional connectivity hubs assessed by resting-state fMRI. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 195 | 3.3 | 50 | |
| 138 | The default modes of reading: modulation of posterior cingulate and medial prefrontal cortex connectivity associated with comprehension and task focus while reading. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 734 | 3.3 | 49 | |
| 137 | Modes of operation: A topographic neural gradient supporting stimulus dependent and independent cognition. <i>NeuroImage</i> , 2019 , 186, 487-496 | 7.9 | 49 | |
| 136 | How do we decide what to do? Resting-state connectivity patterns and components of self-generated thought linked to the development of more concrete personal goals. <i>Experimental Brain Research</i> , 2018 , 236, 2469-2481 | 2.3 | 47 | |
| 135 | Overlapping and parallel cerebello-cerebral networks contributing to sensorimotor control: an intrinsic functional connectivity study. <i>NeuroImage</i> , 2013 , 83, 837-48 | 7.9 | 46 | |
| 134 | Low frequency fluctuations reveal integrated and segregated processing among the cerebral hemispheres. <i>NeuroImage</i> , 2011 , 54, 517-27 | 7.9 | 46 | |
| 133 | Body Topography Parcellates Human Sensory and Motor Cortex. <i>Cerebral Cortex</i> , 2017 , 27, 3790-3805 | 5.1 | 44 | |
| 132 | Cross-species functional alignment reveals evolutionary hierarchy within the connectome. <i>NeuroImage</i> , 2020 , 223, 117346 | 7.9 | 44 | |

| 131 | Macroscale cortical organization and a default-like apex transmodal network in the marmoset monkey. <i>Nature Communications</i> , 2019 , 10, 1976 | 17.4 | 43 |
|-----|--|------|----|
| 130 | Making data sharing count: a publication-based solution. <i>Frontiers in Neuroscience</i> , 2013 , 7, 9 | 5.1 | 43 |
| 129 | Shared endo-phenotypes of default mode dsfunction in attention deficit/hyperactivity disorder and autism spectrum disorder. <i>Translational Psychiatry</i> , 2018 , 8, 133 | 8.6 | 42 |
| 128 | Three-dimensional mean-shift edge bundling for the visualization of functional connectivity in the brain. <i>IEEE Transactions on Visualization and Computer Graphics</i> , 2014 , 20, 471-80 | 4 | 41 |
| 127 | The value of resting-state functional magnetic resonance imaging in stroke. <i>Stroke</i> , 2014 , 45, 2818-24 | 6.7 | 40 |
| 126 | Shifts in myeloarchitecture characterise adolescent development of cortical gradients. <i>ELife</i> , 2019 , 8, | 8.9 | 39 |
| 125 | The strength of weak connections in the macaque cortico-cortical network. <i>Brain Structure and Function</i> , 2015 , 220, 2939-51 | 4 | 38 |
| 124 | The default mode network in cognition: a topographical perspective. <i>Nature Reviews Neuroscience</i> , 2021 , 22, 503-513 | 13.5 | 38 |
| 123 | Functional Segregation of the Right Inferior Frontal Gyrus: Evidence From Coactivation-Based Parcellation. <i>Cerebral Cortex</i> , 2019 , 29, 1532-1546 | 5.1 | 38 |
| 122 | Brain Network Reconfiguration and Perceptual Decoupling During an Absorptive State of Consciousness. <i>Cerebral Cortex</i> , 2016 , 26, 3116-24 | 5.1 | 36 |
| 121 | Imperceptible somatosensory stimulation alters sensorimotor background rhythm and connectivity. <i>Journal of Neuroscience</i> , 2015 , 35, 5917-25 | 6.6 | 35 |
| 120 | Longitudinal changes in resting-state fMRI from age 5 to age 6years covary with language development. <i>NeuroImage</i> , 2016 , 128, 116-124 | 7.9 | 34 |
| 119 | Intrinsic network architecture predicts the effects elicited by intracranial electrical stimulation of the human brain. <i>Nature Human Behaviour</i> , 2020 , 4, 1039-1052 | 12.8 | 32 |
| 118 | A high resolution 7-Tesla resting-state fMRI test-retest dataset with cognitive and physiological measures. <i>Scientific Data</i> , 2015 , 2, 140054 | 8.2 | 30 |
| 117 | Gradients of connectivity distance in the cerebral cortex of the macaque monkey. <i>Brain Structure and Function</i> , 2019 , 224, 925-935 | 4 | 29 |
| 116 | A functional connectome phenotyping dataset including cognitive state and personality measures. <i>Scientific Data</i> , 2019 , 6, 180307 | 8.2 | 28 |
| 115 | A software tool for interactive exploration of intrinsic functional connectivity opens new perspectives for brain surgery. <i>Acta Neurochirurgica</i> , 2011 , 153, 1561-72 | 3 | 28 |
| 114 | Patterns of thought: Population variation in the associations between large-scale network organisation and self-reported experiences at rest. <i>NeuroImage</i> , 2018 , 176, 518-527 | 7.9 | 27 |

(2020-2014)

| 113 | What we talk about when we talk about the default mode network. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 619 | 3.3 | 27 |
|-----|---|------|----|
| 112 | Development of a selective left-hemispheric fronto-temporal network for processing syntactic complexity in language comprehension. <i>Neuropsychologia</i> , 2016 , 83, 274-282 | 3.2 | 26 |
| 111 | Effects of finger tapping frequency on regional homogeneity of sensorimotor cortex. <i>PLoS ONE</i> , 2013 , 8, e64115 | 3.7 | 26 |
| 110 | The Subject at Rest: Novel conceptualizations of self and brain from cognitive neuroscience's study of the Besting state Subjectivity, 2011 , 4, 227-257 | 0.4 | 26 |
| 109 | Different shades of default mode disturbance in schizophrenia: Subnodal covariance estimation in structure and function. <i>Human Brain Mapping</i> , 2018 , 39, 644-661 | 5.9 | 26 |
| 108 | Individual differences in common factors of emotional traits and executive functions predict functional connectivity of the amygdala. <i>NeuroImage</i> , 2015 , 120, 154-63 | 7.9 | 25 |
| 107 | Shaping brain structure: Genetic and phylogenetic axes of macroscale organization of cortical thickness. <i>Science Advances</i> , 2020 , 6, | 14.3 | 25 |
| 106 | Inflexible Functional Connectivity of the Dorsal Anterior Cingulate Cortex in Adolescent Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2017 , 42, 2434-2445 | 8.7 | 24 |
| 105 | Interindividual Variability of Functional Connectivity in Awake and Anesthetized Rhesus Macaque Monkeys. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 543-553 | 3.4 | 24 |
| 104 | Gradients of connectivity distance are anchored in primary cortex. <i>Brain Structure and Function</i> , 2017 , 222, 2173-2182 | 4 | 24 |
| 103 | Affect and the brain's functional organization: a resting-state connectivity approach. <i>PLoS ONE</i> , 2013 , 8, e68015 | 3.7 | 24 |
| 102 | The role of default mode network in semantic cue integration. <i>NeuroImage</i> , 2020 , 219, 117019 | 7.9 | 23 |
| 101 | Brainhack: a collaborative workshop for the open neuroscience community. <i>GigaScience</i> , 2016 , 5, 16 | 7.6 | 23 |
| 100 | Default Positions: How Neuroscience's Historical Legacy has Hampered Investigation of the Resting Mind. <i>Frontiers in Psychology</i> , 2012 , 3, 321 | 3.4 | 23 |
| 99 | Toward a connectivity gradient-based framework for reproducible biomarker discovery. <i>NeuroImage</i> , 2020 , 223, 117322 | 7.9 | 23 |
| 98 | Association of peripheral blood pressure with gray matter volume in 19- to 40-year-old adults. <i>Neurology</i> , 2019 , 92, e758-e773 | 6.5 | 22 |
| 97 | The architecture of mammalian cortical connectomes in light of the theory of the dual origin of the cerebral cortex. <i>Cortex</i> , 2019 , 118, 244-261 | 3.8 | 22 |
| 96 | A gradient from long-term memory to novel cognition: Transitions through default mode and executive cortex. <i>Neurolmage</i> , 2020 , 220, 117074 | 7.9 | 22 |

| 95 | Functional connectivity-based parcellation of the human sensorimotor cortex. <i>European Journal of Neuroscience</i> , 2014 , 39, 1332-42 | 3.5 | 22 |
|----|--|------------------------------|----|
| 94 | ERP measures of math anxiety: how math anxiety affects working memory and mental calculation tasks?. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 282 | 3.5 | 21 |
| 93 | One in the Dance: Musical Correlates of Group Synchrony in a Real-World Club Environment. <i>PLoS ONE</i> , 2016 , 11, e0164783 | 3.7 | 21 |
| 92 | Intrinsic functional architecture of the macaque dorsal and ventral lateral frontal cortex. <i>Journal of Neurophysiology</i> , 2017 , 117, 1084-1099 | 3.2 | 20 |
| 91 | Myosin light chain kinase regulates synaptic plasticity and fear learning in the lateral amygdala. <i>Neuroscience</i> , 2006 , 139, 821-9 | 3.9 | 20 |
| 90 | The relationship between individual variation in macroscale functional gradients and distinct aspects of ongoing thought. <i>Neurolmage</i> , 2020 , 220, 117072 | 7.9 | 19 |
| 89 | Sharing self-related information is associated with intrinsic functional connectivity of cortical midline brain regions. <i>Scientific Reports</i> , 2016 , 6, 22491 | 4.9 | 18 |
| 88 | The psychological correlates of distinct neural states occurring during wakeful rest. <i>Scientific Reports</i> , 2020 , 10, 21121 | 4.9 | 17 |
| 87 | The neural correlates of ongoing conscious thought. <i>IScience</i> , 2021 , 24, 102132 | 6.1 | 17 |
| 86 | Signal diffusion along connectome gradients and inter-hub routing differentially contribute to dynamic human brain function. <i>NeuroImage</i> , 2021 , 224, 117429 | 7.9 | 17 |
| 85 | Reductions in task positive neural systems occur with the passage of time and are associated with changes in ongoing thought. <i>Scientific Reports</i> , 2020 , 10, 9912 | 4.9 | 16 |
| 84 | Development of the Intrinsic Language Network in Preschool Children from Ages 3 to 5 Years. <i>PLoS ONE</i> , 2016 , 11, e0165802 | 3.7 | 16 |
| 83 | The neural networks of subjectively evaluated emotional conflicts. <i>Human Brain Mapping</i> , 2016 , 37, 2234 | l 5 . 4 96 | 15 |
| 82 | In need of constraint: Understanding the role of the cingulate cortex in the impulsive mind. NeuroImage, 2017, 146, 804-813 | 7.9 | 15 |
| 81 | Topographic organization of the human subcortex unveiled with functional connectivity gradients | | 15 |
| 80 | Cross-species Functional Alignment Reveals Evolutionary Hierarchy Within the Connectome | | 15 |
| 79 | A collaborative resource platform for non-human primate neuroimaging. <i>NeuroImage</i> , 2021 , 226, 117519 | 7.9 | 14 |
| 78 | Shifting gradients of macroscale cortical organization mark the transition from childhood to adolescence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118 | 11.5 | 14 |

(2011-2019)

| 77 | The impact of ischemic stroke on connectivity gradients. NeuroImage: Clinical, 2019, 24, 101947 | 5.3 | 13 |
|----|---|------|----|
| 76 | Converging evidence for the role of transmodal cortex in cognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 12641-12643 | 11.5 | 13 |
| 75 | Distinct individual differences in default mode network connectivity relate to off-task thought and text memory during reading. <i>Scientific Reports</i> , 2019 , 9, 16220 | 4.9 | 12 |
| 74 | Math anxiety: Brain cortical network changes in anticipation of doing mathematics. <i>International Journal of Psychophysiology</i> , 2017 , 122, 24-31 | 2.9 | 11 |
| 73 | Automated individual-level parcellation of Broca's region based on functional connectivity. <i>NeuroImage</i> , 2018 , 170, 41-53 | 7.9 | 11 |
| 72 | Connexel visualization: a software implementation of glyphs and edge-bundling for dense connectivity data using brainGL. <i>Frontiers in Neuroscience</i> , 2014 , 8, 15 | 5.1 | 11 |
| 71 | Subdivision of Broca's region based on individual-level functional connectivity. <i>European Journal of Neuroscience</i> , 2016 , 43, 561-71 | 3.5 | 10 |
| 70 | Prioritizing spatial accuracy in high-resolution fMRI data using multivariate feature weight mapping. <i>Frontiers in Neuroscience</i> , 2014 , 8, 66 | 5.1 | 10 |
| 69 | A High-Throughput Pipeline Identifies Robust Connectomes But Troublesome Variability | | 10 |
| 68 | Hemispheric asymmetries in resting-state EEG and fMRI are related to approach and avoidance behaviour, but not to eating behaviour or BMI. <i>Human Brain Mapping</i> , 2020 , 41, 1136-1152 | 5.9 | 10 |
| 67 | Imaging evolution of the primate brain: the next frontier?. <i>NeuroImage</i> , 2021 , 228, 117685 | 7.9 | 10 |
| 66 | Brainhack: Developing a culture of open, inclusive, community-driven neuroscience. <i>Neuron</i> , 2021 , 109, 1769-1775 | 13.9 | 10 |
| 65 | Individual variation in the propensity for prospective thought is associated with functional integration between visual and retrosplenial cortex. <i>Cortex</i> , 2018 , 99, 224-234 | 3.8 | 10 |
| 64 | Individual variation in patterns of task focused, and detailed, thought are uniquely associated within the architecture of the medial temporal lobe. <i>NeuroImage</i> , 2019 , 202, 116045 | 7.9 | 9 |
| 63 | BrainSpace: a toolbox for the analysis of macroscale gradients in neuroimaging and connectomics data | sets | 9 |
| 62 | Functional connectivity alterations in patients with chronic hepatitis C virus infection: A multimodal MRI study. <i>Journal of Viral Hepatitis</i> , 2017 , 24, 216-225 | 3.4 | 8 |
| 61 | Stereoscopic three-dimensional visualization applied to multimodal brain images: clinical applications and a functional connectivity atlas. <i>Frontiers in Neuroscience</i> , 2014 , 8, 328 | 5.1 | 8 |
| 60 | The Salmon of Doubt 2011 , 273-285 | | 8 |

| 59 | Task-Related Edge Density (TED)-A New Method for Revealing Dynamic Network Formation in fMRI Data of the Human Brain. <i>PLoS ONE</i> , 2016 , 11, e0158185 | 3.7 | 8 |
|----|--|------|---|
| 58 | Hello, is that me you are looking for? A re-examination of the role of the DMN in social and self relevant aspects of off-task thought. <i>PLoS ONE</i> , 2019 , 14, e0216182 | 3.7 | 7 |
| 57 | Connectivity concordance mapping: a new tool for model-free analysis of FMRI data of the human brain. <i>Frontiers in Systems Neuroscience</i> , 2012 , 6, 13 | 3.5 | 7 |
| 56 | Joint embedding: A scalable alignment to compare individuals in a connectivity space. <i>NeuroImage</i> , 2020 , 222, 117232 | 7.9 | 7 |
| 55 | Connectome Smoothing via Low-Rank Approximations. <i>IEEE Transactions on Medical Imaging</i> , 2019 , 38, 1446-1456 | 11.7 | 7 |
| 54 | How Mindfulness Training May Help to Reduce Vulnerability for Recurrent Depression: A Neuroscientific Perspective. <i>Clinical Psychological Science</i> , 2016 , 4, 328-343 | 6 | 6 |
| 53 | 10Kin1day: A Bottom-Up Neuroimaging Initiative. Frontiers in Neurology, 2019 , 10, 425 | 4.1 | 6 |
| 52 | Distinct patterns of thought mediate the link between brain functional connectomes and well-being. <i>Network Neuroscience</i> , 2020 , 4, 637-657 | 5.6 | 6 |
| 51 | Knowing me, knowing you: Resting-state functional connectivity of ventromedial prefrontal cortex dissociates memory related to self from a familiar other. <i>Brain and Cognition</i> , 2017 , 113, 65-75 | 2.7 | 5 |
| 50 | fMRI for the Assessment of Functional Connectivity 2012 , | | 5 |
| 49 | Symptom prevalence of ADHD and ODD in a pediatric population in Argentina. <i>Journal of Attention Disorders</i> , 2007 , 11, 363-7 | 3.7 | 5 |
| 48 | A gradient from long-term memory to novel cognition: transitions through default mode and executive cortex | | 5 |
| 47 | Macroscale Cortical Organization and a Default-Like Transmodal Apex Network in the Marmoset Monk | ey | 5 |
| 46 | Compressed sensorimotor-to-transmodal hierarchical organization in schizophrenia. <i>Psychological Medicine</i> , 2021 , 1-14 | 6.9 | 5 |
| 45 | Network convergence zones in the anterior midcingulate cortex. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2019 , 166, 103-111 | 3 | 5 |
| 44 | Age differences in the functional architecture of the human brain Cerebral Cortex, 2022, | 5.1 | 4 |
| 43 | More intelligent extraverts are more likely to deceive. <i>PLoS ONE</i> , 2017 , 12, e0176591 | 3.7 | 4 |
| 42 | NeuroVault.org: A web-based repository for collecting and sharing unthresholded statistical maps of the human brain | | 4 |

| 41 | The Neuro Bureau ADHD-200 Preprocessed Repository | | 4 |
|----|--|------|---|
| 40 | The psychological correlates of distinct neural states occurring during wakeful rest | | 4 |
| 39 | Shaping Brain Structure: Genetic and Phylogenetic Axes of Macro Scale Organization of Cortical Thickne | !SS | 4 |
| 38 | TOWARD A CONNECTIVITY GRADIENT-BASED FRAMEWORK FOR REPRODUCIBLE BIOMARKER DISCOV | ERY | 4 |
| 37 | Neurocognitive patterns dissociating semantic processing from executive control are linked to more detailed off-task mental time travel. <i>Scientific Reports</i> , 2020 , 10, 11904 | 4.9 | 4 |
| 36 | Influences on and Measures of Unintentional Group Synchrony. Frontiers in Psychology, 2016, 7, 1744 | 3.4 | 4 |
| 35 | Gradients of receptor expression in the macaque cortex | | 4 |
| 34 | Trade-off of cerebello-cortical and cortico-cortical functional networks for planning in 6-year-old children. <i>NeuroImage</i> , 2018 , 176, 510-517 | 7.9 | 3 |
| 33 | Unraveling the Complex Tapestry of Association Networks. <i>Neuron</i> , 2017 , 95, 239-241 | 13.9 | 3 |
| 32 | Integration of a neuroimaging processing pipeline into a pan-canadian computing grid. <i>Journal of Physics: Conference Series</i> , 2012 , 341, 012032 | 0.3 | 3 |
| 31 | Functional Connectivity in Aging | | 3 |
| 30 | Subcortical Anatomy of the Default Mode Network: a functional and structural connectivity study | | 3 |
| 29 | Functional connectivity in aging 2021 , 37-51 | | 3 |
| 28 | An Open MRI Dataset for Multiscale Neuroscience | | 3 |
| 27 | Investigating the Elements of Thought 2018 , | | 2 |
| 26 | Lengthy and Expensive? Why the Future of Diagnostic Neuroimaging May Be Faster, Cheaper, and More Collaborative Than We Think. <i>AJOB Neuroscience</i> , 2012 , 3, 48-50 | 0.8 | 2 |
| 25 | Disentangling cortical functional connectivity strength and topography reveals divergent roles of genes and environment. <i>NeuroImage</i> , 2021 , 247, 118770 | 7.9 | 2 |
| 24 | Distinct patterns of thought mediate the link between brain functional connectome and psychological well-being | | 2 |

| 23 | Predicting future cognitive decline from non-brain and multimodal brain imaging data in healthy and pathological aging | | 2 |
|----|---|------|---|
| 22 | Perceptual coupling and decoupling of the default mode network during mind-wandering and reading | | 2 |
| 21 | Microstructural and Functional Gradients are Increasingly Dissociated in Transmodal Cortices | | 2 |
| 20 | Inter-individual Variability of Functional Connectivity in Awake and Anesthetized Rhesus Monkeys | | 2 |
| 19 | Functional architecture of the aging brain | | 2 |
| 18 | A tale of two gradients: differences between the left and right hemispheres predict semantic cognition. <i>Brain Structure and Function</i> , 2021 , 1 | 4 | 2 |
| 17 | Perceptual coupling and decoupling of the default mode network during mind-wandering and reading <i>ELife</i> , 2022 , 11, | 8.9 | 2 |
| 16 | Genetic and phylogenetic uncoupling of structure and function in human transmodal cortex <i>Nature Communications</i> , 2022 , 13, 2341 | 17.4 | 2 |
| 15 | Opportunities and challenges for current developmental neuroscience. <i>Theory and Psychology</i> , 2016 , 26, 620-631 | 1.1 | 1 |
| 14 | Toward next-generation primate neuroscience: A collaboration-based strategic plan for integrative neuroimaging. <i>Neuron</i> , 2021 , | 13.9 | 1 |
| 13 | Shifting gradients of macroscale cortical organization mark the transition from childhood to adolescend | :e | 1 |
| 12 | An open resource for nonhuman primate imaging | | 1 |
| 11 | Neural dynamics at rest associated with patterns of ongoing thought | | 1 |
| 10 | The impact of ischemic stroke on connectivity gradients | | 1 |
| 9 | Neurocognitive patterns dissociating semantic processing from executive control are linked to more detailed off-task mental time travel | | 1 |
| 8 | Disentangling cortical functional connectivity strength and topography reveals divergent roles of genes and environment | | 1 |
| 7 | Genetic and phylogenetic uncoupling of structure and function in human transmodal cortex | | 1 |
| 6 | A novel approach for assessing hypoperfusion in stroke using spatial independent component analysis of resting-state fMRI. <i>Human Brain Mapping</i> , 2021 , 42, 5204-5216 | 5.9 | 1 |

LIST OF PUBLICATIONS

| 5 | Missing the forest because of the trees: slower alternations during binocular rivalry are associated with lower levels of visual detail during ongoing thought. <i>Neuroscience of Consciousness</i> , 2020 , 2020, niaa020 | 3.3 | О |
|---|--|-----|---|
| 4 | Cortical Gradients and Their Role in Cognition 2022 , 242-250 | | О |
| 3 | Gradients of cortical hierarchy in Autism. Research Ideas and Outcomes, 3, e13391 | 2.5 | |
| 2 | Commentary on "The Cerebellar System and What it Signifies from a Biological Perspective: A Communication by Christofredo Jakob (1866-1956) Before the Society of Neurology and Psychiatry of Buenos Aires, December 1938". <i>Cerebellum</i> , 2016 , 15, 417-24 | 4.3 | |
| 1 | Individual differences in gradients of intrinsic connectivity within the semantic network relate to distinct aspects of semantic cognition <i>Cortex</i> , 2022 , 150, 48-60 | 3.8 | |