

# Lami Yeo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/664564/publications.pdf>

Version: 2024-02-01

184  
papers

8,874  
citations

41344  
49  
h-index

56724  
83  
g-index

193  
all docs

193  
docs citations

193  
times ranked

6799  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Pre-eclampsia part 1: current understanding of its pathophysiology. <i>Nature Reviews Nephrology</i> , 2014, 10, 466-480.   | 9.6  | 786       |
| 2  | Sterile and microbial-associated intra-amniotic inflammation in preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1394-1409.  | 1.5  | 328       |
| 3  | Placental abruption in the United States, 1979 through 2001: Temporal trends and potential determinants. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 191-198.   | 1.3  | 318       |
| 4  | A prospective cohort study of the value of maternal plasma concentrations of angiogenic and anti-angiogenic factors in early pregnancy and midtrimester in the identification of patients destined to develop preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1021-1038.             | 1.5  | 254       |
| 5  | Placental lesions associated with maternal underperfusion are more frequent in early-onset than in late-onset preeclampsia. <i>Journal of Perinatal Medicine</i> , 2011, 39, 641-52.  | 1.4  | 228       |
| 6  | Clinical chorioamnionitis at term I: microbiology of the amniotic cavity using cultivation and molecular techniques. <i>Journal of Perinatal Medicine</i> , 2015, 43, 19-36.  | 1.4  | 192       |
| 7  | Cross-Hemispheric Functional Connectivity in the Human Fetal Brain. <i>Science Translational Medicine</i> , 2013, 5, 173ra24.   | 12.4 | 171       |
| 8  | A blueprint for the prevention of preterm birth: vaginal progesterone in women with a short cervix. <i>Journal of Perinatal Medicine</i> , 2013, 41, 27-44.   | 1.4  | 165       |
| 9  | Sterile intra-amniotic inflammation in asymptomatic patients with a sonographic short cervix: prevalence and clinical significance. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1343-1359.   | 1.5  | 144       |
| 10 | The etiology of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, S844-S866.  | 1.3  | 140       |
| 11 | Late-onset preeclampsia is associated with an imbalance of angiogenic and anti-angiogenic factors in patients with and without placental lesions consistent with maternal underperfusion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 498-507.   | 1.5  | 136       |
| 12 | The frequency and type of placental histologic lesions in term pregnancies with normal outcome. <i>Journal of Perinatal Medicine</i> , 2018, 46, 613-630.   | 1.4  | 135       |
| 13 | Midtrimester amniotic fluid concentrations of interleukin-6 and interferon-gamma-inducible protein-10: evidence for heterogeneity of intra-amniotic inflammation and associations with spontaneous early (<32 weeks) and late (>32 weeks) preterm delivery. <i>Journal of Perinatal Medicine</i> , 2012, 40, 329-343. | 1.4  | 132       |
| 14 | Age-related increases in long-range connectivity in fetal functional neural connectivity networks in utero. <i>Developmental Cognitive Neuroscience</i> , 2015, 11, 96-104.   | 4.0  | 127       |
| 15 | Pre-eclampsia part 2: prediction, prevention and management. <i>Nature Reviews Nephrology</i> , 2014, 10, 531-540.  | 9.6  | 125       |
| 16 | A point of care test for interleukin-6 in amniotic fluid in preterm prelabor rupture of membranes: a step toward the early treatment of acute intra-amniotic inflammation/infection. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 360-367.  | 1.5  | 119       |
| 17 | Evaluation of cervical stiffness during pregnancy using semiquantitative ultrasound elastography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 152-161.   | 1.7  | 114       |
| 18 | A rapid interleukin-6 bedside test for the identification of intra-amniotic inflammation in preterm labor with intact membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 349-359.  | 1.5  | 114       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Are amniotic fluid neutrophils in women with intraamniotic infection and/or inflammation of fetal or maternal origin?. American Journal of Obstetrics and Gynecology, 2017, 217, 693.e1-693.e16.  | 1.3 | 113       |
| 20 | The fetal inflammatory response syndrome: the origins of a concept, pathophysiology, diagnosis, and obstetrical implications. Seminars in Fetal and Neonatal Medicine, 2020, 25, 101146.  | 2.3 | 113       |
| 21 | Intrinsic Functional Brain Architecture Derived from Graph Theoretical Analysis in the Human Fetus. PLoS ONE, 2014, 9, e94423.  | 2.5 | 101       |
| 22 | A Role for the Inflammasome in Spontaneous Preterm Labor With Acute Histologic Chorioamnionitis. Reproductive Sciences, 2017, 24, 1382-1401.  | 2.5 | 93        |
| 23 | Maternal plasma angiogenic index-1 (placental growth factor/solubleÂvascular endothelial growth) Tj ETQq1 1 0.784314 rgBT /Overlock underperfusion: a longitudinal case-cohort study. American Journal of Obstetrics and Gynecology, 2016, 214, 629.e1-629.e17.   | 1.3 | 91        |
| 24 | Fetal Intelligent Navigation Echocardiography (<sc>FINE</sc>): a novel method for rapid, simple, and automatic examination of the fetal heart. Ultrasound in Obstetrics and Gynecology, 2013, 42, 268-284.  | 1.7 | 86        |
| 25 | The transcriptome of cervical ripening in human pregnancy before the onset of labor at term: Identification of novel molecular functions involved in this process. Journal of Maternal-Fetal and Neonatal Medicine, 2009, 22, 1183-1193.  | 1.5 | 84        |
| 26 | Transabdominal evaluation of uterine cervical length during pregnancy fails to identify a substantial number of women with a short cervix. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 1682-1689.  | 1.5 | 84        |
| 27 | Clinical chorioamnionitis at term II: the intra-amniotic inflammatory response. Journal of Perinatal Medicine, 2015, 44, 5-22.  | 1.4 | 84        |
| 28 | The frequency of acute atherosclerosis in normal pregnancy and preterm labor, preeclampsia, small-for-gestational age, fetal death and midtrimester spontaneous abortion. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 2001-2009.   | 1.5 | 76        |
| 29 | Isobaric labeling and tandem mass spectrometry: A novel approach for profiling and quantifying proteins differentially expressed in amniotic fluid in preterm labor with and without intra-amniotic infection/inflammation. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 261-280.                           | 1.5 | 74        |
| 30 | Clinical chorioamnionitis at term VII: the amniotic fluid cellular immune response. Journal of Perinatal Medicine, 2017, 45, 523-538.   | 1.4 | 74        |
| 31 | A subset of patients destined to develop spontaneous preterm labor has an abnormal angiogenic/anti-angiogenic profile in maternal plasma: Evidence in support of pathophysiologic heterogeneity of preterm labor derived from a longitudinal study. Journal of Maternal-Fetal and Neonatal Medicine, 2009, 22, 1122-1139. | 1.5 | 71        |
| 32 | Fetal transcerebellar diameter measurement with particular emphasis in the third trimester: A reliable predictor of gestational age. American Journal of Obstetrics and Gynecology, 2004, 191, 979-984.   | 1.3 | 69        |
| 33 | Plasma concentrations of angiogenic/anti-angiogenic factors have prognostic value in women presenting with suspected preeclampsia to the obstetrical triage area: a prospective study. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 132-144.  | 1.5 | 68        |
| 34 | Viral invasion of the amniotic cavity (VIAC) in the midtrimester of pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 2002-2013.  | 1.5 | 67        |
| 35 | Progesterone to prevent spontaneous preterm birth. Seminars in Fetal and Neonatal Medicine, 2014, 19, 15-26.  | 2.3 | 66        |
| 36 | Clinical chorioamnionitis at term III: how well do clinical criteria perform in the identification of proven intra-amniotic infection?. Journal of Perinatal Medicine, 2015, 44, 23-32.   | 1.4 | 66        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Comparison of rapid MMP-8 and interleukin-6 point-of-care tests to identify intra-amniotic inflammation/infection and impending preterm delivery in patients with preterm labor and intact membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 228-244.  | 1.5 | 66        |
| 38 | Prenatal Detection of Fetal Trisomy 18 Through Abnormal Sonographic Features. <i>Journal of Ultrasound in Medicine</i> , 2003, 22, 581-590.  | 1.7 | 64        |
| 39 | Fetal cardiac ventricular volume, cardiac output, and ejection fraction determined with 4-dimensional ultrasound using spatiotemporal image correlation and virtual organ computer-aided analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 76.e1-76.e10. | 1.3 | 64        |
| 40 | Cervical strain determined by ultrasound elastography and its association with spontaneous preterm delivery. <i>Journal of Perinatal Medicine</i> , 2014, 42, 159-169.   | 1.4 | 63        |
| 41 | The use of angiogenic biomarkers in maternal blood to identify which SGA fetuses will require a preterm delivery and mothers who will develop pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1214-1228.   | 1.5 | 63        |
| 42 | Clinical chorioamnionitis at term VI: acute chorioamnionitis and funisitis according to the presence or absence of microorganisms and inflammation in the amniotic cavity. <i>Journal of Perinatal Medicine</i> , 2015, 44, 33-51.   | 1.4 | 59        |
| 43 | Maternal visfatin concentration in normal pregnancy. <i>Journal of Perinatal Medicine</i> , 2009, 37, 206-217.   | 1.4 | 57        |
| 44 | The frequency and clinical significance of intra-amniotic infection and/or inflammation in women with placenta previa and vaginal bleeding: an unexpected observation. <i>Journal of Perinatal Medicine</i> , 2010, 38, 275-9.   | 1.4 | 57        |
| 45 | An imbalance between angiogenic and anti-angiogenic factors precedes fetal death in a subset of patients: results of a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1384-1399.   | 1.5 | 57        |
| 46 | Effect of depth on shear-wave elastography estimated in the internal and external cervical os during pregnancy. <i>Journal of Perinatal Medicine</i> , 2014, 42, 549-557.  | 1.4 | 57        |
| 47 | A point of care test for the determination of amniotic fluid interleukin-6 and the chemokine CXCL-10/IP-10. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1510-1519.  | 1.5 | 55        |
| 48 | Individualized growth assessment: conceptual framework and practical implementation for the evaluation of fetal growth and neonatal growth outcome. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, S656-S678.   | 1.3 | 52        |
| 49 | Prediction of adverse perinatal outcome by fetal biometry: comparison of customized and population-based standards. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 177-188.  | 1.7 | 52        |
| 50 | Evidence of maternal platelet activation, excessive thrombin generation, and high amniotic fluid tissue factor immunoreactivity and functional activity in patients with fetal death. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 672-687.                  | 1.5 | 51        |
| 51 | Should Bilateral Uterine Artery Notching Be Used in the Risk Assessment for Preeclampsia, Small-for-Gestational-Age, and Gestational Hypertension?. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 1103-1115.  | 1.7 | 51        |
| 52 | Collaborative Study on 4-Dimensional Echocardiography for the Diagnosis of Fetal Heart Defects. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 1573-1580.  | 1.7 | 50        |
| 53 | Clinical chorioamnionitis at term V: umbilical cord plasma cytokine profile in the context of a systemic maternal inflammatory response. <i>Journal of Perinatal Medicine</i> , 2015, 44, 53-76.   | 1.4 | 49        |
| 54 | Clinical chorioamnionitis at term IV: the maternal plasma cytokine profile. <i>Journal of Perinatal Medicine</i> , 2015, 44, 77-98.  | 1.4 | 49        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Preeclampsia and pregnancies with small-for-gestational age neonates have different profiles of complement split products. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 646-657.  | 1.5 | 48        |
| 56 | Visfatin in human pregnancy: maternal gestational diabetes <i>vis</i> neonatal birthweight. <i>Journal of Perinatal Medicine</i> , 2009, 37, 218-231.   | 1.4 | 46        |
| 57 | Single and Serial Fetal Biometry to Detect Preterm and Term Small- and Large-for-Gestational-Age Neonates: A Longitudinal Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0164161.   | 2.5 | 45        |
| 58 | The diagnostic performance of the Mass Restricted (MR) score in the identification of microbial invasion of the amniotic cavity or intra-amniotic inflammation is not superior to amniotic fluid interleukin-6. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 757-769. | 1.5 | 44        |
| 59 | Clinical chorioamnionitis at term VIII: a rapid MMP-8 test for the identification of intra-amniotic inflammation. <i>Journal of Perinatal Medicine</i> , 2017, 45, 539-550.   | 1.4 | 44        |
| 60 | Prospective validation of fetal weight estimation using fractional limb volume. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 198-203.   | 1.7 | 43        |
| 61 | MR imaging of the fetal brain at 1.5T and 3.0T field strengths: comparing specific absorption rate (SAR) and image quality. <i>Journal of Perinatal Medicine</i> , 2015, 43, 209-20.  | 1.4 | 43        |
| 62 | Pravastatin to prevent recurrent fetal death in massive perivillous fibrin deposition of the placenta (MPFD). <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 855-862.   | 1.5 | 43        |
| 63 | Characterization of the myometrial transcriptome in women with an arrest of dilatation during labor. <i>Journal of Perinatal Medicine</i> , 2013, 41, 665-681.  | 1.4 | 42        |
| 64 | A Role for the Inflammasome in Spontaneous Labor at Term with Acute Histologic Chorioamnionitis. <i>Reproductive Sciences</i> , 2017, 24, 934-953.  | 2.5 | 42        |
| 65 | Three-Dimensional Sonography of Placental Mesenchymal Dysplasia and Its Differential Diagnosis. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 359-368.   | 1.7 | 41        |
| 66 | Individualized fetal growth assessment: critical evaluation of key concepts in the specification of third trimester size trajectories. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 543-551.  | 1.5 | 38        |
| 67 | Bacteria and endotoxin in meconium-stained amniotic fluid at term: could intra-amniotic infection cause meconium passage?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 775-788.  | 1.5 | 37        |
| 68 | Strain at the internal cervical os assessed with quasi-static elastography is associated with the risk of spontaneous preterm delivery at <math>\geq 34</math> weeks of gestation. <i>Journal of Perinatal Medicine</i> , 2015, 43, 657-66.   | 1.4 | 37        |
| 69 | ELABELA plasma concentrations are increased in women with late-onset preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 5-15.   | 1.5 | 37        |
| 70 | Amniotic fluid sTREM-1 in normal pregnancy, spontaneous parturition at term and preterm, and intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 34-47.   | 1.5 | 36        |
| 71 | Placental lesions associated with acute atherosclerosis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1554-1562.  | 1.5 | 36        |
| 72 | Endocan, a putative endothelial cell marker, is elevated in preeclampsia, decreased in acute pyelonephritis, and unchanged in other obstetrical syndromes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1621-1632.  | 1.5 | 36        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Three-dimensional sonographic diagnosis of vasa previa. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004, 24, 211-215.  | 1.7 | 35        |
| 74 | Adiponectin in amniotic fluid in normal pregnancy, spontaneous labor at term, and preterm labor: A novel association with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 120-130. | 1.5 | 35        |
| 75 | Could alterations in maternal plasma visfatin concentration participate in the phenotype definition of preeclampsia and SGA?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 857-868.                                    | 1.5 | 35        |
| 76 | Four-chamber view and "swing technique" (FAST) echo: a novel and simple algorithm to visualize standard fetal echocardiographic planes. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 423-431.                                  | 1.7 | 35        |
| 77 | Prospective evaluation of the fetal heart using Fetal Intelligent Navigation Echocardiography (FINE). <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 47, 450-459.  | 1.7 | 35        |
| 78 | Value of a Complete Sonographic Survey in Detecting Fetal Abnormalities. <i>Journal of Ultrasound in Medicine</i> , 2002, 21, 501-510.   | 1.7 | 34        |
| 79 | Down syndrome risk estimation after normal genetic sonography. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 1226-1229.  | 1.3 | 34        |
| 80 | Fetal Intelligent Navigation Echocardiography (FINE) Detects 98% of Congenital Heart Disease. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 2577-2593.  | 1.7 | 34        |
| 81 | Fragment Bb in amniotic fluid: evidence for complement activation by the alternative pathway in women with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 905-916.                | 1.5 | 33        |
| 82 | Retinol binding protein 4: An adipokine associated with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 111-119.   | 1.5 | 33        |
| 83 | Dysregulation of maternal serum adiponectin in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 887-904.  | 1.5 | 32        |
| 84 | Personalized assessment of cervical length improves prediction of spontaneous preterm birth: a standard and a percentile calculator. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 288.e1-288.e17.                       | 1.3 | 32        |
| 85 | Absent Nasal Bone in the Prenatal Detection of Fetuses With Trisomy 21 in a High-Risk Population. <i>Obstetrics and Gynecology</i> , 2003, 101, 905-908.   | 2.4 | 31        |
| 86 | Changes in amniotic fluid concentration of thrombin-antithrombin III complexes in patients with preterm labor: Evidence of an increased thrombin generation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 971-982.     | 1.5 | 31        |
| 87 | Measuring venous blood oxygenation in fetal brain using susceptibility-weighted imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 998-1006.  | 3.4 | 31        |
| 88 | The prediction of fetal death with a simple maternal blood test at 24-28 weeks: a role for angiogenic index-1 (PlGF/sVEGFR-1 ratio). <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 682.e1-682.e13.                       | 1.3 | 31        |
| 89 | Fetal death: an extreme manifestation of maternal anti-fetal rejection. <i>Journal of Perinatal Medicine</i> , 2017, 45, 851-868.  | 1.4 | 31        |
| 90 | Maternal and neonatal circulating visfatin concentrations in patients with pre-eclampsia and a small-for-gestational age neonate. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1119-1128.                              | 1.5 | 30        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Intelligent navigation to improve obstetrical sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 47, 403-409.   | 1.7 | 30        |
| 92  | A new customized fetal growth standard for African American women: the PRB/NICHD Detroit study. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, S679-S691.e4.   | 1.3 | 30        |
| 93  | <i>In vivo</i> evidence of inflammasome activation during spontaneous labor at term. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 1978-1991.  | 1.5 | 30        |
| 94  | The use of genetic sonography to reduce the need for amniocentesis in women at high-risk for Down syndrome. <i>Seminars in Perinatology</i> , 2003, 27, 152-159.  | 2.5 | 29        |
| 95  | Color and power Doppler combined with Fetal Intelligent Navigation Echocardiography (FINE) to evaluate the fetal heart. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 476-491.   | 1.7 | 29        |
| 96  | Repeatability and Reproducibility of Fetal Cardiac Ventricular Volume Calculations Using Spatiotemporal Image Correlation and Virtual Organ Computer-Aided Analysis. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 1301-1311.                                  | 1.7 | 27        |
| 97  | Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 167-178.   | 1.5 | 27        |
| 98  | Evidence in support of a role for anti-angiogenic factors in preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 828-841.   | 1.5 | 27        |
| 99  | Magnetic resonance diffusion-weighted imaging: reproducibility of regional apparent diffusion coefficients for the normal fetal brain. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 190-197.  | 1.7 | 27        |
| 100 | Clinical chorioamnionitis at term X: microbiology, clinical signs, placental pathology, and neonatal bacteremia – implications for clinical care. <i>Journal of Perinatal Medicine</i> , 2021, 49, 275-298.   | 1.4 | 27        |
| 101 | The relationship of newborn adiposity to fetal growth outcome based on birth weight or the modified neonatal growth assessment score. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1933-1940.   | 1.5 | 26        |
| 102 | Interleukin-33 in the human placenta. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 327-338.   | 1.5 | 26        |
| 103 | Simple targeted arterial rendering (STAR) technique: a novel and simple method to visualize the fetal cardiac outflow tracts. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 549-556.   | 1.7 | 25        |
| 104 | Transcriptome interrogation of human myometrium identifies differentially expressed sense-antisense pairs of protein-coding and long non-coding RNA genes in spontaneous labor at term. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 1397-1408. | 1.5 | 25        |
| 105 | A Prospective Study of the Use of Fetal Intelligent Navigation Echocardiography (FINE) to Obtain Standard Fetal Echocardiography Views. <i>Fetal Diagnosis and Therapy</i> , 2017, 41, 89-99.   | 1.4 | 25        |
| 106 | Allergy-induced preterm labor after the ingestion of shellfish. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 351-359.   | 1.5 | 24        |
| 107 | Soluble ST2, a modulator of the inflammatory response, in preterm and term labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 111-121.   | 1.5 | 24        |
| 108 | Three-dimensional sonography in the evaluation and management of fetal goiter. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 25, 312-314.  | 1.7 | 23        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | The clinical significance of eosinophils in the amniotic fluid in preterm labor. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 320-329.   | 1.5 | 23        |
| 110 | Pentraxin 3 in maternal circulation: An association with preterm labor and preterm PROM, but not with intra-amniotic infection/inflammation. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 1097-1105.         | 1.5 | 23        |
| 111 | Prenatal Diagnosis of a Placental Infarction Hematoma Associated with Fetal Growth Restriction, Preeclampsia and Fetal Death: Clinicopathological Correlation. Fetal Diagnosis and Therapy, 2014, 36, 154-161.             | 1.4 | 23        |
| 112 | Prenatal Diagnosis of Dextrocardia with Complex Congenital Heart Disease Using Fetal Intelligent Navigation Echocardiography (FINE) and a Literature Review. Fetal Diagnosis and Therapy, 2018, 43, 304-316.               | 1.4 | 23        |
| 113 | Serum and plasma determination of angiogenic and anti-angiogenic factors yield different results: The need for standardization in clinical practice. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 820-827.   | 1.5 | 22        |
| 114 | Unexplained fetal death is associated with increased concentrations of anti-angiogenic factors in amniotic fluid. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 794-805.                                      | 1.5 | 22        |
| 115 | Disorders of placental villous maturation in fetal death. Journal of Perinatal Medicine, 2020, .   | 1.4 | 22        |
| 116 | Fetal transcerebellar diameter measurement for prediction of gestational age in twins. American Journal of Obstetrics and Gynecology, 2006, 195, 1596-1600.  | 1.3 | 21        |
| 117 | Fetal growth cessation in late pregnancy: its impact on predicted size parameters used to classify small for gestational age neonates. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 755-765.                 | 1.5 | 21        |
| 118 | Prenatal diagnosis of truncus arteriosus using multiplanar display in 4D ultrasonography. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 297-307.  | 1.5 | 20        |
| 119 | Soluble ST2 in the fetal inflammatory response syndrome: <i>in vivo</i> evidence of activation of the anti-inflammatory limb of the immune response. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 1384-1393. | 1.5 | 20        |
| 120 | Infection and smoking are associated with decreased plasma concentration of the anti-aging protein, $\beta$ -klotho. Journal of Perinatal Medicine, 2013, 41, 581-594.   | 1.4 | 20        |
| 121 | The peripheral whole-blood transcriptome of acute pyelonephritis in human pregnancy. Journal of Perinatal Medicine, 2014, 42, 31-53.   | 1.4 | 20        |
| 122 | Mechanisms of death in structurally normal stillbirths. Journal of Perinatal Medicine, 2019, 47, 222-240.  | 1.4 | 20        |
| 123 | MR venography of the fetal brain using susceptibility weighted imaging. Journal of Magnetic Resonance Imaging, 2014, 40, 949-957.  | 3.4 | 19        |
| 124 | How to Acquire Cardiac Volumes for Sonographic Examination of the Fetal Heart. Journal of Ultrasound in Medicine, 2016, 35, 1021-1042.   | 1.7 | 19        |
| 125 | How to Acquire Cardiac Volumes for Sonographic Examination of the Fetal Heart. Journal of Ultrasound in Medicine, 2016, 35, 1043-1066.   | 1.7 | 19        |
| 126 | Maternal anti-protein Z antibodies in pregnancies complicated by pre-eclampsia, SGA and fetal death. Journal of Maternal-Fetal and Neonatal Medicine, 2009, 22, 662-671.   | 1.5 | 18        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | The anti-aging factor $\hat{1}\pm$ -klotho during human pregnancy and its expression in pregnancies complicated by small-for-gestational-age neonates and/or preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 449-457.                       | 1.5 | 18        |
| 128 | Second-trimester genetic sonography in patients with advanced maternal age and normal triple screen. Obstetrics and Gynecology, 2002, 99, 993-995.   | 2.4 | 17        |
| 129 | Discordant placental echogenicity: a novel sign of impaired placental perfusion in twin-twin transfusion syndrome?. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 103-106.  | 1.5 | 17        |
| 130 | Fragment Bb: evidence for activation of the alternative pathway of the complement system in pregnant women with acute pyelonephritis. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 1085-1090.  | 1.5 | 17        |
| 131 | New and advanced features of fetal intelligent navigation echocardiography (FINE) or 5D heart. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 1498-1516.   | 1.5 | 17        |
| 132 | Disorders of placental villous maturation are present in one-third of cases with spontaneous preterm labor. Journal of Perinatal Medicine, 2021, 49, 412-430.  | 1.4 | 17        |
| 133 | Prenatal Sonographic Findings Associated With Nonmosaic Trisomy 9 and Literature Review. Journal of Ultrasound in Medicine, 2003, 22, 425-430.   | 1.7 | 16        |
| 134 | Magnetic resonance angiography of fetal vasculature at 3.0ÅT. European Radiology, 2016, 26, 4570-4576.   | 4.5 | 16        |
| 135 | Resolution of acute cervical insufficiency after antibiotics in a case with amniotic fluid sludge. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 5416-5426.   | 1.5 | 16        |
| 136 | Presence of an Umbilical Artery Notch in Monochorionic/Monoamniotic Twins. Fetal Diagnosis and Therapy, 2014, 36, 305-311.   | 1.4 | 15        |
| 137 | Personalized third-trimester fetal growth evaluation: comparisons of individualized growth assessment, percentile line and conditional probability methods. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 177-185.                                      | 1.5 | 15        |
| 138 | Prenatal Detection of Fetal Aneuploidy by Sonographic Ear Length. Journal of Ultrasound in Medicine, 2003, 22, 565-576.  | 1.7 | 14        |
| 139 | The pattern and magnitude of $\hat{\epsilon}\epsilon<i>in vivo</i>$ thrombin generation $\hat{\epsilon}$ differ in women with preeclampsia and in those with SGA fetuses without preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 1671-1680. | 1.5 | 14        |
| 140 | Prenatal diagnosis of tetralogy of Fallot with pulmonary atresia using: Fetal Intelligent Navigation Echocardiography (FINE). Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 3699-3702.  | 1.5 | 14        |
| 141 | Non $\hat{\epsilon}$ invasive fetal lung assessment using diffusion $\hat{\epsilon}$ weighted imaging. Ultrasound in Obstetrics and Gynecology, 2009, 34, 673-677.   | 1.7 | 13        |
| 142 | Maternal plasma soluble TRAIL is decreased in preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 217-227.  | 1.5 | 13        |
| 143 | A modified prenatal growth assessment score for the evaluation of fetal growth in the third trimester using single and composite biometric parameters. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 745-754.   | 1.5 | 13        |
| 144 | Quantitative susceptibility mapping in the human fetus to measure blood oxygenation in the superior sagittal sinus. European Radiology, 2019, 29, 2017-2026.   | 4.5 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Placental delayed villous maturation is associated with evidence of chronic fetal hypoxia. Journal of Perinatal Medicine, 2020, 48, 516-518.   | 1.4 | 13        |
| 146 | Secreted phospholipase A <sub>2</sub> is increased in meconium-stained amniotic fluid of term gestations: potential implications for the genesis of meconium aspiration syndrome. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 975-983.                              | 1.5 | 12        |
| 147 | Umbilical cord prostaglandins in term and preterm parturition. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 523-531.   | 1.5 | 12        |
| 148 | Imaging putative foetal cerebral blood oxygenation using susceptibility weighted imaging (SWI). European Radiology, 2018, 28, 1884-1890.   | 4.5 | 12        |
| 149 | Tissue factor activity in women with preeclampsia or SGA: a potential explanation for the excessive thrombin generation in these syndromes. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 1568-1577.  | 1.5 | 12        |
| 150 | Optical ultrasound simulation-based training in obstetric sonography. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 2469-2484.  | 1.5 | 12        |
| 151 | Nonovert disseminated intravascular coagulation (DIC) in pregnancy: a new scoring system for the identification of patients at risk for obstetrical hemorrhage requiring blood product transfusion. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 242-257.            | 1.5 | 12        |
| 152 | Fetal death: A condition with a dissociation in the concentrations of soluble vascular endothelial growth factor receptor-2 between the maternal and fetal compartments. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 960-972.                                       | 1.5 | 10        |
| 153 | Bacteria in the amniotic fluid without inflammation: early colonization vs. contamination. Journal of Perinatal Medicine, 2021, 49, 1103-1121.   | 1.4 | 10        |
| 154 | Mirror Artifacts in Obstetric Ultrasound: Case Presentation of a <b><i>Ghost</i></b>Twin during the Second-Trimester Ultrasound Scan. Fetal Diagnosis and Therapy, 2013, 34, 248-252.  | 1.4 | 9         |
| 155 | Quantitative T2 Changes and Susceptibility-Weighted Magnetic Resonance Imaging in Murine Pregnancy. Gynecologic and Obstetric Investigation, 2014, 78, 33-40.  | 1.6 | 9         |
| 156 | Cardiac Measurements of Size and Shape in Fetuses With Absent or Reversed <sup>End</sup>Diastolic Velocity of the Umbilical Artery and Perinatal Survival and Severe Growth Restriction Before 34&#x2013;Weeks' Gestation. Journal of Ultrasound in Medicine, 2021, 40, 1543-1554. | 1.7 | 9         |
| 157 | Soluble TRAIL in normal pregnancy and acute pyelonephritis: a potential explanation for the susceptibility of pregnant women to microbial products and infection. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 1568-1575.  | 1.5 | 7         |
| 158 | Prenatal diagnosis of hypoplastic left heart and coarctation of the aorta with color Doppler FINE. Ultrasound in Obstetrics and Gynecology, 2017, 50, 543-544.   | 1.7 | 6         |
| 159 | Quantitative Flow Imaging in Human Umbilical Vessels In Utero Using Nongated 2D Phase Contrast MRI. Journal of Magnetic Resonance Imaging, 2018, 48, 283-289.  | 3.4 | 6         |
| 160 | Persistent funic presentation resulting from marginal cord insertion into a low-lying placenta. Ultrasound in Obstetrics and Gynecology, 2004, 24, 692-693.  | 1.7 | 5         |
| 161 | Maternal plasma fetuin-A concentration is lower in patients who subsequently developed preterm preeclampsia than in uncomplicated pregnancy: a longitudinal study. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1260-1269.   | 1.5 | 5         |
| 162 | Intermediate Diastolic Velocity as a Parameter of Cardiac Dysfunction in Growth-Restricted Fetuses. Fetal Diagnosis and Therapy, 2016, 39, 28-39.  | 1.4 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Placental Lesions Associated With Maternal Underperfusion Are More Frequent in Early-Onset Than in Late-Onset Preeclampsia. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 154-155.  | 0.4 | 4         |
| 164 | Fetal growth percentile software: a tool to calculate estimated fetal weight percentiles for 6 standards. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 625-628.  | 1.3 | 4         |
| 165 | Cervical insufficiency, amniotic fluid sludge, intra-amniotic infection, and maternal bacteremia: the need for a point-of-care test to assess inflammation and bacteria in amniotic fluid. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, , 1-7.  | 1.5 | 4         |
| 166 | Characterization of amniotic fluid sludge in preterm and term gestations. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, , 1-10.  | 1.5 | 4         |
| 167 | Dual-Imaging Modality Approach to Evaluate Cerebral Hemodynamics in Growth-Restricted Fetuses: Oxygenation and Perfusion. <i>Fetal Diagnosis and Therapy</i> , 2020, 47, 145-155.   | 1.4 | 3         |
| 168 | OC28.05: Sonographic "sludge" and "pseudo-sludge": microbiologic, molecular, immunologic and histologic features. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 55-55.   | 1.7 | 2         |
| 169 | Re: The sonopartogram: a novel method for recording the progress of labor by ultrasound. W. A. Hassan, T. Eggeba, M. Ferguson, A. Gillett, J. Studd, D. Pasupathy and C. C. Lees. <i>Ultrasound Obstet Gynecol</i> 2014; 43: 189-194. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 137-138. | 1.7 | 1         |
| 170 | The International Prenatal Cardiology Collaboration Group "nowa idea międzynarodowych badań naukowych.", 2016, 16, 94-96.   |     | 1         |
| 171 | The role of ultrasound in prenatal detection of chromosomal abnormalities. <i>Expert Review of Obstetrics and Gynecology</i> , 2008, 3, 103-117.  | 0.4 | 0         |
| 172 | 805: Serum and plasma determination of angiogenic and anti-angiogenic factors yield different results: the need for standardization in clinical practice. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, S288-S289.  | 1.3 | 0         |
| 173 | OC14.04: Noninvasive fetal lung assessment using diffusion weighted imaging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 26-27.  | 1.7 | 0         |
| 174 | OP01.01: A longitudinal study of sonographic cervical length in nulliparous and multiparous women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 62-62.  | 1.7 | 0         |
| 175 | OP04.01: The fetal cardiovascular response to an increased placental vascular resistance (PVR) measured with STIC and VOCAL. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 72-72.  | 1.7 | 0         |
| 176 | OP14.05: A link between an anti-angiogenic state in the first trimester and abnormal uterine artery Doppler in the midtrimester. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 104-105.  | 1.7 | 0         |
| 177 | OP14.06: Late-onset preeclampsia cannot be identified with either an anti-angiogenic profile in maternal plasma or uterine artery Doppler velocimetry. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 105-105.  | 1.7 | 0         |
| 178 | OP25.04: An asymptomatic "complete funnel" of the cervix in the second trimester of pregnancy: how bad is it?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 143-143.  | 1.7 | 0         |
| 179 | P09.02: Sonographic chorioamniotic membrane thickness throughout gestation in three different sites: chorionic plate, uterine free wall, and cervix. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 210-210.  | 1.7 | 0         |
| 180 | P10.11: A systematic comparison of the volume of fluid-filled fetal structures using 3D US: a comparison of SonoAVC, VOCAL, and inversion mode techniques. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 217-217.  | 1.7 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | P19.08: Prospective validation of fetal weight estimation models using fractional limb volume. Ultrasound in Obstetrics and Gynecology, 2009, 34, 255-256.   | 1.7 | 0         |
| 182 | OP03.07: Magnetic resonance diffusion weighted imaging (DWI): reproducibility of apparent diffusion coefficient measurements for the normal fetal brain. Ultrasound in Obstetrics and Gynecology, 2011, 38, 64-64. | 1.7 | 0         |
| 183 | OP20.04: The relationship of newborn adiposity to neonatal growth outcome based on birth weight or the neonatal growth assessment score. Ultrasound in Obstetrics and Gynecology, 2011, 38, 114-114.               | 1.7 | 0         |
| 184 | OP20.07: Does fetal growth cessation affect the prediction of birth characteristics?. Ultrasound in Obstetrics and Gynecology, 2011, 38, 115-115.  | 1.7 | 0         |