

Lami Yeo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/664564/publications.pdf>

Version: 2024-02-01

184
papers

8,874
citations

41258

49
h-index

56606

83
g-index

193
all docs

193
docs citations

193
times ranked

6799
citing authors

#	ARTICLE	IF	CITATIONS
1	Optical ultrasound simulation-based training in obstetric sonography. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 2469-2484.	0.7	12
2	New and advanced features of fetal intelligent navigation echocardiography (FINE) or 5D heart. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 1498-1516.	0.7	17
3	Nonovert disseminated intravascular coagulation (DIC) in pregnancy: a new scoring system for the identification of patients at risk for obstetrical hemorrhage requiring blood product transfusion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 242-257.	0.7	12
4	Resolution of acute cervical insufficiency after antibiotics in a case with amniotic fluid sludge. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 5416-5426.	0.7	16
5	The etiology of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, S844-S866.	0.7	140
6	Characterization of amniotic fluid sludge in preterm and term gestations. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, , 1-10.	0.7	4
7	Cardiac Measurements of Size and Shape in Fetuses With Absent or Reversed Diastolic Velocity of the Umbilical Artery and Perinatal Survival and Severe Growth Restriction Before 34 Weeks' Gestation. <i>Journal of Ultrasound in Medicine</i> , 2021, 40, 1543-1554.	0.8	9
8	Personalized assessment of cervical length improves prediction of spontaneous preterm birth: a standard and a percentile calculator. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 288.e1-288.e17.	0.7	32
9	Disorders of placental villous maturation are present in one-third of cases with spontaneous preterm labor. <i>Journal of Perinatal Medicine</i> , 2021, 49, 412-430.	0.6	17
10	Bacteria in the amniotic fluid without inflammation: early colonization vs. contamination. <i>Journal of Perinatal Medicine</i> , 2021, 49, 1103-1121.	0.6	10
11	Clinical chorioamnionitis at term X: microbiology, clinical signs, placental pathology, and neonatal bacteremia – implications for clinical care. <i>Journal of Perinatal Medicine</i> , 2021, 49, 275-298.	0.6	27
12	Prediction of adverse perinatal outcome by fetal biometry: comparison of customized and population-based standards. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 177-188.	0.9	52
13	ELABELA plasma concentrations are increased in women with late-onset preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 5-15.	0.7	37
14	Dual-Imaging Modality Approach to Evaluate Cerebral Hemodynamics in Growth-Restricted Fetuses: Oxygenation and Perfusion. <i>Fetal Diagnosis and Therapy</i> , 2020, 47, 145-155.	0.6	3
15	The fetal inflammatory response syndrome: the origins of a concept, pathophysiology, diagnosis, and obstetrical implications. <i>Seminars in Fetal and Neonatal Medicine</i> , 2020, 25, 101146.	1.1	113
16	Fetal growth percentile software: a tool to calculate estimated fetal weight percentiles for 6 standards. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 625-628.	0.7	4
17	Cervical insufficiency, amniotic fluid sludge, intra-amniotic infection, and maternal bacteremia: the need for a point-of-care test to assess inflammation and bacteria in amniotic fluid. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, , 1-7.	0.7	4
18	Placental delayed villous maturation is associated with evidence of chronic fetal hypoxia. <i>Journal of Perinatal Medicine</i> , 2020, 48, 516-518.	0.6	13

#	ARTICLE	IF	CITATIONS
19	Disorders of placental villous maturation in fetal death. Journal of Perinatal Medicine, 2020, .	0.6	22
20	Prenatal diagnosis of tetralogy of Fallot with pulmonary atresia using: Fetal Intelligent Navigation Echocardiography (FINE). Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 3699-3702.	0.7	14
21	Mechanisms of death in structurally normal stillbirths. Journal of Perinatal Medicine, 2019, 47, 222-240.	0.6	20
22	Quantitative susceptibility mapping in the human fetus to measure blood oxygenation in the superior sagittal sinus. European Radiology, 2019, 29, 2017-2026.	2.3	13
23	<i>In vivo</i> evidence of inflammasome activation during spontaneous labor at term. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 1978-1991.	0.7	30
24	A new customized fetal growth standard for African American women: the PRB/NICHD Detroit study. American Journal of Obstetrics and Gynecology, 2018, 218, S679-S691.e4.	0.7	30
25	Fetal Intelligent Navigation Echocardiography (FINE) Detects 98% of Congenital Heart Disease. Journal of Ultrasound in Medicine, 2018, 37, 2577-2593.	0.8	34
26	Individualized growth assessment: conceptual framework and practical implementation for the evaluation of fetal growth and neonatal growth outcome. American Journal of Obstetrics and Gynecology, 2018, 218, S656-S678.	0.7	52
27	Quantitative Flow Imaging in Human Umbilical Vessels In Utero Using Nongated 2D Phase Contrast MRI. Journal of Magnetic Resonance Imaging, 2018, 48, 283-289.	1.9	6
28	Imaging putative foetal cerebral blood oxygenation using susceptibility weighted imaging (SWI). European Radiology, 2018, 28, 1884-1890.	2.3	12
29	The pattern and magnitude of <i>in vivo</i> thrombin generation differ in women with preeclampsia and in those with SGA fetuses without preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 1671-1680.	0.7	14
30	Comparison of rapid MMP-8 and interleukin-6 point-of-care tests to identify intra-amniotic inflammation/infection and impending preterm delivery in patients with preterm labor and intact membranes. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 228-244.	0.7	66
31	Tissue factor activity in women with preeclampsia or SGA: a potential explanation for the excessive thrombin generation in these syndromes. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 1568-1577.	0.7	12
32	Prenatal Diagnosis of Dextrocardia with Complex Congenital Heart Disease Using Fetal Intelligent Navigation Echocardiography (FINE) and a Literature Review. Fetal Diagnosis and Therapy, 2018, 43, 304-316.	0.6	23
33	The frequency and type of placental histologic lesions in term pregnancies with normal outcome. Journal of Perinatal Medicine, 2018, 46, 613-630.	0.6	135
34	A Prospective Study of the Use of Fetal Intelligent Navigation Echocardiography (FINE) to Obtain Standard Fetal Echocardiography Views. Fetal Diagnosis and Therapy, 2017, 41, 89-99.	0.6	25
35	A Role for the Inflammasome in Spontaneous Preterm Labor With Acute Histologic Chorioamnionitis. Reproductive Sciences, 2017, 24, 1382-1401.	1.1	93
36	Prenatal diagnosis of hypoplastic left heart and coarctation of the aorta with color Doppler FINE. Ultrasound in Obstetrics and Gynecology, 2017, 50, 543-544.	0.9	6

#	ARTICLE	IF	CITATIONS
37	Are amniotic fluid neutrophils in women with intraamniotic infection and/or inflammation of fetal or maternal origin?. American Journal of Obstetrics and Gynecology, 2017, 217, 693.e1-693.e16.	0.7	113
38	The prediction of fetal death with a simple maternal blood test at 24-28 weeks: a role for angiogenic index-1 (PlGF/sVEGFR-1 ratio). American Journal of Obstetrics and Gynecology, 2017, 217, 682.e1-682.e13.	0.7	31
39	Color and power Doppler combined with Fetal Intelligent Navigation Echocardiography (<sc>FINE</sc>) to evaluate the fetal heart. Ultrasound in Obstetrics and Gynecology, 2017, 50, 476-491.	0.9	29
40	Clinical chorioamnionitis at term VIII: a rapid MMP-8 test for the identification of intra-amniotic inflammation. Journal of Perinatal Medicine, 2017, 45, 539-550.	0.6	44
41	A Role for the Inflammasome in Spontaneous Labor at Term with Acute Histologic Chorioamnionitis. Reproductive Sciences, 2017, 24, 934-953.	1.1	42
42	Clinical chorioamnionitis at term VII: the amniotic fluid cellular immune response. Journal of Perinatal Medicine, 2017, 45, 523-538.	0.6	74
43	Fetal death: an extreme manifestation of maternal anti-fetal rejection. Journal of Perinatal Medicine, 2017, 45, 851-868.	0.6	31
44	Single and Serial Fetal Biometry to Detect Preterm and Term Small- and Large-for-Gestational-Age Neonates: A Longitudinal Cohort Study. PLoS ONE, 2016, 11, e0164161.	1.1	45
45	Prospective evaluation of the fetal heart using Fetal Intelligent Navigation Echocardiography (<sc>FINE</sc>). Ultrasound in Obstetrics and Gynecology, 2016, 47, 450-459.	0.9	35
46	Magnetic resonance angiography of fetal vasculature at 3.0T. European Radiology, 2016, 26, 4570-4576.	2.3	16
47	How to Acquire Cardiac Volumes for Sonographic Examination of the Fetal Heart. Journal of Ultrasound in Medicine, 2016, 35, 1021-1042.	0.8	19
48	How to Acquire Cardiac Volumes for Sonographic Examination of the Fetal Heart. Journal of Ultrasound in Medicine, 2016, 35, 1043-1066.	0.8	19
49	Intelligent navigation to improve obstetrical sonography. Ultrasound in Obstetrics and Gynecology, 2016, 47, 403-409.	0.9	30
50	Maternal plasma angiogenic index-1 (placental growth factor/soluble vascular endothelial growth) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 underperfusion: a longitudinal case-cohort study. American Journal of Obstetrics and Gynecology, 2016, 214, 629.e1-629.e17.	0.7	91
51	A rapid interleukin-6 bedside test for the identification of intra-amniotic inflammation in preterm labor with intact membranes. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 349-359.	0.7	114
52	Umbilical cord prostaglandins in term and preterm parturition. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 523-531.	0.7	12
53	Personalized third-trimester fetal growth evaluation: comparisons of individualized growth assessment, percentile line and conditional probability methods. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 177-185.	0.7	15
54	Intermediate Diastolic Velocity as a Parameter of Cardiac Dysfunction in Growth-Restricted Fetuses. Fetal Diagnosis and Therapy, 2016, 39, 28-39.	0.6	5

#	ARTICLE	IF	CITATIONS
55	The use of angiogenic biomarkers in maternal blood to identify which SGA fetuses will require a preterm delivery and mothers who will develop pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1214-1228.	0.7	63
56	A point of care test for interleukin-6 in amniotic fluid in preterm prelabor rupture of membranes: a step toward the early treatment of acute intra-amniotic inflammation/infection. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 360-367.	0.7	119
57	Pravastatin to prevent recurrent fetal death in massive perivillous fibrin deposition of the placenta (MPFD). <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 855-862.	0.7	43
58	The International Prenatal Cardiology Collaboration Group "nowa idea międzynarodowych badań naukowych." , 2016, 16, 94-96.		1
59	MR imaging of the fetal brain at 1.5T and 3.0T field strengths: comparing specific absorption rate (SAR) and image quality. <i>Journal of Perinatal Medicine</i> , 2015, 43, 209-20.	0.6	43
60	The frequency of acute atherosclerosis in normal pregnancy and preterm labor, preeclampsia, small-for-gestational age, fetal death and midtrimester spontaneous abortion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 2001-2009.	0.7	76
61	Age-related increases in long-range connectivity in fetal functional neural connectivity networks in utero. <i>Developmental Cognitive Neuroscience</i> , 2015, 11, 96-104.	1.9	127
62	A point of care test for the determination of amniotic fluid interleukin-6 and the chemokine CXCL-10/IP-10. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1510-1519.	0.7	55
63	Clinical chorioamnionitis at term I: microbiology of the amniotic cavity using cultivation and molecular techniques. <i>Journal of Perinatal Medicine</i> , 2015, 43, 19-36.	0.6	192
64	Placental lesions associated with acute atherosclerosis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1554-1562.	0.7	36
65	A modified prenatal growth assessment score for the evaluation of fetal growth in the third trimester using single and composite biometric parameters. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 745-754.	0.7	13
66	Strain at the internal cervical os assessed with quasi-static elastography is associated with the risk of spontaneous preterm delivery at ≥ 34 weeks of gestation. <i>Journal of Perinatal Medicine</i> , 2015, 43, 657-66.	0.6	37
67	Fetal growth cessation in late pregnancy: its impact on predicted size parameters used to classify small for gestational age neonates. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 755-765.	0.7	21
68	Sterile and microbial-associated intra-amniotic inflammation in preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1394-1409.	0.7	328
69	Clinical chorioamnionitis at term II: the intra-amniotic inflammatory response. <i>Journal of Perinatal Medicine</i> , 2015, 44, 5-22.	0.6	84
70	Maternal plasma fetuin-A concentration is lower in patients who subsequently developed preterm preeclampsia than in uncomplicated pregnancy: a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1260-1269.	0.7	5
71	Clinical chorioamnionitis at term III: how well do clinical criteria perform in the identification of proven intra-amniotic infection?. <i>Journal of Perinatal Medicine</i> , 2015, 44, 23-32.	0.6	66
72	Clinical chorioamnionitis at term V: umbilical cord plasma cytokine profile in the context of a systemic maternal inflammatory response. <i>Journal of Perinatal Medicine</i> , 2015, 44, 53-76.	0.6	49

#	ARTICLE	IF	CITATIONS
73	Clinical chorioamnionitis at term IV: the maternal plasma cytokine profile. <i>Journal of Perinatal Medicine</i> , 2015, 44, 77-98.	0.6	49
74	Clinical chorioamnionitis at term VI: acute chorioamnionitis and funisitis according to the presence or absence of microorganisms and inflammation in the amniotic cavity. <i>Journal of Perinatal Medicine</i> , 2015, 44, 33-51.	0.6	59
75	Sterile intra-amniotic inflammation in asymptomatic patients with a sonographic short cervix: prevalence and clinical significance. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1343-1359.	0.7	144
76	Endocan, a putative endothelial cell marker, is elevated in preeclampsia, decreased in acute pyelonephritis, and unchanged in other obstetrical syndromes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1621-1632.	0.7	36
77	Intrinsic Functional Brain Architecture Derived from Graph Theoretical Analysis in the Human Fetus. <i>PLoS ONE</i> , 2014, 9, e94423.	1.1	101
78	Individualized fetal growth assessment: critical evaluation of key concepts in the specification of third trimester size trajectories. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 543-551.	0.7	38
79	Maternal plasma soluble TRAIL is decreased in preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 217-227.	0.7	13
80	The diagnostic performance of the Mass Restricted (MR) score in the identification of microbial invasion of the amniotic cavity or intra-amniotic inflammation is not superior to amniotic fluid interleukin-6. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 757-769.	0.7	44
81	Secreted phospholipase A ₂ is increased in meconium-stained amniotic fluid of term gestations: potential implications for the genesis of meconium aspiration syndrome. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 975-983.	0.7	12
82	Soluble ST2, a modulator of the inflammatory response, in preterm and term labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 111-121.	0.7	24
83	Transcriptome interrogation of human myometrium identifies differentially expressed sense-antisense pairs of protein-coding and long non-coding RNA genes in spontaneous labor at term. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 1397-1408.	0.7	25
84	The anti-aging factor $\hat{\pm}$ -klotho during human pregnancy and its expression in pregnancies complicated by small-for-gestational-age neonates and/or preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 449-457.	0.7	18
85	MR venography of the fetal brain using susceptibility weighted imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 949-957.	1.9	19
86	The peripheral whole-blood transcriptome of acute pyelonephritis in human pregnancy ^a . <i>Journal of Perinatal Medicine</i> , 2014, 42, 31-53.	0.6	20
87	Plasma concentrations of angiogenic/anti-angiogenic factors have prognostic value in women presenting with suspected preeclampsia to the obstetrical triage area: a prospective study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 132-144.	0.7	68
88	Effect of depth on shear-wave elastography estimated in the internal and external cervical os during pregnancy. <i>Journal of Perinatal Medicine</i> , 2014, 42, 549-557.	0.6	57
89	Re: The sonopartogram: a novel method for recording the progress of labor by ultrasound. W. A. Hassan, T. EggebÅ, M. Ferguson, A. Gillett, J. Studd, D. Pasupathy and C. C. Lees. <i>Ultrasound Obstet Gynecol</i> 2014; 43: 189-194. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 137-138.	0.9	1
90	Cervical strain determined by ultrasound elastography and its association with spontaneous preterm delivery. <i>Journal of Perinatal Medicine</i> , 2014, 42, 159-169.	0.6	63

#	ARTICLE	IF	CITATIONS
91	Prenatal Diagnosis of a Placental Infarction Hematoma Associated with Fetal Growth Restriction, Preeclampsia and Fetal Death: Clinicopathological Correlation. <i>Fetal Diagnosis and Therapy</i> , 2014, 36, 154-161.	0.6	23
92	Presence of an Umbilical Artery Notch in Monochorionic/Monoamniotic Twins. <i>Fetal Diagnosis and Therapy</i> , 2014, 36, 305-311.	0.6	15
93	Quantitative T2 Changes and Susceptibility-Weighted Magnetic Resonance Imaging in Murine Pregnancy. <i>Gynecologic and Obstetric Investigation</i> , 2014, 78, 33-40.	0.7	9
94	Progesterone to prevent spontaneous preterm birth. <i>Seminars in Fetal and Neonatal Medicine</i> , 2014, 19, 15-26.	1.1	66
95	Bacteria and endotoxin in meconium-stained amniotic fluid at term: could intra-amniotic infection cause meconium passage?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 775-788.	0.7	37
96	Measuring venous blood oxygenation in fetal brain using susceptibility-weighted imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 998-1006.	1.9	31
97	Pre-eclampsia part 1: current understanding of its pathophysiology. <i>Nature Reviews Nephrology</i> , 2014, 10, 466-480.	4.1	786
98	Pre-eclampsia part 2: prediction, prevention and management. <i>Nature Reviews Nephrology</i> , 2014, 10, 531-540.	4.1	125
99	Cross-Hemispheric Functional Connectivity in the Human Fetal Brain. <i>Science Translational Medicine</i> , 2013, 5, 173ra24.	5.8	171
100	Soluble ST2 in the fetal inflammatory response syndrome: <i>in vivo</i> evidence of activation of the anti-inflammatory limb of the immune response. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 1384-1393.	0.7	20
101	Soluble TRAIL in normal pregnancy and acute pyelonephritis: a potential explanation for the susceptibility of pregnant women to microbial products and infection. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 1568-1575.	0.7	7
102	Interleukin-33 in the human placenta. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 327-338.	0.7	26
103	Prospective validation of fetal weight estimation using fractional limb volume. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 198-203.	0.9	43
104	Magnetic resonance diffusion-weighted imaging: reproducibility of regional apparent diffusion coefficients for the normal fetal brain. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 190-197.	0.9	27
105	Evaluation of cervical stiffness during pregnancy using semiquantitative ultrasound elastography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 152-161.	0.9	114
106	Mirror Artifacts in Obstetric Ultrasound: Case Presentation of a <i>Ghost Twin</i> during the Second-Trimester Ultrasound Scan. <i>Fetal Diagnosis and Therapy</i> , 2013, 34, 248-252.	0.6	9
107	Infection and smoking are associated with decreased plasma concentration of the anti-aging protein, $\text{p} < \text{sup} > \text{a} < / \text{sup} >$. <i>Journal of Perinatal Medicine</i> , 2013, 41, 581-594.	0.6	20
108	Characterization of the myometrial transcriptome in women with an arrest of dilatation during labor. <i>Journal of Perinatal Medicine</i> , 2013, 41, 665-681.	0.6	42

#	ARTICLE	IF	CITATIONS
109	A blueprint for the prevention of preterm birth: vaginal progesterone in women with a short cervix. <i>Journal of Perinatal Medicine</i> , 2013, 41, 27-44.	0.6	165
110	Fetal Intelligent Navigation Echocardiography (<scp>FINE</scp>): a novel method for rapid, simple, and automatic examination of the fetal heart. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 268-284.	0.9	86
111	The relationship of newborn adiposity to fetal growth outcome based on birth weight or the modified neonatal growth assessment score. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1933-1940.	0.7	26
112	Transabdominal evaluation of uterine cervical length during pregnancy fails to identify a substantial number of women with a short cervix. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1682-1689.	0.7	84
113	Viral invasion of the amniotic cavity (VIAC) in the midtrimester of pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 2002-2013.	0.7	67
114	Midtrimester amniotic fluid concentrations of interleukin-6 and interferon-gamma-inducible protein-10: evidence for heterogeneity of intra-amniotic inflammation and associations with spontaneous early (<lt;32 weeks) and late (>32 weeks) preterm delivery. <i>Journal of Perinatal Medicine</i> , 2012, 40, 329-343.	0.6	132
115	Placental Lesions Associated With Maternal Underperfusion Are More Frequent in Early-Onset Than in Late-Onset Preeclampsia. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 154-155.	0.2	4
116	Late-onset preeclampsia is associated with an imbalance of angiogenic and anti-angiogenic factors in patients with and without placental lesions consistent with maternal underperfusion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 498-507.	0.7	136
117	Fetal cardiac ventricular volume, cardiac output, and ejection fraction determined with 4-dimensional ultrasound using spatiotemporal image correlation and virtual organ computer-aided analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 76.e1-76.e10.	0.7	64
118	Four-chamber view and "swing technique" (FAST) echo: a novel and simple algorithm to visualize standard fetal echocardiographic planes. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 423-431.	0.9	35
119	Simple targeted arterial rendering (STAR) technique: a novel and simple method to visualize the fetal cardiac outflow tracts. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 549-556.	0.9	25
120	OP03.07: Magnetic resonance diffusion weighted imaging (DWI): reproducibility of apparent diffusion coefficient measurements for the normal fetal brain. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 64-64.	0.9	0
121	OP20.04: The relationship of newborn adiposity to neonatal growth outcome based on birth weight or the neonatal growth assessment score. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 114-114.	0.9	0
122	OP20.07: Does fetal growth cessation affect the prediction of birth characteristics?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 115-115.	0.9	0
123	Placental lesions associated with maternal underperfusion are more frequent in early-onset than in late-onset preeclampsia. <i>Journal of Perinatal Medicine</i> , 2011, 39, 641-52.	0.6	228
124	Should Bilateral Uterine Artery Notching Be Used in the Risk Assessment for Preeclampsia, Small-for-Gestational-Age, and Gestational Hypertension?. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 1103-1115.	0.8	51
125	Collaborative Study on 4-Dimensional Echocardiography for the Diagnosis of Fetal Heart Defects. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 1573-1580.	0.8	50
126	The frequency and clinical significance of intra-amniotic infection and/or inflammation in women with placenta previa and vaginal bleeding: an unexpected observation. <i>Journal of Perinatal Medicine</i> , 2010, 38, 275-9.	0.6	57

#	ARTICLE	IF	CITATIONS
127	Amniotic fluid sTREM-1 in normal pregnancy, spontaneous parturition at term and preterm, and intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 34-47.	0.7	36
128	Discordant placental echogenicity: a novel sign of impaired placental perfusion in twin-twin transfusion syndrome?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 103-106.	0.7	17
129	Maternal and neonatal circulating visfatin concentrations in patients with pre-eclampsia and a small-for-gestational age neonate. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1119-1128.	0.7	30
130	The clinical significance of eosinophils in the amniotic fluid in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 320-329.	0.7	23
131	Prenatal diagnosis of truncus arteriosus using multiplanar display in 4D ultrasonography. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 297-307.	0.7	20
132	Adiponectin in amniotic fluid in normal pregnancy, spontaneous labor at term, and preterm labor: A novel association with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 120-130.	0.7	35
133	Pentraxin 3 in maternal circulation: An association with preterm labor and preterm PROM, but not with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1097-1105.	0.7	23
134	Serum and plasma determination of angiogenic and anti-angiogenic factors yield different results: The need for standardization in clinical practice. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 820-827.	0.7	22
135	Allergy-induced preterm labor after the ingestion of shellfish. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 351-359.	0.7	24
136	An imbalance between angiogenic and anti-angiogenic factors precedes fetal death in a subset of patients: results of a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1384-1399.	0.7	57
137	Retinol binding protein 4: An adipokine associated with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 111-119.	0.7	33
138	Could alterations in maternal plasma visfatin concentration participate in the phenotype definition of preeclampsia and SGA?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 857-868.	0.7	35
139	Fragment Bb: evidence for activation of the alternative pathway of the complement system in pregnant women with acute pyelonephritis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1085-1090.	0.7	17
140	Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 167-178.	0.7	27
141	Fetal death: A condition with a dissociation in the concentrations of soluble vascular endothelial growth factor receptor-2 between the maternal and fetal compartments. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 960-972.	0.7	10
142	Isobaric labeling and tandem mass spectrometry: A novel approach for profiling and quantifying proteins differentially expressed in amniotic fluid in preterm labor with and without intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 261-280.	0.7	74
143	Evidence in support of a role for anti-angiogenic factors in preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 828-841.	0.7	27
144	Unexplained fetal death is associated with increased concentrations of anti-angiogenic factors in amniotic fluid. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 794-805.	0.7	22

#	ARTICLE	IF	CITATIONS
145	Preeclampsia and pregnancies with small-for-gestational age neonates have different profiles of complement split products. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 646-657.	0.7	48
146	Repeatability and Reproducibility of Fetal Cardiac Ventricular Volume Calculations Using Spatiotemporal Image Correlation and Virtual Organ Computer-Aided Analysis. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 1301-1311.	0.8	27
147	Maternal visfatin concentration in normal pregnancy. <i>Journal of Perinatal Medicine</i> , 2009, 37, 206-217.	0.6	57
148	Visfatin in human pregnancy: maternal gestational diabetes <i>vis-À-vis</i> neonatal birthweight. <i>Journal of Perinatal Medicine</i> , 2009, 37, 218-231.	0.6	46
149	805: Serum and plasma determination of angiogenic and anti-angiogenic factors yield different results: the need for standardization in clinical practice. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, S288-S289.	0.7	0
150	OC14.04: Noninvasive fetal lung assessment using diffusion weighted imaging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 26-27.	0.9	0
151	OC28.05: Sonographic "œsludge" and "œpseudo-sludge" microbiologic, molecular, immunologic and histologic features. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 55-55.	0.9	2
152	OP01.01: A longitudinal study of sonographic cervical length in nulliparous and multiparous women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 62-62.	0.9	0
153	OP04.01: The fetal cardiovascular response to an increased placental vascular resistance (PVR) measured with STIC and VOCAL. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 72-72.	0.9	0
154	OP14.05: A link between an anti-angiogenic state in the first trimester and abnormal uterine artery Doppler in the midtrimester. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 104-105.	0.9	0
155	OP14.06: Late-onset preeclampsia cannot be identified with either an anti-angiogenic profile in maternal plasma or uterine artery Doppler velocimetry. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 105-105.	0.9	0
156	OP25.04: An asymptomatic "œcomplete funnel" of the cervix in the second trimester of pregnancy: how bad is it?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 143-143.	0.9	0
157	P09.02: Sonographic chorioamniotic membrane thickness throughout gestation in three different sites: chorionic plate, uterine free wall, and cervix. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 210-210.	0.9	0
158	P10.11: A systematic comparison of the volume of fluid-filled fetal structures using 3D US: a comparison of SonoAVC, VOCAL, and inversion mode techniques. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 217-217.	0.9	0
159	P19.08: Prospective validation of fetal weight estimation models using fractional limb volume. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 255-256.	0.9	0
160	Noninvasive fetal lung assessment using diffusion-weighted imaging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 673-677.	0.9	13
161	Fragment Bb in amniotic fluid: evidence for complement activation by the alternative pathway in women with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 905-916.	0.7	33
162	Evidence of maternal platelet activation, excessive thrombin generation, and high amniotic fluid tissue factor immunoreactivity and functional activity in patients with fetal death. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 672-687.	0.7	51

#	ARTICLE	IF	CITATIONS
163	Dysregulation of maternal serum adiponectin in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 887-904.	0.7	32
164	A subset of patients destined to develop spontaneous preterm labor has an abnormal angiogenic/anti-angiogenic profile in maternal plasma: Evidence in support of pathophysiologic heterogeneity of preterm labor derived from a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1122-1139.	0.7	71
165	The transcriptome of cervical ripening in human pregnancy before the onset of labor at term: Identification of novel molecular functions involved in this process. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1183-1193.	0.7	84
166	Changes in amniotic fluid concentration of thrombin-antithrombin III complexes in patients with preterm labor: Evidence of an increased thrombin generation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 971-982.	0.7	31
167	A prospective cohort study of the value of maternal plasma concentrations of angiogenic and anti-angiogenic factors in early pregnancy and midtrimester in the identification of patients destined to develop preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1021-1038.	0.7	254
168	Maternal anti-protein Z antibodies in pregnancies complicated by pre-eclampsia, SGA and fetal death. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 662-671.	0.7	18
169	Three-Dimensional Sonography of Placental Mesenchymal Dysplasia and Its Differential Diagnosis. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 359-368.	0.8	41
170	The role of ultrasound in prenatal detection of chromosomal abnormalities. <i>Expert Review of Obstetrics and Gynecology</i> , 2008, 3, 103-117.	0.4	0
171	Fetal transcerebellar diameter measurement for prediction of gestational age in twins. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 1596-1600.	0.7	21
172	Placental abruption in the United States, 1979 through 2001: Temporal trends and potential determinants. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 191-198.	0.7	318
173	Three-dimensional sonography in the evaluation and management of fetal goiter. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 25, 312-314.	0.9	23
174	Fetal transcerebellar diameter measurement with particular emphasis in the third trimester: A reliable predictor of gestational age. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, 979-984.	0.7	69
175	Persistent funic presentation resulting from marginal cord insertion into a low-lying placenta. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004, 24, 692-693.	0.9	5
176	Three-dimensional sonographic diagnosis of vasa previa. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004, 24, 211-215.	0.9	35
177	The use of genetic sonography to reduce the need for amniocentesis in women at high-risk for Down syndrome. <i>Seminars in Perinatology</i> , 2003, 27, 152-159.	1.1	29
178	Absent Nasal Bone in the Prenatal Detection of Fetuses With Trisomy 21 in a High-Risk Population. <i>Obstetrics and Gynecology</i> , 2003, 101, 905-908.	1.2	31
179	Prenatal Detection of Fetal Trisomy 18 Through Abnormal Sonographic Features. <i>Journal of Ultrasound in Medicine</i> , 2003, 22, 581-590.	0.8	64
180	Prenatal Detection of Fetal Aneuploidy by Sonographic Ear Length. <i>Journal of Ultrasound in Medicine</i> , 2003, 22, 565-576.	0.8	14

#	ARTICLE	IF	CITATIONS
181	Prenatal Sonographic Findings Associated With Nonmosaic Trisomy 9 and Literature Review. Journal of Ultrasound in Medicine, 2003, 22, 425-430.	0.8	16
182	Second-trimester genetic sonography in patients with advanced maternal age and normal triple screen. Obstetrics and Gynecology, 2002, 99, 993-995.	1.2	17
183	Value of a Complete Sonographic Survey in Detecting Fetal Abnormalities. Journal of Ultrasound in Medicine, 2002, 21, 501-510.	0.8	34
184	Down syndrome risk estimation after normal genetic sonography. American Journal of Obstetrics and Gynecology, 2002, 187, 1226-1229.	0.7	34