

Lorenzo Lorenzo-Luaces

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6645649/publications.pdf>

Version: 2024-02-01

49
papers

1,438
citations

471061

17
h-index

360668

35
g-index

71
all docs

71
docs citations

71
times ranked

1663
citing authors

#	ARTICLE	IF	CITATIONS
1	Identifying peaks in attrition after clients initiate mental health treatment in a university training clinic.. Psychological Services, 2022, 19, 519-526.	0.9	5
2	Is There an App for That? A Review of Popular Apps for Depression, Anxiety, and Well-Being. Cognitive and Behavioral Practice, 2022, 29, 883-901.	0.9	15
3	The Road to Cognitive Skill Acquisition: Psychometric Evaluation of the Competencies of Cognitive Therapy Scale. American Journal of Psychotherapy, 2022, 75, 75-81.	0.4	2
4	Outcomes of Student Trainee-Delivered Cognitive Behavioral Therapy (CBT) on Internalizing Symptoms, CBT Skills, and Life Satisfaction. International Journal of Cognitive Therapy, 2022, 15, 94-113.	1.3	3
5	A placebo prognostic index (PI) as a moderator of outcomes in the treatment of adolescent depression: Could it inform risk-stratification in treatment with cognitive-behavioral therapy, fluoxetine, or their combination?. Psychotherapy Research, 2021, 31, 5-18.	1.1	10
6	Cross-trial prediction in psychotherapy: External validation of the Personalized Advantage Index using machine learning in two Dutch randomized trials comparing CBT versus IPT for depression. Psychotherapy Research, 2021, 31, 78-91.	1.1	24
7	Personalized Medicine and Cognitive Behavioral Therapies for Depression: Small Effects, Big Problems, and Bigger Data. International Journal of Cognitive Therapy, 2021, 14, 59-85.	1.3	25
8	Estimating the real-world usage of mobile apps for mental health: development and application of two novel metrics. World Psychiatry, 2021, 20, 137-138.	4.8	26
9	The significance of anxiety symptoms in predicting psychosocial functioning across borderline personality traits. PLoS ONE, 2021, 16, e0245099.	1.1	4
10	Individuals with depression express more distorted thinking on social media. Nature Human Behaviour, 2021, 5, 458-466.	6.2	59
11	Historical language records reveal a surge of cognitive distortions in recent decades. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	19
12	Social Media Use, Physical Activity, and Internalizing Symptoms in Adolescence: Cross-sectional Analysis. JMIR Mental Health, 2021, 8, e26134.	1.7	17
13	Heterogeneity in major depression and its melancholic and atypical specifiers: a secondary analysis of STAR*D. BMC Psychiatry, 2021, 21, 454.	1.1	8
14	Editorial: Contemporary Issues in Defining the Mechanisms of Cognitive Behavior Therapy. Frontiers in Psychiatry, 2021, 12, 755136.	1.3	6
15	Reply to Schmidt etÂal.: A robust surge of cognitive distortions in historical language. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	2
16	Carving depression at its joints? Psychometric properties of the Sydney Melancholia Prototype Index. Psychiatry Research, 2020, 293, 113410.	1.7	1
17	Depression alters the circadian pattern of online activity. Scientific Reports, 2020, 10, 17272.	1.6	24
18	Operationalism and its discontents â€“ Authors' reply. Lancet Psychiatry,the, 2020, 7, 666-667.	3.7	0

#	ARTICLE	IF	CITATIONS
19	The 341â€™737 ways of qualifying for the melancholic specifier. <i>Lancet Psychiatry</i> , 2020, 7, 479-480.	3.7	32
20	Double trouble: Do symptom severity and duration interact to predicting treatment outcomes in adolescent depression?. <i>Behaviour Research and Therapy</i> , 2020, 131, 103637.	1.6	20
21	On the Road to Personalized Psychotherapy: A Research Agenda Based on Cognitive Behavior Therapy for Depression. <i>Frontiers in Psychiatry</i> , 2020, 11, 607508.	1.3	50
22	Predicting optimal interventions for clinical depression: Moderators of outcomes in a positive psychological intervention vs. cognitive-behavioral therapy. <i>General Hospital Psychiatry</i> , 2019, 61, 104-110.	1.2	13
23	Management Commentary. , 2019, , 213-217.		1
24	Is Behavioral Activation (BA) More Effective than Cognitive Therapy (CT) in Severe Depression? A Reanalysis of a Landmark Trial. <i>International Journal of Cognitive Therapy</i> , 2019, 12, 73-82.	1.3	14
25	The Evidence for Cognitive Behavioral Therapy. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 831.	3.8	10
26	Are studies of psychotherapies for depression more or less generalizable than studies of antidepressants?. <i>Journal of Affective Disorders</i> , 2018, 234, 8-13.	2.0	29
27	Miles to Go Before We Sleep: Advancing the Understanding of Psychotherapy by Modeling Complex Processes. <i>Cognitive Therapy and Research</i> , 2018, 42, 212-217.	1.2	45
28	Residual anxiety may be associated with depressive relapse during continuation therapy of bipolar II depression. <i>Journal of Affective Disorders</i> , 2018, 227, 379-383.	2.0	6
29	Effects of venlafaxine versus lithium monotherapy on quality of life in bipolar II major depressive disorder: Findings from a double-blind randomized controlled trial. <i>Psychiatry Research</i> , 2018, 259, 455-459.	1.7	5
30	Representing the heterogeneity of depression in treatment research. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 360-361.	2.2	6
31	Increase in pharmacodynamic tolerance after repeated antidepressant trials in treatment-responsive bipolar I depressed subjects: An exploratory study. <i>Psychiatria Polska</i> , 2018, 52, 957-969.	0.2	3
32	The Generalizability of Randomized Controlled Trials of Self-Guided Internet-Based Cognitive Behavioral Therapy for Depressive Symptoms: Systematic Review and Meta-Regression Analysis. <i>Journal of Medical Internet Research</i> , 2018, 20, e10113.	2.1	29
33	A prognostic index (PI) as a moderator of outcomes in the treatment of depression: A proof of concept combining multiple variables to inform risk-stratified stepped care models. <i>Journal of Affective Disorders</i> , 2017, 213, 78-85.	2.0	58
34	Comparison of treatment outcome using two definitions of rapid cycling in subjects with bipolar disorder. <i>Bipolar Disorders</i> , 2017, 19, 6-12.	1.1	3
35	Recognizing that truth is unattainable and attending to the most informative research evidence. <i>Psychotherapy Research</i> , 2017, 27, 33-35.	1.1	12
36	Moderation of the Alliance-Outcome Association by Prior Depressive Episodes: Differential Effects in Cognitive-Behavioral Therapy and Short-Term Psychodynamic Supportive Psychotherapy. <i>Behavior Therapy</i> , 2017, 48, 581-595.	1.3	24

#	ARTICLE	IF	CITATIONS
37	Taking People as They Are: Evolutionary Psychopathology, Uncomplicated Depression, and Distinction between Normal and Disordered Sadness. <i>Evolutionary Psychology</i> , 2017, , 37-72.	1.8	3
38	Rapid versus non-rapid cycling bipolar depression: response to venlafaxine and lithium and hypomanic risk. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 459-469.	2.2	16
39	Short-term venlafaxine vs. lithium monotherapy for bipolar type II major depressive episodes: Effectiveness and mood conversion rate. <i>British Journal of Psychiatry</i> , 2016, 208, 359-365.	1.7	42
40	Stepwise loss of antidepressant effectiveness with repeated antidepressant trials in bipolar II depression. <i>Bipolar Disorders</i> , 2016, 18, 563-570.	1.1	15
41	Cognitive-Behavioral Therapy: Nature and Relation to Non-Cognitive Behavioral Therapy. <i>Behavior Therapy</i> , 2016, 47, 785-803.	1.3	42
42	Heterogeneity in the prognosis of major depression: from the common cold to a highly debilitating and recurrent illness. <i>Epidemiology and Psychiatric Sciences</i> , 2015, 24, 466-472.	1.8	46
43	It's complicated: The relation between cognitive change procedures, cognitive change, and symptom change in cognitive therapy for depression. <i>Clinical Psychology Review</i> , 2015, 41, 3-15.	6.0	133
44	Safety and effectiveness of continuation antidepressant versus mood stabilizer monotherapy for relapse-prevention of bipolar II depression: A randomized, double-blind, parallel-group, prospective study. <i>Journal of Affective Disorders</i> , 2015, 185, 31-37.	2.0	48
45	Primary Care Physicians' Selection of Low-Intensity Treatments for Patients With Depression. <i>Family Medicine</i> , 2015, 47, 511-6.	0.3	6
46	Racial and ethnic differences in risk factors associated with suicidal behavior among young adults in the USA. <i>Ethnicity and Health</i> , 2014, 19, 458-477.	1.5	26
47	Client characteristics as moderators of the relation between the therapeutic alliance and outcome in cognitive therapy for depression. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 368-373.	1.6	70
48	Patient's Attributions about Symptom Improvement in CBT for Depression: Development of a Rating System and an Initial Test of Validity. <i>International Journal of Cognitive Therapy</i> , 2014, 7, 272-286.	1.3	3
49	The Personalized Advantage Index: Translating Research on Prediction into Individualized Treatment Recommendations. A Demonstration. <i>PLoS ONE</i> , 2014, 9, e83875.	1.1	358