Angelo Poletti

List of Publications by Citations

Source: https://exaly.com/author-pdf/6646128/angelo-poletti-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109 130 12,141 47 h-index g-index citations papers 143 13,731 5.42 5.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
130	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
129	Guidelines for the use and interpretation of assays for monitoring autophagy. Autophagy, 2012, 8, 445-	5 46 .2	2783
128	The small heat shock protein B8 (HspB8) promotes autophagic removal of misfolded proteins involved in amyotrophic lateral sclerosis (ALS). <i>Human Molecular Genetics</i> , 2010 , 19, 3440-56	5.6	261
127	A Surveillance Function of the HSPB8-BAG3-HSP70 Chaperone Complex Ensures Stress Granule Integrity and Dynamism. <i>Molecular Cell</i> , 2016 , 63, 796-810	17.6	174
126	Estrogens, Neuroinflammation, and Neurodegeneration. <i>Endocrine Reviews</i> , 2016 , 37, 372-402	27.2	173
125	Trehalose induces autophagy via lysosomal-mediated TFEB activation in models of motoneuron degeneration. <i>Autophagy</i> , 2019 , 15, 631-651	10.2	143
124	Mutation of SOD1 in ALS: a gain of a loss of function. <i>Human Molecular Genetics</i> , 2007 , 16, 1604-18	5.6	130
123	Dihydrotestosterone decreases tumor necrosis factor-alpha and lipopolysaccharide-induced inflammatory response in human endothelial cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 546-54	5.6	122
122	The androgen derivative 5alpha-androstane-3beta,17beta-diol inhibits prostate cancer cell migration through activation of the estrogen receptor beta subtype. <i>Cancer Research</i> , 2005 , 65, 5445-5	3 ^{10.1}	112
121	The 5alpha-reductase in the central nervous system: expression and modes of control. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1998 , 65, 295-9	5.1	111
120	Dysfunction of constitutive and inducible ubiquitin-proteasome system in amyotrophic lateral sclerosis: implication for protein aggregation and immune response. <i>Progress in Neurobiology</i> , 2012 , 97, 101-26	10.9	108
119	Androgen receptor with elongated polyglutamine tract forms aggregates that alter axonal trafficking and mitochondrial distribution in motor neuronal processes. <i>FASEB Journal</i> , 2002 , 16, 1418-2	2 6 ⁹	103
118	The growing world of small heat shock proteins: from structure to functions. <i>Cell Stress and Chaperones</i> , 2017 , 22, 601-611	4	101
117	BAG3 induces the sequestration of proteasomal clients into cytoplasmic puncta: implications for a proteasome-to-autophagy switch. <i>Autophagy</i> , 2014 , 10, 1603-21	10.2	100
116	Steroid metabolism in the mammalian brain: 5alpha-reduction and aromatization. <i>Brain Research Bulletin</i> , 1997 , 44, 365-75	3.9	100
115	Transient expression of the 5alpha-reductase type 2 isozyme in the rat brain in late fetal and early postnatal life. <i>Endocrinology</i> , 1998 , 139, 2171-8	4.8	96
114	The role of the polyglutamine tract in androgen receptor. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2008 , 108, 245-53	5.1	95

11	Inhibition of autophagy, lysosome and VCP function impairs stress granule assembly. <i>Cell Death and Differentiation</i> , 2014 , 21, 1838-51	12.7	91	
112	Androgen-induced neurite outgrowth is mediated by neuritin in motor neurones. <i>Journal of Neurochemistry</i> , 2005 , 92, 10-20	6	91	
11:	The polyglutamine tract of androgen receptor: from functions to dysfunctions in motor neurons. Frontiers in Neuroendocrinology, 2004 , 25, 1-26	8.9	86	
110	A role of small heat shock protein B8 (HspB8) in the autophagic removal of misfolded proteins responsible for neurodegenerative diseases. <i>Autophagy</i> , 2010 , 6, 958-60	10.2	83	
10	5 alpha-reductase isozymes in the central nervous system. <i>Steroids</i> , 1998 , 63, 246-51	2.8	82	
10	Alteration of the protein quality control system in motor neuron and muscle expressing mutant proteins causing ALS and SBMA. <i>SpringerPlus</i> , 2015 , 4,		78	
10	Phosphorylation of human progesterone receptor by cyclin-dependent kinase 2 on three sites that are authentic basal phosphorylation sites in vivo. <i>Molecular Endocrinology</i> , 1997 , 11, 823-32		77	
10	5 alpha-reductase activity in isolated and cultured neuronal and glial cells of the rat. <i>Brain Research</i> , 1990 , 516, 229-36	3.7	70	
10	Loss-of-function mutations in the SIGMAR1 gene cause distal hereditary motor neuropathy by impairing ER-mitochondria tethering and Ca2+ signalling. <i>Human Molecular Genetics</i> , 2016 , 25, 3741-37	75 5 .6	69	
10.	Isogenic FUS-eGFP iPSC Reporter Lines Enable Quantification of FUS Stress Granule Pathology that Is Rescued by Drugs Inducing Autophagy. <i>Stem Cell Reports</i> , 2018 , 10, 375-389	8	64	
10	Testosterone 5 alpha-reductase activity in the rat brain is highly concentrated in white matter structures and in purified myelin sheaths of axons. <i>The Journal of Steroid Biochemistry</i> , 1988 , 31, 173-9		63	
10.	FUS pathology in ALS is linked to alterations in multiple ALS-associated proteins and rescued by drugs stimulating autophagy. <i>Acta Neuropathologica</i> , 2019 , 138, 67-84	14.3	61	
10	Different anti-aggregation and pro-degradative functions of the members of the mammalian sHSP family in neurological disorders. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013 , 368, 20110409	5.8	61	
10	Transcriptional induction of the heat shock protein B8 mediates the clearance of misfolded proteins responsible for motor neuron diseases. <i>Scientific Reports</i> , 2016 , 6, 22827	4.9	61	
99	Pathological Proteins Are Transported by Extracellular Vesicles of Sporadic Amyotrophic Lateral Sclerosis Patients. <i>Frontiers in Neuroscience</i> , 2018 , 12, 487	5.1	60	
98	Post-translational modifications of expanded polyglutamine proteins: impact on neurotoxicity. <i>Human Molecular Genetics</i> , 2009 , 18, R40-7	5.6	60	
97	Alteration of protein folding and degradation in motor neuron diseases: Implications and protective functions of small heat shock proteins. <i>Progress in Neurobiology</i> , 2012 , 97, 83-100	10.9	59	
96	The chaperone HSPB8 reduces the accumulation of truncated TDP-43 species in cells and protects against TDP-43-mediated toxicity. <i>Human Molecular Genetics</i> , 2016 , 25, 3908-3924	5.6	59	

95	Aggregation and proteasome: the case of elongated polyglutamine aggregation in spinal and bulbar muscular atrophy. <i>Neurobiology of Aging</i> , 2007 , 28, 1099-111	5.6	55
94	17-AAG increases autophagic removal of mutant androgen receptor in spinal and bulbar muscular atrophy. <i>Neurobiology of Disease</i> , 2011 , 41, 83-95	7.5	54
93	Identification of type 1 5alpha-reductase in myelin membranes of male and female rat brain. <i>Molecular and Cellular Endocrinology</i> , 1997 , 129, 181-90	4.4	54
92	Presence of 5alpha-reductase isozymes and aromatase in human prostate cancer cells and in benign prostate hyperplastic tissue. <i>Prostate</i> , 1998 , 34, 283-91	4.2	54
91	The small heat shock protein B8 (HSPB8) efficiently removes aggregating species of dipeptides produced in C9ORF72-related neurodegenerative diseases. <i>Cell Stress and Chaperones</i> , 2018 , 23, 1-12	4	53
90	Androgen 5-alpha-reductase type 2 is highly expressed and active in rat spinal cord motor neurones. <i>Journal of Neuroendocrinology</i> , 2003 , 15, 882-7	3.8	53
89	Androgen-activating enzymes in the central nervous system. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1999 , 69, 117-22	5.1	53
88	Dual role of autophagy on docetaxel-sensitivity in prostate cancer cells. <i>Cell Death and Disease</i> , 2018 , 9, 889	9.8	52
87	Inhibition of retrograde transport modulates misfolded protein accumulation and clearance in motoneuron diseases. <i>Autophagy</i> , 2017 , 13, 1280-1303	10.2	50
86	Luteinizing hormone-releasing hormone agonists interfere with the stimulatory actions of epidermal growth factor in human prostatic cancer cell lines, LNCaP and DU 145. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 3930-3937	5.6	49
85	Clearance of the mutant androgen receptor in motoneuronal models of spinal and bulbar muscular atrophy. <i>Neurobiology of Aging</i> , 2013 , 34, 2585-603	5.6	48
84	Testosterone metabolism in brain cells and membranes. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1991 , 40, 673-8	5.1	47
83	Muscle cells and motoneurons differentially remove mutant SOD1 causing familial amyotrophic lateral sclerosis. <i>Journal of Neurochemistry</i> , 2011 , 118, 266-80	6	46
82	Estrogen receptor beta and the progression of prostate cancer: role of Salpha-androstane-3beta,17beta-diol. <i>Endocrine-Related Cancer</i> , 2010 , 17, 731-42	5.7	46
81	Androgen receptor activation by polychlorinated biphenyls: epigenetic effects mediated by the histone demethylase Jarid1b. <i>Epigenetics</i> , 2013 , 8, 1061-8	5.7	44
80	Androgen regulation of axon growth and neurite extension in motoneurons. <i>Hormones and Behavior</i> , 2008 , 53, 716-28	3.7	44
79	Differences in protein quality control correlate with phenotype variability in 2 mouse models of familial amyotrophic lateral sclerosis. <i>Neurobiology of Aging</i> , 2015 , 36, 492-504	5.6	43
78	The Role of the Heat Shock Protein B8 (HSPB8) in Motoneuron Diseases. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 176	6.1	43

(2001-2008)

77	Androgen regulates neuritin mRNA levels in an in vivo model of steroid-enhanced peripheral nerve regeneration. <i>Journal of Neurotrauma</i> , 2008 , 25, 561-6	5.4	43
76	Differential autophagy power in the spinal cord and muscle of transgenic ALS mice. <i>Frontiers in Cellular Neuroscience</i> , 2013 , 7, 234	6.1	42
75	Phosphorylation and progesterone receptor function. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1995 , 53, 509-14	5.1	42
74	The Role of Sex and Sex Hormones in Neurodegenerative Diseases. <i>Endocrine Reviews</i> , 2020 , 41,	27.2	41
73	Autophagy in neurodegeneration: New insights underpinning therapy for neurological diseases. <i>Journal of Neurochemistry</i> , 2020 , 154, 354-371	6	40
7²	Aberrant Autophagic Response in The Muscle of A Knock-in Mouse Model of Spinal and Bulbar Muscular Atrophy. <i>Scientific Reports</i> , 2015 , 5, 15174	4.9	40
71	Proteasomal and autophagic degradative activities in spinal and bulbar muscular atrophy. <i>Neurobiology of Disease</i> , 2010 , 40, 361-9	7.5	39
70	Testosterone metabolism in peripheral nerves: presence of the 5 alpha-reductase-3 alpha-hydroxysteroid-dehydrogenase enzymatic system in the sciatic nerve of adult and aged rats. <i>The Journal of Steroid Biochemistry</i> , 1990 , 35, 145-8		39
69	Expression of androgen-activating enzymes in cultured cells of developing rat brain. <i>Journal of Neurochemistry</i> , 1997 , 68, 1298-303	6	37
68	5alpha-reductase isozymes and aromatase are differentially expressed and active in the androgen-independent human prostate cancer cell lines DU145 and PC3. <i>Prostate</i> , 1999 , 41, 224-32	4.2	35
67	Modulators of estrogen receptor inhibit proliferation and migration of prostate cancer cells. <i>Pharmacological Research</i> , 2014 , 79, 13-20	10.2	34
66	A presynaptically toxic secreted phospholipase A2 is internalized into motoneuron-like cells where it is rapidly translocated into the cytosol. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008 , 1783, 1129-39	4.9	34
65	Lepidium meyenii (Maca) does not exert direct androgenic activities. <i>Journal of Ethnopharmacology</i> , 2006 , 104, 415-7	5	34
64	Synergic prodegradative activity of Bicalutamide and trehalose on the mutant androgen receptor responsible for spinal and bulbar muscular atrophy. <i>Human Molecular Genetics</i> , 2015 , 24, 64-75	5.6	33
63	The small heat shock protein B8 (HSPB8) modulates proliferation and migration of breast cancer cells. <i>Oncotarget</i> , 2017 , 8, 10400-10415	3.3	33
62	The androgen derivative 5alpha-androstane-3beta,17beta-diol inhibits tumor necrosis factor alpha and lipopolysaccharide induced inflammatory response in human endothelial cells and in mice aorta. <i>Atherosclerosis</i> , 2010 , 212, 100-6	3.1	33
61	5Alpha-reductase type 2 and androgen receptor expression in gonadotropin releasing hormone GT1-1 cells. <i>Journal of Neuroendocrinology</i> , 2001 , 13, 353-7	3.8	32
60	Polyglutamine tract expansion of the androgen receptor in a motoneuronal model of spinal and bulbar muscular atrophy. <i>Brain Research Bulletin</i> , 2001 , 56, 215-20	3.9	31

59	Tdp-25 Routing to Autophagy and Proteasome Ameliorates its Aggregation in Amyotrophic Lateral Sclerosis Target Cells. <i>Scientific Reports</i> , 2018 , 8, 12390	4.9	29
58	Neuritin (cpg15) enhances the differentiating effect of NGF on neuronal PC12 cells. <i>Journal of Neuroscience Research</i> , 2007 , 85, 2702-13	4.4	29
57	Motoneuronal and muscle-selective removal of ALS-related misfolded proteins. <i>Biochemical Society Transactions</i> , 2013 , 41, 1598-604	5.1	27
56	Proteostasis and ALS: protocol for a phase II, randomised, double-blind, placebo-controlled, multicentre clinical trial for colchicine in ALS (Co-ALS). <i>BMJ Open</i> , 2019 , 9, e028486	3	26
55	Dysregulation of axonal transport and motorneuron diseases. <i>Biology of the Cell</i> , 2011 , 103, 87-107	3.5	26
54	The Role of the Protein Quality Control System in SBMA. <i>Journal of Molecular Neuroscience</i> , 2016 , 58, 348-64	3.3	25
53	The anabolic/androgenic steroid nandrolone exacerbates gene expression modifications induced by mutant SOD1 in muscles of mice models of amyotrophic lateral sclerosis. <i>Pharmacological Research</i> , 2012 , 65, 221-30	10.2	25
52	ALS-related misfolded protein management in motor neurons and muscle cells. <i>Neurochemistry International</i> , 2014 , 79, 70-8	4.4	23
51	Androgens affect muscle, motor neuron, and survival in a mouse model of SOD1-related amyotrophic lateral sclerosis. <i>Neurobiology of Aging</i> , 2014 , 35, 1929-38	5.6	22
50	Quantitative assessment of the degradation of aggregated TDP-43 mediated by the ubiquitin proteasome system and macroautophagy. <i>FASEB Journal</i> , 2017 , 31, 5609-5624	0.9	22
49	Characterization of rat 5alpha-reductases type 1 and type 2 expressed in Saccharomyces cerevisiae. <i>Biochemical Journal</i> , 1996 , 314 (Pt 3), 1047-52	3.8	22
48	Chicken progesterone receptor expressed in Saccharomyces cerevisiae is correctly phosphorylated at all four Ser-Pro phosphorylation sites. <i>Biochemistry</i> , 1993 , 32, 9563-9	3.2	22
47	Expression and role of functional glucocorticoid receptors in the human androgen-independent prostate cancer cell line, DU145. <i>Journal of Molecular Endocrinology</i> , 2001 , 26, 185-91	4.5	21
46	Neuritin 1 promotes neuronal migration. <i>Brain Structure and Function</i> , 2014 , 219, 105-18	4	20
45	Androgens inhibit androgen receptor promoter activation in motor neurons. <i>Neurobiology of Disease</i> , 2009 , 33, 395-404	7.5	20
44	Concurrent AFG3L2 and SPG7 mutations associated with syndromic parkinsonism and optic atrophy with aberrant OPA1 processing and mitochondrial network fragmentation. <i>Human Mutation</i> , 2018 , 39, 2060-2071	4.7	20
43	Characterization of prostate cancer DU145 cells expressing the recombinant androgen receptor. <i>Oncology Research</i> , 2003 , 14, 101-12	4.8	18
42	BAG3 Pro209 mutants associated with myopathy and neuropathy relocate chaperones of the CASA-complex to aggresomes. <i>Scientific Reports</i> , 2020 , 10, 8755	4.9	17

41	Reflections on the diseases linked to mutations of the androgen receptor. <i>Endocrine</i> , 2005 , 28, 243-62		17
40	A novel, highly regulated, rapidly inducible system for the expression of chicken progesterone receptor, cPRA, in Saccharomyces cerevisiae. <i>Gene</i> , 1992 , 114, 51-8	3.8	17
39	Kinetic properties of the 5 alpha-reductase of testosterone in the purified myelin, in the subcortical white matter and in the cerebral cortex of the male rat brain. <i>The Journal of Steroid Biochemistry</i> , 1990 , 35, 97-101		17
38	Exome sequencing identifies variants in two genes encoding the LIM-proteins NRAP and FHL1 in an Italian patient with BAG3 myofibrillar myopathy. <i>Journal of Muscle Research and Cell Motility</i> , 2016 , 37, 101-15	3.5	17
37	Functional interaction between FUS and SMN underlies SMA-like splicing changes in wild-type hFUS mice. <i>Scientific Reports</i> , 2017 , 7, 2033	4.9	16
36	The 5 alpha-reductase activity of the subcortical white matter, the cerebral cortex, and the hypothalamus of the rat and of the mouse: possible sex differences and effect of castration. <i>Steroids</i> , 1987 , 49, 259-70	2.8	16
35	HSC70 expression is reduced in lymphomonocytes of sporadic ALS patients and contributes to TDP-43 accumulation. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2020 , 21, 51-62	3.6	16
34	Autophagic and Proteasomal Mediated Removal of Mutant Androgen Receptor in Muscle Models of Spinal and Bulbar Muscular Atrophy. <i>Frontiers in Endocrinology</i> , 2019 , 10, 569	5.7	14
33	Basic and clinical research on amyotrophic lateral sclerosis and other motor neuron disorders in Italy: recent findings and achievements from a network of laboratories. <i>Neurological Sciences</i> , 2004 , 25 Suppl 2, S41-60	3.5	14
	11 /		
32	Nuclear Phospho-SOD1 Protects DNA from Oxidative Stress Damage in Amyotrophic Lateral Sclerosis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	13
32	Nuclear Phospho-SOD1 Protects DNA from Oxidative Stress Damage in Amyotrophic Lateral	5.1 3.7	13
	Nuclear Phospho-SOD1 Protects DNA from Oxidative Stress Damage in Amyotrophic Lateral Sclerosis. <i>Journal of Clinical Medicine</i> , 2019 , 8, Human adipose-derived mesenchymal stem cells as a new model of spinal and bulbar muscular		
31	Nuclear Phospho-SOD1 Protects DNA from Oxidative Stress Damage in Amyotrophic Lateral Sclerosis. <i>Journal of Clinical Medicine</i> , 2019 , 8, Human adipose-derived mesenchymal stem cells as a new model of spinal and bulbar muscular atrophy. <i>PLoS ONE</i> , 2014 , 9, e112746 The Role of HSPB8, a Component of the Chaperone-Assisted Selective Autophagy Machinery, in	3.7	13
31	Nuclear Phospho-SOD1 Protects DNA from Oxidative Stress Damage in Amyotrophic Lateral Sclerosis. <i>Journal of Clinical Medicine</i> , 2019 , 8, Human adipose-derived mesenchymal stem cells as a new model of spinal and bulbar muscular atrophy. <i>PLoS ONE</i> , 2014 , 9, e112746 The Role of HSPB8, a Component of the Chaperone-Assisted Selective Autophagy Machinery, in Cancer. <i>Cells</i> , 2021 , 10, The Regulation of the Small Heat Shock Protein B8 in Misfolding Protein Diseases Causing	3.7 7.9	13
31 30 29	Nuclear Phospho-SOD1 Protects DNA from Oxidative Stress Damage in Amyotrophic Lateral Sclerosis. <i>Journal of Clinical Medicine</i> , 2019 , 8, Human adipose-derived mesenchymal stem cells as a new model of spinal and bulbar muscular atrophy. <i>PLoS ONE</i> , 2014 , 9, e112746 The Role of HSPB8, a Component of the Chaperone-Assisted Selective Autophagy Machinery, in Cancer. <i>Cells</i> , 2021 , 10, The Regulation of the Small Heat Shock Protein B8 in Misfolding Protein Diseases Causing Motoneuronal and Muscle Cell Death. <i>Frontiers in Neuroscience</i> , 2019 , 13, 796 210th ENMC International Workshop: Research and clinical management of patients with spinal and bulbar muscular atrophy, 27-29 March, 2015, Naarden, The Netherlands. <i>Neuromuscular Disorders</i> ,	3.7 7.9 5.1 2.9	13 13 12
31 30 29 28	Nuclear Phospho-SOD1 Protects DNA from Oxidative Stress Damage in Amyotrophic Lateral Sclerosis. <i>Journal of Clinical Medicine</i> , 2019 , 8, Human adipose-derived mesenchymal stem cells as a new model of spinal and bulbar muscular atrophy. <i>PLoS ONE</i> , 2014 , 9, e112746 The Role of HSPB8, a Component of the Chaperone-Assisted Selective Autophagy Machinery, in Cancer. <i>Cells</i> , 2021 , 10, The Regulation of the Small Heat Shock Protein B8 in Misfolding Protein Diseases Causing Motoneuronal and Muscle Cell Death. <i>Frontiers in Neuroscience</i> , 2019 , 13, 796 210th ENMC International Workshop: Research and clinical management of patients with spinal and bulbar muscular atrophy, 27-29 March, 2015, Naarden, The Netherlands. <i>Neuromuscular Disorders</i> , 2015 , 25, 802-12	3.7 7.9 5.1 2.9	13 13 12
31 30 29 28 27	Nuclear Phospho-SOD1 Protects DNA from Oxidative Stress Damage in Amyotrophic Lateral Sclerosis. <i>Journal of Clinical Medicine</i> , 2019 , 8, Human adipose-derived mesenchymal stem cells as a new model of spinal and bulbar muscular atrophy. <i>PLoS ONE</i> , 2014 , 9, e112746 The Role of HSPB8, a Component of the Chaperone-Assisted Selective Autophagy Machinery, in Cancer. <i>Cells</i> , 2021 , 10, The Regulation of the Small Heat Shock Protein B8 in Misfolding Protein Diseases Causing Motoneuronal and Muscle Cell Death. <i>Frontiers in Neuroscience</i> , 2019 , 13, 796 210th ENMC International Workshop: Research and clinical management of patients with spinal and bulbar muscular atrophy, 27-29 March, 2015, Naarden, The Netherlands. <i>Neuromuscular Disorders</i> , 2015 , 25, 802-12 Effects and metabolism of steroid hormones in human neuroblastoma cells. <i>Steroids</i> , 1998 , 63, 257-62 Tetracycline-regulated gene expression in the NSC-34-tTA cell line for investigation of motor	3.7 7.9 5.1 2.9	13 13 12 12

23	Transforming growth factor beta 1 signaling is altered in the spinal cord and muscle of amyotrophic lateral sclerosis mice and patients. <i>Neurobiology of Aging</i> , 2019 , 82, 48-59	5.6	7
22	CAG repeat length in androgen receptor gene is not associated with amyotrophic lateral sclerosis. <i>European Journal of Neurology</i> , 2012 , 19, 1373-5	6	7
21	Effect of suramin on the biological activity of the two isoforms of the rat 5 alpha-reductase. <i>Steroids</i> , 1996 , 61, 504-5	2.8	7
20	Combinatorial treatment for spinal muscular atrophy: An Editorial for Combined treatment with the histone deacetylase inhibitor LBH589 and a splice-switch antisense oligonucleotide enhances SMN2 splicing and SMN expression in Spinal Muscular Atrophy cellsSon page 264. <i>Journal of</i>	6	6
19	Effect of postnatal starvation on the 5 alpha-reductase activity of the brain and of the isolated myelin membranes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1989 , 94, 253-61	2.3	6
18	A Crucial Role for the Protein Quality Control System in Motor Neuron Diseases. <i>Frontiers in Aging Neuroscience</i> , 2020 , 12, 191	5.3	6
17	The neurotoxicity of mutant proteins 20 years after the discovery of the first mutant gene involved in neurodegeneration. Foreword. <i>Progress in Neurobiology</i> , 2012 , 97, 53	10.9	4
16	Aspects of Hormonal Steroid Metabolism in the Nervous System 1999 , 97-123		4
15	Dysregulation of Muscle-Specific MicroRNAs as Common Pathogenic Feature Associated with Muscle Atrophy in ALS, SMA and SBMA: Evidence from Animal Models and Human Patients. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
14	Enhanced Clearance of Neurotoxic Misfolded Proteins by the Natural Compound Berberine and Its Derivatives. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
13	Valosin Containing Protein (VCP): A Multistep Regulator of Autophagy <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	3
12	Multilayer and MATR3-dependent regulation of mRNAs maintains pluripotency in human induced pluripotent stem cells. <i>IScience</i> , 2021 , 24, 102197	6.1	3
11	Searching for the ideal SERM. <i>Pharmacological Research</i> , 1999 , 39, 333	10.2	2
10	Synthesis of a chemiluminescent probe useful for the purification of steroid 5F eductase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996 , 6, 1997-2002	2.9	2
9	5E reductase isozymes and aromatase are differentially expressed and active in the androgen-independent human prostate cancer cell lines DU145 and PC3 1999 , 41, 224		2
8	Long-term presence of androgens and anti-androgens modulate EGF-receptor expression and MAP-kinase phosphorylation in androgen receptor-prostate positive cancer cells 2004 , 25, 97		1
7	Phosphorylation and Progesterone Receptor Function 1994 , 309-332		1
6	Retinoic Acid Downregulates HSPB8 Gene Expression in Human Breast Cancer Cells MCF-7. <i>Frontiers in Oncology</i> , 2021 , 11, 652085	5.3	1

LIST OF PUBLICATIONS

5	C9orf72 ALS/FTD dipeptide repeat protein levels are reduced by small molecules that inhibit PKA or enhance protein degradation. <i>EMBO Journal</i> , 2021 , e105026	13	О
4	Pathogenic variants of Valosin Containing Protein induce lysosomal damage and transcriptional activation of autophagy regulators in neuronal cells <i>Neuropathology and Applied Neurobiology</i> , 2022 , e12818	5.2	O
3	Role of HSPB8 in the Proteostasis Network: From Protein Synthesis to Protein Degradation and Beyond. <i>Heat Shock Proteins</i> , 2015 , 487-510	0.2	
2	The role of dynein mediated transport in the clearance of misfolded proteins responsible for motoneuron diseases. <i>SpringerPlus</i> , 2015 , 4, L24		

The protein quality control system in motoneuron diseases. *SpringerPlus*, **2015**, 4, L55