## Naoki Kimura

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6646549/publications.pdf

Version: 2024-02-01

316 papers 14,862 citations

64 h-index 30922 102 g-index

340 all docs 340 docs citations

340 times ranked

8956 citing authors

#	Article	IF	CITATIONS
1	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
2	Muon reconstruction performance of the ATLAS detector in proton–proton collision data at \$\$\$qrt{s}\$\$ s =13ÂTeV. European Physical Journal C, 2016, 76, 292.	3.9	453
3	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
4	Performance of pile-up mitigation techniques for jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=8\$\$. European Physical Journal C, 2016, 76, 581.	3.9	298
5	Luminosity determination in pp collisions at $\$$ sqrt $\{s\}$ \$\$ s = 8 TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
6	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\frac{1}{s}=7$ s = 7 and 8ÂTeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
7	Jet energy measurement and its systematic uncertainty in proton–proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
8	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
9	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\frac{s}{s}=8-$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
10	Measurement of the W-boson mass in pp collisions at $\$$ sqrt $\{s\}$ =7, hbox $\{TeV\}$ \$\$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
11	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
12	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13−hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
13	Search for new high-mass phenomena in the dilepton final state using 36 fbâ^1 of proton-proton collision data at $s = 13 $ \$ sqrt{ $s$ }=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
14	Measurement of the transverse momentum and \$\$phi ^*_{eta}\$\$ $i \cdot i \cdot i$ aˆ— distributions of Drell–Yan lepton pairs in proton–proton collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
15	Measurement of the top quark-pair production cross section with $\hat{A}$ ATLAS in pp collisions at $sqrt\{s\}=7$ $\hat{A}$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	146
16	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
17	Precision measurement and interpretation of inclusive $\$W^+\$W^+$ , $\$W^-\$W^-$ . European Physical Journal C, 2017, 77, 367.	3.9	145
18	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136

#	Article	IF	Citations
19	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13,ext {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
20	Measurement of the $Z\hat{l}^3$ * boson transverse momentum distribution in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
21	ATLAS b-jet identification performance and efficiency measurement with $tar{t}}$ events in pp collisions at $s=13$	3.9	130
22	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\$$ qrt{s}=13hbox {TeV}\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
23	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $\$$ varvec{bar{b}}\$\$ b b Â̄ in $\$$ varvec{pp}\$\$ p p collisions at $\$$ sqrt{mathbf{s}}= varvec{8{{,mathrm TeV}}}\$\$ s = 8 T e V with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
24	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	116
25	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fba $^{1}$ of pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	116
26	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\frac{s}=0$ , where $0$ is $0$ in the lepton-jets channel in pp collisions at $0$ in the lepton-jets channe	3.9	115
27	Searches for scalar leptoquarks in pp collisions at $\$ varvec{sqrt{s}}\$\$ s = 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
28	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	108
29	Search for heavy ZZ resonances in the \$\$ell ^+ell ^-ell ^+ell ^-\$\$ â," + â," - â," + â," - and \$\$ell ^+ell ^-u ar{u }\$\$ â," + â," - Î $\frac{1}{2}$ Î $\frac{1}{2}$ Â $^{-}$ final states using protonâ $\in$ "proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 Â \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
30	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
31	Search for new phenomena in events with at least three photons collected in pp collisions at $$$ sqrt{s}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
32	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
33	Search for Higgs boson pair production in the $\$$ bar $\{b\}$ bar $\{b\}$ \$\$ b b $\hat{A}^-$ b b $\hat{A}^-$ final state from pp collisions at $\$$ sqrt $\{s\}$ = 8\$\$ s = 8 TeVwith the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
34	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton–proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
35	Measurement of multi-particle azimuthal correlations in pp, pÂ+ÂPb and low-multiplicity PbÂ+ÂPb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
36	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84

3

#	Article	IF	CITATIONS
37	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\frac{1}{2}$ at $\frac{1}{2}$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	82
38	Measurement of the prompt J/ $\$$ psi $\$$ $\ddot{\Gamma}$ pair production cross-section in pp collisions at $\$$ sqrt $\{s\}$ = 8 $\$$ s = 8 $\dot{\Lambda}$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
39	Search for dark matter at $\frac{s}{12}$ mathrm{TeV}\$\$ s = 13 TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
40	Search for production of $\$WW/WZ\$\$WW/WZ$ resonances decaying to a lepton, neutrino and jets in $\$pp\$\$ p$ p collisions at $\$sqrt\{s\}=8\$\$ s=8$ ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
41	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
42	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
43	Search for dark matter in events with heavy quarks and missing transverse momentum in \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
44	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton–proton collision data at \$\$sqrt{s} = 13\$\$Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, 1.	3.9	77
45	Angular analysis of B0 d → Kâ^—μ+μâ^' decays in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS Journal of High Energy Physics, 2018, 2018, 1.	detector.	76
46	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
47	Measurement of quarkonium production in proton–lead and proton–proton collisions at \$\\$5.02~mathrm {TeV}\$\$ 5.02 TeV with the ATLAS detector, Furongan Physical Journal C, 2018, 78, 171. \$\\$easurement of {TeM}:math xmins:mml="http://www.w3.org/1998@Math/MathML" attimg="si1:gfl".	3.9	75
48	overflow="scroll"> <mml:mi>d</mml:mi> <mml:mi>if</mml:mi> <mml:mo stretchy="false">/</mml:mo> <mml:mi>d</mml:mi> <mml:mi>y</mml:mi> of Drellâ€"Yan <mml:math altimg="si2.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msup><mml:mi>e</mml:mi><mml:mo>+</mml:mo></mml:msup><mml:mi>overflow="scroll"&gt;<mml:msup><mml:mi>e</mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:mi>e</mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:msup><mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:msup><mml:mi>overflow="scroll"&gt;<mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup><mml:msup< td=""><td>4.1 e<td>73 ni&gt;<mml:mc< td=""></mml:mc<></td></td></mml:msup<></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:mi></mml:msup></mml:msup></mml:msup></mml:mi></mml:msup></mml:msup></mml:msup></mml:mi></mml:msup></mml:msup></mml:mi></mml:msup></mml:msup></mml:mi></mml:msup></mml:msup></mml:mi></mml:msup></mml:msup></mml:mi></mml:msup></mml:msup></mml:mi></mml:msup></mml:msup></mml:mi></mml:msup></mml:msup></mml:mi></mml:msup></mml:msup></mml:mi></mml:msup></mml:msup></mml:msup></mml:msup></mml:msup></mml:mi></mml:math>	4.1 e <td>73 ni&gt;<mml:mc< td=""></mml:mc<></td>	73 ni> <mml:mc< td=""></mml:mc<>
49	pairs in the Z mass region from		

#	Article	lF	Citations
55	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
56	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\$$ qrt $\{s\}=8$ \$\$ s = 8 \$\$,hbox {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 303.	3.9	70
57	Search for resonances in diphoton events at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
58	Search for charged Higgs bosons decaying via H $\hat{A}\pm\hat{a}\uparrow'\hat{I}$ , $\hat{A}\pm\hat{l}'/2$ in fully hadronic final states using pp collision data at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
59	Search for new resonances in mass distributions of jet pairs using 139 fb $\hat{a}$ °1 of pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68
60	Measurement of charged-particle spectra in Pb+Pb collisions at s N N = $2.76 \$\$$ sqrt $\{s_{mathrm{NN}}\}=2.76 \$\$$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
61	Search for direct pair production of a chargino and a neutralino decaying to the 125ÂGeV Higgs boson in $$$ sqrt{varvec{s}} = 8\$\$ s = 8ÂTeV $$$ varvec{pp}\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
62	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\$\$$ sqrt $\$\}=13$ $\$\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
63	A search for t t $\hat{A}^-$ \$\$ toverline{t} \$\$ resonances using lepton-plus-jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
64	A search for pair-produced resonances in four-jet final states at $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
65	Observation and measurements of the production of prompt and non-prompt $\$ varvec{ext {J}uppsi }\$\$ J $\$ mesons in association with a $\$ varvec{Z}\$\$ Z boson in $\$ varvec{pp}\$\$ p p collisions at \$\$varvec{qrt{s}= 8,ext {TeV}}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
66	Evidence for the H $\hat{a}$ †' b b $\hat{A}^-$ \$\$ Ho boverline{b} \$\$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
67	Jet energy scale and resolution measured in proton–proton collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
68	Measurement of the differential cross-sections of prompt and non-prompt production of \$\$J/psi \$\$ J / $\ddot{\Gamma}$ and \$\$psi (2mathrm {S})\$\$ $\ddot{\Gamma}$ (2 S ) in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 and 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
69	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $$$ sqrt $s$ = 8\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 154.	3.9	62
70	Charged-particle distributions at low transverse momentum in $\$\$qrt\{s\} = 13\$\$ s = 13 \ \hat{A}TeV pp$ interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
71	Performance of algorithms that reconstruct missing transverse momentum in \$\$sqrt{s}\$\$ s = 8 TeV protonâ€"proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
72	Prompt and non-prompt $\$J/psi \$J/\ddot{\Gamma}$ and $\$\$psi (2mathrm {S})\$\ddot{\Gamma} (2S) suppression at high transverse momentum in \$\$5.02~mathrm {TeV}\$\$5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.$	3.9	61

#	Article	IF	CITATIONS
73	Summary of the searches for squarks and gluinos using $s=8$ \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
74	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the \$\$ell ell / ell u / u u + b ar{b}\$\$ â," â," $\hat{1}$ ," $\hat{1}$ /2 $\hat{1}$ /2 + b b $\hat{A}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
75	Search for dark matter produced in association with bottom or top quarks in \$\$sqrt{s}=13\$\$s=13ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
76	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\$$ sqrt{s_{ext {NN}}}=2.76\$\$ s NN = 2.76 and 5.0. European Physical Journal C, 2018, 78, 142.	3.9	59
77	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\frac{s}{r} = 8$ s = 8 ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
78	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8ÂTeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
79	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 — interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
80	Search for pair production of Higgs bosons in the $\$$ boverline{b}boverline{b} $\$$ final state using proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
81	Measurements of fiducial cross-sections for $\frac{t}{s}$ t t $\hat{A}$ production with one or two additional b-jets in pp collisions at $\frac{s}{s}$ s =8 TeVÂusing the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
82	Performance of jet substructure techniques for large-R jets in proton-proton collisions at \$ sqrt{s}=7 \$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
83	Search for lepton-flavour-violating H $\hat{a}^{\dagger}$ , $\hat{l}^{1}/4\ddot{l}$ , decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
84	Measurement of the top quark mass in the $\frac{t}{ightarrow}$ ext{ lepton+jets } \$\$ t t Â^ â†' lepton+jets and \$\$tar{t}ightarrow ext{ dilepton } \$\$ t t Â^ â†' dilepton channels using \$\$sqrt{s}=7\$\$ s = 7  \$\${mathrm { TeV}}\$\$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
85	Search for the direct production of charginos and neutralinos in final states with tau leptons in $$$ sqrt{s} = 13,mathrm{TeV}\$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
86	Search for minimal supersymmetric standard model Higgs Bosons $H\hat{A}/\hat{A}A$ and for a \$\$Z^{prime}}\$ Z $\hat{a} \in \mathbb{Z}$ boson in the \$\$au au \$\$ $\hat{a}$ , $\hat{a}$ , final state produced in pp collisions at \$\$sqrt{s}= 13\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
87	Measurement of the charged-particle multiplicity inside jets from $\$$ qrt $\{s\}=8$ \$ s = 8 $\$$ {mathrm{TeV}}\$\$ TeV Âpp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
88	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\frac{s_{NN}}{2.76}$ = 2.76\$\$ s NN = 2.76. European Physical Journal C, 2017, 77, 379.	3.9	51
89	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
90	Search for direct top squark pair production in final states with two leptons in $\$\$qrt\{s\} = 13\$\$ s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50

#	Article	IF	CITATIONS
91	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb \$\$^{-1}\$\$ - 1 of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
92	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s=8$ \$\$ sqrt $s=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
93	Constraints on mediator-based dark matter and scalar dark energy models using \$\$ sqrt{s} \$\$ = 13 TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
94	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
95	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fba $^{\circ}$ 1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
96	Measurements of the production cross section of a $25$ Z boson in association with jets in pp collisions at $15$ s. European Physical Journal C, 2017, 77, 361.	3.9	47
97	Study of the rare decays of \$\$B^O_s\$\$ B s O and \$\$B^O\$\$ B O into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
98	Measurement of the Higgs boson coupling properties in the H $\hat{a}$ †' $ZZ\hat{a} - \hat{a}$ †' $4\hat{a}$ ," decay channel at \$\$ sqrt{s}=13 TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	\$\$. <sub>7</sub>	46
99	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
100	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
101	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
102	Search for supersymmetry at $sqrt{s}$ = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
103	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
104	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
105	Search for charged Higgs bosons in the H $\hat{A}\pm\hat{a}\dagger$ tb decay channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
106	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\$$ sqrt $\{s\}$ = $8$ \$\$ s = $8$ ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
107	Search for single top-quark production via flavour-changing neutral currents at 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
108	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 $ \$\$ sqrt $s=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42

#	Article	IF	Citations
109	Two-particle Bose–Einstein correlations in pp collisions at \$\$mathbf {sqrt{s} =}\$\$ s = 0.9 and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
110	Performance of top-quark and $\$$ varvec $\{W\}$ \$\$ W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
111	Measurement of the $\$ {varvec{tar{t}Z}}\$\$ t t ¯Z and \$\${varvec{tar{t}W}}\$\$ t t ¯W production cross sections in multilepton final states using 3.2 fb \$\$^{-1}\$\$ - 1 of \$\$varvec{pp}\$\$ p p collisions at \$\$sqrt{s}\$\$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
112	Higgs boson production cross-section measurements and their EFT interpretation in the $\$\$4ell \$\$$ decay channel at $\$\$qrt\{s\}=\$\$13\ATeV$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
113	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s=7$ \$\$ $sqrt{s}=7$ \$\$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
114	Study of the $SB_c^+$ ightarrow J/psi D_s^+\$ B c + → J / Ï^ D s + and $SB_c^+$ ightarrow J/psi D_s^{*+}\$ B c + → J / Ï^ D s â^— + decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
115	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fbâr'1 of $$$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
116	Measurements of b-jet tagging efficiency with the ATLAS detector using $\$$ toverline{t} $\$$ events at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
117	Search for heavy resonances decaying into a pair of Z bosons in the \$\$ell ^+ell ^-ell '^+ell '^-\$\$ and \$\$ell ^+ell ^-u {{ar{u }}}\$\$ final states using 139 \$\$mathrm {fb}^{-1}\$\$ of proton–proton collisions at \$\$sqrt{s} = 13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
118	Search for flavour-changing neutral current top-quark decays to $\$ varvec{qZ}\$\$ q Z in \$\varvec{pp}\$\$ p p collision data collected with the ATLAS detector at \$\$\varvec{sqrt{s}=8}\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 12.	3.9	39
119	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $s=0.76, 76, 87.$	3.9	39
120	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
121	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s=13 \$$ sqrt $\{s\}=13 \$$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
122	Measurements of WH and ZH production in the $\$H$ ightarrow bar $\{b\}$ \$ decay channel in pp collisions at $\$\$13$ ,ext $\{Te\}$ ext $\{V\}$ \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
123	Search for bottom squark pair production in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
124	Measurement of the W boson polarisation in $\frac{1}{5}$ t t $\hat{A}$ events from pp collisions at $\frac{1}{5}$ s = 8 TeV in the lepton $\hat{A}$ + $\hat{A}$ et annel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
125	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
126	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37

#	Article	IF	Citations
127	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fba^1 of $\$ sqrt{s} $\$ = 13 TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
128	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	36
129	Search for heavy long-lived multi-charged particles in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ s = 8 ÂTeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
130	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 $ \$ sqrt{ $s$ }=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
131	Measurement of flow harmonics correlations with mean transverse momentum in lead–lead and proton–lead collisions atÂ\$\$sqrt{s_{mathrm{NN}}} = 5.02~hbox {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	36
132	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
133	Search for a scalar partner of the top quark in the all-hadronic $f(x)$ plus missing transverse momentum final state at $f(x)$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
134	Measurement of the inclusive jet cross-section in proton-proton collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV using 4.5 fba^1 of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
135	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
136	Measurements of top-quark pair differential and double-differential cross-sections in the $\$$ ell $\$$ +jets channel with pp collisions at $\$$ qrt $\{s\}$ =13 $\$$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
137	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
138	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
139	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
140	Measurements of $\ddot{\Gamma}(2S)$ and X(3872) $\hat{a}^{\dagger}$ $\ddot{\Gamma} \in + \ddot{\Gamma} \in \hat{a}^{-1}$ production in pp collisions at $s = 8$ \$\$ sqrt $\{s\} = 8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
141	Determination of the strong coupling constant $\frac{1}{s} = \frac{1}{s} $ in transverse energy $\frac{1}{s} = \frac{1}{s} $ European Physical Journal C, 2017, 77, 872.	3.9	32
142	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4$ \$ell \$\$ decay channel at $\$$ sqrt $\{$ s $\}$ \$\$ = 13 TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
143	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $s$ sqrt $s$ s = 13 Te V with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
144	A search for prompt lepton-jets in pp collisions at $s = 8 $ \$ sqrt{mathrm{s}}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31

#	Article	IF	Citations
145	Measurement of inclusive and differential cross sections in the H $\hat{a}$ † ZZ * $\hat{a}$ † 4 $\hat{a}$ , "decay channel in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
146	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fba $^{1}$ of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
147	Search for W W/W Z resonance production in $\hat{a}$ , " $\hat{l}$ /2qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
148	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
149	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
150	Charged-particle distributions in pp interactions at $\$$ sqrt $\{s\}$ =8 mathrm $\{$ , TeV $\}$ \$\$ s = 8 TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
151	Searches for the $Z\hat{I}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
152	Study of \$\$WWgamma \$\$ W W γ and \$\$WZgamma \$\$ W Z. European Physical Journal C, 2017, 77, 646.	3.9	30
153	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
154	Evidence for \$\$tar{t}\$tar{t}\$\$ production in the multilepton final state in proton–proton collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
155	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
156	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
157	Searches for heavy ZZ and ZW resonances in the â, "â, "qq and $\hat{l}/2\hat{l}/2$ qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
158	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\$sqrt\{s\}=13\$$ ATeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
159	Measurement of lepton differential distributions and the top quark mass in $\frac{1}{2}$ tt $\hat{A}^-$ . European Physical Journal C, 2017, 77, 804.	3.9	28
160	Measurement of \$\$WW/WZ ightarrow ell u q q^{prime }\$\$ W W / W Z â†' â,," $\hat{1}$ /2 q q â $\in$ 2 production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at \$\$sqrt{s} = 8~ext {TeV}\$\$ s = 8 TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
161	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
162	Measurement of the transverse momentum distribution of Drellâ $\in$ "Yan lepton pairs in protonâ $\in$ "proton collisions at \$\$sqrt{s}=13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28

#	Article	IF	Citations
163	Search for charginoâ $\in$ "neutralino pair production in final states with three leptons and missing transverse momentum in \$\$sqrt{s} = 13\$\$ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
164	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\$ syarvec{sqrt{s} = 8}\$\$ s = 8 ÂTeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
165	Measurement of the W W + W Z cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at s = $7 $ \$ sqrt{s}= $7 $ \$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
166	Measurements of top-quark pair differential cross-sections in the \$\$emu \$\$ e $\hat{1}\frac{1}{4}$ channel in pp collisions at \$\$sqrt{s} = 13\$\$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
167	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\ddot{l}$ ,-lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
168	Measurements of electroweak \$\$Wjj \$\$ W j j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
169	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the \$\$ell ell bb\$\$ and \$\$ell ell WW\$\$ final states in pp collisions at $$\sqrt{s}=13$$ A\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
170	Determination of the top-quark pole mass using t t $\hat{A}^-$ \$\$ toverline{t} \$\$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
171	Searches for heavy diboson resonances in pp collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
172	Search for triboson $\W^{pm}W^{pm}\$ Wofmp $\$ W ± W ± W â-" production in pp collisions at \$\$ qrt{s}=8\$\$ s = 8  \$\$ ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
173	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
174	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\$$ varvec{sqrt{s}}\$\$ s $\hat{A}=\hat{A}13\hat{A}$ TeV $\$$ varvec{pp}\$\$. European Physical Journal C, 2016, 76, 517.	3.9	24
175	Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
176	Measurement of fiducial and differential $$W^+W^-$$ production cross-sections at $$$ sqrt ${s}=13$ \$ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
177	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
178	A search for high-mass resonances decaying to $\ddot{l}_{,+}\ddot{l}_{,a}$ in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 1.	4.7	23
179	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $s=13$ from the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
180	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23

#	Article	IF	CITATIONS
181	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
182	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
183	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $  sqrt{s}  = 8 $ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
184	Measurement of the t t $\hat{A}^-W$ \$\$ toverline{t}W \$\$ and t t $\hat{A}^-Z$ \$\$ toverline{t}Z \$\$ production cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
185	Study of (W/Z)H production and Higgs boson couplings using H→ W W â^— decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
186	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
187	Determination of spin and parity of the Higgs boson in the $\$WW^*$ ightarrow e u mu u $\$WW$ â^— â†' e ν ν ν decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
188	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
189	Search for the Standard Model Higgs boson decaying into b b $\hat{A}^-$ \$\$ boverline{b} \$\$ produced in association with top quarks decaying hadronically in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
190	Search for light long-lived neutral particles produced in pp collisions at $\$$ sqrt $\{s\} = 13$ ~mathrm $\{TeV\}$ \$\$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
191	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
192	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s=13 $ \$\$ sqrt{ $s}=13 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
193	Measurements of top quark spin observables in t t $\hat{A}^-$ \$\$ toverline{t} \$\$ events using dilepton final states in s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
194	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\$$ sqrt ${s}={13}{ext {TeV}}$ \$\$ s = 13 TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
195	Measurement of k T splitting scales in Wâ†'â,," $\hat{1}\frac{1}{2}$ events at \$sqrt{s} = 7 mathrm{TeV}\$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
196	Search for flavour-changing neutral current top quark decays t $\hat{a}^{\dagger}$ Hq in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
197	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 $ sqrt $s=8 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
198	Probing lepton flavour violation via neutrinoless $\$ varvec{au longrightarrow 3mu }\$\$ $\$ i,, $\$ âY¶ 3 $\$ 1¼ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19

#	Article	IF	CITATIONS
199	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\$$ varvec{pp} $\$$ p p collisions at $\$$ mathbf $\{$ sqrt $\{$ s}=13 $\}$ \$ $\$$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
200	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fbâ^1 of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
201	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbâ°¹1 of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
202	Search for top quark decays t â†' qH, with H â†' $\hat{1}^3\hat{1}^3$ , in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
203	Search for dark matter in association with an energetic photon in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
204	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton–proton collisions at \$\$sqrt{s}\$\$ = 13ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
205	Search for new phenomena in final states with b-jets and missing transverse momentum in \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
206	Identification of high transverse momentum top quarks in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
207	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
208	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
209	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
210	Direct top-quark decay width measurement in the $\mbox{mathbf {varvec{tar{t}}}}$$ t t \hat{A}^- lepton+jets channel at \mbox{sqrt{s}}=8\simext {TeV}$$ s = 8 TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.$	3.9	17
211	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\$\$ $ sqrt $\{s\}=13$ $\$\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
212	Measurement of $\W^pm \$ boson production in Pb+Pb collisions at $\S^qrt{s_{mathrm{NN}}} = 5.02-ext {Te}ext {V}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
213	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
214	Search for the HH $\hat{a}$ †' \$\$ boverline{b}boverline{b} \$\$ process via vector-boson fusion production using proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
215	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\$$ sqrt $\{s\}$ = 13, $\{ext \{TeV\}\}$ \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
216	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16

#	Article	lF	CITATIONS
217	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
218	Top-quark mass measurement in the all-hadronic t t $\hat{A}^-$ \$\$ toverline{t} \$\$ decay channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
219	Search for exclusive Higgs and Z boson decays to $\hat{I} \cdot \hat{I}^3$ and $\hat{I} \hat{I}^3$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
220	Measurement of differential cross sections and W+/W $\hat{a}$ ° cross-section ratios for W boson production in association with jets at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
221	Measurement of event-shape observables in \$\$Z ightarrow ell $^{+}$ ell $^{-}$ \$\$ Z â†' â," + â," - events in pp collisions at \$\$sqrt{s}=7\$\$ s = 7  \$\${mathrm{TeV}}\$\$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	3.9	15
222	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to WW $\hat{a}-\hat{a}^{\dagger}\hat{e}^{1}/\hat{a}^{\dagger}$ with the ATLAS detector at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
223	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 $ sqrt{s}=13 \$\$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
224	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13ÂTeV proton–proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
225	Determination of jet calibration and energy resolution in proton–proton collisions at \$\$sqrt{s} = 8~hbox {TeV}\$\$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
226	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 $ \$ sqrt $s=8 $ \$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
227	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
228	Measurement of charged-particle distributions sensitive to the underlying event in s = 13 $\$$ sqrt{s}=13 $\$$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
229	Studies of $Z\hat{I}^3$ production in association with a high-mass dijet system in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
230	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
231	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
232	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\$$ qrt $\{s\}=13$ ,ext $\{TeV\}$ \$\$. European Physical Journal C, 2021, 81, 1.	3.9	14
233	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
234	Search for $\$$ toverline{t} $\$$ resonances in fully hadronic final states in pp collisions at $\$$ sqrt{s} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14

#	Article	IF	Citations
235	Measurement of the c-jet mistagging efficiency in $\frac{t}{\$}$ events using pp collision data at $\frac{s}{3}=13\$$ ext $TeV$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
236	Measurement of the CP-violating phase i̇∙s and the B s 0 meson decay width difference with B s 0  → J/l̈ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	Ϊ• 4.7	13
237	Search for new phenomena with photon+jet events in proton-proton collisions at $s=13~$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
238	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
239	Measurements of top-quark pair to Z-boson cross-section ratios at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ , 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
240	Search for new phenomena in high-mass final states with a photon and a jet from \$\$pp\$\$ pp collisions at \$\$sqrt{s}\$\$ s. European Physical Journal C, 2018, 78, 102.	3.9	13
241	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $s=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
242	Measurement of the $\$$ boverline $\{b\}$ \$\$ b b $\hat{A}^-$ dijet cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
243	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\s = 13 \$	3.9	12
244	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s=13 \$$ sqrt $\{s\}=13 \$$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
245	Observation of the associated production of a top quark and a Z boson in pp collisions at \$\$ sqrt{s} \$\$= 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
246	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\$$ sqrt{s} $\$$ = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
247	Transverse momentum and process dependent azimuthal anisotropies in \$\$sqrt{s_{mathrm {NN}}}=8.16\$\$ÂTeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	12
248	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton–proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
249	Search for supersymmetry in events with four or more charged leptons in 139 fbâ^1 of $\$$ sqrt{s} $\$$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
250	Measurements of the inclusive and differential production cross sections of a top-quark–antiquark pair in association with a ZÂboson at \$\$sqrt{s} = 13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
251	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
252	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12

#	Article	IF	Citations
253	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ , 8 and 13ÂTeV. European Physical Journal C, 2022, 82, 1.	3.9	12
254	Measurement of four-jet differential cross sections in $s = 8 $ \$\$ sqrt{ $s$ }=8 \$\$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
255	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
256	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in protonâ $\in$ "proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÅTeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
257	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\frac{13}{s}=13$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
258	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
259	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $$$ sqrt $\{s\}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
260	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
261	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $s=8$ and $s=8$ s = 8 ATeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
262	Measurement of the inclusive and fiducial $\frac{1}{t}$ t t $\hat{A}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
263	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W± and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
264	Measurement of the $t$ \$ overline{t} \$\$t\$\$ overline{t} \$\$ production cross section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
265	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fba $^{\circ}$ 1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
266	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
267	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
268	Measurement of the $\$$ toverline{t}gamma $\$$ production cross section in proton-proton collisions at $\$$ sqrt{s}=8 $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
269	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9

Measurement of the ZZ production cross section in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$

TeV using the ZZ →â,,"â°â,"4â,"′â'â,,"′+ and Z Z→â,,"â°â,"+ν²\$\$ ZZo {ell}^{-}{ell}^{+}u overlina{u} \$\$ decay chan with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.

#	Article	IF	Citations
271	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton–proton collisions at 8ÂTeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
272	Measurement of the Z( $\hat{a}^{\dagger}$ , $\hat{a}^{\dagger}$ , $\hat{a}^{\dagger}$ , $\hat{a}^{\dagger}$ ) $\hat{l}^{3}$ production cross-section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with th ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	e <sub>4.7</sub>	9
273	Search for dark matter produced in association with a single top quark in $\$\$qrt\{s\}=13\$$ ÂTeV $\$pp\$$ collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
274	Measurement of the relative width difference of the B 0 $\hat{a} \in B \hat{A}^- 0 $ {B}^0hbox{-} {overline{B}}^0 \$\$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
275	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s=13 $ \$\$ sqrt $s=13 $ \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
276	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\$$ sqrt $\{s\}=8$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
277	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
278	Measurement of differential cross sections for single diffractive dissociation in $\$\$ $ sqrt $\{s\}$ $\$\$ = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
279	Measurements of W+W $\hat{a}^+$ $\hat{a}$ % $\hat{b}$ 1 jet production cross-sections in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
280	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
281	Reconstruction and identification of boosted di-Ï,, systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
282	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
283	Measurement of \$\$au \$\$ $\ddot{l}$ , polarisation in \$\$Z/gamma ^{*}ightarrow au au \$\$ Z / $\hat{l}^3$ . European Physical Journal C, 2018, 78, 163.	3.9	7
284	Search for dijet resonances in events with an isolated charged lepton using \$\$ sqrt{s} \$\$ = 13 TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7
285	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using \$\$sqrt{s} = 13hbox { TeV}\$\$ proton–proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
286	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
287	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $s=13$ , and the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
288	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6

#	Article	IF	CITATIONS
289	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
290	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	3.9	6
291	A search for the decays of stopped long-lived particles at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
292	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
293	The ATLAS inner detector trigger performance in pp collisions at $13 {\rm \^ATeV}$ during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
294	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
295	Measurement of jet activity in top quark events using the $e\hat{l}$ 4 final state with two b-tagged jets in pp collisions at $s = 8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
296	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
297	Measurement of hadronic event shapes in high-pT multijet final states at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
298	Search for top squarks in events with a Higgs or Z boson using $139 \text{\^Afb} \$ of pp collision data at \$\$sqrt{s}=13\$\$\^ATeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
299	Measurement of the energy response of the ATLASÂcalorimeter to chargedÂpions from $W^{\rm m} = \frac{1}{2} U_{\rm m} $ Buropean Physical Journal C, 2022, 82, 1.	3.9	4
300	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
301	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
302	Measurement of the k t splitting scales in Z $\hat{a}^{\dagger}$ , $\hat{a}^{\dagger}$ , $\hat{a}^{\dagger}$ , events in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
303	Measurements of inclusive and differential cross-sections of combined $$$ \$ toverline{t}gamma $$$ \$ and $tW^{\hat{1}3}$ production in the $e^{\hat{1}}$ 4 channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
304	Measurement of isolated-photon plus two-jet production in pp collisions at $\$\$ $ sqrt $\$\$ = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
305	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $s=0$ , with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
306	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $sqrt\{s\}=7$ ) TeV using 4.5 fbâ°'1 of data with the ATLAS detector., 2015, 2015, 1.		3

#	Article	IF	CITATIONS
307	Measurement of b-quark fragmentation properties in jets using the decay $B\hat{A}\pm\hat{a}\uparrow'J\tilde{A}\pm\hat{a}$ in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
308	A search for an excited muon decaying to a muon and two jets inppcollisions at $q=0.000$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
309	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at (sqrt $\{s\}=8$ ~)TeV with the ATLAS detector., 2015, 75, 1.		2
310	Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at $$$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
311	Measurement of the energy asymmetry in $f(x)$ production at $f(x)$ production at $f(x)$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
312	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fba $^{\circ}$ 1 of (sqrt{s}=13) TeV pp collisions with the ATLAS detector., 2018, 2018, 1.		1
313	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at (sqrt $\{s\}=8$ ) TeV with the ATLAS detector., 2015, 75, 1.		1
314	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ( $sqrt\{s\}=8$ , mathrm TeV{}) with the ATLAS detector., 2016, 76, 1.		1
315	Measurement of the W-boson mass in pp collisions at (sqrt{s}=7, hbox {TeV}) with the ATLAS detector. , 2018, 78, 1.		1
316	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at (sqrt{s}=13,ext {TeV}). , 2018, 78, 1.		1