

# Seung-Mo Mo Hong

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6648822/seung-mo-mo-hong-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

288  
papers

15,800  
citations

51  
h-index

120  
g-index

316  
ext. papers

18,465  
ext. citations

5.2  
avg, IF

6  
L-index

#	Paper	IF	Citations
288	Core signaling pathways in human pancreatic cancers revealed by global genomic analyses. <i>Science</i> , <b>2008</b> , 321, 1801-6	33.3	3223
287	Detection of circulating tumor DNA in early- and late-stage human malignancies. <i>Science Translational Medicine</i> , <b>2014</b> , 6, 224ra24	17.5	2741
286	Presence of somatic mutations in most early-stage pancreatic intraepithelial neoplasia. <i>Gastroenterology</i> , <b>2012</b> , 142, 730-733.e9	13.3	451
285	A Revised Classification System and Recommendations From the Baltimore Consensus Meeting for Neoplastic Precursor Lesions in the Pancreas. <i>American Journal of Surgical Pathology</i> , <b>2015</b> , 39, 1730-41	6.7	423
284	Prognostic significance of tumorigenic cells with mesenchymal features in pancreatic adenocarcinoma. <i>Journal of the National Cancer Institute</i> , <b>2010</b> , 102, 340-51	9.7	340
283	Prevalence of the alternative lengthening of telomeres telomere maintenance mechanism in human cancer subtypes. <i>American Journal of Pathology</i> , <b>2011</b> , 179, 1608-15	5.8	328
282	Combined circulating tumor DNA and protein biomarker-based liquid biopsy for the earlier detection of pancreatic cancers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, 10202-10207	11.5	303
281	A combination of molecular markers and clinical features improve the classification of pancreatic cysts. <i>Gastroenterology</i> , <b>2015</b> , 149, 1501-10	13.3	286
280	Genomic portrait of resectable hepatocellular carcinomas: implications of RB1 and FGF19 aberrations for patient stratification. <i>Hepatology</i> , <b>2014</b> , 60, 1972-82	11.2	272
279	MicroRNA miR-155 is a biomarker of early pancreatic neoplasia. <i>Cancer Biology and Therapy</i> , <b>2009</b> , 8, 340-6	4.6	247
278	Pancreatic cancers epigenetically silence SIP1 and hypomethylate and overexpress miR-200a/200b in association with elevated circulating miR-200a and miR-200b levels. <i>Cancer Research</i> , <b>2010</b> , 70, 5226-37 <sup>10.1</sup>	10.1	244
277	Biliary intraepithelial neoplasia: an international interobserver agreement study and proposal for diagnostic criteria. <i>Modern Pathology</i> , <b>2007</b> , 20, 701-9	9.8	221
276	MicroRNA alterations of pancreatic intraepithelial neoplasias. <i>Clinical Cancer Research</i> , <b>2012</b> , 18, 981-92	12.9	181
275	Systemic administration of polymeric nanoparticle-encapsulated curcumin (NanoCurc) blocks tumor growth and metastases in preclinical models of pancreatic cancer. <i>Molecular Cancer Therapeutics</i> , <b>2010</b> , 9, 2255-64	6.1	156
274	Genome-wide profiling of methylated promoters in pancreatic adenocarcinoma. <i>Cancer Biology and Therapy</i> , <b>2008</b> , 7, 1146-56	4.6	151
273	Overexpression of smoothed activates the sonic hedgehog signaling pathway in pancreatic cancer-associated fibroblasts. <i>Clinical Cancer Research</i> , <b>2010</b> , 16, 1781-9	12.9	141
272	Association Between Expression Level of PD1 by Tumor-Infiltrating CD8 T Cells and Features of Hepatocellular Carcinoma. <i>Gastroenterology</i> , <b>2018</b> , 155, 1936-1950.e17	13.3	141

271	Genome-wide analysis of promoter methylation associated with gene expression profile in pancreatic adenocarcinoma. <i>Clinical Cancer Research</i> , <b>2011</b> , 17, 4341-54	12.9	131
270	Inhibiting the cyclin-dependent kinase CDK5 blocks pancreatic cancer formation and progression through the suppression of Ras-Ral signaling. <i>Cancer Research</i> , <b>2010</b> , 70, 4460-9	10.1	123
269	Molecular signatures of pancreatic cancer. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2011</b> , 135, 716-27	5	116
268	Recent updates on grading and classification of neuroendocrine tumors. <i>Annals of Diagnostic Pathology</i> , <b>2017</b> , 29, 11-16	2.2	112
267	Aberrant MicroRNA-155 expression is an early event in the multistep progression of pancreatic adenocarcinoma. <i>Pancreatology</i> , <b>2010</b> , 10, 66-73	3.8	102
266	Clinicopathological characteristics and molecular analyses of multifocal intraductal papillary mucinous neoplasms of the pancreas. <i>Annals of Surgery</i> , <b>2012</b> , 255, 326-33	7.8	99
265	The expression of phospho-AKT, phospho-mTOR, and PTEN in extrahepatic cholangiocarcinoma. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 660-7	12.9	94
264	Depth of tumor invasion better predicts prognosis than the current American Joint Committee on Cancer T classification for distal bile duct carcinoma. <i>Surgery</i> , <b>2009</b> , 146, 250-7	3.6	91
263	Recent Updates on Neuroendocrine Tumors From the Gastrointestinal and Pancreatobiliary Tracts. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2016</b> , 140, 437-48	5	91
262	Elevated microRNA miR-21 levels in pancreatic cyst fluid are predictive of mucinous precursor lesions of ductal adenocarcinoma. <i>Pancreatology</i> , <b>2011</b> , 11, 343-50	3.8	88
261	KRAS2 mutations in human pancreatic acinar-ductal metaplastic lesions are limited to those with PanIN: implications for the human pancreatic cancer cell of origin. <i>Molecular Cancer Research</i> , <b>2009</b> , 7, 230-6	6.6	83
260	Neuroendocrine neoplasms of the pancreas at dynamic enhanced CT: comparison between grade 3 neuroendocrine carcinoma and grade 1/2 neuroendocrine tumour. <i>European Radiology</i> , <b>2015</b> , 25, 1375-83	8	81
259	Invasive colorectal micropapillary carcinoma: an aggressive variant of adenocarcinoma. <i>Human Pathology</i> , <b>2006</b> , 37, 809-15	3.7	81
258	Long-term clinical outcome of the surgically resected intraductal papillary neoplasm of the bile duct. <i>Journal of Hepatology</i> , <b>2012</b> , 57, 787-93	13.4	77
257	The Axl receptor tyrosine kinase is an adverse prognostic factor and a therapeutic target in esophageal adenocarcinoma. <i>Cancer Biology and Therapy</i> , <b>2010</b> , 10, 1009-18	4.6	75
256	Loss of E-cadherin expression and outcome among patients with resectable pancreatic adenocarcinomas. <i>Modern Pathology</i> , <b>2011</b> , 24, 1237-47	9.8	74
255	Genetic and epigenetic alterations of familial pancreatic cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2008</b> , 17, 3536-42	4	72
254	A multimodality test to guide the management of patients with a pancreatic cyst. <i>Science Translational Medicine</i> , <b>2019</b> , 11,	17.5	71

253	Nab-paclitaxel plus gemcitabine versus FOLFIRINOX as the first-line chemotherapy for patients with metastatic pancreatic cancer: retrospective analysis. <i>Investigational New Drugs</i> , <b>2018</b> , 36, 732-741	4.3	69
252	Alternative Lengthening of Telomeres in Primary Pancreatic Neuroendocrine Tumors Is Associated with Aggressive Clinical Behavior and Poor Survival. <i>Clinical Cancer Research</i> , <b>2017</b> , 23, 1598-1606	12.9	69
251	Genetic alterations of K-ras, p53, c-erbB-2, and DPC4 in pancreatic ductal adenocarcinoma and their correlation with patient survival. <i>Pancreas</i> , <b>2013</b> , 42, 216-22	2.6	69
250	Serum fatty acid synthase as a marker of pancreatic neoplasia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 2380-5	4	68
249	Multiple genes are hypermethylated in intraductal papillary mucinous neoplasms of the pancreas. <i>Modern Pathology</i> , <b>2008</b> , 21, 1499-507	9.8	68
248	Intraductal tubulopapillary neoplasms of the bile ducts: clinicopathologic, immunohistochemical, and molecular analysis of 20 cases. <i>Modern Pathology</i> , <b>2015</b> , 28, 1249-64	9.8	66
247	Pancreatic cancer associated fibroblasts display normal allelotypes. <i>Cancer Biology and Therapy</i> , <b>2008</b> , 7, 882-8	4.6	66
246	A polymeric nanoparticle encapsulated small-molecule inhibitor of Hedgehog signaling (NanoHHI) bypasses secondary mutational resistance to Smoothed antagonists. <i>Molecular Cancer Therapeutics</i> , <b>2012</b> , 11, 165-73	6.1	63
245	Adenocarcinoma of the small intestine: a multi-institutional study of 197 surgically resected cases. <i>Human Pathology</i> , <b>2010</b> , 41, 1087-96	3.7	62
244	Postresection Outcomes of Combined Hepatocellular Carcinoma-Cholangiocarcinoma, Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , <b>2016</b> , 20, 411-20	3.3	59
243	Validation of the 2012 International Consensus Guidelines Using Computed Tomography and Magnetic Resonance Imaging: Branch Duct and Main Duct Intraductal Papillary Mucinous Neoplasms of the Pancreas. <i>Annals of Surgery</i> , <b>2016</b> , 263, 557-64	7.8	58
242	Intrahepatic Cholangiocarcinoma in Patients with Cirrhosis: Differentiation from Hepatocellular Carcinoma by Using Gadoteric Acid-enhanced MR Imaging and Dynamic CT. <i>Radiology</i> , <b>2017</b> , 282, 771-781	20.5	55
241	Intraductal papillary neoplasm of the bile duct associated with <i>Clonorchis sinensis</i> infection. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2008</b> , 453, 589-98	5.1	55
240	A statement by the Japan-Korea expert pathologists for future clinicopathological and molecular analyses toward consensus building of intraductal papillary neoplasm of the bile duct through several opinions at the present stage. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2018</b> , 25, 181-187	2.8	54
239	Alpha-synuclein in gastric and colonic mucosa in Parkinson disease: Limited role as a biomarker. <i>Movement Disorders</i> , <b>2016</b> , 31, 241-9	7	54
238	Genome-wide CpG island profiling of intraductal papillary mucinous neoplasms of the pancreas. <i>Clinical Cancer Research</i> , <b>2012</b> , 18, 700-12	12.9	53
237	Membranous expression of Her3 is associated with a decreased survival in head and neck squamous cell carcinoma. <i>Journal of Translational Medicine</i> , <b>2011</b> , 9, 126	8.5	49
236	Loss of expression of the SWI/SNF chromatin remodeling subunit BRG1/SMARCA4 is frequently observed in intraductal papillary mucinous neoplasms of the pancreas. <i>Human Pathology</i> , <b>2012</b> , 43, 585-97	3.7	48

235	Analysis of extrahepatic bile duct carcinomas according to the New American Joint Committee on Cancer staging system focused on tumor classification problems in 222 patients. <i>Cancer</i> , <b>2005</b> , 104, 802-104	6.4	48
234	Measurement of the invasion depth of extrahepatic bile duct carcinoma: An alternative method overcoming the current T classification problems of the AJCC staging system. <i>American Journal of Surgical Pathology</i> , <b>2007</b> , 31, 199-206	6.7	47
233	What Is New in the 2017 World Health Organization Classification and 8th American Joint Committee on Cancer Staging System for Pancreatic Neuroendocrine Neoplasms?. <i>Korean Journal of Radiology</i> , <b>2019</b> , 20, 5-17	6.9	46
232	Primary mesenchymal tumors of the pancreas: single-center experience over 16 years. <i>Pancreas</i> , <b>2014</b> , 43, 959-68	2.6	46
231	The number of metastatic lymph nodes in extrahepatic bile duct carcinoma as a prognostic factor. <i>American Journal of Surgical Pathology</i> , <b>2005</b> , 29, 1177-83	6.7	46
230	Pdx1 expression in pancreatic precursor lesions and neoplasms. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2011</b> , 19, 444-9	1.9	45
229	Presence of pancreatic intraepithelial neoplasia in the pancreatic transection margin does not influence outcome in patients with R0 resected pancreatic cancer. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 3493-9	3.1	44
228	Granular cell tumor of the gastrointestinal tract: histologic and immunohistochemical analysis of 98 cases. <i>Human Pathology</i> , <b>2015</b> , 46, 813-9	3.7	43
227	Molecular determinants of retinoic acid sensitivity in pancreatic cancer. <i>Clinical Cancer Research</i> , <b>2012</b> , 18, 280-9	12.9	43
226	Pancreatic cancer DNMT1 expression and sensitivity to DNMT1 inhibitors. <i>Cancer Biology and Therapy</i> , <b>2010</b> , 9, 321-9	4.6	41
225	Predicting the Grade of Dysplasia of Pancreatic Cystic Neoplasms Using Cyst Fluid DNA Methylation Markers. <i>Clinical Cancer Research</i> , <b>2017</b> , 23, 3935-3944	12.9	40
224	Heterotopic Pancreas of the Gastrointestinal Tract and Associated Precursor and Cancerous Lesions: Systematic Pathologic Studies of 165 Cases. <i>American Journal of Surgical Pathology</i> , <b>2017</b> , 41, 833-848	6.7	39
223	Why is pancreatic cancer so deadly? The pathologist's view. <i>Journal of Pathology</i> , <b>2019</b> , 248, 131-141	9.4	39
222	Pyruvate kinase isoenzyme M2 is a therapeutic target of gemcitabine-resistant pancreatic cancer cells. <i>Experimental Cell Research</i> , <b>2015</b> , 336, 119-29	4.2	39
221	Pancreatic intraductal tubulopapillary neoplasm is genetically distinct from intraductal papillary mucinous neoplasm and ductal adenocarcinoma. <i>Modern Pathology</i> , <b>2017</b> , 30, 1760-1772	9.8	39
220	Therapeutic relevance of targeted sequencing in management of patients with advanced biliary tract cancer: DNA damage repair gene mutations as a predictive biomarker. <i>European Journal of Cancer</i> , <b>2019</b> , 120, 31-39	7.5	38
219	Gastric micropapillary carcinoma: A distinct subtype with a significantly worse prognosis in TNM stages I and II. <i>American Journal of Surgical Pathology</i> , <b>2011</b> , 35, 84-91	6.7	38
218	Intraductal administration of a polymeric nanoparticle formulation of curcumin (NanoCurc) significantly attenuates incidence of mammary tumors in a rodent chemical carcinogenesis model: Implications for breast cancer chemoprevention in at-risk populations. <i>Carcinogenesis</i> , <b>2012</b> , 33, 2242-9	4.6	36

217	Hilar cholangiocarcinoma: tumor depth as a predictor of outcome. <i>Archives of Surgery</i> , <b>2011</b> , 146, 697-703		36
216	Genome-wide somatic copy number alterations in low-grade PanINs and IPMNs from individuals with a family history of pancreatic cancer. <i>Clinical Cancer Research</i> , <b>2012</b> , 18, 4303-12	12.9	36
215	Serial analysis of gene expression identifies connective tissue growth factor expression as a prognostic biomarker in gallbladder cancer. <i>Clinical Cancer Research</i> , <b>2008</b> , 14, 2631-8	12.9	36
214	Intraductal Papillary Neoplasm of the Bile Duct: Clinical, Imaging, and Pathologic Features. <i>American Journal of Roentgenology</i> , <b>2018</b> , 211, 67-75	5.4	35
213	Solid-pseudopapillary neoplasm of the pancreas in children: can we predict malignancy?. <i>Journal of Pediatric Surgery</i> , <b>2014</b> , 49, 1730-3	2.6	34
212	Widespread activation of the DNA damage response in human pancreatic intraepithelial neoplasia. <i>Modern Pathology</i> , <b>2009</b> , 22, 1439-45	9.8	34
211	Increased number of metastatic lymph nodes in adenocarcinoma of the ampulla of Vater as a prognostic factor: a proposal of new nodal classification. <i>Surgery</i> , <b>2014</b> , 155, 74-84	3.6	33
210	Clinical outcomes of rectal neuroendocrine tumors $\geq 10$ mm following endoscopic resection. <i>Endoscopy</i> , <b>2013</b> , 45, 1018-23	3.4	33
209	Longterm prognosis of combined hepatocellular carcinoma-cholangiocarcinoma following liver transplantation and resection. <i>Liver Transplantation</i> , <b>2017</b> , 23, 330-341	4.5	32
208	Smooth muscle distribution in the extrahepatic bile duct: histologic and immunohistochemical studies of 122 cases. <i>American Journal of Surgical Pathology</i> , <b>2000</b> , 24, 660-7	6.7	32
207	Pleomorphic solid pseudopapillary neoplasm of the pancreas: degenerative change rather than high-grade malignant potential. <i>Human Pathology</i> , <b>2014</b> , 45, 166-74	3.7	31
206	Absence of deleterious palladin mutations in patients with familial pancreatic cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 1328-30	4	31
205	4-1BB Delineates Distinct Activation Status of Exhausted Tumor-Infiltrating CD8 T Cells in Hepatocellular Carcinoma. <i>Hepatology</i> , <b>2020</b> , 71, 955-971	11.2	31
204	Telomeres are shortened in acinar-to-ductal metaplasia lesions associated with pancreatic intraepithelial neoplasia but not in isolated acinar-to-ductal metaplasias. <i>Modern Pathology</i> , <b>2011</b> , 24, 256-66	9.8	30
203	Vascular invasion in infiltrating ductal adenocarcinoma of the pancreas can mimic pancreatic intraepithelial neoplasia: a histopathologic study of 209 cases. <i>American Journal of Surgical Pathology</i> , <b>2012</b> , 36, 235-41	6.7	30
202	Efficacy and Safety of Pembrolizumab in Patients with Refractory Advanced Biliary Tract Cancer: Tumor Proportion Score as a Potential Biomarker for Response. <i>Cancer Research and Treatment</i> , <b>2020</b> , 52, 594-603	5.2	30
201	Prospective evaluation of new 22 gauge endoscopic ultrasound core needle using capillary sampling with stylet slow-pull technique for intra-abdominal solid masses. <i>Journal of Clinical Gastroenterology</i> , <b>2015</b> , 49, 199-205	3	29
200	Functional p38 MAPK identified by biomarker profiling of pancreatic cancer restrains growth through JNK inhibition and correlates with improved survival. <i>Clinical Cancer Research</i> , <b>2014</b> , 20, 6200-11	12.9	29

199	Combined loss of E-cadherin and aberrant E-catenin protein expression correlates with a poor prognosis for small intestinal adenocarcinomas. <i>American Journal of Clinical Pathology</i> , <b>2013</b> , 139, 167-76	1.9	27
198	Genomic characterization of malignant progression in neoplastic pancreatic cysts. <i>Nature Communications</i> , <b>2020</b> , 11, 4085	17.4	27
197	CT differentiation of mucin-producing cystic neoplasms of the liver from solitary bile duct cysts. <i>American Journal of Roentgenology</i> , <b>2014</b> , 202, 83-91	5.4	26
196	Expression of calcium-binding proteins S100A2 and S100A4 in Barrett's adenocarcinomas. <i>Neoplasia</i> , <b>2006</b> , 8, 843-50	6.4	26
195	Clinicopathologic and prognostic associations of KRAS and BRAF mutations in small intestinal adenocarcinoma. <i>Modern Pathology</i> , <b>2016</b> , 29, 402-15	9.8	25
194	Survival effect of tumor size and extrapancreatic extension in surgically resected pancreatic cancer: proposal for improved T classification. <i>Human Pathology</i> , <b>2014</b> , 45, 2341-6	3.7	25
193	The DPC4/SMAD4 genetic status determines recurrence patterns and treatment outcomes in resected pancreatic ductal adenocarcinoma: A prospective cohort study. <i>Oncotarget</i> , <b>2017</b> , 8, 17945-17959	3.3	25
192	Clinicopathologic and prognostic significance of multiple hormone expression in pancreatic neuroendocrine tumors. <i>American Journal of Surgical Pathology</i> , <b>2015</b> , 39, 592-601	6.7	24
191	Non-L-cell immunophenotype and large tumor size in rectal neuroendocrine tumors are associated with aggressive clinical behavior and worse prognosis. <i>American Journal of Surgical Pathology</i> , <b>2015</b> , 39, 632-43	6.7	24
190	Cyclooxygenase-deficient pancreatic cancer cells use exogenous sources of prostaglandins. <i>Molecular Cancer Research</i> , <b>2010</b> , 8, 821-32	6.6	24
189	Endoscopic ultrasound-guided fine-needle aspiration can target right liver mass. <i>Endoscopic Ultrasound</i> , <b>2017</b> , 6, 109-115	3.6	24
188	Efficacy and safety of everolimus and sunitinib in patients with gastroenteropancreatic neuroendocrine tumor. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2017</b> , 79, 139-146	3.5	23
187	Epigenetic silencing of EYA2 in pancreatic adenocarcinomas promotes tumor growth. <i>Oncotarget</i> , <b>2014</b> , 5, 2575-87	3.3	23
186	Immunolabeling of Cleared Human Pancreata Provides Insights into Three-Dimensional Pancreatic Anatomy and Pathology. <i>American Journal of Pathology</i> , <b>2018</b> , 188, 1530-1535	5.8	22
185	HER3 overexpression is a prognostic indicator of extrahepatic cholangiocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2012</b> , 461, 521-30	5.1	22
184	High-grade PanIN presenting with localised stricture of the main pancreatic duct: A clinicopathological and molecular study of 10 cases suggests a clue for the early detection of pancreatic cancer. <i>Histopathology</i> , <b>2018</b> , 73, 247-258	7.3	22
183	Signet ring cell component predicts aggressive behaviour in colorectal mucinous adenocarcinoma. <i>Pathology</i> , <b>2019</b> , 51, 384-391	1.6	21
182	Three-dimensional visualization of cleared human pancreas cancer reveals that sustained epithelial-to-mesenchymal transition is not required for venous invasion. <i>Modern Pathology</i> , <b>2020</b> , 33, 639-647	9.8	21

181	Pattern of extragastric recurrence and the role of abdominal computed tomography in surveillance after endoscopic resection of early gastric cancer: Korean experiences. <i>Gastric Cancer</i> , <b>2017</b> , 20, 843-852	7.6	20
180	Characterization of Hepatocellular Carcinoma Patients with Amplification Assessed by Fluorescence in situ Hybridization: A Large Cohort Study. <i>Liver Cancer</i> , <b>2019</b> , 8, 12-23	9.1	20
179	Lynch syndrome-related small intestinal adenocarcinomas. <i>Oncotarget</i> , <b>2017</b> , 8, 21483-21500	3.3	20
178	Unlike pancreatic cancer cells pancreatic cancer associated fibroblasts display minimal gene induction after 5-aza-2-Deoxycytidine. <i>PLoS ONE</i> , <b>2012</b> , 7, e43456	3.7	20
177	Grading by the Ki-67 Labeling Index of Endoscopic Ultrasound-Guided Fine Needle Aspiration Biopsy Specimens of Pancreatic Neuroendocrine Tumors Can Be Underestimated. <i>Pancreas</i> , <b>2018</b> , 47, 1296-1303	2.6	20
176	Prognostic value of CT findings to predict survival outcomes in patients with pancreatic neuroendocrine neoplasms: a single institutional study of 161 patients. <i>European Radiology</i> , <b>2016</b> , 26, 1320-9	8	19
175	Clinical and prognostic significances of nuclear and cytoplasmic KIT expressions in extrahepatic bile duct carcinomas. <i>Modern Pathology</i> , <b>2007</b> , 20, 562-9	9.8	19
174	Adenosquamous carcinoma of extrahepatic bile duct: clinicopathologic study of 12 cases. <i>International Journal of Clinical and Experimental Pathology</i> , <b>2008</b> , 1, 147-56	1.4	19
173	Relation of Enteric ̢-synuclein to Gastrointestinal Dysfunction in Patients With Parkinson Disease and in Neurologically Intact Subjects. <i>Journal of Neurogastroenterology and Motility</i> , <b>2018</b> , 24, 469-478	4.4	19
172	Heterotopic pancreas of the jejunum: associations between CT and pathology features. <i>Abdominal Imaging</i> , <b>2015</b> , 40, 38-45		18
171	Loss of S100A14 expression is associated with the progression of adenocarcinomas of the small intestine. <i>Pathobiology</i> , <b>2013</b> , 80, 95-101	3.6	18
170	Reconsideration of the histologic definitions used in the pathologic staging of extrahepatic bile duct carcinoma. <i>American Journal of Surgical Pathology</i> , <b>2006</b> , 30, 744-9	6.7	18
169	Multiplexed gene expression profiling identifies the FGFR4 pathway as a novel biomarker in intrahepatic cholangiocarcinoma. <i>Oncotarget</i> , <b>2017</b> , 8, 38592-38601	3.3	18
168	Molecular characterization of organoids derived from pancreatic intraductal papillary mucinous neoplasms. <i>Journal of Pathology</i> , <b>2020</b> , 252, 252-262	9.4	18
167	Hypervascular solid-appearing serous cystic neoplasms of the pancreas: Differential diagnosis with neuroendocrine tumours. <i>European Radiology</i> , <b>2016</b> , 26, 1348-58	8	17
166	Post-resection Prognosis of Combined Hepatocellular Carcinoma-Cholangiocarcinoma According to the 2010 WHO Classification. <i>World Journal of Surgery</i> , <b>2017</b> , 41, 1347-1357	3.3	17
165	Outcomes after endoscopic ultrasound-guided ethanol-lipiodol ablation of small pancreatic neuroendocrine tumors. <i>Digestive Endoscopy</i> , <b>2018</b> , 30, 652-658	3.7	17
164	Prognostic significance of CDX2 and mucin expression in small intestinal adenocarcinoma. <i>Modern Pathology</i> , <b>2014</b> , 27, 1364-74	9.8	17



163	p63 and p73 expression in extrahepatic bile duct carcinoma and their clinical significance. <i>Journal of Molecular Histology</i> , <b>2007</b> , 38, 167-75	3.3	17
162	Keratosis lichenoides chronica: marked response to calcipotriol ointment. <i>Journal of Dermatology</i> , <b>2000</b> , 27, 123-6	1.6	17
161	Validation of the 8th Edition of the American Joint Committee on Cancer Staging System for Gallbladder Cancer and Implications for the Follow-up of Patients without Node Dissection. <i>Cancer Research and Treatment</i> , <b>2020</b> , 52, 455-468	5.2	17
160	KRAS and PIK3CA mutations in colorectal adenocarcinomas correlate with aggressive histological features and behavior. <i>Human Pathology</i> , <b>2017</b> , 65, 21-30	3.7	16
159	Neuroendocrine neoplasms of the extrahepatic bile duct: radiologic and clinical characteristics. <i>Abdominal Imaging</i> , <b>2015</b> , 40, 181-91		16
158	MDM2 Amplification in Intrahepatic Cholangiocarcinomas: Its Relationship With Large-Duct Type Morphology and Uncommon KRAS Mutations. <i>American Journal of Surgical Pathology</i> , <b>2018</b> , 42, 512-521	6.7	16
157	REP1 inhibits FOXO3-mediated apoptosis to promote cancer cell survival. <i>Cell Death and Disease</i> , <b>2017</b> , 8, e2536	9.8	16
156	Prognostic Value of Somatostatin Receptor Subtypes in Pancreatic Neuroendocrine Tumors. <i>Pancreas</i> , <b>2016</b> , 45, 187-92	2.6	16
155	Thread sign in biliary intraductal papillary mucinous neoplasm: a novel specific finding for MRI. <i>European Radiology</i> , <b>2016</b> , 26, 3112-20	8	16
154	The usefulness of contrast-enhanced harmonic EUS-guided fine-needle aspiration for evaluation of hepatic lesions (with video). <i>Gastrointestinal Endoscopy</i> , <b>2018</b> , 88, 495-501	5.2	16
153	Post-Ischemic Bowel Stricture: CT Features in Eight Cases. <i>Korean Journal of Radiology</i> , <b>2017</b> , 18, 936-945	5.9	16
152	Can statistically determined prognostic factors predict the long-term survival of patients with pancreatic ductal adenocarcinoma following surgical resection?: Clinicopathological analysis of 82 long-term survivors. <i>Pancreas</i> , <b>2014</b> , 43, 571-7	2.6	16
151	Neuroendocrine differentiation in extrahepatic bile duct carcinomas and its prognostic significance. <i>Human Pathology</i> , <b>2005</b> , 36, 732-40	3.7	16
150	CDX2 and MUC2 protein expression in extrahepatic bile duct carcinoma. <i>American Journal of Clinical Pathology</i> , <b>2005</b> , 124, 361-70	1.9	16
149	The impact of macroscopic on-site evaluation using filter paper in EUS-guided fine-needle biopsy. <i>Endoscopic Ultrasound</i> , <b>2019</b> , 8, 342-347	3.6	16
148	Clinical and Prognostic Significances of Cytokeratin 19 and KIT Expression in Surgically Resectable Pancreatic Neuroendocrine Tumors. <i>Journal of Pathology and Translational Medicine</i> , <b>2015</b> , 49, 30-6	2.9	16
147	PBRM1 loss is a late event during the development of cholangiocarcinoma. <i>Histopathology</i> , <b>2017</b> , 71, 375-382	7.3	15
146	Paired Primary and Metastatic Tumor Analysis of Somatic Mutations in Synchronous and Metachronous Colorectal Cancer. <i>Cancer Research and Treatment</i> , <b>2017</b> , 49, 161-167	5.2	15

145	Non-functional pancreatic neuroendocrine tumours: ATRX/DAXX and alternative lengthening of telomeres (ALT) are prognostically independent from ARX/PDX1 expression and tumour size. <i>Gut</i> , <b>2021</b> ,	19.2	15
144	Malignant pancreatic serous cystic neoplasms: systematic review with a new case. <i>BMC Gastroenterology</i> , <b>2016</b> , 16, 97	3	15
143	Precursor Lesions of Pancreatic Cancer. <i>Oncology Research and Treatment</i> , <b>2018</b> , 41, 603-610	2.8	15
142	Surgical and Oncological Factors Affecting the Successful Engraftment of Patient-derived Xenografts in Pancreatic Ductal Adenocarcinoma. <i>Anticancer Research</i> , <b>2016</b> , 36, 517-21	2.3	15
141	IL-8 Expression in Granulocytic Epithelial Lesions of Idiopathic Duct-centric Pancreatitis (Type 2 Autoimmune Pancreatitis). <i>American Journal of Surgical Pathology</i> , <b>2017</b> , 41, 1129-1138	6.7	14
140	Clinicopathological Features and Prognosis of Hepatic Epithelioid Hemangioendothelioma After Liver Resection and Transplantation. <i>Annals of Transplantation</i> , <b>2016</b> , 21, 784-790	1.4	14
139	Overexpression of ankyrin1 promotes pancreatic cancer cell growth. <i>Oncotarget</i> , <b>2016</b> , 7, 34977-87	3.3	14
138	Clinicopathologic analysis of intraductal papillary neoplasm of bile duct: Korean multicenter cohort study. <i>Hpb</i> , <b>2020</b> , 22, 1139-1148	3.8	14
137	TFAP2E methylation status and prognosis of patients with radically resected colorectal cancer. <i>Oncology</i> , <b>2015</b> , 88, 122-32	3.6	13
136	Clinicopathological characteristics of intraductal papillary neoplasm of the bile duct: a Japan-Korea collaborative study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2020</b> , 27, 581-597	2.8	13
135	Molecular Imaging of Colorectal Tumors by Targeting Colon Cancer Secreted Protein-2 (CCSP-2). <i>Neoplasia</i> , <b>2017</b> , 19, 805-816	6.4	13
134	Prognostic impact of diagnosing colorectal neuroendocrine carcinoma using the World Health Organization 2010 classification. <i>Surgery</i> , <b>2014</b> , 155, 650-8	3.6	13
133	Superficial vs deep pancreatic parenchymal invasion in the extrahepatic bile duct carcinomas: a significant prognostic factor. <i>Modern Pathology</i> , <b>2005</b> , 18, 969-75	9.8	13
132	Validation of the Eighth American Joint Committee on Cancer Staging System for Distal Bile Duct Carcinoma. <i>Cancer Research and Treatment</i> , <b>2019</b> , 51, 98-111	5.2	13
131	Promoter hypermethylation of the p16 gene and loss of its protein expression is correlated with tumor progression in extrahepatic bile duct carcinomas. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2006</b> , 130, 33-8	5	13
130	In situ characterization of the 3D microanatomy of the pancreas and pancreatic cancer at single cell resolution		13
129	A "Clearer" View of Pancreatic Pathology: A Review of Tissue Clearing and Advanced Microscopy Techniques. <i>Advances in Anatomic Pathology</i> , <b>2019</b> , 26, 31-39	5.1	13
128	A melanin-bleaching methodology for molecular and histopathological analysis of formalin-fixed paraffin-embedded tissue. <i>Laboratory Investigation</i> , <b>2016</b> , 96, 1116-27	5.9	12

127	Amsterdam International Consensus Meeting: tumor response scoring in the pathology assessment of resected pancreatic cancer after neoadjuvant therapy. <i>Modern Pathology</i> , <b>2021</b> , 34, 4-12	9.8	12
126	Prognostic comparison of the longitudinal margin status in distal bile duct cancer: R0 on first bile duct resection versus R0 after additional resection. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2019</b> , 26, 169-178	2.8	11
125	Comparison between neuroendocrine carcinomas and well-differentiated neuroendocrine tumors of the pancreas using dynamic enhanced CT. <i>European Radiology</i> , <b>2020</b> , 30, 4772-4782	8	11
124	In vivo and in vitro propagation of intraductal papillary mucinous neoplasms. <i>Laboratory Investigation</i> , <b>2010</b> , 90, 665-73	5.9	11
123	Genetic and metabolic comparison of orthotopic and heterotopic patient-derived pancreatic-cancer xenografts to the original patient tumors. <i>Oncotarget</i> , <b>2018</b> , 9, 7867-7881	3.3	11
122	Prognosis of Pancreatic Cancer Patients with Synchronous or Metachronous Malignancies from Other Organs Is Better than Those with Pancreatic Cancer Only. <i>Cancer Research and Treatment</i> , <b>2018</b> , 50, 1175-1185	5.2	11
121	Pancreatic High-Grade Neuroendocrine Neoplasms in the Korean Population: A Multicenter Study. <i>Cancer Research and Treatment</i> , <b>2020</b> , 52, 263-276	5.2	11
120	Prognostic factors in 151 patients with surgically resected non-functioning pancreatic neuroendocrine tumours. <i>ANZ Journal of Surgery</i> , <b>2016</b> , 86, 563-7	1	11
119	A novel nanoparticle-based theranostic agent targeting LRP-1 enhances the efficacy of neoadjuvant radiotherapy in colorectal cancer. <i>Biomaterials</i> , <b>2020</b> , 255, 120151	15.6	10
118	Validation of the eighth edition of the American Joint Committee on Cancer staging system for ampulla of Vater cancer. <i>Surgery</i> , <b>2018</b> , 163, 1071-1079	3.6	10
117	JOURNAL CLUB: Primary Anorectal Melanoma: MRI Findings and Clinicopathologic Correlations. <i>American Journal of Roentgenology</i> , <b>2018</b> , 211, W98-W108	5.4	10
116	Establishment and characterization of 6 novel patient-derived primary pancreatic ductal adenocarcinoma cell lines from Korean pancreatic cancer patients. <i>Cancer Cell International</i> , <b>2017</b> , 17, 47	6.4	10
115	Loss of Progesterone Receptor Expression Is an Early Tumorigenesis Event Associated with Tumor Progression and Shorter Survival in Pancreatic Neuroendocrine Tumor Patients. <i>Journal of Pathology and Translational Medicine</i> , <b>2017</b> , 51, 388-395	2.9	10
114	Type 2 Autoimmune Pancreatitis (Idiopathic Duct-Centric Pancreatitis) Highlighting Patients Presenting as Clinical Acute Pancreatitis: A Single-Center Experience. <i>Gut and Liver</i> , <b>2019</b> , 13, 461-470	4.8	10
113	Tumor Mutational Burden as a Potential Biomarker for Immunotherapy in Pancreatic Cancer: Systematic Review and Still-Open Questions. <i>Cancers</i> , <b>2021</b> , 13,	6.6	10
112	Nonductal Pancreatic Cancers. <i>Surgical Pathology Clinics</i> , <b>2016</b> , 9, 581-593	3.9	10
111	FGFR1 expression defines clinically distinct subtypes in pancreatic cancer. <i>Journal of Translational Medicine</i> , <b>2018</b> , 16, 374	8.5	10
110	Assessment of vascular endothelial growth factor in formalin fixed, paraffin embedded colon cancer specimens by means of a well-based reverse phase protein array. <i>Proteome Science</i> , <b>2014</b> , 12, 27	2.6	9

109	A comparison of enhancement patterns on dynamic enhanced CT and survival between patients with pancreatic neuroendocrine tumors with and without intratumoral fibrosis. <i>Abdominal Radiology</i> , <b>2017</b> , 42, 2835-2842	3	9
108	A primary pure pancreatic-type acinar cell carcinoma of the stomach: a case report. <i>Diagnostic Pathology</i> , <b>2017</b> , 12, 10	3	9
107	Median Regression Tree for Analysis of Censored Survival Data. <i>IEEE Transactions on Systems, Man and Cybernetics, Part A: Systems and Humans</i> , <b>2008</b> , 38, 715-726		9
106	Clinicopathological Features and Prognosis of Intrahepatic Cholangiocarcinoma After Liver Transplantation and Resection. <i>Annals of Transplantation</i> , <b>2017</b> , 22, 42-52	1.4	9
105	CT-determined resectability of borderline resectable and unresectable pancreatic adenocarcinoma following FOLFIRINOX therapy. <i>European Radiology</i> , <b>2021</b> , 31, 813-823	8	9
104	Xanthogranulomatous cholecystitis shows overlapping histological features with IgG4-related cholecystitis. <i>Histopathology</i> , <b>2018</b> , 72, 569-579	7.3	9
103	A Nine-Gene Signature for Predicting the Response to Preoperative Chemoradiotherapy in Patients with Locally Advanced Rectal Cancer. <i>Cancers</i> , <b>2020</b> , 12,	6.6	8
102	Clinical outcomes of patients with resectable pancreatic acinar cell carcinoma. <i>Journal of Digestive Diseases</i> , <b>2017</b> , 18, 480-486	3.3	8
101	Clinicopathological Features and Post-resection Prognosis of Double Primary Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma. <i>World Journal of Surgery</i> , <b>2017</b> , 41, 825-834	3.3	8
100	Prognostic Significance of CD44v6, CD133, CD166, and ALDH1 Expression in Small Intestinal Adenocarcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2015</b> , 23, 682-8	1.9	8
99	Pancreatic cancer induced by in vivo electroporation-enhanced sleeping beauty transposon gene delivery system in mouse. <i>Pancreas</i> , <b>2014</b> , 43, 614-8	2.6	8
98	The diagnostic performance of novel torque technique for endoscopic ultrasound-guided tissue acquisition in solid pancreatic lesions: A prospective randomized controlled trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2020</b> , 35, 508-515	4	8
97	Dual loss of USP10 and p14ARF protein expression is associated with poor prognosis in patients with small intestinal adenocarcinoma. <i>Tumor Biology</i> , <b>2018</b> , 40, 1010428318808678	2.9	8
96	Pancreatic acinar cell carcinomas and mixed acinar-neuroendocrine carcinomas are more clinically aggressive than grade 1 pancreatic neuroendocrine tumours. <i>Pathology</i> , <b>2020</b> , 52, 336-347	1.6	7
95	Carbonic anhydrase 9 expression in well-differentiated pancreatic neuroendocrine neoplasms might be associated with aggressive behavior and poor survival. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2018</b> , 472, 739-748	5.1	7
94	Incidentally detected pancreatic neuroendocrine microadenoma with lymph node metastasis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2018</b> , 473, 649-653 <sup>5.1</sup>		7
93	A strategy for actualization of active targeting nanomedicine practically functioning in a living body. <i>Biomaterials</i> , <b>2017</b> , 141, 136-148	15.6	7
92	CD133 expression in well-differentiated pancreatic neuroendocrine tumors: a potential predictor of progressive clinical courses. <i>Human Pathology</i> , <b>2017</b> , 61, 148-157	3.7	7

91	S100A4 expression is a prognostic indicator in small intestine adenocarcinoma. <i>Journal of Clinical Pathology</i> , <b>2014</b> , 67, 216-21	3.9	7
90	AP-2[Protein Expression in Intratubular Germ Cell Neoplasia of Testis. <i>American Journal of Clinical Pathology</i> , <b>2005</b> , 124, 873-877	1.9	7
89	CD117 Is a Specific Marker of Intraductal Papillary Mucinous Neoplasms (IPMN) of the Pancreas, Oncocytic Subtype. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	7
88	Feasibility of HER2-Targeted Therapy in Advanced Biliary Tract Cancer: A Prospective Pilot Study of Trastuzumab Biosimilar in Combination with Gemcitabine Plus Cisplatin. <i>Cancers</i> , <b>2021</b> , 13,	6.6	7
87	IL-33 overexpression in gallbladder cancers associated with pancreatobiliary maljunction. <i>Histopathology</i> , <b>2019</b> , 75, 365-375	7.3	6
86	An unusual presentation of an inflammatory fibroid polyp of the ileum: A case report. <i>Oncology Letters</i> , <b>2015</b> , 9, 327-329	2.6	6
85	Type 1 autoimmune pancreatitis with histologically proven granulocytic epithelial lesions. <i>Pancreatology</i> , <b>2015</b> , 15, 305-7	3.8	6
84	Pancreatic serous cystic neoplasms accompanying other pancreatic tumors. <i>Human Pathology</i> , <b>2017</b> , 60, 104-113	3.7	6
83	Tumour-to-liver ratio determined by [Ga]Ga-DOTA-TOC PET/CT as a prognostic factor of lanreotide efficacy for patients with well-differentiated gastroenteropancreatic-neuroendocrine tumours. <i>EJNMMI Research</i> , <b>2020</b> , 10, 63	3.6	6
82	Prediction of radio-responsiveness with immune-profiling in patients with rectal cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 79793-79802	3.3	6
81	Endoscopic ultrasound-guided radiofrequency ablation of pancreatic microcystic serous cystic neoplasms: a retrospective study. <i>Endoscopy</i> , <b>2021</b> , 53, 739-743	3.4	6
80	Association of SNCA variants with $\beta$ synuclein of gastric and colonic mucosa in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , <b>2019</b> , 61, 151-155	3.6	6
79	Large tumor size, lymphovascular invasion, and synchronous metastasis are associated with the recurrence of solid pseudopapillary neoplasms of the pancreas. <i>Hpb</i> , <b>2021</b> , 23, 220-230	3.8	6
78	DPC4 gene expression in primary pancreatic ductal adenocarcinoma: relationship with CT characteristics. <i>British Journal of Radiology</i> , <b>2017</b> , 90, 20160403	3.4	5
77	Biliary intraductal tubule-forming neoplasm: a whole exome sequencing study of MUC5AC-positive and -negative cases. <i>Histopathology</i> , <b>2020</b> , 76, 1005-1012	7.3	5
76	Lymph node size and its association with nodal metastasis in ductal adenocarcinoma of the pancreas. <i>Journal of Pathology and Translational Medicine</i> , <b>2020</b> , 54, 387-395	2.9	5
75	Long-term postresection prognosis of primary neuroendocrine tumors of the liver. <i>Annals of Surgical Treatment and Research</i> , <b>2019</b> , 97, 176-183	2	5
74	Efficacy and safety of lanreotide in Korean patients with metastatic, well-differentiated gastroenteropancreatic-neuroendocrine tumors: a retrospective analysis. <i>Investigational New Drugs</i> , <b>2019</b> , 37, 763-770	4.3	5

73	Prognostic Significance of Stromal and Intraepithelial Tumor-Infiltrating Lymphocytes in Small Intestinal Adenocarcinoma. <i>American Journal of Clinical Pathology</i> , <b>2020</b> , 153, 105-118	1.9	5
72	Multiple KRAS mutations in the non-mucinous epithelial lining in the majority of mucinous cystic neoplasms of the pancreas. <i>Histopathology</i> , <b>2019</b> , 75, 559-567	7.3	4
71	Three-dimensional analysis of extrahepatic cholangiocarcinoma and tumor budding. <i>Journal of Pathology</i> , <b>2020</b> , 251, 400-410	9.4	4
70	Smooth Muscle Distribution Patterns of Choledochal Cysts and Their Implications for Pathogenesis and Postoperative Complications. <i>American Journal of Clinical Pathology</i> , <b>2020</b> , 153, 760-771	1.9	4
69	Clinicopathological and prognostic significance of heme oxygenase-1 expression in small intestinal adenocarcinomas. <i>Pathology International</i> , <b>2018</b> , 68, 294-300	1.8	4
68	Tumor Budding and Poorly Differentiated Clusters in Small Intestinal Adenocarcinoma. <i>Cancers</i> , <b>2020</b> , 12,	6.6	4
67	Chronic intractable diarrhea caused by gastrointestinal mastocytosis. <i>Intestinal Research</i> , <b>2016</b> , 14, 280-4.1	4.1	4
66	Distribution pattern of tumor infiltrating lymphocytes and tumor microenvironment composition as prognostic indicators in anorectal malignant melanoma. <i>Modern Pathology</i> , <b>2021</b> , 34, 141-160	9.8	4
65	Spatial Distribution and Prognostic Implications of Tumor-Infiltrating FoxP3- CD4+ T Cells in Biliary Tract Cancer. <i>Cancer Research and Treatment</i> , <b>2021</b> , 53, 162-171	5.2	4
64	Imaging and clinical features of xanthogranulomatous pancreatitis: an analysis of 10 cases at a single institution. <i>Abdominal Radiology</i> , <b>2018</b> , 43, 3349-3356	3	3
63	Notch3 signaling is associated with MUC5AC expression and favorable prognosis in patients with small intestinal adenocarcinomas. <i>Pathology Research and Practice</i> , <b>2014</b> , 210, 501-7	3.4	3
62	Preclinical evaluation of cisplatin-incorporated bio-nanocapsules as chemo-radiotherapy for human hepatocellular carcinoma. <i>Oncology Reports</i> , <b>2017</b> , 38, 2259-2266	3.5	3
61	Comparative meta-analysis between human and mouse cancer microarray data reveals critical pathways. <i>International Journal of Data Mining and Bioinformatics</i> , <b>2013</b> , 8, 349-65	0.5	3
60	Coexisting Mucinous Cystic Neoplasm of the Pancreas and Type 1 Autoimmune Pancreatitis. <i>Journal of Pathology and Translational Medicine</i> , <b>2019</b> , 53, 125-128	2.9	3
59	Sarcoma metastasis to the pancreas: experience at a single institution. <i>Journal of Pathology and Translational Medicine</i> , <b>2020</b> , 54, 220-227	2.9	3
58	Prognostic implications of immune classification in a multicentre cohort of patients with small intestinal adenocarcinoma. <i>Pathology</i> , <b>2020</b> , 52, 228-235	1.6	3
57	Chromogranin A Expression in Rectal Neuroendocrine Tumors Is Associated With More Aggressive Clinical Behavior and a Poorer Prognosis. <i>American Journal of Surgical Pathology</i> , <b>2020</b> , 44, 1496-1505	6.7	3
56	T2 gallbladder cancer shows substantial survival variation between continents and this is not due to histopathologic criteria or pathologic sampling differences. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2021</b> , 478, 875-884	5.1	3

55	Postresection prognosis of combined hepatocellular carcinoma-cholangiocarcinoma according to the 2010 World Health Organization classification: single-center experience of 168 patients. <i>Annals of Surgical Treatment and Research</i> , <b>2021</b> , 100, 260-269	2	3
54	Pancreatic cancer pathology viewed in the light of evolution. <i>Cancer and Metastasis Reviews</i> , <b>2021</b> , 40, 661-674	9.6	3
53	Loss of CADM4 expression is associated with poor prognosis in small intestinal adenocarcinomas. <i>Apmis</i> , <b>2017</b> , 125, 437-443	3.4	2
52	Desmin and CD31 immunolabeling for detecting venous invasion of the pancreatobiliary tract cancers. <i>PLoS ONE</i> , <b>2020</b> , 15, e0242571	3.7	2
51	Prognostic implication of high grade biliary intraepithelial neoplasia in bile duct resection margins in patients with resected perihilar cholangiocarcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2020</b> , 27, 604-613	2.8	2
50	Prognostic implication of SOX2 expression in small intestinal adenocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2021</b> , 478, 1049-1060	5.1	2
49	A comparison between 25-gauge and 22-gauge Franseen needles for endoscopic ultrasound-guided sampling of pancreatic and peripancreatic masses: a randomized non-inferiority study. <i>Endoscopy</i> , <b>2021</b> , 53, 1122-1129	3.4	2
48	Downregulation of 5-hydroxymethylcytosine is an early event in pancreatic tumorigenesis. <i>Journal of Pathology</i> , <b>2021</b> , 254, 279-288	9.4	2
47	High-grade precursor lesions can be used as surrogate markers to identify the epicenter of periampullary carcinomas. <i>Human Pathology</i> , <b>2019</b> , 84, 92-104	3.7	2
46	A Clinically Applicable 24-Protein Model for Classifying Risk Subgroups in Pancreatic Ductal Adenocarcinomas using Multiple Reaction Monitoring-Mass Spectrometry. <i>Clinical Cancer Research</i> , <b>2021</b> , 27, 3370-3382	12.9	2
45	The sulfiredoxin-peroxiredoxin redox system regulates the stemness and survival of colon cancer stem cells. <i>Redox Biology</i> , <b>2021</b> , 48, 102190	11.3	2
44	Perivesical cystic duct of the gallbladder. <i>Surgical and Radiologic Anatomy</i> , <b>2017</b> , 39, 1401-1403	1.4	1
43	Luschka Ducts of the Gallbladder in Adults: Case Series Report and Review of the Medical Literature. <i>International Journal of Surgical Pathology</i> , <b>2020</b> , 28, 482-489	1.2	1
42	Clinicopathological significance of olfactomedin-4 in extrahepatic bile duct carcinoma. <i>Pathology Research and Practice</i> , <b>2020</b> , 216, 152940	3.4	1
41	Significance of microcystic, elongated, and fragmented glandular-like features in intraductal papillary mucinous neoplasm of the pancreas. <i>Human Pathology</i> , <b>2018</b> , 78, 18-27	3.7	1
40	Heterogeneity of Luschka Ducts of the Gallbladder. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2015</b> , 23, 674-5	1.9	1
39	DPC4 expression in the small intestinal adenocarcinomas. <i>Korean Journal of Pathology</i> , <b>2012</b> , 46, 415-22		1
38	Prognostic Value of LC3B and p62 Expression in Small Intestinal Adenocarcinoma. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1

37	Postoperative Radiotherapy for Pancreatic Cancer with Microscopically-positive Resection Margin. <i>Anticancer Research</i> , <b>2017</b> , 37, 755-764	2.3	1
36	Clinicopathologic and Prognostic Significance of Gallbladder and Cystic Duct Invasion in Distal Bile Duct Carcinoma. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2020</b> , 144, 755-763	5	1
35	Comprehensive histological evaluation with clinical analysis of venous invasion in pancreatic ductal adenocarcinoma: From histology to clinical implications. <i>Pancreatology</i> , <b>2020</b> , 20, 1486-1494	3.8	1
34	Loss of HES-1 Expression Predicts a Poor Prognosis for Small Intestinal Adenocarcinoma Patients. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 1427	5.3	1
33	Post-resection prognosis of combined hepatocellular carcinoma-cholangiocarcinoma cannot be predicted by the 2019 World Health Organization classification. <i>Asian Journal of Surgery</i> , <b>2021</b> , 44, 1389-1395	1.6	1
32	Long-term outcomes of endoscopic papillectomy for early-stage cancer in duodenal ampullary adenoma: Comparison to surgical treatment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 2315-2323	4	1
31	Prediction of Recurrence With KRAS Mutational Burden Using Ultrasensitive Digital Polymerase Chain Reaction of Radial Resection Margin of Resected Pancreatic Ductal Adenocarcinoma. <i>Pancreas</i> , <b>2019</b> , 48, 400-411	2.6	1
30	Tumor Microenvironmental Prognostic Risk in Primary Operable Small Intestinal Adenocarcinoma. <i>American Journal of Surgical Pathology</i> , <b>2021</b> , 45, 917-929	6.7	1
29	Post-resection prognosis of patients with hepatic epithelioid hemangioendothelioma. <i>Annals of Surgical Treatment and Research</i> , <b>2021</b> , 100, 137-143	2	1
28	Clinicopathological features and post-resection outcomes of inflammatory pseudotumor of the liver. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , <b>2021</b> , 25, 34-38	1.5	1
27	Profiling of conditionally reprogrammed cell lines for in vitro chemotherapy response prediction of pancreatic cancer. <i>EBioMedicine</i> , <b>2021</b> , 65, 103218	8.8	1
26	Expression of HER2 and Mismatch Repair Proteins in Surgically Resected Gallbladder Adenocarcinoma. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 658564	5.3	1
25	Pancreatic Cysts after Endoscopic Ultrasonography-Guided Ethanol and/or Paclitaxel Ablation Therapy: Another Mimic of Pancreatic Pseudocysts. <i>Pathobiology</i> , <b>2021</b> , 1-7	3.6	1
24	Clinicopathological Features and Long-Term Outcomes of Intraductal Papillary Neoplasms of the Bile Duct of the Liver: Single-Institution Experience with 146 Patients.. <i>Journal of Gastrointestinal Surgery</i> , <b>2022</b> , 1	3.3	0
23	A Case of Glomus Tumor Mimicking Neuroendocrine Tumor on [Ga-DOTATOC PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , <b>2021</b> , 55, 315-319	1.9	0
22	High YAP and TEAD4 immunolabelings are associated with poor prognosis in patients with gallbladder cancer. <i>Apmis</i> , <b>2021</b> , 129, 729-742	3.4	0
21	Recurrent Pancreatitis Caused by Afferent Loop Syndrome with Pathologic Features of Type II Autoimmune Pancreatitis. <i>Korean Journal of Medicine</i> , <b>2019</b> , 94, 200-207	0.5	0
20	Prognosis of hepatic epithelioid hemangioendothelioma after living donor liver transplantation. <i>Korean Journal of Transplantation</i> , <b>2021</b> , 35, 15-23	0.2	0



19	Clinicopathological correlation and post-resection outcomes of hepatic angiomyolipoma. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , <b>2021</b> , 25, 215-220	1.5	o
18	Anchoring the snare tip is a feasible endoscopic mucosal resection method for small rectal neuroendocrine tumors. <i>Scientific Reports</i> , <b>2021</b> , 11, 12918	4.9	o
17	Clinicopathological and molecular characterization of chromophobe hepatocellular carcinoma. <i>Liver International</i> , <b>2021</b> , 41, 2499-2510	7.9	o
16	Mucosal nerve of the gallbladder: Anatomical variant or malformation?. <i>Clinical Anatomy</i> , <b>2017</b> , 30, 558-559	5.9	
15	Analysis of driver somatic mutations in heterotopia of pancreas, spleen, liver and adrenal tissues. <i>Pathology Research and Practice</i> , <b>2019</b> , 215, 152461	3.4	
14	Bleeding from a gastric subepithelial tumor associated with eosinophilia. <i>Gastrointestinal Endoscopy</i> , <b>2015</b> , 81, 1284; discussion 1284-5	5.2	
13	Education and imaging. Gastrointestinal: a case of histologically confirmed scrub typhus gastritis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2015</b> , 30, 435	4	
12	Incipient serous cystic neoplasia of the pancreas is a very rare phenomenon: a systematic prospective observation in pancreatectomy specimens-reply. <i>Human Pathology</i> , <b>2017</b> , 70, 141-142	3.7	
11	Liver transplantation in pediatric patients with progressive familial intrahepatic cholestasis: single center experience of seven cases. <i>Korean Journal of Transplantation</i> , <b>2021</b> , 35, S149-S149	0.2	
10	Prognosis of hepatic epithelioid hemangioendothelioma after living donor liver transplantation. <i>Korean Journal of Transplantation</i> , <b>2021</b> , 35, S151-S151	0.2	
9	Extrahepatic Bile Duct Carcinoma: Role of the p53 Protein Family <b>2009</b> , 441-449		
8	A Small Pancreatic Neuroendocrine Tumor with Marked Pancreatic Duct Dilatation and Parenchymal Atrophy. <i>Korean Journal of Medicine</i> , <b>2014</b> , 86, 598	0.5	
7	Reply to Lorenzo et al. <i>Endoscopy</i> , <b>2021</b> , 53, 667	3.4	
6	Detailed pathological analysis of the advancing edge of the tumour can effectively stratify clinical T4b colorectal cancer patients. <i>Histopathology</i> , <b>2019</b> , 74, 883-891	7.3	
5	Clinicopathological features and post-resection outcomes of hepatocellular adenoma. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , <b>2021</b> , 25, 25-33	1.5	
4	Colonic Mass Secondary to Sevelamer-associated Rectal Ulcer. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , <b>2021</b> , 78, 72-72	0.6	
3	AP-2gamma protein expression in intratubular germ cell neoplasia of testis. <i>American Journal of Clinical Pathology</i> , <b>2005</b> , 124, 873-7	1.9	
2	Clinicopathological features and long-term outcomes of intraductal papillary neoplasms of the bile duct of the liver: Single-institution experience with 146 patients. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , <b>2022</b> , 26, S91-S91	1.5	

- 1 Diagnostic and prognostic impact of fluorodeoxyglucose-positron emission tomography in diagnosing intraductal papillary neoplasms of the bile duct of the liver. *Annals of Hepato-biliary-pancreatic Surgery*, **2022**, 26, S297-S297 1.5