

Young Chan Bae

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6649625/young-chan-bae-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

2,157
citations

19
h-index

40
g-index

167
ext. papers

2,255
ext. citations

3.4
avg. IF

4.96
L-index

#	Paper	IF	Citations
166	Comparison of Ag deposition effects on the photocatalytic activity of nanoparticulate TiO ₂ under visible and UV light irradiation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2004 , 163, 37-44	4.7	385
165	Effect of calcination temperature on morphology, crystallinity and electrochemical properties of nano-crystalline metal oxides (Co ₃ O ₄ , CuO, and NiO) prepared via ultrasonic spray pyrolysis. <i>Journal of Power Sources</i> , 2007 , 173, 502-509	8.9	158
164	Effect of Cross-Linking Density on Swelling Behavior of NIPA Gel Particles. <i>Macromolecules</i> , 1998 , 31, 7328-7335	5.5	105
163	Improvement of electrochemical properties of LiNi _{0.5} Mn _{1.5} O ₄ spinel material by fluorine substitution. <i>Journal of Power Sources</i> , 2006 , 157, 464-470	8.9	93
162	Novel core-shell-structured Li[(Ni _{0.8} Co _{0.2}) _{0.8} (Ni _{0.5} Mn _{0.5}) _{0.2}]O ₂ via coprecipitation as positive electrode material for lithium secondary batteries. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 6810-5	3.4	88
161	Liquid-liquid equilibria for binary polymer solutions from modified double-lattice model. <i>Polymer</i> , 1998 , 39, 1149-1154	3.9	78
160	Phase transition of submicron sized N-alkylacrylamide-derivative copolymer particles: applicability of photon correlation spectroscopy. <i>Polymer</i> , 1997 , 38, 3471-3476	3.9	35
159	Reentrant swelling behavior of thermosensitive N-isopropylacrylamide nano-sized gel particles. <i>Polymer</i> , 2009 , 50, 3370-3377	3.9	33
158	Mechanical properties and morphology of the modified HDPE/starch reactive blend. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 3313-3320	2.9	32
157	Volume-phase transition of submicron-sized N-isopropylacrylamide/N-tert-butylacrylamide particles by photon correlation spectroscopy. <i>Journal of Applied Polymer Science</i> , 1998 , 67, 2087-2092	2.9	31
156	The Effect of Morphological Properties on the Electrochemical Behavior of High Tap Density C ₄ LiFePO ₄ Prepared via Coprecipitation. <i>Journal of the Electrochemical Society</i> , 2008 , 155, A414	3.9	30
155	Swelling Behaviors of Doubly Thermosensitive Core-shell Nanoparticle Gels. <i>Macromolecules</i> , 2014 , 47, 8394-8403	5.5	29
154	Mechanical properties and ionic conductivity of gel polymer electrolyte based on poly(vinylidene-fluoride-co-hexafluoropropylene). <i>Journal of Applied Polymer Science</i> , 2001 , 81, 948-956	2.9	29
153	Effects of Metal Ions on the Structural and Thermal Stabilities of Li[Ni _{1-x-y} Co _x Mn _y]O ₂ (x+y=0.5) Studied by In Situ High Temperature XRD. <i>Journal of the Electrochemical Society</i> , 2008 , 155, A952	3.9	25
152	Phase behaviors of hyperbranched polymer solutions. <i>Polymer</i> , 1999 , 40, 6761-6768	3.9	25
151	Enhanced solvation effect of re-collapsing behavior for cross-linked PMMA particle gel in aqueous alcohol solutions. <i>Polymer</i> , 2014 , 55, 4684-4692	3.9	23
150	Viscosity reduction of polymeric liquid by dissolved carbon dioxide. <i>Journal of Applied Polymer Science</i> , 1997 , 63, 459-466	2.9	23

149	Liquid–liquid equilibria of polymer solutions: Flory-huggins with specific interaction. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010 , 48, 162-167	2.6	19
148	Closed miscibility loop phase behavior of polymer solutions. <i>Polymer</i> , 2008 , 49, 4469-4474	3.9	19
147	Liquid–liquid equilibria of polydisperse polymer systems: applicability of continuous thermodynamics. <i>Fluid Phase Equilibria</i> , 1999 , 157, 213-228	2.5	19
146	Swelling behavior of thermosensitive N-isopropylacrylamide–ethyl N-acryloylglycine submicron-sized copolymer gel particles. <i>Journal of Applied Polymer Science</i> , 1998 , 69, 799-806	2.9	18
145	Chain length dependence of liquid–liquid equilibria of binary polymer solutions. <i>Polymer</i> , 1998 , 39, 1735-1739	3.9	18
144	Swelling behavior of N-isopropylacrylamide gel particles with degradable crosslinker. <i>European Polymer Journal</i> , 1999 , 35, 621-630	5.2	18
143	Phase behavior of hyperbranched polymer solutions with specific interactions. <i>Journal of Chemical Physics</i> , 2001 , 114, 5034-5042	3.9	17
142	Phase equilibria of fluid mixtures using a modified perturbed hard-sphere-chain equation of state. <i>Fluid Phase Equilibria</i> , 2000 , 168, 201-216	2.5	17
141	Molecular thermodynamic analysis for phase transitions of linear and cross-linked poly(N-isopropylacrylamide) in water/2-propanol mixtures. <i>Polymer</i> , 2013 , 54, 6776-6784	3.9	16
140	Liquid–liquid equilibria of binary polymer solutions with specific interactions. <i>Polymer</i> , 1998 , 39, 6449-6454	3.9	16
139	Phase equilibrium calculations of ternary liquid mixtures with binary interaction parameters and molecular size parameters determined from molecular dynamics. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 8948-53	3.4	15
138	Effect of Salt on Swelling Behaviors of Thermosensitive Hydrogels: Applicability of the Nonrandom Contact Model. <i>Macromolecules</i> , 2015 , 48, 4063-4072	5.5	14
137	Swelling behaviors of poly(methyl methacrylate) nano-sized gels in PEG/alcohol solutions. <i>Fluid Phase Equilibria</i> , 2014 , 382, 107-115	2.5	14
136	Cloud-point temperatures of lysozyme in electrolyte solutions by thermo-optical analysis technique. <i>Biophysical Chemistry</i> , 2004 , 109, 169-88	3.5	14
135	Phase behaviors of solid polymer electrolytes: applicability of an extended Debye–Hückel theory. <i>Polymer</i> , 1999 , 40, 1979-1984	3.9	14
134	Configurational entropy effect for the conductivity of semicrystalline polymer/salt systems. <i>Fluid Phase Equilibria</i> , 1999 , 163, 291-302	2.5	14
133	Phase Equilibrium and Interfacial Tension of Binary and Ternary Polymer Solutions. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 4157-4163	2.8	13
132	Molecular thermodynamic analysis for assessing the relationship between reentrant swelling behavior and ternary liquid-liquid equilibrium for poly(N-isopropylacrylamide) nanometer-sized gel particles in a water-tetrahydrofuran cosolvent system. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 2208-15	3.4	13

131	Role of intermolecular interactions for upper and lower critical solution temperature behaviors in polymer solutions: Molecular simulations and thermodynamic modeling. <i>Polymer</i> , 2012 , 53, 3772-3779	3.9	13
130	Vapor-liquid equilibria and liquid-liquid equilibria calculations of binary polymer solutions. <i>Polymer</i> , 2002 , 43, 6627-6634	3.9	13
129	Lysozyme-lysozyme and lysozyme-salt interactions in the aqueous saline solution: a new square-well potential. <i>Biomacromolecules</i> , 2003 , 4, 1713-8	6.9	12
128	Ionic conductivities of solid polymer electrolyte/salt systems for lithium secondary battery. <i>Polymer</i> , 2005 , 46, 3111-3118	3.9	12
127	Phase behaviors of dendrimer/solvent systems: Molecular thermodynamics approach. <i>Journal of Chemical Physics</i> , 2002 , 116, 3484-3492	3.9	12
126	Thermal stress analysis for polyimide thin film: The effect of solvent evaporation. <i>Macromolecular Theory and Simulations</i> , 2000 , 9, 281-286	1.5	12
125	Equations of state for hard spheres and hard-sphere chains. <i>Fluid Phase Equilibria</i> , 2000 , 167, 187-206	2.5	12
124	Liquid-liquid Equilibria of Dendrimer in Polar Solvent. <i>Journal of Physical Chemistry A</i> , 2000 , 104, 7404-7408	3.9	12
123	Thermodynamic framework for switching the lower critical solution temperature of thermo-sensitive particle gels in aqueous solvent. <i>Polymer</i> , 2020 , 195, 122428	3.9	11
122	Co-nonsolvency effect of thermosensitive N-isopropylacrylamide nanometer-sized gel particles in water/PEG systems. <i>Polymer</i> , 2013 , 54, 2138-2145	3.9	11
121	Correlation of thermodynamic modeling and molecular simulations for liquid-liquid equilibrium of ternary polymer mixtures based on a phenomenological scaling method. <i>Fluid Phase Equilibria</i> , 2011 , 307, 202-207	2.5	11
120	Molecular thermodynamics approach for liquid-liquid equilibria of the symmetric polymer blend systems. <i>Chemical Engineering Science</i> , 2003 , 58, 2931-2936	4.4	11
119	Salting-out in the aqueous single-protein solution: the effect of shape factor. <i>Biophysical Chemistry</i> , 2003 , 104, 523-33	3.5	11
118	Hydrophilic-hydrophobic copolymer nano-sized particle gels: Swelling behavior and dependence on crosslinker chain length. <i>Fluid Phase Equilibria</i> , 2014 , 361, 200-207	2.5	10
117	Understanding phase behaviors of multicomponent polymer mixtures based on a molecular thermodynamic framework combined with molecular simulation. <i>Polymer</i> , 2012 , 53, 1339-1346	3.9	10
116	The effects of interaction energy on the volume phase transition of N-isopropylacrylamide-co-N-isopropylmethacrylamide nano-sized gel particles: Applicability of molecular simulation technique. <i>Polymer</i> , 2009 , 50, 4957-4963	3.9	10
115	Applicability of a modified double lattice model for liquid-liquid equilibria of mixed-solvent polymer systems. <i>European Polymer Journal</i> , 2010 , 46, 1860-1865	5.2	10
114	Semiempirical Method for the Prediction of the Theta (Lower Critical Solution Temperature) in Polymer Solutions. <i>Industrial & Engineering Chemistry Research</i> , 2004 , 43, 237-242	3.9	10

113	Theory for the capillary electrophoretic separation of DNA in polymer solutions. <i>Journal of Chromatography A</i> , 2002 , 967, 279-87	4.5	10
112	Salt-induced protein precipitation in aqueous solution: Single and binary protein systems. <i>Macromolecular Research</i> , 2003 , 11, 53-61	1.9	10
111	Vapor-liquid equilibria of dendrimer solutions: the effect of endgroups at the periphery of dendrimer molecules. <i>Chemical Physics</i> , 2001 , 269, 285-294	2.3	10
110	Liquid-liquid equilibria of polydisperse polymer systems. <i>European Polymer Journal</i> , 1999 , 35, 1703-1711	5.2	10
109	Comparison of thermodynamic lattice models for multicomponent mixtures. <i>Fluid Phase Equilibria</i> , 2014 , 380, 100-115	2.5	9
108	Phase behaviours of solid polymer electrolytes: applicability of the melting point depression. <i>Polymer</i> , 1998 , 39, 3473-3477	3.9	9
107	Swelling behaviors of proton exchange membranes in alcohols. <i>Polymer</i> , 2017 , 130, 112-123	3.9	9
106	Swelling Behaviors of Poly(N-isopropylacrylamide) Nanosized Hydrogel Particles/Poly(vinyl alcohol)/Water Systems: Effect of the Degree of Hydrolysis of PVA. <i>Macromolecular Chemistry and Physics</i> , 2014 , 215, 210-216	2.6	8
105	Influence of hydroxyl group for thermoresponsive poly(N-isopropylacrylamide) gel particles in water/co-solvent (1,3-propanediol, glycerol) systems. <i>European Polymer Journal</i> , 2014 , 54, 151-159	5.2	8
104	Molecular simulations and thermodynamic modeling for closed-loop phase miscibility of aqueous PEO solutions. <i>Macromolecular Research</i> , 2013 , 21, 921-930	1.9	8
103	Understanding physical properties of hydrocarbon polymers using an equation of state developed from semi soft core potential function. <i>Fluid Phase Equilibria</i> , 2012 , 317, 15-24	2.5	8
102	Molecular thermodynamic analysis for reentrant and reentrant-convex type swelling behaviors of thermo-sensitive hydrogels in mixed solvents. <i>Polymer</i> , 2013 , 54, 2308-2314	3.9	8
101	Predicting the proton conductivity of perfluorosulfonic acid membrane via combining statistical thermodynamics and molecular dynamics simulation. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2011 , 49, 1455-1463	2.6	8
100	Understanding liquid mixture phase miscibility via pair energy parameter behaviors with respect to temperatures determined from molecular simulations. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 6051-6061	2.4	8
99	Electrochemical properties for ionic liquid/polymer electrolyte systems. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010 , 48, 212-219	2.6	8
98	Physical properties of polymer blends and their theoretical consideration. <i>Polymer</i> , 1997 , 38, 3761-3766	3.9	8
97	A modified perturbed hard-sphere-chain equation of state: consideration of attractive contribution. <i>Chemical Physics</i> , 2000 , 260, 337-345	2.3	8
96	Molecular thermodynamics of binary polymer solutions using modified double lattice model: Chain length dependence of primary lattice. <i>Journal of Applied Polymer Science</i> , 1999 , 73, 2627-2633	2.9	8

95	Renormalization group corrections to the modified perturbed hard sphere chain equation of state for vapor liquid equilibria and interfacial tension of pure and binary mixtures. <i>Fluid Phase Equilibria</i> , 2016 , 430, 143-155	2.5	8
94	Liquid-liquid equilibria for ternary polymer mixtures. <i>Chemical Physics</i> , 2011 , 379, 128-133	2.3	7
93	Ionic conductivities of perfluorosulfonic acid membrane by group contribution method. <i>Polymer</i> , 2009 , 50, 3686-3692	3.9	7
92	Molecular thermodynamics approach for binary polymer solutions on the non-random mixing effect. <i>Polymer</i> , 1997 , 38, 4819-4823	3.9	7
91	Phase behaviors of binary polymer solutions: The extended lattice fluid model 1998 , 70, 1143-1150		7
90	Composition dependence of rheological properties of polymer blends. <i>Polymer</i> , 1998 , 39, 1113-1117	3.9	7
89	Phase behaviors of polymer solutions using molecular simulation technique. <i>Journal of Chemical Physics</i> , 2008 , 129, 064902	3.9	7
88	Phase behaviors of partially ionized hydrogels in aqueous salt solutions: Applicability of the modified double-lattice model. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2002 , 40, 2333-2338	2.6	7
87	Volume phase transition behavior of N-isopropyl acrylamide- <i>N</i> -cyanomethyl acrylamide copolymer gel particles: The effect of crosslinking density. <i>Journal of Applied Polymer Science</i> , 1999 , 72, 1091-1099	2.9	7
86	Effects of polydispersity on liquid-liquid equilibrium of polymeric fluids. <i>Fluid Phase Equilibria</i> , 2016 , 417, 220-228	2.5	7
85	Applicability of lattice-based thermodynamic models to various types of hydrogel swelling behaviors. <i>Fluid Phase Equilibria</i> , 2016 , 427, 594-604	2.5	6
84	Water activities of polymeric membrane/water systems in fuel cells. <i>Journal of Power Sources</i> , 2006 , 157, 733-738	8.9	6
83	Theoretical consideration on phase behaviors of poly(ethylene oxide-block-propylene oxide)/LiCF ₃ SO ₃ systems in lithium battery. <i>Electrochimica Acta</i> , 2004 , 49, 461-468	6.7	6
82	Phase behaviors of binary protein systems: Consideration of structural effects. <i>Macromolecular Research</i> , 2003 , 11, 241-249	1.9	6
81	Heat and radiation effect on the degradation behaviors of polymeric liquids. <i>European Polymer Journal</i> , 2003 , 39, 1431-1435	5.2	6
80	Electrochemical Properties for Solid Polymer Electrolyte/Salt Systems in Lithium Secondary Batteries. <i>Journal of the Electrochemical Society</i> , 2005 , 152, A864	3.9	6
79	Configurational entropy effect for conductivities of solid polymer electrolytes. <i>Journal of Applied Polymer Science</i> , 1999 , 73, 1891-1897	2.9	6
78	Gas plasticization effect of carbon dioxide for polymeric liquid. <i>Polymer</i> , 1996 , 37, 3011-3017	3.9	6

77	A cosolvency effect on tunable thermosensitive core-shell nanoparticle gels. <i>Soft Matter</i> , 2015 , 11, 3936-3945	3.9	5
76	Ab initio potential energy surface for methane and carbon dioxide and application to vapor-liquid coexistence. <i>Journal of Chemical Physics</i> , 2014 , 141, 064303	3.9	5
75	Upper critical solution temperature-type thermosensitive hydrogel phase equilibrium of poly(2-hydroxyethyl methacrylate)/water/n-alkanol mixtures. <i>Polymer</i> , 2014 , 55, 3987-3994	3.9	5
74	Fourth order virial equation of state for spherical molecules using semi-soft core potential function. <i>Fluid Phase Equilibria</i> , 2013 , 338, 245-252	2.5	5
73	Molecular thermodynamics approach for polymer-polymer miscibility. <i>European Polymer Journal</i> , 2010 , 46, 1328-1333	5.2	5
72	Liquid-liquid equilibria of polymer solutions: a closed miscibility loop phase behavior. <i>Macromolecular Theory and Simulations</i> , 1998 , 7, 551-556	1.5	5
71	Nematic-isotropic phase behaviours of polydisperse polymer/liquid crystal systems: Applicability of continuous thermodynamics. <i>Fluid Phase Equilibria</i> , 2006 , 245, 102-108	2.5	5
70	The Effect of Alkane Chain Length on the Liquid-Liquid Critical Temperatures of Oligostyrene/Linear-Alkane Mixtures. <i>Monatshefte für Chemie</i> , 2003 , 134, 1529-1539	1.4	5
69	A semi-empirical cell voltage model for the direct methanol fuel cell: the methanol crossover effect. <i>Polymer</i> , 2005 , 46, 6494-6499	3.9	5
68	Phase behaviors of polymer blend(PEO/PPO) electrolyte/LiCF ₃ SO ₃ systems in lithium battery. <i>Journal of Applied Polymer Science</i> , 2005 , 98, 2314-2319	2.9	5
67	Phase equilibria and the surface tension of polypropylene polyol series in water/methanol mixtures: A consideration of structural effects. <i>Polymer</i> , 2018 , 146, 169-178	3.9	5
66	Group contribution method for the swelling behavior of thermo-responsive hydrogels. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2017 , 55, 455-463	2.6	4
65	Mathematical modeling of the phase behaviors of solid-polymer-electrolyte/salt systems in lithium secondary batteries: The nonrandomness effect. <i>Journal of Applied Polymer Science</i> , 2004 , 94, 231-237	2.9	4
64	Polymer-polymer miscibility: generalized double lattice model. <i>Polymer</i> , 2004 , 45, 8067-8074	3.9	4
63	Ionic conductivities of solid polymer electrolyte/salt systems in lithium battery: the pressure effect. <i>Polymer</i> , 2003 , 44, 3753-3759	3.9	4
62	The effect of pressure on phase behaviors of solid polymer electrolyte/salt systems in lithium battery. <i>Solid State Ionics</i> , 2003 , 158, 243-251	3.3	4
61	Thermodynamic properties of direct methanol polymer electrolyte fuel cell. <i>Journal of Power Sources</i> , 2005 , 145, 598-603	8.9	4
60	Phase behaviors of solid polymer electrolyte-salt systems: the effect of pressure. <i>Electrochimica Acta</i> , 2000 , 45, 3157-3162	6.7	4

59	Salt-induced protein precipitation in aqueous solution: The effect of pre-aggregation. <i>Korean Journal of Chemical Engineering</i> , 2000 , 17, 638-642	2.8	4
58	Thermodynamic analysis of phase equilibrium and surface tension of ternary polymer solutions. <i>AIChE Journal</i> , 2019 , 65, e16679	3.6	3
57	Swelling effect of a polymer electrolyte membrane on the development of a semi-empirical cell voltage model. <i>Journal of Applied Electrochemistry</i> , 2009 , 39, 1419-1424	2.6	3
56	Group contribution method for group contribution method for estimation of vapor liquid equilibria in polymer solutions. <i>Macromolecular Research</i> , 2009 , 17, 829-841	1.9	3
55	Correlations between phase behaviors and ionic conductivities of (ionic liquid+alcohol) systems. <i>Journal of Chemical Thermodynamics</i> , 2010 , 42, 1316-1323	2.9	3
54	Rheological properties of hollow sphere loaded polymer melts. <i>Polymer</i> , 1998 , 39, 6293-6299	3.9	3
53	Phase behaviors of symmetric polymer blend systems. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004 , 42, 1532-1538	2.6	3
52	New silanization coating for DNA fragment analysis by capillary electrophoresis. <i>Journal of Polymer Science Part A</i> , 2002 , 40, 1405-1420	2.5	3
51	Water activities of fluorinated solid polymer electrolyte/water systems using group-contribution method. <i>Chemical Engineering Science</i> , 2002 , 57, 2747-2752	4.4	3
50	Solvent activities of ordinary and associated binary polymer solutions: group-contribution method. <i>Fluid Phase Equilibria</i> , 2003 , 207, 247-261	2.5	3
49	Open circuit voltage for solid polymer electrolyte/salt systems in lithium batteries. <i>Journal of Applied Electrochemistry</i> , 2005 , 35, 259-265	2.6	3
48	Swelling behaviors of sub-micron-sized copolymer gel particles: The effect of physical crosslinking. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001 , 39, 1928-1934	2.6	3
47	Thermal stress analysis for polyimide thin film and a substrate layer system. <i>Macromolecular Chemistry and Physics</i> , 2000 , 201, 1286-1291	2.6	3
46	Solubility of solids in supercritical fluid using the hard-body expanded virial equation of state. <i>Fluid Phase Equilibria</i> , 2014 , 362, 11-18	2.5	2
45	Simplified Flory-dimer equation of state for application to non-associating fluids, polymers and their mixtures. <i>Fluid Phase Equilibria</i> , 2015 , 401, 88-101	2.5	2
44	Theoretical consideration of osmotic pressure in aqueous protein/salt systems based on extended hard core Lennard-Jones potential. <i>Journal of Chemical Physics</i> , 2010 , 133, 154104	3.9	2
43	Osmotic cross second virial coefficient (B ₂₃) of unfavorable proteins: Modified Lennard-Jones potential. <i>Macromolecular Research</i> , 2009 , 17, 763-769	1.9	2
42	Liquid-liquid equilibria of polymer solutions: Applicability of extended Redlich-Kister expansion. <i>European Polymer Journal</i> , 2010 , 46, 238-245	5.2	2

41	Applicability of the rheological equation of state for thermoplastic composites. <i>Journal of Materials Science</i> , 1998 , 33, 223-227	4.3	2
40	Thermodynamic model for partition coefficients in the two protein systems. <i>Macromolecular Research</i> , 2007 , 15, 682-687	1.9	2
39	Phase behaviors of solid polymer electrolytes/salt system in lithium secondary battery by group-contribution method: The pressure effect. <i>Polymer</i> , 2006 , 47, 211-217	3.9	2
38	Molecular thermodynamics approach for phase behaviors of solid polymer electrolytes/salt system in lithium secondary battery on the nonrandom mixing effect: Applicability of the group-contribution method. <i>Polymer</i> , 2006 , 47, 7153-7159	3.9	2
37	Phase behaviors of hyperbranched solid polymer electrolyte/salt systems: The structure effect. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004 , 42, 2254-2262	2.6	2
36	Effect of compression on the solid polymer electrolytes: The modified lattice-fluid model. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2002 , 40, 706-713	2.6	2
35	Ionic conductivities of solid polymer electrolytes: The effect of pressure. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001 , 39, 1484-1491	2.6	2
34	Vapor-liquid equilibria of perfluorinated SPE/fuel system using group-contribution method. <i>Electrochimica Acta</i> , 2001 , 46, 3535-3541	6.7	2
33	Phase transition behaviors of polyimide blends. <i>European Polymer Journal</i> , 2000 , 36, 495-501	5.2	2
32	Phase behaviour of nematic liquid crystal/linear polymer systems: Applicability of the extended Flory-Huggins theory. <i>Macromolecular Theory and Simulations</i> , 1999 , 8, 544-550	1.5	2
31	Liquid-liquid equilibria of polydisperse polymer systems showing both UCST and LCST phase behaviors. <i>Macromolecular Chemistry and Physics</i> , 1999 , 200, 1889-1896	2.6	2
30	A particle dynamic simulation for morphological aspects of proton exchange membranes. <i>Macromolecular Research</i> , 2013 , 21, 502-510	1.9	1
29	Understanding physical properties of solutions using equation of state: Electrolyte systems. <i>Fluid Phase Equilibria</i> , 2012 , 332, 94-104	2.5	1
28	The dependence of the electrochemical properties of perfluorosulfonic acid membrane/water systems on repeat unit structure. <i>Journal of Chemical Physics</i> , 2009 , 131, 014901	3.9	1
27	Effect of pH on phase separation of globular protein. <i>Korean Journal of Chemical Engineering</i> , 2009 , 26, 742-747	2.8	1
26	Closed-packed lattice model for polymer solution systems considering the chain length dependence effect: Correlating LLE, VLE, and gel swelling behaviors using identical interaction energy parameters. <i>Fluid Phase Equilibria</i> , 2010 , 299, 75-83	2.5	1
25	Vapor-liquid equilibria for polymer solutions through a group-contribution method: Chain-length dependence. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 2634-2640	2.9	1
24	Phase behaviors of solid polymer electrolytes/salt system in lithium secondary battery by group-contribution method: Applicability of the extended Debye-Hückel theory. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 2884-2890	2.9	1

23	Ionic conductivities of solid polymer electrolyte/salt systems: Group-contribution method. <i>Journal of Power Sources</i> , 2006 , 157, 448-456	8.9	1
22	Phase Behavior of Nematic Liquid Crystal/Star-Polymer Systems. <i>Macromolecular Chemistry and Physics</i> , 2002 , 203, 41-47	2.6	1
21	Theory of melting point depression for SPE/salt systems; applicability of the extended PHSC model. <i>Fluid Phase Equilibria</i> , 2003 , 208, 189-198	2.5	1
20	Phase behaviour of nematic liquid crystal/hyperbranched polymer systems. <i>Liquid Crystals</i> , 2001 , 28, 1539-1545	2.3	1
19	Phase behaviors of smectic-A liquid crystal/linear polymer systems. <i>Chemical Physics</i> , 2001 , 271, 183-190.	2.3	1
18	Vapor-Liquid Equilibria of Polymer Solutions by Group-Contribution Method: Applicability of Modified Double Lattice Model. <i>Macromolecular Chemistry and Physics</i> , 2001 , 202, 1466-1471	2.6	1
17	Phase behaviors of nematic liquid crystal/linear polymer systems: Effect of specific interactions. <i>Journal of Polymer Science Part A</i> , 2000 , 38, 4128-4136	2.5	1
16	Continuous Thermodynamics of Polydisperse Polymer/Solvent Systems: Polystyrene/Cyclohexane and Polystyrene/Methyl Acetate Mixtures. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 4104-4109	2.8	1
15	New group contribution estimation of solvent activity in polymer solutions. <i>Fluid Phase Equilibria</i> , 2015 , 385, 275-289	2.5	0
14	Predicting the vapor-liquid equilibrium of hydrocarbon binary mixtures and polymer solutions using predetermined pure component parameters. <i>Chemical Physics</i> , 2012 , 400, 171-177	2.3	
13	Salt-induced protein separation in an aqueous electrolyte solution. <i>Korean Journal of Chemical Engineering</i> , 2009 , 26, 1365-1372	2.8	
12	Phase behaviours of polymer solutions in high pressure system. <i>Polymer</i> , 1998 , 39, 6905-6910	3.9	
11	Molecular thermodynamics for polymer alloys with specific interactions. <i>Fluid Phase Equilibria</i> , 1998 , 146, 15-24	2.5	
10	Consideration of long and middle range interaction on the calculation of activities for binary polymer solutions. <i>Macromolecular Research</i> , 2008 , 16, 320-328	1.9	
9	A semi-empirical cell voltage model for polymer electrolyte/methanol systems: Applicability of the group contribution method. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 3186-3194	2.9	
8	Nematic-isotropic phase behaviors of polydisperse polymer/liquid-crystal systems: Chain-length-dependent interaction parameter. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006 , 44, 1031-1039	2.6	
7	Vapor-liquid equilibrium calculations of pure compounds from a hard-sphere-chain equation of state: The structure effect. <i>Chemical Physics</i> , 2006 , 324, 405-412	2.3	
6	Liquid-liquid equilibria of binary polymer blends: molecular thermodynamic approach. <i>Macromolecular Symposia</i> , 2003 , 198, 1-10	0.8	

- 5 Modified Double Lattice Model for Oligoethylene/Oligostyrene Blends. *Monatshefte für Chemie*, **2004**, 135, 493-499 1.4
- 4 Solvent activities of the fluorinated solid polymer electrolyte/water system in fuel cells. *Journal of Power Sources*, **2003**, 118, 157-161 8.9
- 3 Phase behaviors of solid polymer electrolyte/salt systems in lithium secondary battery: the ionic interaction and nonrandomness effect. *Fluid Phase Equilibria*, **2005**, 228-229, 471-477 2.5
- 2 The effect of compression on the solid polymer electrolytes: Consideration of specific interaction. *Macromolecular Chemistry and Physics*, **2000**, 201, 1802-1807 2.6
- 1 10.2478/s11814-009-0211-x **2011**, 26, 1365