# Gianni Turcato

## List of Publications by Citations

| 46 papers | 355 citations | 11 h-index | 17 g-index |
|---|---|---|---|
| 57 ext. papers | 592 ext. citations | 3.8 avg, IF | 3.8 L-index |

| # | Paper | IF | Citations |
|---|-------|-----|-----------|
| 46 | STARTING-SICH Nomogram to Predict Symptomatic Intracerebral Hemorrhage After Intravenous Thrombolysis for Stroke. *Stroke*, **2018**, 49, 397-404 | 6.7 | 34 |
| 45 | Red Blood Cell Distribution Width Is an Independent Predictor of Outcome in Patients Undergoing Thrombolysis for Ischemic Stroke. *Seminars in Thrombosis and Hemostasis*, **2017**, 43, 30-35 | 5.3 | 30 |
| 44 | IER-SICH Nomogram to Predict Symptomatic Intracerebral Hemorrhage After Thrombectomy for Stroke. *Stroke*, **2019**, 50, 909-916 | 6.7 | 29 |
| 43 | Clinical application of a rapid antigen test for the detection of SARS-CoV-2 infection in symptomatic and asymptomatic patients evaluated in the emergency department: A preliminary report. *Journal of Infection*, **2021**, 82, e14-e16 | 18.9 | 28 |
| 42 | Early function decline after ischemic stroke can be predicted by a nomogram based on age, use of thrombolysis, RDW and NIHSS score at admission. *Journal of Thrombosis and Thrombolysis*, **2017**, 43, 394-400 | 5.1 | 23 |
| 41 | Red blood cell distribution width in heart failure: A narrative review. *World Journal of Cardiology*, **2018**, 10, 6-14 | 2.1 | 23 |
| 40 | The START nomogram for individualized prediction of the probability of unfavorable outcome after intravenous thrombolysis for stroke. *International Journal of Stroke*, **2018**, 13, 700-706 | 6.3 | 17 |
| 39 | Direct Oral Anticoagulant Treatment and Mild Traumatic Brain Injury: Risk of Early and Delayed Bleeding and the Severity of Injuries Compared with Vitamin K Antagonists. *Journal of Emergency Medicine*, **2019**, 57, 817-824 | 1.5 | 17 |
| 38 | Red blood cell distribution width independently predicts medium-term mortality and major adverse cardiac events after an acute coronary syndrome. *Annals of Translational Medicine*, **2016**, 4, 254 | 3.2 | 15 |
| 37 | Early in-hospital variation of red blood cell distribution width predicts mortality in patients with acute heart failure. *International Journal of Cardiology*, **2017**, 243, 306-310 | 3.2 | 14 |
| 36 | Correlation between arterial blood gas and CT volumetry in patients with SARS-CoV-2 in the emergency department. *International Journal of Infectious Diseases*, **2020**, 97, 233-235 | 10.5 | 13 |
| 35 | Efficacy and safety in pharmacological cardioversion of recent-onset atrial fibrillation: a propensity score matching to compare amiodarone vs class IC antiarrhythmic drugs. *Internal and Emergency Medicine*, **2017**, 12, 853-859 | 3.7 | 8 |
| 34 | Red blood cell distribution width independently predicts 1-month mortality in acute decompensation of cirrhotic patients admitted to emergency department. *European Journal of Gastroenterology and Hepatology*, **2018**, 30, 33-38 | 2.2 | 8 |
| 33 | Evaluation of Neutrophil-lymphocyte and Platelet-lymphocyte Ratios as Predictors of 30-day Mortality in Patients Hospitalized for an Episode of Acute Decompensated Heart Failure. *Journal of Medical Biochemistry*, **2019**, 38, 452-460 | 1.9 | 8 |
| 32 | Not Just Arterial Damage: Increased Incidence of Venous Thromboembolic Events in Cardiovascular Patients With Elevated Plasma Levels of Apolipoprotein CIII. *Journal of the American Heart Association*, **2019**, 8, e010973 | 6 | 8 |
| 31 | IER-START nomogram for prediction of three-month unfavorable outcome after thrombectomy for stroke. *International Journal of Stroke*, **2020**, 15, 412-420 | 6.3 | 8 |
| 30 | Rapid antigen test to identify COVID-19 infected patients with and without symptoms admitted to the Emergency Department. *American Journal of Emergency Medicine*, **2021**, 51, 92-97 | 2.9 | 7 |

| | | | |
|---|---|---|---|
| 29 | The ROX index can be a useful tool for the triage evaluation of COVID-19 patients with dyspnoea. *Journal of Advanced Nursing*, **2021**, 77, 3361-3369 | 3.1 | 6 |
| 28 | Introduction of direct oral anticoagulant within 7 days of stroke onset: a nomogram to predict the probability of 3-month modified Rankin Scale score >2. *Journal of Thrombosis and Thrombolysis*, **2018**, 46, 292-298 | 5.1 | 5 |
| 27 | Estimated plasma volume status (ePVS) could be an easy-to-use clinical tool to determine the risk of sepsis or death in patients with fever. *Journal of Critical Care*, **2020**, 58, 106-112 | 4 | 5 |
| 26 | Thirty-day mortality in atrial fibrillation patients with gastrointestinal bleeding in the emergency department: differences between direct oral anticoagulant and warfarin users. *Internal and Emergency Medicine*, **2020**, 15, 311-318 | 3.7 | 5 |
| 25 | Performance of the Manchester Triage System in patients with dyspnoea: A retrospective observational study. *International Emergency Nursing*, **2020**, 53, 100931 | 2.4 | 4 |
| 24 | Risk factors associated with intracranial bleeding and neurosurgery in patients with mild traumatic brain injury who are receiving direct oral anticoagulants. *American Journal of Emergency Medicine*, **2021**, 43, 180-185 | 2.9 | 4 |
| 23 | Clinical application of the COVID-19 Reporting and Data System (CO-RADS) in patients with suspected SARS-CoV-2 infection: observational study in an emergency department. *Clinical Radiology*, **2021**, 76, 74.e23-74.e29 | 2.9 | 4 |
| 22 | Red Blood Cell Distribution Width Improves Reclassification of Patients Admitted to the Emergency Department with Acute Decompensated Heart Failure. *Journal of Medical Biochemistry*, **2018**, 37, 299-306 | 1.9 | 3 |
| 21 | Increased Incidence of Ischemic Cerebrovascular Events in Cardiovascular Patients With Elevated Apolipoprotein CIII. *Stroke*, **2020**, 51, 61-68 | 6.7 | 3 |
| 20 | A nomogram to predict unfavourable outcome in patients receiving oral anticoagulants for atrial fibrillation after stroke. *European Stroke Journal*, **2020**, 5, 384-393 | 5.6 | 3 |
| 19 | The COVID-19 epidemic and reorganisation of triage, an observational study. *Internal and Emergency Medicine*, **2020**, 15, 1517-1524 | 3.7 | 3 |
| 18 | Triage of patients with fever: The Manchester triage system's predictive validity for sepsis or septic shock and seven-day mortality. *Journal of Critical Care*, **2020**, 59, 63-69 | 4 | 2 |
| 17 | Effectiveness of Manchester Triage System in risk prioritisation of patients with pulmonary embolism who present dyspnoea, chest pain or collapse. *International Emergency Nursing*, **2020**, 50, 100842 | 2.4 | 2 |
| 16 | The Role of Red Blood Cell Distribution Width for Predicting 1-year Mortality in Patients Admitted to the Emergency Department with Severe Dyspnoea. *Journal of Medical Biochemistry*, **2017**, 36, 32-38 | 1.9 | 2 |
| 15 | Risk of delayed intracranial haemorrhage after an initial negative CT in patients on DOACs with mild traumatic brain injury.. *American Journal of Emergency Medicine*, **2022**, 53, 185-189 | 2.9 | 2 |
| 14 | Blood sampling during nurse triage reduces patient length of stay in the emergency department: A propensity score-weighted, population-based study. *International Emergency Nursing*, **2020**, 49, 100826 | 2.4 | 2 |
| 13 | A nomogram to predict the probability of mortality after first-ever acute manifestations of cerebral small vessel disease. *Journal of the Neurological Sciences*, **2018**, 385, 92-95 | 3.2 | 1 |
| 12 | Errors in nurse-led triage: An observational study. *International Journal of Nursing Studies*, **2021**, 113, 103788 | 5.8 | 1 |

11  Acute abdominal pain in triage: A retrospective observational study of the Manchester triage system's validity. *Journal of Clinical Nursing*, **2021**, 30, 942-951    3.2    1

10  Association of Short- and Medium-Term Particulate Matter Exposure with Risk of Mortality after Spontaneous Intracerebral Hemorrhage. *Journal of Stroke and Cerebrovascular Diseases*, **2018**, 27, 2519-2523    2.8    1

9   Decision tree analysis to predict the risk of intracranial haemorrhage after mild traumatic brain injury in patients taking DOACs. *American Journal of Emergency Medicine*, **2021**, 50, 388-393    2.9    1

8   Effect of the Emergency Department Assessment of Chest Pain Score on the Triage Performance in Patients With Chest Pain. *American Journal of Cardiology*, **2021**, 161, 12-18    3    0

7   Management of whiplash-associated disorder in the Italian emergency department: the feasibility of an evidence-based continuous professional development course provided by physiotherapists. *Disability and Rehabilitation*, **2020**, 1-8    2.4    0

6   Association between short- and medium-term air pollution exposure and risk of mortality after intravenous thrombolysis for stroke. *Journal of Thrombosis and Thrombolysis*, **2018**, 45, 293-299    5.1    0

5   Effect of the SARS-COV-2 pandemic outbreak on the emergency department admission for an acute psychiatric condition *Journal of Psychiatric Research*, **2022**, 151, 626-632    5.2    0

4   High Plasma Concentration of Apolipoprotein C-III Confers an Increased Risk of Cerebral Ischemic Events on Cardiovascular Patients Anticoagulated With Warfarin.. *Frontiers in Cardiovascular Medicine*, **2021**, 8, 781383    5.4

3   Predictors of post-traumatic complication of mild brain injury in anticoagulated patients: DOACs are safer than VKAs-comment. *Internal and Emergency Medicine*, **2021**, 16, 2319-2321    3.7

2   Patients with mild traumatic brain injury receiving direct oral ancoagulants in Emergency Department: a necessary discussion. *American Journal of Emergency Medicine*, **2021**, 42, 235-236    2.9

1   "Decision tree analysis for assessing the risk of post-traumatic haemorrhage after mild traumatic brain injury in patients on oral anticoagulant therapy".. *BMC Emergency Medicine*, **2022**, 22, 47    2.4