

Nader H Moniri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6651139/publications.pdf>

Version: 2024-02-01

32
papers

889
citations

516215

16
h-index

476904

29
g-index

32
all docs

32
docs citations

32
times ranked

1260
citing authors

#	ARTICLE	IF	CITATIONS
1	Nitric oxide regulates endocytosis by S-nitrosylation of dynamin. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 1295-1300.	3.3	169
2	Free-fatty acid receptor-4 (GPR120): Cellular and molecular function and its role in metabolic disorders. Biochemical Pharmacology, 2016, 110-111, 1-15.	2.0	89
3	Agonism with the omega-3 fatty acids \hat{I} -linolenic acid and docosahexaenoic acid mediates phosphorylation of both the short and long isoforms of the human GPR120 receptor. Biochemical and Biophysical Research Communications, 2010, 396, 1030-1035.	1.0	76
4	Expression and Function of Lysophosphatidic Acid LPA1 Receptor in Prostate Cancer Cells. Endocrinology, 2006, 147, 4883-4892.	1.4	64
5	Mechanisms of homologous and heterologous phosphorylation of FFA receptor 4 (GPR120): GRK6 and PKC mediate phosphorylation of Thr347, Ser350, and Ser357 in the C-terminal tail. Biochemical Pharmacology, 2014, 87, 650-659.	2.0	52
6	Agonist-stimulated reactive oxygen species formation regulates \hat{I}^2 -adrenergic receptor signal transduction. Biochemical Pharmacology, 2007, 74, 64-73.	2.0	42
7	Ligand-Directed Functional Heterogeneity of Histamine H1 Receptors: Novel Dual-Function Ligands Selectively Activate and Block H1-Mediated Phospholipase C and Adenylyl Cyclase Signaling. Journal of Pharmacology and Experimental Therapeutics, 2004, 311, 274-281.	1.3	38
8	Fish oil and flax seed oil supplemented diets increase FFAR4 expression in the rat colon. Inflammation Research, 2015, 64, 809-815.	1.6	36
9	The role of free-fatty acid receptor-4 (FFA4) in human cancers and cancer cell lines. Biochemical Pharmacology, 2018, 150, 170-180.	2.0	33
10	Androgens Transduce the \hat{I}^{\pm} -Mediated Activation of Protein Kinase A in Prostate Cells. Cancer Research, 2008, 68, 3225-3231.	0.4	28
11	The \hat{I}^2 -adrenergic receptor-ROS signaling axis: An overlooked component of \hat{I}^2 AR function?. Biochemical Pharmacology, 2020, 171, 113690.	2.0	26
12	Dynamin2- and endothelial nitric oxide synthase-regulated invasion of bladder epithelial cells by uropathogenic Escherichia coli. Journal of Cell Biology, 2011, 192, 101-110.	2.3	25
13	Short-chain free-fatty acid G protein-coupled receptors in colon cancer. Biochemical Pharmacology, 2021, 186, 114483.	2.0	25
14	Free-fatty acid receptor-4 (FFA4) modulates ROS generation and COX-2 expression via the C-terminal \hat{I}^2 -arrestin phosphosensor in Raw 264.7 macrophages. Biochemical Pharmacology, 2017, 146, 139-150.	2.0	24
15	Docosahexaenoic acid protects motor function and increases dopamine synthesis in a rat model of Parkinson's disease via mechanisms associated with increased protein kinase activity in the striatum. Neuropharmacology, 2020, 167, 107976.	2.0	21
16	A Novel Phenylaminotetralin Radioligand Reveals a Subpopulation of Histamine H1Receptors. Journal of Pharmacology and Experimental Therapeutics, 2002, 302, 328-336.	1.3	20
17	Omega-3 Fatty Acids as Druggable Therapeutics for Neurodegenerative Disorders. CNS and Neurological Disorders - Drug Targets, 2020, 18, 735-749.	0.8	18
18	Reactive oxygen species are required for \hat{I}^2 adrenergic receptor- \hat{I}^2 -arrestin interactions and signaling to ERK1/2. Biochemical Pharmacology, 2012, 84, 661-669.	2.0	16

#	ARTICLE	IF	CITATIONS
19	Clinical effects of once-weekly exenatide for the treatment of type 2 diabetes mellitus. <i>American Journal of Health-System Pharmacy</i> , 2013, 70, 1123-1131.	0.5	14
20	Role of PKA and PKC in histamine H1 receptor-mediated activation of catecholamine neurotransmitter synthesis. <i>Neuroscience Letters</i> , 2006, 407, 249-253.	1.0	13
21	Evolution of Preprofessional Pharmacy Curricula. <i>American Journal of Pharmaceutical Education</i> , 2013, 77, 95.	0.7	13
22	Agonist- and Hydrogen Peroxide-Mediated Oxidation of the β_2 Adrenergic Receptor: Evidence of Receptor S-Sulfenation as Detected by a Modified Biotin-Switch Assay. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 339, 914-921.	1.3	11
23	The adrenergic receptor antagonist carvedilol interacts with serotonin 2A receptors both in vitro and in vivo. <i>Pharmacology Biochemistry and Behavior</i> , 2019, 181, 37-45.	1.3	9
24	Carboxy-Terminal Phosphoregulation of the Long Splice Isoform of Free-Fatty Acid Receptor-4 Mediates β_2 -Arrestin Recruitment and Signaling to ERK1/2. <i>Molecular Pharmacology</i> , 2020, 97, 304-313.	1.0	8
25	Cysteine redox state regulates human β_2 -adrenergic receptor binding and function. <i>Scientific Reports</i> , 2020, 10, 2934.	1.6	6
26	The Skeletal Muscle Relaxer Cyclobenzaprine Is a Potent Non-Competitive Antagonist of Histamine H1 Receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2022, 380, 202-209.	1.3	5
27	Statin-Associated Achilles Tendon Rupture and Reproducible Bilateral Tendinopathy on Repeated Exposure. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1531-1532.	1.4	4
28	Reintroduction of quazepam. <i>International Clinical Psychopharmacology</i> , 2019, 34, 275-285.	0.9	3
29	Dynamin2- and endothelial nitric oxide synthase-regulated invasion of bladder epithelial cells by uropathogenic <i>Escherichia coli</i> . <i>Journal of Experimental Medicine</i> , 2011, 208, i3-i3.	4.2	1
30	β_2 -Adrenergic receptor mediated generation of reactive oxygen species is a component required for signal transduction, desensitization, and homodimerization. <i>FASEB Journal</i> , 2008, 22, 723.6.	0.2	0
31	Elucidation of the phosphorylation profiles of the long and short isoforms of the omega-3 fatty acid receptor-1 (GPR120). <i>FASEB Journal</i> , 2012, 26, .	0.2	0
32	Reactive Oxygen Species are required for β_2 adrenergic receptor mediated β_2 -arrestin signaling. <i>FASEB Journal</i> , 2012, 26, 665.6.	0.2	0