Anke van den Berg

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6651512/anke-van-den-berg-publications-by-year.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 294
papers
 10,942
citations
 56
h-index
 93
g-index

 327
ext. papers
 12,411
ext. citations
 5.7
avg, IF
 5.81
L-index

#	Paper	IF	Citations
294	Cell-of-origin classification using the Hans and Lymph2Cx algorithms in primary cutaneous large B-cell lymphomas <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022 , 480, 667	5.1	3
293	Understanding the role of long-acting muscarinic antagonists in asthma treatment <i>Annals of Allergy, Asthma and Immunology</i> , 2022 ,	3.2	1
292	CD4+ T cells in classical Hodgkin lymphoma express exhaustion associated transcription factors TOX and TOX2: Characterizing CD4+ T cells in Hodgkin lymphoma <i>OncoImmunology</i> , 2022 , 11, 2033433	₃ 7.2	O
291	Killer Cell Immunoglobulin-Like Receptor Haplotype B Modulates Susceptibility to EBV-Associated Classic Hodgkin Lymphoma <i>Frontiers in Immunology</i> , 2022 , 13, 829943	8.4	1
290	The Microbiome in Bronchial Biopsies from Smokers and Ex-Smokers with Stable COPD - A Metatranscriptomic Approach <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2022 , 1-7	2	O
289	The relation between age and airway epithelial barrier function Respiratory Research, 2022, 23, 43	7.3	1
288	Identification of the estrogen receptor beta as a possible new tamoxifen-sensitive target in diffuse large B-cell lymphoma <i>Blood Cancer Journal</i> , 2022 , 12, 36	7	2
287	Frequent 4EBP1 Amplification Induces Synthetic Dependence on FGFR Signaling in Cancer. <i>Cancers</i> , 2022 , 14, 2397	6.6	1
286	Low Mutational Burden of Extra Nodal Marginal Zone Lymphoma of Mucosa-Associated Lymphoid Tissue in Patients with Primary Sjogren's Syndrome. <i>Blood</i> , 2021 , 138, 1331-1331	2.2	
285	Responsivity and Reproducibility of Sputum Inflammatory Biomarkers During COPD Exacerbation and Stable Phases - A Pilot Study. <i>International Journal of COPD</i> , 2021 , 16, 3055-3064	3	
284	Ultra-low-dose CT combined with noise reduction techniques for quantification of emphysema in COPD patients: An intra-individual comparison study with standard-dose CT. <i>European Journal of Radiology</i> , 2021 , 138, 109646	4.7	6
283	Interaction between ERAP Alleles and HLA Class I Types Support a Role of Antigen Presentation in Hodgkin Lymphoma Development. <i>Cancers</i> , 2021 , 13,	6.6	2
282	Soluble PD-L1 is a promising disease biomarker but does not reflect tissue expression in classic Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2021 , 193, 506-514	4.5	1
281	Clinical Value of EGFR Copy Number Gain Determined by Amplicon-Based Targeted Next Generation Sequencing in Patients with EGFR-Mutated NSCLC. <i>Targeted Oncology</i> , 2021 , 16, 215-226	5	2
280	Actionability of on-target ALK Resistance Mutations in Patients With Non-Small Cell Lung Cancer: Local Experience and Review of the Literature. <i>Clinical Lung Cancer</i> , 2021 ,	4.9	2
279	Frequent mutated B2M, EZH2, IRF8, and TNFRSF14 in primary bone diffuse large B-cell lymphoma reflect a GCB phenotype. <i>Blood Advances</i> , 2021 , 5, 3760-3775	7.8	3
278	Molecular imaging in lymphoma beyond F-FDG-PET: understanding the biology and its implications for diagnostics and therapy. <i>Lancet Haematology,the</i> , 2020 , 7, e479-e489	14.6	5

277	Combined osimertinib, dabrafenib and trametinib treatment for advanced non-small-cell lung cancer patients with an osimertinib-induced BRAF V600E mutation. <i>Lung Cancer</i> , 2020 , 146, 358-361	5.9	18
276	The miR-26b-5p/KPNA2 Axis Is an Important Regulator of Burkitt Lymphoma Cell Growth. <i>Cancers</i> , 2020 , 12,	6.6	10
275	Non-Coding RNAs in Cancer Radiosensitivity: MicroRNAs and lncRNAs as Regulators of Radiation-Induced Signaling Pathways. <i>Cancers</i> , 2020 , 12,	6.6	21
274	WEE1 inhibition synergizes with CHOP chemotherapy and radiation therapy through induction of premature mitotic entry and DNA damage in diffuse large B-cell lymphoma. <i>Therapeutic Advances in Hematology</i> , 2020 , 11, 2040620719898373	5.7	5
273	Interim thymus and activation regulated chemokine versus interim F-fluorodeoxyglucose positron-emission tomography in classical Hodgkin lymphoma response evaluation. <i>British Journal of Haematology</i> , 2020 , 190, 40-44	4.5	9
272	Treatment of patients with MYC rearrangement positive large B-cell lymphoma with R-CHOP plus lenalidomide: results of a multicenter HOVON phase II trial. <i>Haematologica</i> , 2020 , 105, 2805-2812	6.6	10
271	Relevance and Effectiveness of Molecular Tumor Board Recommendations for Patients With Non-Small-Cell Lung Cancer With Rare or Complex Mutational Profiles <i>JCO Precision Oncology</i> , 2020 , 4, 393-410	3.6	18
270	Microenvironment, Cross-Talk, and Immune Escape Mechanisms. Hematologic Malignancies, 2020, 69-8	6 o	
269	Primary and acquired resistance mechanisms to immune checkpoint inhibition in Hodgkin lymphoma. <i>Cancer Treatment Reviews</i> , 2020 , 82, 101931	14.4	20
268	Analysis of Released Circulating Tumor Cells During Surgery for Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2020 , 26, 1656-1666	12.9	12
267	An All-In-One Transcriptome-Based Assay to Identify Therapy-Guiding Genomic Aberrations in Nonsmall Cell Lung Cancer Patients. <i>Cancers</i> , 2020 , 12,	6.6	2
266	Rosetting T cells in Hodgkin lymphoma are activated by immunological synapse components HLA class II and CD58. <i>Blood</i> , 2020 , 136, 2437-2441	2.2	10
265	MiR-378a-3p Is Critical for Burkitt Lymphoma Cell Growth. <i>Cancers</i> , 2020 , 12,	6.6	1
264	Targeted sequencing of circulating cell-free DNA in stage II-III resectable oesophageal squamous cell carcinoma patients. <i>BMC Cancer</i> , 2019 , 19, 818	4.8	10
263	Increased miR-142-3p Expression Might Explain Reduced Regulatory T Cell Function in Granulomatosis With Polyangiitis. <i>Frontiers in Immunology</i> , 2019 , 10, 2170	8.4	10
262	Tumour necrosis as assessed with F-FDG PET is a potential prognostic marker in diffuse large B cell lymphoma independent of MYC rearrangements. <i>European Radiology</i> , 2019 , 29, 6018-6028	8	3
261	Recommendations for the clinical interpretation and reporting of copy number gains using gene panel NGS analysis in routine diagnostics. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 474, 673-680	5.1	13
260	Age-related gene and miRNA expression changes in airways of healthy individuals. <i>Scientific Reports</i> , 2019 , 9, 3765	4.9	17

259	CX Chemokine Receptor 7 Contributes to Survival of -Mutant Non-Small Cell Lung Cancer upon Loss of Epidermal Growth Factor Receptor. <i>Cancers</i> , 2019 , 11,	6.6	13
258	NGS-Based High-Throughput Screen to Identify MicroRNAs Regulating Growth of B-Cell Lymphoma. <i>Methods in Molecular Biology</i> , 2019 , 1956, 269-282	1.4	1
257	Long Non-coding RNAs in the Development and Maintenance of Lymphoid Malignancies 2019 , 127-149		
256	A super-SILAC based proteomics analysis of diffuse large B-cell lymphoma-NOS patient samples to identify new proteins that discriminate GCB and non-GCB lymphomas. <i>PLoS ONE</i> , 2019 , 14, e0223260	3.7	3
255	WEE1 Inhibition Enhances Anti-Apoptotic Dependency as a Result of Premature Mitotic Entry and DNA Damage. <i>Cancers</i> , 2019 , 11,	6.6	6
254	Current Smoking is Associated with Decreased Expression of miR-335-5p in Parenchymal Lung Fibroblasts. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	8
253	Marked TGF-Fregulated miRNA expression changes in both COPD and control lung fibroblasts. <i>Scientific Reports</i> , 2019 , 9, 18214	4.9	9
252	Heterogeneous Pattern of Dependence on Anti-Apoptotic BCL-2 Family Proteins upon CHOP Treatment in Diffuse Large B-Cell Lymphoma. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	6
251	Intricate crosstalk between MYC and non-coding RNAs regulates hallmarks of cancer. <i>Molecular Oncology</i> , 2019 , 13, 26-45	7.9	31
250	Differential miRNA Expression Profiles in Cumulus and Mural Granulosa Cells from Human Pre-ovulatory Follicles. <i>MicroRNA (Shariqah, United Arab Emirates)</i> , 2019 , 8, 61-67	2.9	13
249	Argonaute 2 RNA Immunoprecipitation Reveals Distinct miRNA Targetomes of Primary Burkitt Lymphoma Tumors and Normal B Cells. <i>American Journal of Pathology</i> , 2018 , 188, 1289-1299	5.8	4
248	Effects of fluticasone propionate and budesonide on the expression of immune defense genes in bronchial epithelial cells. <i>Pulmonary Pharmacology and Therapeutics</i> , 2018 , 50, 47-56	3.5	15
247	Combined PD-1 and JAK1/2 inhibition in refractory primary mediastinal B-cell lymphoma. <i>Annals of Hematology</i> , 2018 , 97, 905-907	3	2
246	Rapid BRAF mutation tests in patients with advanced melanoma: comparison of immunohistochemistry, Droplet Digital PCR, and the Idylla Mutation Platform. <i>Melanoma Research</i> , 2018 , 28, 96-104	3.3	30
245	Targeting the Microenvironment in Hodgkin Lymphoma: Opportunities and Challenges. <i>Molecular Pathology Library</i> , 2018 , 59-90		
244	Identification of Two Protein-Signaling States Delineating Transcriptionally Heterogeneous Human Medulloblastoma. <i>Cell Reports</i> , 2018 , 22, 3206-3216	10.6	10
243	Impact of acute exposure to cigarette smoke on airway gene expression. <i>Physiological Genomics</i> , 2018 , 50, 705-713	3.6	16
242	Involvement of MicroRNAs in the Aging-Related Decline of CD28 Expression by Human T Cells. <i>Frontiers in Immunology</i> , 2018 , 9, 1400	8.4	8

24	Mutations in EMT-Related Genes in ALK Positive Crizotinib Resistant Non-Small Cell Lung Cancers. Cancers, 2018 , 10,	5.6	25	
240	• The Microenvironment in Epstein-Barr Virus-Associated Malignancies. <i>Pathogens</i> , 2018 , 7,	4.5	29	
239	Identification of relevant drugable targets in diffuse large B-cell lymphoma using a genome-wide unbiased CD20 guilt-by association approach. <i>PLoS ONE</i> , 2018 , 13, e0193098	3.7	14	
238	Combined loss of HLA I and HLA II expression is more common in the non-GCB type of diffuse large B cell lymphoma. <i>Histopathology</i> , 2018 , 72, 886-888	7.3	3	
237	Circulating miRNAs in patients with Barrett's esophagus, high-grade dysplasia and esophageal adenocarcinoma. <i>Journal of Gastrointestinal Oncology</i> , 2018 , 9, 1150-1156	2.8	8	
236	KRAS Mutation as a Resistance Mechanism to BRAF/MEK Inhibition in NSCLC. <i>Journal of Thoracic Oncology</i> , 2018 , 13, e249-e251	8.9	10	
235	5 Mutational Evolution in Relapsed Diffuse Large B-Cell Lymphoma. <i>Cancers</i> , 2018 , 10,	5.6	9	
232	Tuberous sclerosis complex is required for tumor maintenance in MYC-driven Burkitt's lymphoma. EMBO Journal, 2018 , 37,	13	6	
233	MicroRNA High Throughput Loss-of-Function Screening Reveals an Oncogenic Role for miR-21-5p in Hodgkin Lymphoma. <i>Cellular Physiology and Biochemistry</i> , 2018 , 49, 144-159	3.9	17	
232	Serum periostin does not reflect type 2-driven inflammation in COPD. <i>Respiratory Research</i> , 2018 , 19, 112	7.3	6	
231	Novel genes and insights in complete asthma remission: A genome-wide association study on clinical and complete asthma remission. <i>Clinical and Experimental Allergy</i> , 2018 , 48, 1286-1296	4.1	11	
230	MBRS-36. IDENTIFICATION OF TWO PROTEIN-SIGNALING STATES DELINEATING TRANSCRIPTIONALLY HETEROGENEOUS HUMAN MEDULLOBLASTOMA. <i>Neuro-Oncology</i> , 2018 , 20, i136-	i 136	78	
229	Argonaute 2 immunoprecipitation revealed large tumor suppressor kinase 1 as a novel proapoptotic target of miR-21 in T cells. <i>FEBS Journal</i> , 2017 , 284, 555-567	5.7	6	
228	S Latrophilin receptors: novel bronchodilator targets in asthma. <i>Thorax</i> , 2017 , 72, 74-82	7.3	8	
22	Dichotomous ALK-IHC Is a Better Predictor for ALK Inhibition Outcome than Traditional ALK-FISH in Advanced Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2017 , 23, 4251-4258	12.9	48	
220	miR-24-3p Is Overexpressed in Hodgkin Lymphoma and Protects Hodgkin and Reed-Sternberg Cells from Apoptosis. <i>American Journal of Pathology</i> , 2017 , 187, 1343-1355	5.8	32	
225	Copy number alterations assessed at the single-cell level revealed mono- and polyclonal seeding patterns of distant metastasis in a small-cell lung cancer patient. <i>Annals of Oncology</i> , 2017 , 28, 1668-1670	J0.3	14	
22/	HLA dependent immune escape mechanisms in B-cell lymphomas: Implications for immune checkpoint inhibitor therapy?. <i>OncoImmunology</i> , 2017 , 6, e1295202	7.2	60	

223	ZDHHC11 and ZDHHC11B are critical novel components of the oncogenic MYC-miR-150-MYB network in Burkitt lymphoma. <i>Leukemia</i> , 2017 , 31, 1470-1473	10.7	24
222	Emerging roles for long noncoding RNAs in B-cell development and malignancy. <i>Critical Reviews in Oncology/Hematology</i> , 2017 , 120, 77-85	7	25
221	MicroRNA profiling of human primary macrophages exposed to dengue virus identifies miRNA-3614-5p as antiviral and regulator of ADAR1 expression. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005981	4.8	27
220	Prognostic Model to Predict Post-Autologous Stem-Cell Transplantation Outcomes in Classical Hodgkin Lymphoma. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3722-3733	2.2	29
219	Building Bridges for Innovation in Ageing: Synergies between Action Groups of the EIP on AHA. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 92-104	5.2	36
218	PTTG1IP and MAML3, novel genomewide association study genes for severity of hyperresponsiveness in adult asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 792-801	9.3	12
217	Lymphadenopathy driven by TCR-V8V1 T-cell expansion in FAS-related autoimmune lymphoproliferative syndrome. <i>Blood Advances</i> , 2017 , 1, 1101-1106	7.8	2
216	HLA expression and HLA type associations in relation to EBV status in Hispanic Hodgkin lymphoma patients. <i>PLoS ONE</i> , 2017 , 12, e0174457	3.7	6
215	Overall survival in EGFR mutated non-small-cell lung cancer patients treated with afatinib after EGFR TKI and resistant mechanisms upon disease progression. <i>PLoS ONE</i> , 2017 , 12, e0182885	3.7	15
214	Identification of transforming growth factor-beta-regulated microRNAs and the microRNA-targetomes in primary lung fibroblasts. <i>PLoS ONE</i> , 2017 , 12, e0183815	3.7	28
213	Mutation patterns in small cell and non-small cell lung cancer patients suggest a different level of heterogeneity between primary and metastatic tumors. <i>Carcinogenesis</i> , 2017 , 38, 144-151	4.6	21
212	Combining genomewide association study and lung eQTL analysis provides evidence for novel genes associated with asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 1712-1720	9.3	36
211	Single-cell sequencing reveals karyotype heterogeneity in murine and human malignancies. <i>Genome Biology</i> , 2016 , 17, 115	18.3	99
210	Functional Studies on Primary Tubular Epithelial Cells Indicate a Tumor Suppressor Role of SETD2 in Clear Cell Renal Cell Carcinoma. <i>Neoplasia</i> , 2016 , 18, 339-46	6.4	16
209	Budesonide and fluticasone propionate differentially affect the airway epithelial barrier. <i>Respiratory Research</i> , 2016 , 17, 2	7.3	26
208	Resistance mechanisms after tyrosine kinase inhibitors afatinib and crizotinib in non-small cell lung cancer, a review of the literature. <i>Critical Reviews in Oncology/Hematology</i> , 2016 , 100, 107-16	7	76
207	The European Hematology Association Roadmap for European Hematology Research: a consensus document. <i>Haematologica</i> , 2016 , 101, 115-208	6.6	46
206	Plasma vesicle miRNAs for therapy response monitoring in Hodgkin lymphoma patients. <i>JCI Insight</i> , 2016 , 1, e89631	9.9	93

(2015-2016)

205	Post-Autologous Stem Cell Transplantation Outcomes in Classical Hodgkin Lymphoma. <i>Blood</i> , 2016 , 128, 1093-1093	2.2	1
204	Proteomics Based Identification of Proteins with Deregulated Expression in B Cell Lymphomas. <i>PLoS ONE</i> , 2016 , 11, e0146624	3.7	5
203	Genomic Aberrations in Crizotinib Resistant Lung Adenocarcinoma Samples Identified by Transcriptome Sequencing. <i>PLoS ONE</i> , 2016 , 11, e0153065	3.7	11
202	Inhibition of the miR-155 target NIAM phenocopies the growth promoting effect of miR-155 in B-cell lymphoma. <i>Oncotarget</i> , 2016 , 7, 2391-400	3.3	34
201	SETD2: an epigenetic modifier with tumor suppressor functionality. <i>Oncotarget</i> , 2016 , 7, 50719-50734	3.3	89
200	Characterization of the Microenvironment of Nodular Lymphocyte Predominant Hodgkin Lymphoma. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	9
199	Chronic Obstructive Pulmonary Disease Is Not Associated with KRAS Mutations in Non-Small Cell Lung Cancer. <i>PLoS ONE</i> , 2016 , 11, e0152317	3.7	8
198	Small RNA sequencing reveals a comprehensive miRNA signature of BRCA1-associated high-grade serous ovarian cancer. <i>Journal of Clinical Pathology</i> , 2016 ,	3.9	8
197	Analysis of serum immune markers in seropositive and seronegative rheumatoid arthritis and in high-risk seropositive arthralgia patients. <i>Scientific Reports</i> , 2016 , 6, 26021	4.9	30
196	Meta-analysis of genome-wide association studies reveals genetic overlap between Hodgkin lymphoma and multiple sclerosis. <i>International Journal of Epidemiology</i> , 2016 , 45, 728-40	7.8	16
195	The microenvironment of classical Hodgkin lymphoma: heterogeneity by Epstein-Barr virus presence and location within the tumor. <i>Blood Cancer Journal</i> , 2016 , 6, e417	7	19
194	Biomarkers for evaluation of treatment response in classical Hodgkin lymphoma: comparison of sGalectin-1, sCD163 and sCD30 with TARC. <i>British Journal of Haematology</i> , 2016 , 175, 868-875	4.5	27
193	CD58 mutations are common in Hodgkin lymphoma cell lines and loss of CD58 expression in tumor cells occurs in Hodgkin lymphoma patients who relapse. <i>Genes and Immunity</i> , 2016 , 17, 363-6	4.4	22
192	Long Noncoding RNA Expression Profiling in Normal B-Cell Subsets and Hodgkin Lymphoma Reveals Hodgkin and Reed-Sternberg Cell-Specific Long Noncoding RNAs. <i>American Journal of Pathology</i> , 2016 , 186, 2462-72	5.8	27
191	Genomic aberrations guiding treatment of non-small cell lung cancer patients. <i>Cancer Treatment Communications</i> , 2015 , 4, 23-33		14
190	Immuno-miRs: critical regulators of T-cell development, function and ageing. <i>Immunology</i> , 2015 , 144, 1-10	7.8	110
189	CD57+ T-cells are a subpopulation of T-follicular helper cells in nodular lymphocyte predominant Hodgkin lymphoma. <i>Experimental Hematology and Oncology</i> , 2015 , 4, 27	7.8	11
188	Rheumatoid Arthritis, Immunosenescence and the Hallmarks of Aging. <i>Current Aging Science</i> , 2015 , 8, 131-46	2.2	48

Microenvironment, Crosstalk, and Immune Escape Mechanisms. Hematologic Malignancies, **2015**, 65-78 o

186	A Novel Risk Locus at 6p21.3 for Epstein-Barr Virus-Positive Hodgkin Lymphoma. <i>Cancer</i>	4	16
100	Epidemiology Biomarkers and Prevention, 2015 , 24, 1838-43	4	10
185	Pim1 kinase activity preserves airway epithelial integrity upon house dust mite exposure. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2015 , 309, L1344-53	5.8	7
184	GATA6 expression in Barrett's oesophagus and oesophageal adenocarcinoma. <i>Digestive and Liver Disease</i> , 2015 , 47, 73-80	3.3	9
183	SF Treg cells transcribing high levels of Bcl-2 and microRNA-21 demonstrate limited apoptosis in RA. <i>Rheumatology</i> , 2015 , 54, 950-8	3.9	24
182	Long noncoding RNAs as a novel component of the Myc transcriptional network. <i>FASEB Journal</i> , 2015 , 29, 2338-46	0.9	42
181	Mir-155 Enhances B-Cell Lymphoma Growth By Targeting TBRG1. <i>Blood</i> , 2015 , 126, 4820-4820	2.2	3
180	Age-Associated Differences in MiRNA Signatures Are Restricted to CD45RO Negative T Cells and Are Associated with Changes in the Cellular Composition, Activation and Cellular Ageing. <i>PLoS ONE</i> , 2015 , 10, e0137556	3.7	21
179	T-cell Activation Induces Dynamic Changes in miRNA Expression Patterns in CD4 and CD8 T-cell Subsets. <i>MicroRNA (Shariqah, United Arab Emirates)</i> , 2015 , 4, 117-22	2.9	26
178	Mutations in CD58 and Other Immune System Related Genes in Hodgkin Lymphoma. <i>Blood</i> , 2015 , 126, 1439-1439	2.2	
177	Impact of Radiotherapy and Rituximab on Outcome of Stage I(E) Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2015 , 126, 1503-1503	2.2	
176	The microenvironment in classical Hodgkin lymphoma: an actively shaped and essential tumor component. <i>Seminars in Cancer Biology</i> , 2014 , 24, 15-22	12.7	79
175	Comprehensive analysis of miRNA expression in T-cell subsets of rheumatoid arthritis patients reveals defined signatures of naive and memory Tregs. <i>Genes and Immunity</i> , 2014 , 15, 115-25	4.4	100
174	Aging disturbs the balance between effector and regulatory CD4+ T cells. <i>Experimental Gerontology</i> , 2014 , 60, 190-6	4.5	81
173	Toll-like receptors in the pathogenesis of human B cell malignancies. <i>Journal of Hematology and Oncology</i> , 2014 , 7, 57	22.4	38
172	Shifted T-cell polarisation after agricultural dust exposure in mice and men. <i>Thorax</i> , 2014 , 69, 630-7	7.3	24
171	A meta-analysis of Hodgkin lymphoma reveals 19p13.3 TCF3 as a novel susceptibility locus. <i>Nature Communications</i> , 2014 , 5, 3856	17.4	55
170	Embryological signaling pathways in Barrett's metaplasia development and malignant transformation; mechanisms and therapeutic opportunities. <i>Critical Reviews in Oncology/Hematology</i> , 2014 , 92, 25-37	7	11

(2012-2014)

169	The mutational landscape of Hodgkin lymphoma cell lines determined by whole-exome sequencing. <i>Leukemia</i> , 2014 , 28, 2248-51	10.7	54
168	Genetic associations in classical hodgkin lymphoma: a systematic review and insights into susceptibility mechanisms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2737-47	4	30
167	Insulin-like growth factor 1 receptor is a prognostic factor in classical Hodgkin lymphoma. <i>PLoS ONE</i> , 2014 , 9, e87474	3.7	19
166	Correlation of microRNA-16, microRNA-21 and microRNA-101 expression with cyclooxygenase-2 expression and angiogenic factors in cirrhotic and noncirrhotic human hepatocellular carcinoma. <i>PLoS ONE</i> , 2014 , 9, e95826	3.7	8
165	Meta-Analysis of Hodgkin Lymphoma and Asthma Genome-Wide Association Scans reveals common variants in GATA3. <i>Blood</i> , 2014 , 124, 135-135	2.2	
164	GATA6 expression in Barretts metaplasia development and malignant progression <i>Journal of Clinical Oncology</i> , 2014 , 32, 26-26	2.2	
163	The entire miR-200 seed family is strongly deregulated in clear cell renal cell cancer compared to the proximal tubular epithelial cells of the kidney. <i>Genes Chromosomes and Cancer</i> , 2013 , 52, 165-73	5	25
162	Treatment of the bronchial tree from beginning to end: targeting small airway inflammation in asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 16-26	9.3	53
161	Studying microRNAs in lymphoma. <i>Methods in Molecular Biology</i> , 2013 , 971, 265-76	1.4	12
160	The Role of MicroRNAs in Hodgkin's Lymphoma 2013 , 435-447		
159	PML nuclear bodies and SATB1 are associated with HLA class I expression in EBV+ Hodgkin lymphoma. <i>PLoS ONE</i> , 2013 , 8, e72930	3.7	5
158	Long Non-Coding RNAs Are Commonly Deregulated In Hodgkin Lymphoma. <i>Blood</i> , 2013 , 122, 628-628	2.2	2
157	Dual role of miR-21 in CD4+ T-cells: activation-induced miR-21 supports survival of memory T-cells and regulates CCR7 expression in naive T-cells. <i>PLoS ONE</i> , 2013 , 8, e76217	3.7	55
156	Cellular localization and processing of primary transcripts of exonic microRNAs. <i>PLoS ONE</i> , 2013 , 8, e76	6 4 .7	19
155	Long Non-Coding RNAs As Components Of The MYC Network In B Cell Lymphoma. <i>Blood</i> , 2013 , 122, 1260-1260	2.2	
154	A Meta-Analysis Of Hodgkin Lymphoma Reveals 19p13.3 (TCF3) As a Novel Susceptibility Loc. <i>Blood</i> , 2013 , 122, 626-626	2.2	
153	Circulating tumor cells in small-cell lung cancer: a predictive and prognostic factor. <i>Annals of Oncology</i> , 2012 , 23, 2937-2942	10.3	167

151	Genome-wide association study of classical Hodgkin lymphoma and Epstein-Barr virus status-defined subgroups. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 240-53	9.7	117
150	Rapid generation of microRNA sponges for microRNA inhibition. <i>PLoS ONE</i> , 2012 , 7, e29275	3.7	103
149	HLA-A*02:07 is a protective allele for EBV negative and a susceptibility allele for EBV positive classical Hodgkin lymphoma in China. <i>PLoS ONE</i> , 2012 , 7, e31865	3.7	22
148	HLA associations in classical Hodgkin lymphoma: EBV status matters. <i>PLoS ONE</i> , 2012 , 7, e39986	3.7	41
147	Gene expression profiling of microdissected Hodgkin Reed-Sternberg cells correlates with treatment outcome in classical Hodgkin lymphoma. <i>Blood</i> , 2012 , 120, 3530-40	2.2	100
146	Plasma thymus and activation-regulated chemokine as an early response marker in classical Hodgkin's lymphoma. <i>Haematologica</i> , 2012 , 97, 410-5	6.6	45
145	Expression of the c-Met oncogene by tumor cells predicts a favorable outcome in classical Hodgkin's lymphoma. <i>Haematologica</i> , 2012 , 97, 572-8	6.6	26
144	Expression, Prognostic Value and Function of IGF1R in Hodgkin Lymphoma <i>Blood</i> , 2012 , 120, 2640-264	Q .2	
143	A chronic obstructive pulmonary disease related signature in squamous cell lung cancer. <i>Lung Cancer</i> , 2011 , 72, 177-83	5.9	23
142	Multiple HLA class I and II associations in classical Hodgkin lymphoma and EBV status defined subgroups. <i>Blood</i> , 2011 , 118, 5211-7	2.2	1
141	MHC class II transactivator CIITA is a recurrent gene fusion partner in lymphoid cancers. <i>Nature</i> , 2011 , 471, 377-81	50.4	467
140	MiR-17/106b seed family regulates p21 in Hodgkin's lymphoma. <i>Journal of Pathology</i> , 2011 , 225, 609-17	9.4	29
139	Randomized, placebo-controlled phase III study of docetaxel plus carboplatin with celecoxib and cyclooxygenase-2 expression as a biomarker for patients with advanced non-small-cell lung cancer: the NVALT-4 study. <i>Journal of Clinical Oncology</i> , 2011 , 29, 4320-6	2.2	91
138	Epidemiology of classical Hodgkin lymphoma and its association with Epstein Barr virus in Northern China. <i>PLoS ONE</i> , 2011 , 6, e21152	3.7	21
137	Application of RIP-Chip for the Identification of miRNA Targets. <i>Neuromethods</i> , 2011 , 159-169	0.4	1
136	Microenvironment, Cross-Talk, and Immune Escape Mechanisms 2011 , 49-61		1
135	CSF1R Expression of Hodgkin Reed Sternberg Cells Is Associated with the Number of Macrophages in the Tumor Microenvironment and Is Correlated with Treatment Outcome. <i>Blood</i> , 2011 , 118, 427-427	2.2	
134	CCR4 Expression in Hodgkin Lymphoma. <i>Blood</i> , 2011 , 118, 2626-2626	2.2	

(2009-2010)

133	MiRNA profiling in B non-Hodgkin lymphoma: a MYC-related miRNA profile characterizes Burkitt lymphoma. <i>British Journal of Haematology</i> , 2010 , 149, 896-9	4.5	63
132	A genome-wide association study of Hodgkin's lymphoma identifies new susceptibility loci at 2p16.1 (REL), 8q24.21 and 10p14 (GATA3). <i>Nature Genetics</i> , 2010 , 42, 1126-1130	36.3	158
131	Prolonged protection of the new inhaled corticosteroid fluticasone furoate against AMP hyperresponsiveness in patients with asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010 , 65, 1531-5	9.3	27
130	MicroRNAs, macrocontrol: regulation of miRNA processing. <i>Rna</i> , 2010 , 16, 1087-95	5.8	195
129	Maternal smoking during pregnancy decreases Wnt signalling in neonatal mice. <i>Thorax</i> , 2010 , 65, 553-4	7.3	25
128	Expression of CD1d and presence of invariant NKT cells in classical Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2010 , 85, 539-41	7.1	20
127	Cytoplasmic p21 expression levels determine cisplatin resistance in human testicular cancer. Journal of Clinical Investigation, 2010 , 120, 3594-605	15.9	157
126	Mid-Treatment Plasma Levels of Thymus Activated and Regulated Chemokine (TARC) Predict Treatment Outcome In Classical Hodgkin Lymphoma Patients. <i>Blood</i> , 2010 , 116, 748-748	2.2	1
125	Expression of HLA class I and HLA class II by tumor cells in Chinese classical Hodgkin lymphoma patients. <i>PLoS ONE</i> , 2010 , 5, e10865	3.7	15
124	Expression of the c-Met Oncogene Correlates with Favorable Progression Free Survival In Classical Hodgkin Lymphoma. <i>Blood</i> , 2010 , 116, 3880-3880	2.2	
123	HLA Class I and EBV Positive Classical Hodgkin Lymphoma In the Chinese Population. <i>Blood</i> , 2010 , 116, 2688-2688	2.2	
122	Protective and Predisposing HLA Alleles In Dutch Classical Hodgkin Lymphoma Patients. <i>Blood</i> , 2010 , 116, 749-749	2.2	
121	Management of Asthma with ICS and LABAs: Different treatment strategies. <i>Clinical Medicine Therapeutics</i> , 2009 , 1, CMT.S2283		0
120	Latent Epstein-Barr virus infection of tumor cells in classical Hodgkin's lymphoma predicts adverse outcome in older adult patients. <i>Journal of Clinical Oncology</i> , 2009 , 27, 3815-21	2.2	71
119	A high throughput experimental approach to identify miRNA targets in human cells. <i>Nucleic Acids Research</i> , 2009 , 37, e137	20.1	94
118	Expression of miR-21 and its targets (PTEN, PDCD4, TM1) in flat epithelial atypia of the breast in relation to ductal carcinoma in situ and invasive carcinoma. <i>BMC Cancer</i> , 2009 , 9, 163	4.8	164
117	Current smoking-specific gene expression signature in normal bronchial epithelium is enhanced in squamous cell lung cancer. <i>Journal of Pathology</i> , 2009 , 218, 182-91	9.4	53
116	The role of female sex hormones in the development and severity of allergic and non-allergic asthma. <i>Clinical and Experimental Allergy</i> , 2009 , 39, 1477-81	4.1	40

115	miRNA profiling of B-cell subsets: specific miRNA profile for germinal center B cells with variation between centroblasts and centrocytes. <i>Laboratory Investigation</i> , 2009 , 89, 708-16	5.9	87
114	Specific expression of miR-17-5p and miR-127 in testicular and central nervous system diffuse large B-cell lymphoma. <i>Modern Pathology</i> , 2009 , 22, 547-55	9.8	67
113	Similar efficacy of ciclesonide versus prednisolone to treat asthma worsening after steroid tapering. <i>Respiratory Medicine</i> , 2009 , 103, 1216-23	4.6	13
112	Genomic aberrations in squamous cell lung carcinoma related to lymph node or distant metastasis. <i>Lung Cancer</i> , 2009 , 66, 372-8	5.9	50
111	Hodgkin lymphoma cell lines are characterized by a specific miRNA expression profile. <i>Neoplasia</i> , 2009 , 11, 167-76	6.4	111
110	Composite lymphoma: EBV-positive classic Hodgkin lymphoma and peripheral T-cell lymphoma: a case report. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2009 , 17, 72-6	1.9	13
109	Expression of CD1c, CD1d and Presence of Invariant NKT Cells in Hodgkin Lymphoma <i>Blood</i> , 2009 , 114, 3659-3659	2.2	
108	The HGF/c-Met Signaling Pathway in Hodgkin Lymphoma <i>Blood</i> , 2009 , 114, 1551-1551	2.2	
107	Serum TARC Levels Correspond with Tumor Load and Response to Chemotherapy in Classical Hodgkin Lymphoma Patients <i>Blood</i> , 2009 , 114, 3663-3663	2.2	
106	The CD4+CD26- T-cell population in classical Hodgkin's lymphoma displays a distinctive regulatory T-cell profile. <i>Laboratory Investigation</i> , 2008 , 88, 482-90	5.9	53
105	HLA-G protein expression as a potential immune escape mechanism in classical Hodgkin's lymphoma. <i>Tissue Antigens</i> , 2008 , 71, 219-26		67
104	Serum chemokine levels in Hodgkin lymphoma patients: highly increased levels of CCL17 and CCL22. <i>British Journal of Haematology</i> , 2008 , 140, 527-36	4.5	93
103	Autoimmune lymphoproliferative syndrome in a patient with a new minimal deletion in the death domain of the FAS gene. <i>Human Pathology</i> , 2008 , 39, 137-41	3.7	6
102	Proteomics analysis of Hodgkin lymphoma: identification of new players involved in the cross-talk between HRS cells and infiltrating lymphocytes. <i>Blood</i> , 2008 , 111, 2339-46	2.2	99
101	Brain death induces inflammation in the donor intestine. <i>Transplantation</i> , 2008 , 86, 148-54	1.8	27
100	miRNA analysis in B-cell chronic lymphocytic leukaemia: proliferation centres characterized by low miR-150 and high BIC/miR-155 expression. <i>Journal of Pathology</i> , 2008 , 215, 13-20	9.4	100
99	A High Throughput Experimental Approach to Identify miRNA Target Genes in Hodgkin Lymphoma <i>Blood</i> , 2008 , 112, 1461-1461	2.2	3
98	Global correlation of genome and transcriptome changes in classical Hodgkin lymphoma. <i>Hematological Oncology</i> , 2007 , 25, 21-9	1.3	21

(2006-2007)

97	Regulation of pri-microRNA BIC transcription and processing in Burkitt lymphoma. <i>Oncogene</i> , 2007 , 26, 3769-76	9.2	121
96	Microarray amplification bias: loss of 30% differentially expressed genes due to long probe - poly(A)-tail distances. <i>BMC Genomics</i> , 2007 , 8, 277	4.5	17
95	Hodgkin's lymphoma associated T-cells exhibit a transcription factor profile consistent with distinct lymphoid compartments. <i>Journal of Clinical Pathology</i> , 2007 , 60, 1092-7	3.9	13
94	Differential expression and distribution of epithelial adhesion molecules in non-small cell lung cancer and normal bronchus. <i>Journal of Clinical Pathology</i> , 2007 , 60, 608-14	3.9	47
93	HLA class II expression by Hodgkin Reed-Sternberg cells is an independent prognostic factor in classical Hodgkin's lymphoma. <i>Journal of Clinical Oncology</i> , 2007 , 25, 3101-8	2.2	107
92	HLA-A*02 is associated with a reduced risk and HLA-A*01 with an increased risk of developing EBV+ Hodgkin lymphoma. <i>Blood</i> , 2007 , 110, 3310-5	2.2	111
91	Strongly enhanced IL-10 production using stable galectin-1 homodimers. <i>Molecular Immunology</i> , 2007 , 44, 506-13	4.3	83
90	Deletion of C-MYC in the spectrum of transformed follicular lymphoma grade 3B: reply. <i>Human Pathology</i> , 2007 , 38, 192-193	3.7	
89	5'-UTR FAS mutation pattern and frequency in nodal diffuse large B-cell lymphoma similar to normal germinal center B cells. <i>Leukemia and Lymphoma</i> , 2007 , 48, 851-2	1.9	1
88	miRNA Expression Profile of B-SLL Consistent with Normal Memory B Cells:BIC/miR1 55 Specific Location in Proliferation Center <i>Blood</i> , 2007 , 110, 2081-2081	2.2	
87	Upregulation of ADAM19 in chronic allograft nephropathy. <i>American Journal of Transplantation</i> , 2006 , 6, 1673-81	8.7	15
86	Lack of BIC and microRNA miR-155 expression in primary cases of Burkitt lymphoma. <i>Genes Chromosomes and Cancer</i> , 2006 , 45, 147-53	5	204
85	Array comparative genomic hybridization reveals a very high frequency of deletions of the long arm of chromosome 6 in testicular lymphoma. <i>Genes Chromosomes and Cancer</i> , 2006 , 45, 976-81	5	14
84	Cigarette smoke-induced emphysema: A role for the B cell?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 173, 751-8	10.2	242
83	The human leukocyte antigen class I region is associated with EBV-positive Hodgkin's lymphoma: HLA-A and HLA complex group 9 are putative candidate genes. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2280-4	4	32
82	RT-PCR and immunohistochemical evaluation of sentinel lymph nodes after in vivo mapping with Patent Blue V in colon cancer patients. <i>Scandinavian Journal of Gastroenterology</i> , 2006 , 41, 1073-8	2.4	11
81	Molecular, cytogenetic, and immunophenotypic characterization of follicular lymphoma grade 3B; a separate entity or part of the spectrum of diffuse large B-cell lymphoma or follicular lymphoma?. <i>Human Pathology</i> , 2006 , 37, 528-33	3.7	59
80	BCL6 alternative breakpoint region break and homozygous deletion of 17q24 in the nodular lymphocyte predominance type of Hodgkin's lymphoma-derived cell line DEV. <i>Human Pathology</i> , 2006 , 37, 675-83	3.7	24

79	Cytokine gene expression profile distinguishes CD4+/CD57+ T cells of the nodular lymphocyte predominance type of Hodgkin's lymphoma from their tonsillar counterparts. <i>Journal of Pathology</i> , 2006 , 208, 423-30	9.4	35
78	Gene expression analysis of dendritic/Langerhans cells and Langerhans cell histiocytosis. <i>Journal of Pathology</i> , 2006 , 209, 474-83	9.4	22
77	The role of microRNAs in normal hematopoiesis and hematopoietic malignancies. <i>Leukemia</i> , 2006 , 20, 1931-6	10.7	86
76	Regulation of pri-miRNA BIC Transcription and Processing in Burkitt Lymphoma <i>Blood</i> , 2006 , 108, 2380)- <u>23</u> 80	
75	Discovery of Biomarkers for Hodgkin Lymphoma Using Proteomics Technology <i>Blood</i> , 2006 , 108, 2261	- <u>226</u> 1	
74	Association with HLA class I in Epstein-Barr-virus-positive and with HLA class III in Epstein-Barr-virus-negative Hodgkin's lymphoma. <i>Lancet, The</i> , 2005 , 365, 2216-24	40	130
73	Expression of the T-cell transcription factors, GATA-3 and T-bet, in the neoplastic cells of Hodgkin lymphomas. <i>American Journal of Pathology</i> , 2005 , 166, 127-34	5.8	48
72	Brain death causes structural and inflammatory changes in donor intestine. <i>Transplantation Proceedings</i> , 2005 , 37, 448-9	1.1	19
71	Protease activity of plasma hemopexin. <i>Kidney International</i> , 2005 , 68, 603-10	9.9	55
70	High expression of calcium-binding proteins, S100A10, S100A11 and CALM2 in anaplastic large cell lymphoma. <i>British Journal of Haematology</i> , 2005 , 131, 596-608	4.5	32
69	Genetic susceptibility to Hodgkin's lymphoma associated with the human leukocyte antigen region. <i>European Journal of Haematology</i> , 2005 , 75, 34-41	3.8	38
68	Report: workshop on mediastinal grey zone lymphoma. European Journal of Haematology, 2005 , 75, 45-	53 .8	15
67	BCL6 alternative translocation breakpoint cluster region associated with follicular lymphoma grade 3B. <i>Genes Chromosomes and Cancer</i> , 2005 , 44, 301-4	5	25
66	TIMP-1 expression in anaplastic large cell lymphoma is usually restricted to macrophages and only seldom observed in tumour cells. <i>Journal of Pathology</i> , 2005 , 206, 445-50	9.4	6
65	BIC and miR-155 are highly expressed in Hodgkin, primary mediastinal and diffuse large B cell lymphomas. <i>Journal of Pathology</i> , 2005 , 207, 243-9	9.4	584
64	High expression of Mcl-1 in ALK positive and negative anaplastic large cell lymphoma. <i>Journal of Clinical Pathology</i> , 2005 , 58, 520-4	3.9	17
63	P53 mutation analysis of colorectal liver metastases: relation to actual survival, angiogenic status, and p53 overexpression. <i>Clinical Cancer Research</i> , 2005 , 11, 4067-73	12.9	31
62	Polymorphisms and Lack of or Aberrant Expression of HLA Class I and II May Influence Antigen Presentation in Classical Hodgkin Lymphoma <i>Blood</i> , 2005 , 106, 20-20	2.2	1

(2003-2005)

61	Haplotype-Based Sequencing To Delineate the Associated HLA Class I Region for EBV Positive Hodgkin Lymphoma <i>Blood</i> , 2005 , 106, 971-971	2.2	
60	Lack of BIC and microRNA miR-155 Expression in Primary Cases of Burkitt Lymphoma <i>Blood</i> , 2005 , 106, 1922-1922	2.2	
59	Mitoxantrone resistance in a small cell lung cancer cell line is associated with ABCA2 upregulation. <i>British Journal of Cancer</i> , 2004 , 90, 2411-7	8.7	53
58	Enhanced ecto-apyrase activity of stimulated endothelial or mesangial cells is downregulated by glucocorticoids in vitro. <i>European Journal of Pharmacology</i> , 2004 , 501, 191-8	5.3	10
57	Dimeric galectin-1 induces IL-10 production in T-lymphocytes: an important tool in the regulation of the immune response. <i>Journal of Pathology</i> , 2004 , 204, 511-8	9.4	75
56	Development of lymphoma in Autoimmune Lymphoproliferative Syndrome (ALPS) and its relationship to Fas gene mutations. <i>Leukemia and Lymphoma</i> , 2004 , 45, 423-31	1.9	56
55	Prolonged survival of rat islet xenografts in mice after CD45RB monotherapy. <i>Transplantation</i> , 2004 , 77, 386-91	1.8	10
54	High Expression of Micro-RNA BIC / miR155 in All Subtypes of Hodgkin Lymphoma <i>Blood</i> , 2004 , 104, 430-430	2.2	1
53	Serial Analysis of Gene Expression Revealed Consistent Downregulation of More Than 100 Genes in Hodgkin Lymphoma <i>Blood</i> , 2004 , 104, 4288-4288	2.2	
52	Immune Dysfunction in Classical Hodgkin Lymphoma 2004 , 315-334		2
51	FAS gene mutation in a case of autoimmune lymphoproliferative syndrome type IA with accumulation of gammadelta+ T cells. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 546-53	6.7	10
	, , , , , ,		
50	High expression of TIAF-1 in chronic kidney and liver allograft rejection and in activated T-helper cells. <i>Transplantation</i> , 2003 , 75, 2076-82	1.8	16
50 49	High expression of TIAF-1 in chronic kidney and liver allograft rejection and in activated T-helper	1.8	16
	High expression of TIAF-1 in chronic kidney and liver allograft rejection and in activated T-helper cells. <i>Transplantation</i> , 2003 , 75, 2076-82 Follicular lymphoma grade 3B includes 3 cytogenetically defined subgroups with primary t(14;18),		
49	High expression of TIAF-1 in chronic kidney and liver allograft rejection and in activated T-helper cells. <i>Transplantation</i> , 2003 , 75, 2076-82 Follicular lymphoma grade 3B includes 3 cytogenetically defined subgroups with primary t(14;18), 3q27, or other translocations: t(14;18) and 3q27 are mutually exclusive. <i>Blood</i> , 2003 , 101, 1149-54 Analysis of chromosomal copy number changes and oncoprotein expression in primary central nervous system lymphomas: frequent loss of chromosome arm 6q. <i>Virchows Archiv Fur</i>	2.2	122
49	High expression of TIAF-1 in chronic kidney and liver allograft rejection and in activated T-helper cells. <i>Transplantation</i> , 2003 , 75, 2076-82 Follicular lymphoma grade 3B includes 3 cytogenetically defined subgroups with primary t(14;18), 3q27, or other translocations: t(14;18) and 3q27 are mutually exclusive. <i>Blood</i> , 2003 , 101, 1149-54 Analysis of chromosomal copy number changes and oncoprotein expression in primary central nervous system lymphomas: frequent loss of chromosome arm 6q. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003 , 443, 164-9 High expression of B-cell receptor inducible gene BIC in all subtypes of Hodgkin lymphoma. <i>Genes</i>	5.1	122 31
49 48 47	High expression of TIAF-1 in chronic kidney and liver allograft rejection and in activated T-helper cells. <i>Transplantation</i> , 2003 , 75, 2076-82 Follicular lymphoma grade 3B includes 3 cytogenetically defined subgroups with primary t(14;18), 3q27, or other translocations: t(14;18) and 3q27 are mutually exclusive. <i>Blood</i> , 2003 , 101, 1149-54 Analysis of chromosomal copy number changes and oncoprotein expression in primary central nervous system lymphomas: frequent loss of chromosome arm 6q. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003 , 443, 164-9 High expression of B-cell receptor inducible gene BIC in all subtypes of Hodgkin lymphoma. <i>Genes Chromosomes and Cancer</i> , 2003 , 37, 20-8	2.2 5.1 5	122 31 208

43	Low frequency of FAS mutations in Reed-Sternberg cells of Hodgkin's lymphoma. <i>American Journal of Pathology</i> , 2003 , 162, 29-35	5.8	50
42	Identification of chromosomal copy number changes associated with transformation of follicular lymphoma to diffuse large B-cell lymphoma. <i>Human Pathology</i> , 2003 , 34, 915-23	3.7	24
41	Common and differential chemokine expression patterns in rs cells of NLP, EBV positive and negative classical Hodgkin lymphomas. <i>International Journal of Cancer</i> , 2002 , 99, 665-72	7.5	56
40	Analysis of in vivo endothelial cell activation applying RT-PCR following endothelial cell isolation by laser dissection microscopy. <i>Annals of the New York Academy of Sciences</i> , 2002 , 973, 586-9	6.5	8
39	Chemokines, cytokines and their receptors in Hodgkin's lymphoma cell lines and tissues. <i>Annals of Oncology</i> , 2002 , 13 Suppl 1, 52-6	10.3	118
38	Germline FAS gene mutation in a case of ALPS and NLP Hodgkin lymphoma. <i>Blood</i> , 2002 , 99, 1492-4	2.2	29
37	Clonal relation in a case of CLL, ALCL, and Hodgkin composite lymphoma. <i>Blood</i> , 2002 , 100, 1425-1429	2.2	67
36	Clonal relation in a case of CLL, ALCL, and Hodgkin composite lymphoma. <i>Blood</i> , 2002 , 100, 1425-9	2.2	15
35	Hyaline vascular Castleman's disease: a case report and brief review of the literature. <i>Netherlands Journal of Medicine</i> , 2002 , 60, 444-7	0.5	7
34	TP53 gene mutations in Hodgkin lymphoma are infrequent and not associated with absence of Epstein-Barr virus. <i>International Journal of Cancer</i> , 2001 , 94, 60-6	7.5	50
33	Frequent lack of translation of antigen presentation-associated molecules MHC class I, CD1a and Beta(2)-microglobulin in Reed-Sternberg cells. <i>International Journal of Cancer</i> , 2000 , 86, 548-52	7.5	7
32	Interaction between host T cells and Reed-Sternberg cells in Hodgkin lymphomas. <i>Seminars in Cancer Biology</i> , 2000 , 10, 345-50	12.7	79
31	Seriai analysis of gene expression: rapid RT-PCR analysis of unknown SAGE tags. <i>Nucleic Acids Research</i> , 1999 , 27, i-iii	20.1	4
30	A comparison of genomic structures and expression patterns of two closely related flanking genes in a critical lung cancer region at 3p21.3. <i>European Journal of Human Genetics</i> , 1999 , 7, 478-86	5.3	40
29	High expression of the CC chemokine TARC in Reed-Sternberg cells. A possible explanation for the characteristic T-cell infiltratein Hodgkin's lymphoma. <i>American Journal of Pathology</i> , 1999 , 154, 1685-91	5.8	313
28	An evolutionary rearrangement of the Xp11.3-11.23 region in 3p21.3, a region frequently deleted in a variety of cancers. <i>Genomics</i> , 1999 , 60, 238-40	4.3	16
27	Pathogenesis and medical therapy of primary sclerosing cholangitis. Any news?. <i>European Journal of Gastroenterology and Hepatology</i> , 1999 , 11, 121-4	2.2	5
26	Immune reactions in classical Hodgkin's lymphoma. <i>Seminars in Hematology</i> , 1999 , 36, 253-9	4	41

25	Genetic analysis of 2 cases of clear cell renal cancer in 2 sisters. <i>International Journal of Cancer</i> , 1998 , 77, 494-7	7.5	3
24	A cosmid and cDNA fine physical map of a human chromosome 13q14 region frequently lost in B-cell chronic lymphocytic leukemia and identification of a new putative tumor suppressor gene, Leu5. <i>FEBS Letters</i> , 1998 , 426, 266-70	3.8	49
23	An alternative route for multistep tumorigenesis in a novel case of hereditary renal cell cancer and a t(2;3)(q35;q21) chromosome translocation. <i>American Journal of Human Genetics</i> , 1998 , 62, 1475-83	11	64
22	Involvement of multiple loci on chromosome 3 in renal cell cancer development 1997 , 19, 59-76		67
21	Normal FHIT transcripts in renal cell cancer- and lung cancer-derived cell lines, including a cell line with a homozygous deletion in the FRA3B region. <i>Genes Chromosomes and Cancer</i> , 1997 , 19, 220-7	5	34
20	Analysis of multiple renal cell adenomas and carcinomas suggests allelic loss at 3p21 to be a prerequisite for malignant development. <i>Genes Chromosomes and Cancer</i> , 1997 , 19, 228-32	5	32
19	Genetics as a diagnostic tool in sarcomatoid renal-cell cancer. <i>International Journal of Cancer</i> , 1997 , 72, 265-9	7.5	15
18	Involvement of multiple loci on chromosome 3 in renal cell cancer development. <i>Genes Chromosomes and Cancer</i> , 1997 , 19, 59-76	5	22
17	Isolation of the human semaphorin III/F gene (SEMA3F) at chromosome 3p21, a region deleted in lung cancer. <i>Genomics</i> , 1996 , 32, 39-48	4.3	127
16	Ordering of polymorphic markers in the chromosome region 3p21. <i>Cytogenetic and Genome Research</i> , 1996 , 72, 225-8	1.9	7
15	Chromosomal findings and p53-mutation analysis in chromophilic renal-cell carcinomas. <i>International Journal of Cancer</i> , 1996 , 68, 47-50	7.5	16
14	Major role for a 3p21 region and lack of involvement of the t(3;8) breakpoint region in the development of renal cell carcinoma suggested by loss of heterozygosity analysis. <i>Genes Chromosomes and Cancer</i> , 1996 , 15, 64-72	5	48
13	Extensive mutation scanning of RET in sporadic medullary thyroid carcinoma and of RET and VHL in sporadic pheochromocytoma reveals involvement of these genes in only a minority of cases. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 2881-2884	5.6	41
12	An 80 Kb P1 clone from chromosome 3p21.3 suppresses tumor growth in vivo. <i>Oncogene</i> , 1996 , 13, 238	37 ₉ 9 <u>.</u> 6	31
11	Defining the position of the breakpoint of the constitutional t(3;6) occurring in a family with renal cell carcinoma. <i>Genes Chromosomes and Cancer</i> , 1995 , 12, 224-8	5	11
10	The genomic structure of the human UBE1L gene. <i>Gene Expression</i> , 1995 , 4, 163-75	3.4	15
9	Somatic mutations of the von Hippel-Lindau disease tumour suppressor gene in non-familial clear cell renal carcinoma. <i>Human Molecular Genetics</i> , 1994 , 3, 2169-73	5.6	314
8	A homozygous deletion in a small cell lung cancer cell line involving a 3p21 region with a marked instability in yeast artificial chromosomes. <i>Cancer Research</i> , 1994 , 54, 4183-7	10.1	58

7	A gene in the chromosomal region 3p21 with greatly reduced expression in lung cancer is similar to the gene for ubiquitin-activating enzyme. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993 , 90, 6071-5	11.5	84
6	A PCR-aided transcript titration assay revealing very low expression of a gene at band 3p21 in 33 cells lines derived from all types of lung cancer. <i>European Journal of Human Genetics</i> , 1993 , 1, 156-63	5.3	5
5	A gene from human chromosome region 3p21 with reduced expression in small cell lung cancer. <i>Cancer Research</i> , 1992 , 52, 1536-41	10.1	33
4	A new RFLP identified at the D3S48 locus. <i>Nucleic Acids Research</i> , 1991 , 19, 4797	20.1	1
3	Partial 3q duplication syndrome and assignment of D3S5 to 3q25-3q28. Human Genetics, 1991 , 87, 151-4	16.3	37
2	131 Are chromosome 3 deletions a consistent abnormality in mesotheliomas?. <i>Cancer Genetics and Cytogenetics</i> , 1989 , 38, 203		2
1	Direct molecular analysis of a deletion of 3p in tumors from patients with sporadic renal cell		29