

Steven James Korzeniewski

List of Publications by Citations

Source:
<https://exaly.com/author-pdf/6652172/steven-james-korzeniewski-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101 papers	4,312 citations	39 h-index	63 g-index
111 ext. papers	5,106 ext. citations	3.2 avg, IF	5.23 L-index

#	Paper	IF	Citations
101	Prevalence and clinical significance of sterile intra-amniotic inflammation in patients with preterm labor and intact membranes. <i>American Journal of Reproductive Immunology</i> , 2014 , 72, 458-74	3.8	281
100	The descriptive epidemiology of cerebral palsy. <i>Clinics in Perinatology</i> , 2006 , 33, 251-67	2.8	270
99	Sterile and microbial-associated intra-amniotic inflammation in preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1394-409	2	234
98	Individual characteristics and the multiple contexts of adolescent bullying: an ecological perspective. <i>Journal of Youth and Adolescence</i> , 2009 , 38, 101-21	4.5	193
97	A systematic review of neuroimaging for cerebral palsy. <i>Journal of Child Neurology</i> , 2008 , 23, 216-27	2.5	155
96	Clinical chorioamnionitis at term I: microbiology of the amniotic cavity using cultivation and molecular techniques. <i>Journal of Perinatal Medicine</i> , 2015 , 43, 19-36	2.7	142
95	A novel molecular microbiologic technique for the rapid diagnosis of microbial invasion of the amniotic cavity and intra-amniotic infection in preterm labor with intact membranes. <i>American Journal of Reproductive Immunology</i> , 2014 , 71, 330-58	3.8	137
94	Sterile intra-amniotic inflammation in asymptomatic patients with a sonographic short cervix: prevalence and clinical significance. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1343-1353	2.7	114
93	Maternal plasma concentrations of angiogenic/antiangiogenic factors in the third trimester of pregnancy to identify the patient at risk for stillbirth at or near term and severe late preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 287.e1-287.e15	6.4	103
92	A rapid interleukin-6 bedside test for the identification of intra-amniotic inflammation in preterm labor with intact membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 349-59	2	100
91	A point of care test for interleukin-6 in amniotic fluid in preterm prelabor rupture of membranes: a step toward the early treatment of acute intra-amniotic inflammation/infection. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 360-7	2	98
90	Pre-eclampsia part 2: prediction, prevention and management. <i>Nature Reviews Nephrology</i> , 2014 , 10, 531-40	14.9	91
89	Evaluation of cervical stiffness during pregnancy using semiquantitative ultrasound elastography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 152-61	5.8	91
88	The clinical significance of a positive Amnisure test in women with preterm labor and intact membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 1690-8	2	88
87	Clinical chorioamnionitis at term II: the intra-amniotic inflammatory response. <i>Journal of Perinatal Medicine</i> , 2016 , 44, 5-22	2.7	80
86	The complex aetiology of cerebral palsy. <i>Nature Reviews Neurology</i> , 2018 , 14, 528-543	15	73
85	Transabdominal evaluation of uterine cervical length during pregnancy fails to identify a substantial number of women with a short cervix. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 1682-9	2	69

84	A "multi-hit" model of neonatal white matter injury: cumulative contributions of chronic placental inflammation, acute fetal inflammation and postnatal inflammatory events. <i>Journal of Perinatal Medicine</i> , 2014 , 42, 731-43	2.7	68
83	Maternal plasma angiogenic index-1 (placental growth factor/soluble vascular endothelial growth factor receptor-1) is a biomarker for the burden of placental lesions consistent with uteroplacental underperfusion: a longitudinal case-cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, e1-e17	6.4	65
82	Maternal floor infarction/massive perivillous fibrin deposition: a manifestation of maternal antifetal rejection?. <i>American Journal of Reproductive Immunology</i> , 2013 , 70, 285-98	3.8	59
81	Clinical chorioamnionitis at term III: how well do clinical criteria perform in the identification of proven intra-amniotic infection?. <i>Journal of Perinatal Medicine</i> , 2016 , 44, 23-32	2.7	55
80	Plasma concentrations of angiogenic/anti-angiogenic factors have prognostic value in women presenting with suspected preeclampsia to the obstetrical triage area: a prospective study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 132-44	2	55
79	Autism spectrum disorder is associated with ventricular enlargement in a low birth weight population. <i>Journal of Pediatrics</i> , 2013 , 163, 73-8	3.6	54
78	The frequency of acute atherosclerosis in normal pregnancy and preterm labor, preeclampsia, small-for-gestational age, fetal death and midtrimester spontaneous abortion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 2001-9	2	53
77	Clinical chorioamnionitis at term VI: acute chorioamnionitis and funisitis according to the presence or absence of microorganisms and inflammation in the amniotic cavity. <i>Journal of Perinatal Medicine</i> , 2016 , 44, 33-51	2.7	52
76	A point of care test for the determination of amniotic fluid interleukin-6 and the chemokine CXCL-10/IP-10. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1510-9	2	51
75	Asthma care and management before an emergency department visit in children in western Michigan: how well does care adhere to guidelines?. <i>Pediatrics</i> , 2006 , 117, S118-26	7.4	49
74	CXCL10 and IL-6: Markers of two different forms of intra-amniotic inflammation in preterm labor. <i>American Journal of Reproductive Immunology</i> , 2017 , 78, e12685	3.8	48
73	Evidence of an imbalance of angiogenic/antiangiogenic factors in massive perivillous fibrin deposition (maternal floor infarction): a placental lesion associated with recurrent miscarriage and fetal death. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 310.e1-310.e11	6.4	48
72	Cervical strain determined by ultrasound elastography and its association with spontaneous preterm delivery. <i>Journal of Perinatal Medicine</i> , 2014 , 42, 159-69	2.7	48
71	COVID-19 in multiple sclerosis patients and risk factors for severe infection. <i>Journal of the Neurological Sciences</i> , 2020 , 418, 117147	3.2	46
70	Effect of depth on shear-wave elastography estimated in the internal and external cervical os during pregnancy. <i>Journal of Perinatal Medicine</i> , 2014 , 42, 549-57	2.7	43
69	The use of angiogenic biomarkers in maternal blood to identify which SGA fetuses will require a preterm delivery and mothers who will develop pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 1214-28	2	42
68	Clinical chorioamnionitis at term V: umbilical cord plasma cytokine profile in the context of a systemic maternal inflammatory response. <i>Journal of Perinatal Medicine</i> , 2016 , 44, 53-76	2.7	40
67	The diagnostic performance of the Mass Restricted (MR) score in the identification of microbial invasion of the amniotic cavity or intra-amniotic inflammation is not superior to amniotic fluid interleukin-6. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 757-69	2	40

66	Randomized trial of a comprehensive asthma education program after an emergency department visit. <i>Annals of Allergy, Asthma and Immunology</i> , 2006 , 97, 44-51	3.2	40
65	Meconium aspiration syndrome: a role for fetal systemic inflammation. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 366.e1-9	6.4	39
64	Clinical chorioamnionitis at term IV: the maternal plasma cytokine profile. <i>Journal of Perinatal Medicine</i> , 2016 , 44, 77-98	2.7	39
63	Extremely low gestational age and very low birthweight for gestational age are risk factors for autism spectrum disorder in a large cohort study of 10-year-old children born at 23-27 weeksT gestation. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 304.e1-304.e16	6.4	38
62	Detection of anti-HLA antibodies in maternal blood in the second trimester to identify patients at risk of antibody-mediated maternal anti-fetal rejection and spontaneous preterm delivery. <i>American Journal of Reproductive Immunology</i> , 2013 , 70, 162-75	3.8	38
61	Single and Serial Fetal Biometry to Detect Preterm and Term Small- and Large-for-Gestational-Age Neonates: A Longitudinal Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0164161	3.7	38
60	Pravastatin to prevent recurrent fetal death in massive perivillous fibrin deposition of the placenta (MPFD). <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 855-62	2	36
59	Neurodevelopment at Age 10 Years of Children Born . <i>Pediatrics</i> , 2017 , 140,	7.4	36
58	Both antenatal and postnatal inflammation contribute information about the risk of brain damage in extremely preterm newborns. <i>Pediatric Research</i> , 2017 , 82, 691-696	3.2	34
57	Transient hypothyroidism at 3-year follow-up among cases of congenital hypothyroidism detected by newborn screening. <i>Journal of Pediatrics</i> , 2013 , 162, 177-82	3.6	34
56	Endocan, a putative endothelial cell marker, is elevated in preeclampsia, decreased in acute pyelonephritis, and unchanged in other obstetrical syndromes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1621-32	2	31
55	Strain at the internal cervical os assessed with quasi-static elastography is associated with the risk of spontaneous preterm delivery at 34 weeks of gestation. <i>Journal of Perinatal Medicine</i> , 2015 , 43, 657-667	2.7	30
54	Do serial measurements of cervical length improve the prediction of preterm birth in asymptomatic women with twin gestations?. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 616.e1-616.e14	6.4	30
53	Maternal plasma concentrations of sST2 and angiogenic/anti-angiogenic factors in preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 1359-70	2	30
52	MR imaging of the fetal brain at 1.5T and 3.0T field strengths: comparing specific absorption rate (SAR) and image quality. <i>Journal of Perinatal Medicine</i> , 2015 , 43, 209-20	2.7	30
51	Placental lesions associated with acute atherosclerosis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1554-62	2	29
50	Elevated endogenous erythropoietin concentrations are associated with increased risk of brain damage in extremely preterm neonates. <i>PLoS ONE</i> , 2015 , 10, e0115083	3.7	26
49	False-positive newborn screening result and future health care use in a state Medicaid cohort. <i>Pediatrics</i> , 2011 , 128, 715-22	7.4	25

48	Serial cervical length determination in twin pregnancies reveals 4 distinct patterns with prognostic significance for preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 476.e1-476.e11	6.4	21
47	Long-Term Cognitive Outcomes of Birth Asphyxia and the Contribution of Identified Perinatal Asphyxia to Cerebral Palsy. <i>Clinics in Perinatology</i> , 2016 , 43, 559-72	2.8	21
46	The prediction of fetal death with a simple maternal blood test at 20-24 weeks: a role for angiogenic index-1 (PlGF/sVEGFR-1 ratio). <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 682.e1-682.e13	6.4	19
45	Predictors of insufficient sweat production during confirmatory testing for cystic fibrosis. <i>Pediatric Pulmonology</i> , 2011 , 46, 23-30	3.5	19
44	Methodological innovations in data gathering: newborn screening linkage with live births records, Michigan, 1/2007-3/2008. <i>Maternal and Child Health Journal</i> , 2010 , 14, 360-4	2.4	19
43	Evaluation of utero-placental and fetal hemodynamic parameters throughout gestation in pregnant mice using high-frequency ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2014 , 40, 351-60	3.5	18
42	Fetal death: an extreme manifestation of maternal anti-fetal rejection. <i>Journal of Perinatal Medicine</i> , 2017 , 45, 851-868	2.7	18
41	Maternal plasma-soluble ST2 concentrations are elevated prior to the development of early and late onset preeclampsia - a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 418-432	2	17
40	Soluble ST2 in the fetal inflammatory response syndrome: in vivo evidence of activation of the anti-inflammatory limb of the immune response. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 1384-93	2	17
39	Variation in immunoreactive trypsinogen concentrations among Michigan newborns and implications for cystic fibrosis newborn screening. <i>Pediatric Pulmonology</i> , 2011 , 46, 125-30	3.5	16
38	Social Responsiveness Scale Assessment of the Preterm Behavioral Phenotype in 10-Year-Olds Born Extremely Preterm. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2017 , 38, 697-705	2.4	14
37	MR venography of the fetal brain using susceptibility weighted imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2014 , 40, 949-57	5.6	14
36	Transcriptomics of maternal and fetal membranes can discriminate between gestational-age matched preterm neonates with and without cognitive impairment diagnosed at 18-24 months. <i>PLoS ONE</i> , 2015 , 10, e0118573	3.7	13
35	Maternal plasma soluble TRAIL is decreased in preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 217-27	2	13
34	The anti-aging factor Iklotho during human pregnancy and its expression in pregnancies complicated by small-for-gestational-age neonates and/or preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 449-57	2	13
33	Infection and smoking are associated with decreased plasma concentration of the anti-aging protein, Iklotho. <i>Journal of Perinatal Medicine</i> , 2013 , 41, 581-94	2.7	13
32	Elevated protein concentrations in newborn blood and the risks of autism spectrum disorder, and of social impairment, at age 10 years among infants born before the 28th week of gestation. <i>Translational Psychiatry</i> , 2018 , 8, 115	8.6	11
31	Newborn screening follow-up within the lifespan context: Michigan's experience. <i>American Journal of Preventive Medicine</i> , 2010 , 38, S522-7	6.1	11

30	Screening for congenital hypothyroidism in newborns transferred to neonatal intensive care. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013 , 98, F310-5	4.7	10
29	Are preterm newborns who have relative hyperthyrotropinemia at increased risk of brain damage?. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2014 , 27, 1077-88	1.6	10
28	Persistence of Cerebral Palsy Diagnosis: Assessment of a Low-Birth-Weight Cohort at Ages 2, 6, and 9 Years. <i>Journal of Child Neurology</i> , 2016 , 31, 461-7	2.5	9
27	Hostility and anomie: links to preterm delivery subtypes and ambulatory blood pressure at mid-pregnancy. <i>Social Science and Medicine</i> , 2008 , 66, 1310-21	5.1	9
26	Pravastatin for the prevention of adverse pregnancy outcome: preeclampsia and more?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 3	2	8
25	Imaging putative foetal cerebral blood oxygenation using susceptibility weighted imaging (SWI). <i>European Radiology</i> , 2018 , 28, 1884-1890	8	8
24	Association between transient hypothyroxinaemia of prematurity and adult autism spectrum disorder in a low-birthweight cohort: an exploratory study. <i>Paediatric and Perinatal Epidemiology</i> , 2013 , 27, 182-7	2.7	8
23	A Low Cerebroplacental Ratio at 20-24 Weeks of Gestation Can Predict Reduced Fetal Size Later in Pregnancy or at Birth. <i>Fetal Diagnosis and Therapy</i> , 2018 , 44, 112-123	2.4	7
22	Performance metrics after changes in screening protocol for congenital hypothyroidism. <i>Pediatrics</i> , 2012 , 130, e1252-60	7.4	6
21	Transient Hypothyroxinemia of Prematurity. <i>NeoReviews</i> , 2016 , 17, e394-e402	1.1	6
20	Endogenous Erythropoietin. <i>Vitamins and Hormones</i> , 2017 , 105, 39-56	2.5	5
19	Soluble TRAIL in normal pregnancy and acute pyelonephritis: a potential explanation for the susceptibility of pregnant women to microbial products and infection. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 1568-75	2	5
18	Dynamic Changes in the Myometrium during the Third Stage of Labor, Evaluated Using Two-Dimensional Ultrasound, in Women with Normal and Abnormal Third Stage of Labor and in Women with Obstetric Complications. <i>Gynecologic and Obstetric Investigation</i> , 2015 , 80, 26-37	2.5	5
17	Intermediate Diastolic Velocity as a Parameter of Cardiac Dysfunction in Growth-Restricted Fetuses. <i>Fetal Diagnosis and Therapy</i> , 2016 , 39, 28-39	2.4	4
16	High correlations in gene expression between paired umbilical cord blood and neonatal blood of healthy newborns on Guthrie cards. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 1765-7	2	4
15	Elevated COVID19 mortality risk in detroit area hospitals among patients from census tracts with extreme socioeconomic vulnerability. <i>EClinicalMedicine</i> , 2021 , 34, 100814	11.3	4
14	Maternal plasma fetuin-A concentration is lower in patients who subsequently developed preterm preeclampsia than in uncomplicated pregnancy: a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1260-1269	2	3
13	"Trophoblast islands of the chorionic connective tissue" (TICCT): a novel placental histologic feature. <i>Placenta</i> , 2013 , 34, 360-8	3.4	3

12	Neuroimaging for cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2009 , 51, 3-4	3.3	3
11	The Role of the Intrauterine and Perinatal Environment in Cerebral Palsy. <i>NeoReviews</i> , 2005 , 6, e133-e140	1	3
10	The Population Health Outcomes and Information Exchange (PHOENIX) Program - A Transformative Approach to Reduce the Burden of Chronic Disease. <i>Online Journal of Public Health Informatics</i> , 2020 , 12, e3	0.3	3
9	COVID-19 as a risk factor for Alzheimer's disease and related dementia: A perspective from Detroit, MI. <i>Psychiatry Research</i> , 2020 , 294, 113557	9.9	3
8	Vascular endothelial growth factor and poor prognosis after ischaemic stroke. <i>European Journal of Neurology</i> , 2021 , 28, 1759-1764	6	3
7	Relationships among gestational age and birthweight with cognitive deficits in children and adolescents born very preterm. <i>Developmental Medicine and Child Neurology</i> , 2018 , 60, 436	3.3	2
6	Evaluation of the B-SAFE campaign to reduce clinically significant warfarin-drug interactions among fee-for-service Medicare beneficiaries. <i>American Journal of Medical Quality</i> , 2012 , 27, 518-23	1.1	2
5	Why Stratify Autism Spectrum Disorder by Co-Occurrence with Intellectual Disability?. <i>Paediatric and Perinatal Epidemiology</i> , 2017 , 31, 595-597	2.7	1
4	From pandemic response to portable population health: A formative evaluation of the Detroit mobile health unit program. <i>PLoS ONE</i> , 2021 , 16, e0256908	3.7	1
3	The association of -related significant hemoglobinopathies and low fetal fraction on noninvasive prenatal screening for fetal aneuploidy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 3657-3661	2.3661	1
2	Executive and non-executive functions in low birthweight/preterm adolescents with differing temporal patterns of inattention. <i>PLoS ONE</i> , 2020 , 15, e0231648	3.7	
1	Single-cause attribution in a multifactorial world: cerebral palsy attributed to or associated with congenital cytomegalovirus?. <i>Developmental Medicine and Child Neurology</i> , 2014 , 56, 802-3	3.3	