

M Juhani Junntila

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6652421/publications.pdf>

Version: 2024-02-01

115
papers

6,253
citations

126858

33
h-index

76872

74
g-index

117
all docs

117
docs citations

117
times ranked

12411
citing authors

#	ARTICLE	IF	CITATIONS
1	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	9.4	1,818
2	Long-Term Outcome Associated with Early Repolarization on Electrocardiography. <i>New England Journal of Medicine</i> , 2009, 361, 2529-2537.	13.9	750
3	Early Repolarization. <i>Circulation</i> , 2011, 123, 2666-2673.	1.6	394
4	Sudden Cardiac Death Caused by Coronary Heart Disease. <i>Circulation</i> , 2012, 125, 1043-1052.	1.6	389
5	Induced Brugada-Type Electrocardiogram, a Sign for Imminent Malignant Arrhythmias. <i>Circulation</i> , 2008, 117, 1890-1893.	1.6	163
6	Intraventricular Conduction Delay in a Standard 12-Lead Electrocardiogram as a Predictor of Mortality in the General Population. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011, 4, 704-710.	2.1	154
7	Causes of nonischemic sudden cardiac death in the current era. <i>Heart Rhythm</i> , 2011, 8, 1570-1575.	0.3	119
8	Sudden Cardiac Death in Women. <i>Circulation</i> , 2019, 139, 1012-1021.	1.6	105
9	Differences in 12-Lead Electrocardiogram Between Symptomatic and Asymptomatic Brugada Syndrome Patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2008, 19, 380-383.	0.8	101
10	Genetic loci associated with heart rate variability and their effects on cardiac disease risk. <i>Nature Communications</i> , 2017, 8, 15805.	5.8	95
11	Association of Early Repolarization and Sudden Cardiac Death During an Acute Coronary Event. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012, 5, 714-718.	2.1	91
12	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019, 10, 4957.	5.8	84
13	Sudden cardiac death after myocardial infarction in patients with type 2 diabetes. <i>Heart Rhythm</i> , 2010, 7, 1396-1403.	0.3	83
14	Prevalence and Prognostic Significance of T-Wave Inversions in Right Precordial Leads of a 12-Lead Electrocardiogram in the Middle-Aged Subjects. <i>Circulation</i> , 2012, 125, 2572-2577.	1.6	80
15	Clinical significance of variants of J-points and J-waves: early repolarization patterns and risk. <i>European Heart Journal</i> , 2012, 33, 2639-2643.	1.0	80
16	Psychotropic medications and the risk of sudden cardiac death during an acute coronary event. <i>European Heart Journal</i> , 2012, 33, 745-751.	1.0	78
17	Inferolateral early repolarization in athletes. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2011, 31, 33-38.	0.6	67
18	Impact of constitutional TET2 haploinsufficiency on molecular and clinical phenotype in humans. <i>Nature Communications</i> , 2019, 10, 1252.	5.8	67

#	ARTICLE	IF	CITATIONS
19	Prevalence and Prognostic Significance of Abnormal P Terminal Force in Lead V ₁ of the ECG in the General Population. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 1116-1121.	2.1	66
20	A comprehensive evaluation of the genetic architecture of sudden cardiac arrest. <i>European Heart Journal</i> , 2018, 39, 3961-3969.	1.0	59
21	A meta-analysis of genome-wide association studies of the electrocardiographic early repolarization pattern. <i>Heart Rhythm</i> , 2012, 9, 1627-1634.	0.3	58
22	Early repolarization as a predictor of arrhythmic and nonarrhythmic cardiac events in middle-aged subjects. <i>Heart Rhythm</i> , 2014, 11, 1701-1706.	0.3	58
23	Safety of serial MRI in patients with implantable cardioverter defibrillators. <i>Heart</i> , 2011, 97, 1852-1856.	1.2	53
24	Association of Silent Myocardial Infarction and Sudden Cardiac Death. <i>JAMA Cardiology</i> , 2019, 4, 796.	3.0	52
25	The OBF Database: A Large Face Video Database for Remote Physiological Signal Measurement and Atrial Fibrillation Detection. , 2018, , .		48
26	Effects of Physical Activity and Exercise Training on Cardiovascular Risk in Coronary Artery Disease Patients With and Without Type 2 Diabetes. <i>Diabetes Care</i> , 2015, 38, 706-715.	4.3	44
27	Temporal Trends in the Clinical and Pathological Characteristics of Victims of Sudden Cardiac Death in the Absence of Previously Identified Heart Disease. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	2.1	44
28	Association of sST2 and hs-CRP levels with new-onset atrial fibrillation in coronary artery disease. <i>International Journal of Cardiology</i> , 2017, 248, 173-178.	0.8	43
29	Effect of Changes in Physical Activity on Risk for Cardiac Death in Patients With Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2018, 121, 143-148.	0.7	42
30	Primary Myocardial Fibrosis as an Alternative Phenotype Pathway of Inherited Cardiac Structural Disorders. <i>Circulation</i> , 2018, 137, 2716-2726.	1.6	41
31	Risk Factors Associated With Atrioventricular Block. <i>JAMA Network Open</i> , 2019, 2, e194176.	2.8	40
32	Serum PINP, PIIINP, galectin-3, and ST2 as surrogates of myocardial fibrosis and echocardiographic left ventricular diastolic filling properties. <i>Frontiers in Physiology</i> , 2015, 6, 200.	1.3	38
33	Diabetes, glucose tolerance, and the risk of sudden cardiac death. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 51.	0.7	38
34	Relationship Between Testosterone Level and Early Repolarization on 12-Lead Electrocardiograms in Men. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1633-1634.	1.2	36
35	Type 2 diabetes and coronary artery disease: Preserved ejection fraction and sudden cardiac death. <i>Heart Rhythm</i> , 2018, 15, 1450-1456.	0.3	35
36	Predicting sudden cardiac death in a general population using an electrocardiographic risk score. <i>Heart</i> , 2020, 106, 427-433.	1.2	35

#	ARTICLE	IF	CITATIONS
37	Prediabetes and Risk for Cardiac Death Among Patients With Coronary Artery Disease: The ARTEMIS Study. <i>Diabetes Care</i> , 2019, 42, 1319-1325.	4.3	31
38	Leptin predicts short-term major adverse cardiac events in patients with coronary artery disease. <i>Annals of Medicine</i> , 2017, 49, 448-454.	1.5	28
39	Electrocardiographic associations with myocardial fibrosis among sudden cardiac death victims. <i>Heart</i> , 2020, 106, 1001-1006.	1.2	26
40	Risk of sudden cardiac death in relation to season-specific cold spells: a caseâ€“crossover study in Finland. <i>BMJ Open</i> , 2017, 7, e017398.	0.8	24
41	Experiences in digitizing and digitally measuring a paper-based ECG archive. <i>Journal of Electrocardiology</i> , 2018, 51, 74-81.	0.4	24
42	Sudden cardiac death during physical exercise: Characteristics of victims and autopsy findings. <i>Annals of Medicine</i> , 2015, 47, 262-267.	1.5	23
43	Familial clustering of lone atrial fibrillation in patients with saddleback-type ST-segment elevation in right precordial leads. <i>European Heart Journal</i> , 2007, 28, 463-468.	1.0	21
44	Orthogonal P-wave morphology, conventional P-wave indices, and the risk of atrial fibrillation in the general population using data from the Finnish Hospital Discharge Register. <i>Europace</i> , 2020, 22, 1173-1181.	0.7	20
45	miR-1468-3p Promotes Aging-Related Cardiac Fibrosis. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 20, 589-605.	2.3	20
46	Coronary Artery Disease as the Cause of Sudden Cardiac Death Among Victims < 50 Years of Age. <i>American Journal of Cardiology</i> , 2021, 147, 33-38.	0.7	20
47	Usefulness of Highly Sensitive Troponin as a Predictor of Short-Term Outcome in Patients With Diabetes Mellitus and Stable Coronary Artery Disease (from the ARTEMIS Study). <i>American Journal of Cardiology</i> , 2016, 117, 515-521.	0.7	19
48	Association of initial recorded rhythm and underlying cardiac disease in sudden cardiac arrest. <i>Resuscitation</i> , 2018, 122, 76-78.	1.3	18
49	Cold spells and ischaemic sudden cardiac death: effect modification by prior diagnosis of ischaemic heart disease and cardioprotective medication. <i>Scientific Reports</i> , 2017, 7, 41060.	1.6	17
50	Repolarization Heterogeneity Measured With T-Wave Area Dispersion in Standard 12-Lead ECG Predicts Sudden Cardiac Death in General Population. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e005762.	2.1	17
51	Biomarkers as predictors of sudden cardiac death in coronary artery disease patients with preserved left ventricular function (ARTEMIS study). <i>PLoS ONE</i> , 2018, 13, e0203363.	1.1	17
52	Comparison of Inferolateral Early Repolarization and Its Electrocardiographic Phenotypes in Pre- and Postadolescent Populations. <i>American Journal of Cardiology</i> , 2013, 112, 444-448.	0.7	16
53	Electrocardiographic TÂWave Abnormalities and the Risk of Sudden Cardiac Death: The Finnish Perspective. , 2015, 20, 526-533.		16
54	VeZF1 regulates cardiac structure and contractile function. <i>EBioMedicine</i> , 2020, 51, 102608.	2.7	16

#	ARTICLE	IF	CITATIONS
55	Exercise Capacity and Heart Rate Responses to Exercise as Predictors of Short-Term Outcome Among Patients With Stable Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2015, 116, 1495-1501.	0.7	15
56	Delayed QRS transition in the precordial leads of an electrocardiogram as a predictor of sudden cardiac death in the general population. <i>Heart Rhythm</i> , 2014, 11, 2254-2260.	0.3	14
57	Antiepileptic medications and the risk for sudden cardiac death caused by an acute coronary event: a prospective case-control study. <i>Annals of Medicine</i> , 2016, 48, 111-117.	1.5	14
58	Blood alcohol in victims of sudden cardiac death in northern Finland. <i>Europace</i> , 2016, 18, 1006-1009.	0.7	13
59	Prognostic value of T-wave morphology parameters in coronary artery disease in current treatment era. <i>Annals of Noninvasive Electrocardiology</i> , 2018, 23, e12539.	0.5	13
60	Fragmented QRS complex as a predictor of exercise-related sudden cardiac death. <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 55-60.	0.8	13
61	Body Mass Index as a Predictor of Sudden Cardiac Death and Usefulness of the Electrocardiogram for Risk Stratification. <i>American Journal of Cardiology</i> , 2016, 117, 388-393.	0.7	12
62	MiR-185-5p regulates the development of myocardial fibrosis. <i>Journal of Molecular and Cellular Cardiology</i> , 2022, 165, 130-140.	0.9	12
63	Appropriate Shocks and Mortality in Patients With Versus Without Diabetes With Prophylactic Implantable Cardioverter Defibrillators. <i>Diabetes Care</i> , 2020, 43, 196-200.	4.3	11
64	Risk markers of sudden cardiac death in standard 12-lead electrocardiograms. <i>Annals of Medicine</i> , 2012, 44, 717-732.	1.5	10
65	Clinical aspects of inherited J-wave syndromes. <i>Trends in Cardiovascular Medicine</i> , 2015, 25, 24-30.	2.3	10
66	Depressive Symptoms and Risk for Sudden Cardiac Death in Stable Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2018, 122, 749-755.	0.7	10
67	Prognostic value of heart rate variability in patients with coronary artery disease in the current treatment era. <i>PLoS ONE</i> , 2021, 16, e0254107.	1.1	10
68	Risk of sudden cardiac death associated with QRS, QTc, and JTc intervals in the general population. <i>Heart Rhythm</i> , 2022, 19, 1297-1303.	0.3	10
69	QRS micro-fragmentation as a mortality predictor. <i>European Heart Journal</i> , 2022, 43, 4177-4191.	1.0	9
70	Heart Rate Turbulence and T-wave Alternans in Patients with Coronary Artery Disease: The Influence of Diabetes. <i>Annals of Noninvasive Electrocardiology</i> , 2015, 20, 481-487.	0.5	8
71	12-Lead electrocardiogram as a predictor of sudden cardiac death: from epidemiology to clinical practice. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 253-259.	0.4	8
72	Recovery of rate-pressure product and cardiac mortality in coronary artery disease patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2019, 150, 150-157.	1.1	8

#	ARTICLE	IF	CITATIONS
73	Characteristics of subjects with alcoholic cardiomyopathy and sudden cardiac death. <i>Heart</i> , 2020, 106, 686-690.	1.2	8
74	Lower ST-elevation myocardial infarction incidence during COVID-19 epidemic in Northern Europe. <i>Scandinavian Cardiovascular Journal</i> , 2020, 54, 358-360.	0.4	8
75	Characteristics and Prognosis of Exercise-Related Sudden Cardiac Arrest. <i>Frontiers in Cardiovascular Medicine</i> , 2018, 5, 102.	1.1	7
76	Home Monitoring of Heart Rate as a Predictor of Imminent Cardiovascular Events. <i>Frontiers in Physiology</i> , 2019, 10, 341.	1.3	7
77	Impact of age and sex on the long-term prognosis associated with early repolarization in the general population. <i>Heart Rhythm</i> , 2020, 17, 621-628.	0.3	7
78	Physical Activity and the Risk for Sudden Cardiac Death in Patients With Coronary Artery Disease. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e007908.	2.1	7
79	Increased Beat-to-Beat Variability of T-Wave Heterogeneity Measured From Standard 12-Lead Electrocardiogram Is Associated With Sudden Cardiac Death: A Caseâ€“Control Study. <i>Frontiers in Physiology</i> , 2020, 11, 1045.	1.3	6
80	The ability of an electrocardiogram to predict fatal and non-fatal cardiac events in asymptomatic middle-aged subjects. <i>Annals of Medicine</i> , 2016, 48, 525-531.	1.5	5
81	Q waves are the strongest electrocardiographic variable associated with primary prophylactic implantable cardioverter-defibrillator benefit: a prospective multicentre study. <i>Europace</i> , 2022, 24, 774-783.	0.7	5
82	Coronary stenosis as a modifier of the effect of cold spells on the risk of sudden cardiac death: a case-crossover study in Finland. <i>BMJ Open</i> , 2018, 8, e020865.	0.8	4
83	Prognostic significance of Pâ€“wave morphology in patients with coronary artery disease. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2051-2060.	0.8	4
84	Prevalence and Prognostic Significance of Negative U-waves in a 12-lead Electrocardiogram in the General Population. <i>American Journal of Cardiology</i> , 2019, 123, 267-273.	0.7	4
85	Early Growth Patterns and Cardiac Structure and Function at Midlife: Northern Finland 1966 Birth Cohort Study. <i>Journal of Pediatrics</i> , 2020, 221, 151-158.e1.	0.9	4
86	Gender differences in prevalence and prognostic value of fragmented QRS complex. <i>Journal of Electrocardiology</i> , 2020, 61, 1-9.	0.4	4
87	Electrocardiogram as a predictor of survival without appropriate shocks in primary prophylactic ICD patients: A retrospective multi-center study. <i>International Journal of Cardiology</i> , 2020, 309, 78-83.	0.8	4
88	Temporal variability of Tâ€“wave morphology and risk of sudden cardiac death in patients with coronary artery disease. <i>Annals of Noninvasive Electrocardiology</i> , 2021, 26, e12830.	0.5	4
89	Poor R-wave progression as a predictor of sudden cardiac death in the general population and subjects with coronary artery disease. <i>Heart Rhythm</i> , 2022, 19, 952-959.	0.3	4
90	Long-term survival among patients with coronary angioplasty with drug eluting stent for the treatment of unprotected left main stenosis compared to coronary artery bypass grafting. <i>International Journal of Cardiology</i> , 2016, 225, 47-49.	0.8	3

#	ARTICLE	IF	CITATIONS
91	Childhood growth patterns and cardiovascular autonomic modulation in midlife: Northern Finland 1966 Birth Cohort Study. <i>International Journal of Obesity</i> , 2019, 43, 2264-2272.	1.6	3
92	Combining noninvasive risk stratification parameters improves the prediction of mortality and appropriate ICD shocks. <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12604.	0.5	3
93	Electrocardiographic Risk Markers for Heart Failure in Women Versus Men. <i>American Journal of Cardiology</i> , 2020, 130, 70-77.	0.7	3
94	Osteopontin and LDLR Are Upregulated in Hearts of Sudden Cardiac Death Victims With Heart Failure With Preserved Ejection Fraction and Diabetes Mellitus. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 610282.	1.1	3
95	Electrocardiographic Risk Markers of Cardiac Death: Gender Differences in the General Population. <i>Frontiers in Physiology</i> , 2020, 11, 578059.	1.3	3
96	Automated electrocardiographic quantification of myocardial scar in patients undergoing primary prevention implantable cardioverter-defibrillator implantation: Association with mortality and subsequent appropriate and inappropriate therapies. <i>Heart Rhythm</i> , 2020, 17, 1664-1671.	0.3	3
97	Genetic Variants Associated With Sudden Cardiac Death in Victims With Single Vessel Coronary Artery Disease and Left Ventricular Hypertrophy With or Without Fibrosis. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 755062.	1.1	3
98	Mitochondrial DNA variation in sudden cardiac death: a population-based study. <i>International Journal of Legal Medicine</i> , 2020, 134, 39-44.	1.2	2
99	Association of non-shockable initial rhythm and psychotropic medication in sudden cardiac arrest. <i>IJC Heart and Vasculature</i> , 2020, 28, 100518.	0.6	2
100	Blood alcohol levels in Finnish victims of non-ischaemic sudden cardiac death. <i>Annals of Medicine</i> , 2021, 53, 413-419.	1.5	2
101	Temporal Trends in the Incidence and Characteristics of Sudden Cardiac Death among Subjects under 40 Years of Age in Northern Finland during 1998–2017. <i>Cardiology</i> , 2022, 147, 328-331.	0.6	2
102	High-sensitivity troponin predicts coronary disease outcomes in type 2 diabetes but yields no benefit in selecting patients for revascularisation. <i>Evidence-Based Medicine</i> , 2016, 21, 100-100.	0.6	1
103	Long-term prognostic impact of hyperuricemia in community. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 148-153.	0.6	1
104	Effect of four classes of antihypertensive drugs on cardiac repolarization heterogeneity: A double-blind rotational study. <i>PLoS ONE</i> , 2020, 15, e0230655.	1.1	1
105	Electrocardiographic Markers of Fibrosis in Cardiomyopathy: A Beginning of a Long Journey. <i>Cardiology</i> , 2020, 145, 309-310.	0.6	1
106	Genetic contributions to the expression of acquired causes of cardiac hypertrophy in non-ischemic sudden cardiac death victims. <i>Scientific Reports</i> , 2021, 11, 11171.	1.6	1
107	B-type natriuretic peptide ability to predict mortality after transcatheter aortic valve replacement. <i>Journal of Cardiovascular Medicine</i> , 2022, 23, e18-e20.	0.6	1
108	Prognostic significance of flat T-waves in the lateral leads in general population. <i>Journal of Electrocardiology</i> , 2021, 69, 105-110.	0.4	1

#	ARTICLE	IF	CITATIONS
109	Myocardium Assessment by Relaxation along Fictitious Field, Extracellular Volume, Feature Tracking, and Myocardial Strain in Hypertensive Patients with Left Ventricular Hypertrophy. International Journal of Biomedical Imaging, 2022, 2022, 1-9.	3.0	1
110	Response to Letter Regarding Article, "Prevalence and Prognostic Significance of Abnormal P Terminal Force in Lead V ₁ of the Electrocardiogram in the General Population": Circulation: Arrhythmia and Electrophysiology, 2015, 8, 244-244.	2.1	0
111	Response to Comment on Kiviniemi et al. Prediabetes and Risk for Cardiac Death Among Patients With Coronary Artery Disease: The ARTEMIS Study. Diabetes Care 2019;42:1319-1325. Diabetes Care, 2019, 42, e195-e195.	4.3	0
112	Is it possible to predict and prevent sudden cardiac death as a first manifestation of cardiac disease?. International Journal of Cardiology, 2020, 303, 60-61.	0.8	0
113	Silent Myocardial Infarction and Sudden Cardiac Death—Finding the Culprit—Reply. JAMA Cardiology, 2020, 5, 110.	3.0	0
114	Sex differences in QRS fragmentation and early repolarization pattern. , 2020, , 87-95.		0
115	Editorial commentary: Paradigm shift in the circadian and septadian patterns of sudden cardiac death: Fact or fiction?. Trends in Cardiovascular Medicine, 2021, 31, 177-178.	2.3	0