

Terence W O neill

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6652578/terence-w-oneill-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

6,966
citations

42
h-index

82
g-index

140
ext. papers

8,154
ext. citations

5.2
avg. IF

5.31
L-index

#	Paper	IF	Citations
127	Identification of late-onset hypogonadism in middle-aged and elderly men. <i>New England Journal of Medicine</i> , 2010 , 363, 123-35	59.2	1005
126	Hypothalamic-pituitary-testicular axis disruptions in older men are differentially linked to age and modifiable risk factors: the European Male Aging Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 2737-45	5.6	639
125	Characteristics of secondary, primary, and compensated hypogonadism in aging men: evidence from the European Male Ageing Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1810-8	5.6	402
124	A meta-analysis of the association of fracture risk and body mass index in women. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 223-33	6.3	291
123	Age-related changes in general and sexual health in middle-aged and older men: results from the European Male Ageing Study (EMAS). <i>Journal of Sexual Medicine</i> , 2010 , 7, 1362-80	1.1	290
122	Postmenopausal osteoporosis. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 16069	51.1	263
121	Characteristics of androgen deficiency in late-onset hypogonadism: results from the European Male Aging Study (EMAS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 1508-16	5.6	207
120	Characteristics of a prevalent vertebral deformity predict subsequent vertebral fracture: results from the European Prospective Osteoporosis Study (EPOS). <i>Bone</i> , 2003 , 33, 505-13	4.7	151
119	Update on the epidemiology, risk factors and disease outcomes of osteoarthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2018 , 32, 312-326	5.3	139
118	Association of hypogonadism with vitamin D status: the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2012 , 166, 77-85	6.5	138
117	Comparison of serum testosterone and estradiol measurements in 3174 European men using platform immunoassay and mass spectrometry; relevance for the diagnostics in aging men. <i>European Journal of Endocrinology</i> , 2012 , 166, 983-91	6.5	135
116	Increased estrogen rather than decreased androgen action is associated with longer androgen receptor CAG repeats. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 277-84	5.6	116
115	The European Male Ageing Study (EMAS): design, methods and recruitment. <i>Journal of Developmental and Physical Disabilities</i> , 2009 , 32, 11-24		109
114	Association between 25-hydroxyvitamin D levels and cognitive performance in middle-aged and older European men. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009 , 80, 722-9	5.5	108
113	The ability of three different models of frailty to predict all-cause mortality: results from the European Male Aging Study (EMAS). <i>Archives of Gerontology and Geriatrics</i> , 2013 , 57, 360-8	4	96
112	Development of and Recovery from Secondary Hypogonadism in Aging Men: Prospective Results from the EMAS. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3172-82	5.6	95
111	The relationships between sex hormones and sexual function in middle-aged and older European men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E1577-87	5.6	89

110	Vitamin D, parathyroid hormone and the metabolic syndrome in middle-aged and older European men. <i>European Journal of Endocrinology</i> , 2009 , 161, 947-54	6.5	88
109	Mechanisms of Osteoarthritis (OA) Pain. <i>Current Osteoporosis Reports</i> , 2018 , 16, 611-616	5.4	84
108	Lower vitamin D levels are associated with depression among community-dwelling European men. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1320-8	4.6	81
107	Genetic determinants of heel bone properties: genome-wide association meta-analysis and replication in the GEFOS/GENOMOS consortium. <i>Human Molecular Genetics</i> , 2014 , 23, 3054-68	5.6	78
106	Predictors of response to intra-articular steroid injections in knee osteoarthritis--a systematic review. <i>Rheumatology</i> , 2013 , 52, 1022-32	3.9	74
105	Associations between sex steroids and the development of metabolic syndrome: a longitudinal study in European men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1396-404	5.6	73
104	Impaired quality of life and sexual function in overweight and obese men: the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2011 , 164, 1003-11	6.5	72
103	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1448-52	2.4	68
102	The association of frailty with serum 25-hydroxyvitamin D and parathyroid hormone levels in older European men. <i>Age and Ageing</i> , 2013 , 42, 352-9	3	65
101	When should the doctor order a spine X-ray? Identifying vertebral fractures for osteoporosis care: results from the European Prospective Osteoporosis Study (EPOS). <i>Journal of Bone and Mineral Research</i> , 2004 , 19, 1982-93	6.3	65
100	Assessment of sexual health in aging men in Europe: development and validation of the European Male Ageing Study sexual function questionnaire. <i>Journal of Sexual Medicine</i> , 2008 , 5, 1374-85	1.1	63
99	Vitamin D status and bone mass in UK South Asian women. <i>Bone</i> , 2007 , 40, 200-4	4.7	62
98	Synovial tissue volume: a treatment target in knee osteoarthritis (OA). <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 84-90	2.4	59
97	Active vitamin D (1,25-dihydroxyvitamin D) and bone health in middle-aged and elderly men: the European Male Aging Study (EMAS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 995-1005	5.6	55
96	Diagnosis and Management of Paget's Disease of Bone in Adults: A Clinical Guideline. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 579-604	6.3	51
95	Chronic widespread pain is associated with worsening frailty in European men. <i>Age and Ageing</i> , 2016 , 45, 268-74	3	49
94	Endocrine determinants of incident sarcopenia in middle-aged and elderly European men. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015 , 6, 242-52	10.3	49
93	Frailty in relation to variations in hormone levels of the hypothalamic-pituitary-testicular axis in older men: results from the European male aging study. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 814-21	5.6	49

92	Genetic variation in the RANKL/RANK/OPG signaling pathway is associated with bone turnover and bone mineral density in men. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 1830-8	6.3	49
91	Lumbar disc degeneration: association between osteophytes, end-plate sclerosis and disc space narrowing. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 330-3	2.4	49
90	Where and how to inject the knee--a systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2013 , 43, 195-203	5.3	48
89	Low prolactin is associated with sexual dysfunction and psychological or metabolic disturbances in middle-aged and elderly men: the European Male Aging Study (EMAS). <i>Journal of Sexual Medicine</i> , 2014 , 11, 240-53	1.1	46
88	Comparisons of immunoassay and mass spectrometry measurements of serum estradiol levels and their influence on clinical association studies in men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E1097-102	5.6	43
87	Association of HTR2A polymorphisms with chronic widespread pain and the extent of musculoskeletal pain: results from two population-based cohorts. <i>Arthritis and Rheumatism</i> , 2011 , 63, 810-8		43
86	Defining Disease Phenotypes in Primary Care Electronic Health Records by a Machine Learning Approach: A Case Study in Identifying Rheumatoid Arthritis. <i>PLoS ONE</i> , 2016 , 11, e0154515	3.7	42
85	The Cost-Effectiveness of Screening in the Community to Reduce Osteoporotic Fractures in Older Women in the UK: Economic Evaluation of the SCOOP Study. <i>Journal of Bone and Mineral Research</i> , 2018 , 33, 845-851	6.3	40
84	Hydroxychloroquine Effectiveness in Reducing Symptoms of Hand Osteoarthritis: A Randomized Trial. <i>Annals of Internal Medicine</i> , 2018 , 168, 385-395	8	39
83	Association of cognitive performance with the metabolic syndrome and with glycaemia in middle-aged and older European men: the European Male Ageing Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2010 , 26, 668-76	7.5	38
82	Influence of weight, body mass index and lifestyle factors on radiographic features of lumbar disc degeneration. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 426-7	2.4	38
81	No evidence for a role of the catechol-O-methyltransferase pain sensitivity haplotypes in chronic widespread pain. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 2009-12	2.4	36
80	Management of Patients With High Baseline Hip Fracture Risk by FRAX Reduces Hip Fractures-A Post Hoc Analysis of the SCOOP Study. <i>Journal of Bone and Mineral Research</i> , 2018 , 33, 1020-1026	6.3	35
79	Cohort profile: the European Male Ageing Study. <i>International Journal of Epidemiology</i> , 2013 , 42, 391-401	7.8	33
78	Effect of polymorphisms in selected genes involved in pituitary-testicular function on reproductive hormones and phenotype in aging men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1898-908	5.6	32
77	How many people develop fractures with what outcome?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2005 , 19, 879-95	5.3	32
76	Symptomatic androgen deficiency develops only when both total and free testosterone decline in obese men who may have incident biochemical secondary hypogonadism: Prospective results from the EMAS. <i>Clinical Endocrinology</i> , 2018 , 89, 459-469	3.4	30
75	Frailty and sexual health in older European men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 837-44	6.4	28

74	Natural history, risk factors and clinical features of primary hypogonadism in ageing men: Longitudinal Data from the European Male Ageing Study. <i>Clinical Endocrinology</i> , 2016 , 85, 891-901	3.4	27
73	Associations of muscle force, power, cross-sectional muscle area and bone geometry in older UK men. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017 , 8, 598-606	10.3	25
72	Pain reduction with oral methotrexate in knee osteoarthritis, a pragmatic phase iii trial of treatment effectiveness (PROMOTE): study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 77	2.8	24
71	Influence of bone remodelling rate on quantitative ultrasound parameters at the calcaneus and DXA BMDa of the hip and spine in middle-aged and elderly European men: the European Male Ageing Study (EMAS). <i>European Journal of Endocrinology</i> , 2011 , 165, 977-86	6.5	24
70	Clinical Guidelines on Paget's Disease of Bone. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 2327-2328	0.3	23
69	Brief Report: Synovial Fluid White Blood Cell Count in Knee Osteoarthritis: Association With Structural Findings and Treatment Response. <i>Arthritis and Rheumatology</i> , 2017 , 69, 103-107	9.5	23
68	Endogenous hormones, androgen receptor CAG repeat length and fluid cognition in middle-aged and older men: results from the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2010 , 162, 1155-64	6.5	23
67	Structural predictors of response to intra-articular steroid injection in symptomatic knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2017 , 19, 88	5.7	22
66	Childhood fractures do not predict future fractures: results from the European Prospective Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2009 , 24, 1314-8	6.3	22
65	Bone health in adult men and women with a history of juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2011 , 38, 1689-93	4.1	22
64	Does Pain Predict Frailty in Older Men and Women? Findings From the English Longitudinal Study of Ageing (ELSA). <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 403-409	6.4	21
63	The prevalence of co-morbidities and their impact on physical activity in people with inflammatory rheumatic diseases compared with the general population: results from the UK Biobank. <i>Rheumatology</i> , 2018 , 57, 2172-2182	3.9	21
62	Influence of Lifestyle Factors on Quantitative Heel Ultrasound Measurements in Middle-Aged and Elderly Men. <i>Calcified Tissue International</i> , 2010 , 86, 211-219	3.9	21
61	Interobserver and Intraobserver Reliability of Clinical Assessments in Knee Osteoarthritis. <i>Journal of Rheumatology</i> , 2016 , 43, 2171-2178	4.1	21
60	Reproductive Hormone Levels Predict Changes in Frailty Status in Community-Dwelling Older Men: European Male Ageing Study Prospective Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 701-709	5.6	20
59	Clinical assessment of effusion in knee osteoarthritis-A systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 45, 556-63	5.3	20
58	Hydroxychloroquine effectiveness in reducing symptoms of hand osteoarthritis (HERO): study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 64	2.8	20
57	Influence of insulin-like growth factor binding protein (IGFBP)-1 and IGFBP-3 on bone health: results from the European Male Ageing Study. <i>Calcified Tissue International</i> , 2011 , 88, 503-10	3.9	20

56	Genetic variation in sex hormone genes influences heel ultrasound parameters in middle-aged and elderly men: results from the European Male Aging Study (EMAS). <i>Journal of Bone and Mineral Research</i> , 2009 , 24, 314-23	6.3	20
55	Low vitamin D and the risk of developing chronic widespread pain: results from the European male ageing study. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 32	2.8	19
54	Disease activity and severity in early inflammatory arthritis predict hand cortical bone loss. <i>Rheumatology</i> , 2010 , 49, 1943-8	3.9	19
53	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. <i>Pain</i> , 2011 , 152, 1495-1501	8	18
52	Elevated luteinizing hormone despite normal testosterone levels in older men-natural history, risk factors and clinical features. <i>Clinical Endocrinology</i> , 2018 , 88, 479-490	3.4	18
51	Engagement and Participant Experiences With Consumer Smartwatches for Health Research: Longitudinal, Observational Feasibility Study. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e14368	5.5	17
50	Association of 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D and parathyroid hormone with mortality among middle-aged and older European men. <i>Age and Ageing</i> , 2014 , 43, 528-35	3	16
49	Influence of polymorphisms in the RANKL/RANK/OPG signaling pathway on volumetric bone mineral density and bone geometry at the forearm in men. <i>Calcified Tissue International</i> , 2011 , 89, 446-53 ⁹	3.9	15
48	Frailty and bone health in European men. <i>Age and Ageing</i> , 2017 , 46, 635-641	3	15
47	Nonandrogenic Anabolic Hormones Predict Risk of Frailty: European Male Ageing Study Prospective Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2798-2806	5.6	14
46	The effect of musculoskeletal pain on sexual function in middle-aged and elderly european men: results from the european male ageing study. <i>Journal of Rheumatology</i> , 2011 , 38, 370-7	4.1	14
45	Glycemia but not the Metabolic Syndrome is Associated with Cognitive Decline: Findings from the European Male Ageing Study. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 662-671	6.5	13
44	Psychosocial factors partially mediate the relationship between mechanical hyperalgesia and self-reported pain. <i>Scandinavian Journal of Pain</i> , 2018 , 18, 59-69	1.9	13
43	Polymorphisms in genes involved in the NF- κ B signalling pathway are associated with bone mineral density, geometry and turnover in men. <i>PLoS ONE</i> , 2011 , 6, e28031	3.7	13
42	Sensitivity to Change of Patient-Preference Measures for Pain in Patients With Knee Osteoarthritis: Data From Two Trials. <i>Arthritis Care and Research</i> , 2016 , 68, 1224-31	4.7	13
41	Enclosing a pen reduced time to response to questionnaire mailings. <i>Journal of Clinical Epidemiology</i> , 2016 , 74, 144-50	5.7	12
40	Measurement of synovial tissue volume in knee osteoarthritis using a semiautomated MRI-based quantitative approach. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 3056-3064	4.4	11
39	Is the use of antibiotic-loaded bone cement associated with a lower risk of revision after primary total hip arthroplasty?. <i>Bone and Joint Journal</i> , 2020 , 102-B, 997-1002	5.6	11

38	Evaluation of cognitive subdomains, 25-hydroxyvitamin D, and 1,25-dihydroxyvitamin D in the European Male Ageing Study. <i>European Journal of Nutrition</i> , 2017 , 56, 2093-2103	5.2	10
37	A validation of the first genome-wide association study of calcaneus ultrasound parameters in the European Male Ageing Study. <i>BMC Medical Genetics</i> , 2011 , 12, 19	2.1	10
36	Collecting Symptoms and Sensor Data With Consumer Smartwatches (the Knee OsteoArthritis, Linking Activity and Pain Study): Protocol for a Longitudinal, Observational Feasibility Study. <i>JMIR Research Protocols</i> , 2019 , 8, e10238	2	9
35	EULAR recommendations for intra-articular therapies. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1299-1305	1.1	9
34	With a biomechanical treatment in knee osteoarthritis, less knee pain did not correlate with synovitis reduction. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 347	2.8	8
33	Harmonising data collection from osteoarthritis studies to enable stratification: recommendations on core data collection from an Arthritis Research UK clinical studies group. <i>Rheumatology</i> , 2016 , 55, 1394-402	3.9	8
32	Androgen receptor polymorphism-dependent variation in prostate-specific antigen concentrations of European men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2048-56	4	7
31	The association between different cognitive domains and age in a multi-centre study of middle-aged and older European men. <i>International Journal of Geriatric Psychiatry</i> , 2009 , 24, 1257-66	3.9	6
30	The ESR1 (6q25) locus is associated with calcaneal ultrasound parameters and radial volumetric bone mineral density in European men. <i>PLoS ONE</i> , 2011 , 6, e22037	3.7	6
29	Do Clinical Correlates of Knee Osteoarthritis Predict Outcome of Intraarticular Steroid Injections?. <i>Journal of Rheumatology</i> , 2020 , 47, 431-440	4.1	6
28	Effect of Timing and Duration of Statin Exposure on Risk of Hip or Knee Revision Arthroplasty: A Population-based Cohort Study. <i>Journal of Rheumatology</i> , 2020 , 47, 441-448	4.1	6
27	Ethnic differences in male reproductive hormones and relationships with adiposity and insulin resistance in older men. <i>Clinical Endocrinology</i> , 2017 , 86, 660-668	3.4	5
26	Degenerative inter-vertebral disc disease osteochondrosis intervertebralis in Europe: prevalence, geographic variation and radiological correlates in men and women aged 50 and over. <i>Rheumatology</i> , 2017 , 56, 1189-1199	3.9	4
25	Low heel ultrasound parameters predict mortality in men: results from the European Male Ageing Study (EMAS). <i>Age and Ageing</i> , 2015 , 44, 801-7	3	4
24	Lower serum testosterone concentrations are associated with a higher incidence of dementia in men: The UK Biobank prospective cohort study.. <i>Alzheimers and Dementia</i> , 2022 ,	1.2	4
23	Perturbed insulin-like growth factor-1 (IGF-1) and IGF binding protein-3 are not associated with chronic widespread pain in men: results from the European Male Ageing Study. <i>Journal of Rheumatology</i> , 2009 , 36, 2523-30	4.1	3
22	Efficacy and safety of intra-articular therapies in rheumatic and musculoskeletal diseases: an overview of systematic reviews. <i>RMD Open</i> , 2021 , 7,	5.9	3
21	Inflammatory markers are associated with quality of life, physical activity, and gait speed but not sarcopenia in aged men (40-79 years). <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 ,	10.3	3

20	Influence of arthritis and non-arthritis related factors on areal bone mineral density (BMDa) in women with longstanding inflammatory polyarthritis: a primary care based inception cohort. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 106	2.8	2
19	The effect of uncemented acetabular liner geometry and lip size on the risk of revision for instability or loosening : a study on 202,511 primary hip arthroplasties from the National Joint Registry. <i>Bone and Joint Journal</i> , 2021 , 103-B, 1774-1782	5.6	2
18	Self-Reported Shorter Than Desired Ejaculation Latency and Related Distress-Prevalence and Clinical Correlates: Results From the European Male Ageing Study. <i>Journal of Sexual Medicine</i> , 2021 , 18, 908-919	1.1	2
17	Incidence of Paget's disease of bone in the UK: evidence of a continuing decline. <i>Rheumatology</i> , 2021 , 60, 5668-5676	3.9	2
16	Developing a model Fracture Liaison Service consultation with patients, carers and clinicians: a Delphi survey to inform content of the iFraP complex consultation intervention. <i>Archives of Osteoporosis</i> , 2021 , 16, 58	2.9	2
15	Improving uptake of Fracture Prevention drug treatments: a protocol for Development of a consultation intervention (iFraP-D). <i>BMJ Open</i> , 2021 , 11, e048811	3	2
14	Androgens In Men Study (AIMS): protocol for meta-analyses of individual participant data investigating associations of androgens with health outcomes in men. <i>BMJ Open</i> , 2020 , 10, e034777	3	1
13	Influence of inflammatory polyarthritis on quantitative heel ultrasound measurements. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 133	2.8	1
12	Vitamin C for preventing complex regional pain syndrome (type I) after wrist fractures in adults 2009 ,		1
11	The epidemiology and scale of the problem. <i>British Journal of Hospital Medicine</i> , 2003 , 64, 517-20		1
10	Statins, bone biology and revision arthroplasty: review of clinical and experimental evidence. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2020 , 12, 1759720X20966229	3.8	1
9	Intra-articular therapies: patient preferences and professional practices in European countries. <i>Rheumatology International</i> , 2021 , 42, 869	3.6	1
8	Associations of Serum Testosterone and Sex Hormone-Binding Globulin With Incident Cardiovascular Events in Middle-Aged to Older Men.. <i>Annals of Internal Medicine</i> , 2021 ,	8	1
7	Does wearing arthritis gloves help with hand pain and function? A qualitative study into patients' views and experiences.. <i>Rheumatology Advances in Practice</i> , 2022 , 6, rkac007	1.1	0
6	The effect of cemented acetabular component geometry on the risk of revision for instability or loosening : a study of 224,874 primary hip arthroplasties from the National Joint Registry. <i>Bone and Joint Journal</i> , 2021 , 103-B, 1669-1677	5.6	0
5	Assessment of bone marrow oedema-like lesions using MRI in patellofemoral knee osteoarthritis: comparison of different MRI pulse sequences. <i>British Journal of Radiology</i> , 2021 , 94, 20201367	3.4	0
4	Reproductive hormone levels, androgen receptor CAG repeat length and their longitudinal relationships with decline in cognitive subdomains in men: The European Male Ageing Study.. <i>Physiology and Behavior</i> , 2022 , 252, 113825	3.5	0
3	Response to: The effect of synovial tissue volume shrinking on pain relief for knee osteoarthritis was overestimated or not? By Wei et al. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, e65	2.4	

2 Re: Vitamin D status and bone mass in UK South Asian women. *Bone*, **2007**, 40, 1183 4-7

1 Economic Impact of Osteoporotic Fractures (versus Women) **2010**, 385-393