

# Cheuk-Chun Szeto

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6653707/cheuk-chun-szeto-publications-by-citations.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

461  
papers

15,612  
citations

63  
h-index

108  
g-index

485  
ext. papers

17,743  
ext. citations

4.8  
avg, IF

6.31  
L-index

#	Paper	IF	Citations
461	A major outbreak of severe acute respiratory syndrome in Hong Kong. <i>New England Journal of Medicine</i> , <b>2003</b> , 348, 1986-94	59.2	1676
460	Peritoneal dialysis-related infections recommendations: 2010 update. <i>Peritoneal Dialysis International</i> , <b>2010</b> , 30, 393-423	2.8	666
459	ISPD Peritonitis Recommendations: 2016 Update on Prevention and Treatment. <i>Peritoneal Dialysis International</i> , <b>2016</b> , 36, 481-508	2.8	545
458	Circulating endotoxemia: a novel factor in systemic inflammation and cardiovascular disease in chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2011</b> , 6, 133-41	6.9	299
457	ISPD position statement on reducing the risks of peritoneal dialysis-related infections. <i>Peritoneal Dialysis International</i> , <b>2011</b> , 31, 614-30	2.8	226
456	Effects of an angiotensin-converting enzyme inhibitor on residual renal function in patients receiving peritoneal dialysis. A randomized, controlled study. <i>Annals of Internal Medicine</i> , <b>2003</b> , 139, 105-12	8.12	196
455	Synbiotics Easing Renal Failure by Improving Gut Microbiology (SYNERGY): A Randomized Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2016</b> , 11, 223-31	6.9	194
454	Risk factors of vitamin B(12) deficiency in patients receiving metformin. <i>Archives of Internal Medicine</i> , <b>2006</b> , 166, 1975-9		184
453	ISPD Catheter-Related Infection Recommendations: 2017 Update. <i>Peritoneal Dialysis International</i> , <b>2017</b> , 37, 141-154	2.8	172
452	Glomerular filtration rate, cardiorenal end points, and all-cause mortality in type 2 diabetic patients. <i>Diabetes Care</i> , <b>2006</b> , 29, 2046-52	14.6	158
451	The natural history of immunoglobulin a nephropathy among patients with hematuria and minimal proteinuria. <i>American Journal of Medicine</i> , <b>2001</b> , 110, 434-7	2.4	158
450	Serum and urinary cell-free MiR-146a and MiR-155 in patients with systemic lupus erythematosus. <i>Journal of Rheumatology</i> , <b>2010</b> , 37, 2516-22	4.1	157
449	Importance of dialysis adequacy in mortality and morbidity of chinese CAPD patients. <i>Kidney International</i> , <b>2000</b> , 58, 400-7	9.9	154
448	Endotoxemia is related to systemic inflammation and atherosclerosis in peritoneal dialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2008</b> , 3, 431-6	6.9	148
447	Tuberculous peritonitis-associated mortality is high among patients waiting for the results of mycobacterial cultures of ascitic fluid samples. <i>Clinical Infectious Diseases</i> , <b>2002</b> , 35, 409-13	11.6	144
446	Hong Kong study using valsartan in IgA nephropathy (HKVIN): a double-blind, randomized, placebo-controlled study. <i>American Journal of Kidney Diseases</i> , <b>2006</b> , 47, 751-60	7.4	140
445	Serum and urinary free microRNA level in patients with systemic lupus erythematosus. <i>Lupus</i> , <b>2011</b> , 20, 493-500	2.6	128

444	Clinical biocompatibility of a neutral peritoneal dialysis solution with minimal glucose-degradation products--a 1-year randomized control trial. <i>Nephrology Dialysis Transplantation</i> , <b>2007</b> , 22, 552-9	4.3	125
443	Prognostic indicators of IgA nephropathy in the Chinese--clinical and pathological perspectives. <i>Nephrology Dialysis Transplantation</i> , <b>2002</b> , 17, 64-9	4.3	125
442	Risk factors for thiazide-induced hyponatraemia. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2003</b> , 96, 911-7	2.7	121
441	Expression of microRNAs in the urine of patients with bladder cancer. <i>Clinical Genitourinary Cancer</i> , <b>2012</b> , 10, 106-13	3.3	120
440	Urinary miR-21, miR-29, and miR-93: novel biomarkers of fibrosis. <i>American Journal of Nephrology</i> , <b>2012</b> , 36, 412-8	4.6	112
439	Neurotoxicity induced by beta-lactam antibiotics: from bench to bedside. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>2005</b> , 24, 649-53	5.3	111
438	Prevalence of sleep disturbances in chinese patients with end-stage renal failure on continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , <b>2000</b> , 36, 783-8	7.4	108
437	A Risk Analysis of Continuous Ambulatory Peritoneal Dialysis-Related Peritonitis. <i>Peritoneal Dialysis International</i> , <b>2005</b> , 25, 374-379	2.8	105
436	Intrarenal expression of miRNAs in patients with hypertensive nephrosclerosis. <i>American Journal of Hypertension</i> , <b>2010</b> , 23, 78-84	2.3	101
435	Renal outcome in type 2 diabetic patients with or without coexisting nondiabetic nephropathies. <i>Diabetes Care</i> , <b>2002</b> , 25, 900-5	14.6	100
434	Tacrolimus for the treatment of systemic lupus erythematosus with pure class V nephritis. <i>Rheumatology</i> , <b>2008</b> , 47, 1678-81	3.9	97
433	Oral sodium bicarbonate for the treatment of metabolic acidosis in peritoneal dialysis patients: a randomized placebo-control trial. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2003</b> , 14, 2119-26 <sup>12.7</sup>	12.7	97
432	Elevated Levels of miR-146a and miR-155 in Kidney Biopsy and Urine from Patients with IgA Nephropathy. <i>Disease Markers</i> , <b>2011</b> , 30, 171-179	3.2	97
431	Intrarenal expression of microRNAs in patients with IgA nephropathy. <i>Laboratory Investigation</i> , <b>2010</b> , 90, 98-103	5.9	94
430	Risk factors and clinical features for tuberculosis among patients with systemic lupus erythematosus in Hong Kong. <i>Scandinavian Journal of Rheumatology</i> , <b>2002</b> , 31, 296-300	1.9	92
429	Double-blind, randomized, placebo-controlled pilot study of leflunomide in systemic lupus erythematosus. <i>Lupus</i> , <b>2004</b> , 13, 601-4	2.6	90
428	Expression of MicroRNAs in the Urinary Sediment of Patients with IgA Nephropathy. <i>Disease Markers</i> , <b>2010</b> , 28, 79-86	3.2	89
427	Glomerular and tubulointerstitial miR-638, miR-198 and miR-146a expression in lupus nephritis. <i>Nephrology</i> , <b>2012</b> , 17, 346-51	2.2	88

426	Micro-RNA expression in the urinary sediment of patients with chronic kidney diseases. <i>Disease Markers</i> , <b>2012</b> , 33, 137-44	3.2	88
425	Retrospective review of neurotoxicity induced by cefepime and ceftazidime. <i>Pharmacotherapy</i> , <b>2003</b> , 23, 369-73	5.8	88
424	Indication for peritoneal biopsy in tuberculous peritonitis. <i>American Journal of Surgery</i> , <b>2003</b> , 185, 567-73	7.7	88
423	Clinical course of peritonitis due to <i>Pseudomonas</i> species complicating peritoneal dialysis: a review of 104 cases. <i>Kidney International</i> , <b>2001</b> , 59, 2309-15	9.9	85
422	Enterobacteriaceae peritonitis complicating peritoneal dialysis: a review of 210 consecutive cases. <i>Kidney International</i> , <b>2006</b> , 69, 1245-52	9.9	84
421	Carotid intima media thickness predicts cardiovascular diseases in Chinese predialysis patients with chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2007</b> , 18, 1966-72	12.7	79
420	Oral calcitriol for the treatment of persistent proteinuria in immunoglobulin A nephropathy: an uncontrolled trial. <i>American Journal of Kidney Diseases</i> , <b>2008</b> , 51, 724-31	7.4	78
419	Are peritoneal dialysis patients with and without residual renal function equivalent for survival study? Insight from a retrospective review of the cause of death. <i>Nephrology Dialysis Transplantation</i> , <b>2003</b> , 18, 977-82	4.3	78
418	Independent effects of residual renal function and dialysis adequacy on nutritional status and patient outcome in continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , <b>1999</b> , 34, 1056-64	7.4	77
417	Feasibility of resuming peritoneal dialysis after severe peritonitis and Tenckhoff catheter removal. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2002</b> , 13, 1040-1045	12.7	77
416	Management options for hydrothorax complicating peritoneal dialysis. <i>Seminars in Dialysis</i> , <b>2003</b> , 16, 389-94	2.5	76
415	The gene expression of type 17 T-helper cell-related cytokines in the urinary sediment of patients with systemic lupus erythematosus. <i>Rheumatology</i> , <b>2009</b> , 48, 1491-7	3.9	74
414	Nasal CPAP reduces systemic blood pressure in patients with obstructive sleep apnoea and mild sleepiness. <i>Thorax</i> , <b>2006</b> , 61, 1083-90	7.3	74
413	<i>Staphylococcus aureus</i> peritonitis complicates peritoneal dialysis: review of 245 consecutive cases. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2007</b> , 2, 245-51	6.9	74
412	Effect of N-acetylcysteine for prevention of contrast nephropathy in patients with moderate to severe renal insufficiency: a randomized trial. <i>American Journal of Kidney Diseases</i> , <b>2004</b> , 43, 801-8	7.4	74
411	Impact of dialysis adequacy on the mortality and morbidity of anuric Chinese patients receiving continuous ambulatory peritoneal dialysis. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2001</b> , 12, 355-360	12.7	73
410	Expression of miR-146a and miR-155 in the urinary sediment of systemic lupus erythematosus. <i>Clinical Rheumatology</i> , <b>2012</b> , 31, 435-40	3.9	72
409	Levamisole induces interleukin-18 and shifts type 1/type 2 cytokine balance. <i>Immunology</i> , <b>2000</b> , 100, 217-24	7.8	72

408	A Genome-Wide Association Study of Diabetic Kidney Disease in Subjects With Type 2 Diabetes. <i>Diabetes</i> , <b>2018</b> , 67, 1414-1427	0.9	71
407	Elevated levels of miR-146a and miR-155 in kidney biopsy and urine from patients with IgA nephropathy. <i>Disease Markers</i> , <b>2011</b> , 30, 171-9	3.2	71
406	New-onset hyperglycemia in nondiabetic chinese patients started on peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , <b>2007</b> , 49, 524-32	7.4	70
405	Pathogenesis and management of hydrothorax complicating peritoneal dialysis. <i>Current Opinion in Pulmonary Medicine</i> , <b>2004</b> , 10, 315-9	3	70
404	Intrarenal cytokine gene expression in lupus nephritis. <i>Annals of the Rheumatic Diseases</i> , <b>2007</b> , 66, 886-92.4		68
403	Hypokalemia in Chinese peritoneal dialysis patients: prevalence and prognostic implication. <i>American Journal of Kidney Diseases</i> , <b>2005</b> , 46, 128-35	7.4	67
402	Mitochondrial dysfunction in diabetic kidney disease. <i>Clinica Chimica Acta</i> , <b>2019</b> , 496, 108-116	6.2	66
401	Expression of chemokine and fibrosing factor messenger RNA in the urinary sediment of patients with lupus nephritis. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 2882-90		66
400	Inflammatory cytokine gene expression in the urinary sediment of patients with lupus nephritis. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 1326-31		64
399	Podocyte loss in human hypertensive nephrosclerosis. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 300-62.3		63
398	MicroRNAs in IgA nephropathy. <i>Nature Reviews Nephrology</i> , <b>2014</b> , 10, 249-56	14.9	62
397	Messenger RNA expression of glomerular podocyte markers in the urinary sediment of acquired proteinuric diseases. <i>Clinica Chimica Acta</i> , <b>2005</b> , 361, 182-90	6.2	62
396	The clinical course of culture-negative peritonitis complicating peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , <b>2003</b> , 42, 567-74	7.4	60
395	Rosiglitazone reduces insulin requirement and C-reactive protein levels in type 2 diabetic patients receiving peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , <b>2005</b> , 46, 713-9	7.4	60
394	Outcome of IgA nephropathy in adults graded by chronic histological lesions. <i>American Journal of Kidney Diseases</i> , <b>2000</b> , 35, 392-400	7.4	59
393	Genetic polymorphism of VEGF: Impact on longitudinal change of peritoneal transport and survival of peritoneal dialysis patients. <i>Kidney International</i> , <b>2004</b> , 65, 1947-55	9.9	58
392	Change in bacterial aetiology of peritoneal dialysis-related peritonitis over 10 years: experience from a centre in South-East Asia. <i>Clinical Microbiology and Infection</i> , <b>2005</b> , 11, 837-9	9.5	58
391	Peritoneal transport status correlates with morbidity but not longitudinal change of nutritional status of continuous ambulatory peritoneal dialysis patients: a 2-year prospective study. <i>American Journal of Kidney Diseases</i> , <b>2001</b> , 37, 329-36	7.4	57

390	Predictive value of dialysate cell counts in peritonitis complicating peritoneal dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2006</b> , 1, 768-73	6.9	56
389	Long-term treatment of lupus nephritis with cyclosporin A. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>1998</b> , 91, 573-80	2.7	56
388	Parvovirus B19 infection causing red cell aplasia in renal transplantation on tacrolimus. <i>American Journal of Kidney Diseases</i> , <b>1999</b> , 34, 1132-6	7.4	56
387	Expression of microRNAs in the urinary sediment of patients with IgA nephropathy. <i>Disease Markers</i> , <b>2010</b> , 28, 79-86	3.2	56
386	Is combination rituximab with cyclophosphamide better than rituximab alone in the treatment of lupus nephritis?. <i>Rheumatology</i> , <b>2009</b> , 48, 892-8	3.9	55
385	Messenger RNA expression of podocyte-associated molecules in the urinary sediment of patients with diabetic nephropathy. <i>Nephron Clinical Practice</i> , <b>2007</b> , 106, c169-79		55
384	Progression of diabetic kidney disease and trajectory of kidney function decline in Chinese patients with Type 2 diabetes. <i>Kidney International</i> , <b>2019</b> , 95, 178-187	9.9	55
383	Cell-free urinary microRNA-99a and microRNA-125b are diagnostic markers for the non-invasive screening of bladder cancer. <i>PLoS ONE</i> , <b>2014</b> , 9, e100793	3.7	54
382	Peritoneal dialysis as the first-line renal replacement therapy in patients with autosomal dominant polycystic kidney disease. <i>American Journal of Kidney Diseases</i> , <b>2011</b> , 57, 903-7	7.4	54
381	Associations between microRNA (miR-21, 126, 155 and 221), albuminuria and heavy metals in Hong Kong Chinese adolescents. <i>Clinica Chimica Acta</i> , <b>2012</b> , 413, 1053-7	6.2	53
380	Antibody response to hepatitis B vaccine in end-stage renal disease patients. <i>Nephron Clinical Practice</i> , <b>2006</b> , 103, c89-93		53
379	Comparison of double-bag and Y-set disconnect systems in continuous ambulatory peritoneal dialysis: a randomized prospective multicenter study. <i>American Journal of Kidney Diseases</i> , <b>1999</b> , 33, 535-40	7.4	53
378	Prognostic value of renal function in patients with cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , <b>2007</b> , 122, 10-6	3.2	52
377	Comparison of clinical outcome and ease of handling in two double-bag systems in continuous ambulatory peritoneal dialysis: a prospective, randomized, controlled, multicenter study. <i>American Journal of Kidney Diseases</i> , <b>2002</b> , 40, 373-80	7.4	52
376	Association of plasminogen activator inhibitor-1 4G/4G genotype and type 2 diabetic nephropathy in Chinese patients. <i>Kidney International</i> , <b>2000</b> , 57, 632-8	9.9	51
375	Influence of peritoneal dialysis training nurses' experience on peritonitis rates. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2007</b> , 2, 647-52	6.9	50
374	A whitened face woman with nephrotic syndrome. <i>American Journal of Kidney Diseases</i> , <b>2003</b> , 41, 250-3	7.4	50
373	Good Patient and Technique Survival in Elderly Patients on Continuous Ambulatory Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , <b>2007</b> , 27, 196-201	2.8	49

372	Coagulase negative staphylococcal peritonitis in peritoneal dialysis patients: review of 232 consecutive cases. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2008</b> , 3, 91-7	6.9	48
371	A risk analysis of continuous ambulatory peritoneal dialysis-related peritonitis. <i>Peritoneal Dialysis International</i> , <b>2005</b> , 25, 374-9	2.8	48
370	Urinary sediment miRNA levels in adult nephrotic syndrome. <i>Clinica Chimica Acta</i> , <b>2013</b> , 418, 5-11	6.2	46
369	Dialysate cell population and cancer antigen 125 in stable continuous ambulatory peritoneal dialysis patients: their relationship with transport parameters. <i>American Journal of Kidney Diseases</i> , <b>1997</b> , 29, 699-705	7.4	46
368	Safety and efficacy of leflunomide in the treatment of lupus nephritis refractory or intolerant to traditional immunosuppressive therapy: an open label trial. <i>Annals of the Rheumatic Diseases</i> , <b>2006</b> , 65, 417-8	2.4	46
367	Recurrent and relapsing peritonitis: causative organisms and response to treatment. <i>American Journal of Kidney Diseases</i> , <b>2009</b> , 54, 702-10	7.4	45
366	Severe acute respiratory syndrome in dialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2004</b> , 15, 1883-8	12.7	45
365	DNA of Erythroid Origin Is Present in Human Plasma and Informs the Types of Anemia. <i>Clinical Chemistry</i> , <b>2017</b> , 63, 1614-1623	5.5	44
364	Predictors of residual renal function decline in patients undergoing continuous ambulatory peritoneal dialysis. <i>Peritoneal Dialysis International</i> , <b>2015</b> , 35, 180-8	2.8	44
363	Gene expression of TWEAK/Fn14 and IP-10/CXCR3 in glomerulus and tubulointerstitium of patients with lupus nephritis. <i>Nephrology</i> , <b>2011</b> , 16, 426-32	2.2	43
362	Mechanisms of antibiotic neurotoxicity in renal failure. <i>International Journal of Antimicrobial Agents</i> , <b>2004</b> , 23, 213-7	14.3	43
361	Conservative management of polymicrobial peritonitis complicating peritoneal dialysis--a series of 140 consecutive cases. <i>American Journal of Medicine</i> , <b>2002</b> , 113, 728-33	2.4	43
360	Genomewide bisulfite sequencing reveals the origin and time-dependent fragmentation of urinary cfDNA. <i>Clinical Biochemistry</i> , <b>2017</b> , 50, 496-501	3.5	42
359	Bioimpedance spectroscopy for the detection of fluid overload in Chinese peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , <b>2014</b> , 34, 409-16	2.8	42
358	Predicting 12-month mortality for peritoneal dialysis patients using the "surprise" question. <i>Peritoneal Dialysis International</i> , <b>2013</b> , 33, 60-6	2.8	42
357	Urinary mRNA expression of ACE and ACE2 in human type 2 diabetic nephropathy. <i>Diabetologia</i> , <b>2008</b> , 51, 1062-7	10.3	42
356	Isolate diffuse thickening of glomerular capillary basement membrane: a renal lesion in prediabetes?. <i>Modern Pathology</i> , <b>2004</b> , 17, 1506-12	9.8	42
355	Messenger RNA expression of target genes in the urinary sediment of patients with chronic kidney diseases. <i>Nephrology Dialysis Transplantation</i> , <b>2005</b> , 20, 105-13	4.3	41

354	Asymptomatic isolated microscopic haematuria: long-term follow-up. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2004</b> , 97, 739-45	2.7	41
353	Nonconvulsive status epilepticus in peritoneal dialysis patients. <i>American Journal of Kidney Diseases</i> , <b>2001</b> , 38, 400-5	7.4	41
352	Association of transforming growth factor-beta (TGF-beta) T869C (Leu 10Pro) gene polymorphisms with type 2 diabetic nephropathy in Chinese. <i>Kidney International</i> , <b>2003</b> , 63, 1831-5	9.9	40
351	Peritoneal Albumin Excretion is a Strong Predictor of Cardiovascular Events in Peritoneal Dialysis Patients: A Prospective Cohort Study. <i>Peritoneal Dialysis International</i> , <b>2005</b> , 25, 445-452	2.8	40
350	Messenger RNA expression of podocyte-associated molecules in urinary sediment of patients with lupus nephritis. <i>Journal of Rheumatology</i> , <b>2007</b> , 34, 2358-64	4.1	39
349	Urinary expression of kidney injury markers in renal transplant recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2010</b> , 5, 2329-37	6.9	38
348	Urine protein-to-creatinine ratio in an untimed urine collection is a reliable measure of proteinuria in lupus nephritis. <i>Rheumatology</i> , <b>2007</b> , 46, 649-52	3.9	38
347	Longitudinal Study of Peritoneal Membrane Function in Continuous Ambulatory Peritoneal Dialysis: Relationship with Peritonitis and Fibrosing Factors. <i>Peritoneal Dialysis International</i> , <b>2000</b> , 20, 679-685	2.8	38
346	Increased production of hyaluronan by peritoneal cells and its significance in patients on CAPD. <i>American Journal of Kidney Diseases</i> , <b>1999</b> , 33, 318-24	7.4	38
345	Chronic kidney disease progression in patients with chronic hepatitis B on tenofovir, entecavir, or no treatment. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2018</b> , 48, 984-992	6.1	37
344	Discrepancy between intrarenal messenger RNA and protein expression of ACE and ACE2 in human diabetic nephropathy. <i>American Journal of Nephrology</i> , <b>2009</b> , 29, 524-31	4.6	37
343	The effect of immunosuppressive therapy on the messenger RNA expression of target genes in the urinary sediment of patients with active lupus nephritis. <i>Nephrology Dialysis Transplantation</i> , <b>2006</b> , 21, 1534-40	4.3	37
342	Adequacy Targets of Peritoneal Dialysis in the Asian Population. <i>Peritoneal Dialysis International</i> , <b>2001</b> , 21, 378-383	2.8	37
341	Peritoneal Dialysis-Associated Peritonitis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2019</b> , 14, 1100-1105	6.9	35
340	Non-steroidal anti-inflammatory drug (NSAID) therapy in patients with hypertension, cardiovascular, renal or gastrointestinal comorbidities: joint APAGE/APLAR/APSDE/APSH/APSN/PoA recommendations. <i>Gut</i> , <b>2020</b> , 69, 617-629	19.2	35
339	Repeat renal biopsy in lupus nephritis: a change in histological pattern is common. <i>American Journal of Nephrology</i> , <b>2011</b> , 34, 220-5	4.6	35
338	Xanthomonas maltophilia peritonitis in uremic patients receiving continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , <b>1997</b> , 29, 91-5	7.4	35
337	Urinary messenger RNA expression of podocyte-associated molecules in patients with diabetic nephropathy treated by angiotensin-converting enzyme inhibitor and angiotensin receptor blocker. <i>European Journal of Endocrinology</i> , <b>2008</b> , 158, 317-22	6.5	35

336	Assessment of glomerular filtration rate in addition to albuminuria is important in managing type II diabetes. <i>Kidney International</i> , <b>2006</b> , 69, 383-7	9.9	35
335	Influence of Climate on the Incidence of Peritoneal Dialysis-Related Peritonitis. <i>Peritoneal Dialysis International</i> , <b>2003</b> , 23, 580-586	2.8	35
334	Regional variation in the treatment and prevention of peritoneal dialysis-related infections in the Peritoneal Dialysis Outcomes and Practice Patterns Study. <i>Nephrology Dialysis Transplantation</i> , <b>2019</b> , 34, 2118-2126	4.3	34
333	Urine miRNA in nephrotic syndrome. <i>Clinica Chimica Acta</i> , <b>2014</b> , 436, 308-13	6.2	34
332	Hydrothorax Complicating Peritoneal Dialysis: Diagnostic Value of Glucose Concentration in Pleural Fluid Aspirate. <i>Peritoneal Dialysis International</i> , <b>2002</b> , 22, 525-527	2.8	34
331	A prospective cohort study of the long-term effects of CPAP on carotid artery intima-media thickness in obstructive sleep apnea syndrome. <i>Respiratory Research</i> , <b>2012</b> , 13, 22	7.3	33
330	Use of Intraperitoneal Cefepime as Monotherapy in Treatment of CAPD Peritonitis. <i>Peritoneal Dialysis International</i> , <b>2000</b> , 20, 232-234	2.8	32
329	Growth factors in continuous ambulatory peritoneal dialysis effluent. Their relation with peritoneal transport of small solutes. <i>American Journal of Nephrology</i> , <b>1999</b> , 19, 416-22	4.6	32
328	Prognostic value of arterial pulse wave velocity in peritoneal dialysis patients. <i>American Journal of Nephrology</i> , <b>2012</b> , 35, 127-33	4.6	31
327	Cefazolin plus Ceftazidime versus Imipenem / Cilastatin Monotherapy for Treatment of Capd Peritonitis: A Randomized Controlled Trial. <i>Peritoneal Dialysis International</i> , <b>2004</b> , 24, 440-446	2.8	31
326	Elevation of pro-inflammatory cytokines, C-reactive protein and cardiac troponin T in chronic renal failure patients on dialysis. <i>Immunological Investigations</i> , <b>2007</b> , 36, 47-57	2.9	30
325	Independent Effects of Renal and Peritoneal Clearances on the Mortality of Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , <b>2004</b> , 24, 58-64	2.8	30
324	Impact of social factors on patients on peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , <b>2005</b> , 20, 2504-10	4.3	30
323	Nephrotic syndrome in strongyloidiasis: remission after eradication with anthelmintic agents. <i>Nephron</i> , <b>1998</b> , 79, 333-6	3.3	30
322	Expression of T-bet, a type 1 T-helper cell transcription factor, in the urinary sediment of lupus patients predicts disease flare. <i>Rheumatology</i> , <b>2007</b> , 46, 44-8	3.9	29
321	Long-term outcome of biopsy-proven minimal change nephropathy in Chinese adults. <i>American Journal of Kidney Diseases</i> , <b>2015</b> , 65, 710-8	7.4	28
320	Urinary mitochondrial DNA level is an indicator of intra-renal mitochondrial depletion and renal scarring in diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, 784-788	4.3	28
319	Geriatric nutritional risk index as a screening tool for malnutrition in patients on chronic peritoneal dialysis. <i>Journal of Renal Nutrition</i> , <b>2010</b> , 20, 29-37	3	28

318	Circulating bacterial-derived DNA fragments as a marker of systemic inflammation in peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , <b>2013</b> , 28, 2139-45	4.3	27
317	In Reply to Beritoneal Dialysis for Patients With Polycystic Kidney Disease in Spain and Do the Benefits of Peritoneal Dialysis for Polycystic Kidney Disease Wane With Time? <i>American Journal of Kidney Diseases</i> , <b>2011</b> , 58, 494	7.4	27
316	Urinary sediment ICAM-1 level in lupus nephritis. <i>Lupus</i> , <b>2012</b> , 21, 1190-5	2.6	27
315	Differential effects of transforming growth factor-beta on the synthesis of connective tissue growth factor and vascular endothelial growth factor by peritoneal mesothelial cell. <i>Nephron Experimental Nephrology</i> , <b>2005</b> , 99, e95-e104		27
314	Antagonist-mediated down-regulation of Toll-like receptors increases the prevalence of human papillomavirus infection in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , <b>2012</b> , 14, R80	5.7	26
313	Urinary FOXP3 mRNA in patients with lupus nephritis--relation with disease activity and treatment response. <i>Rheumatology</i> , <b>2009</b> , 48, 755-60	3.9	26
312	A report with consensus statements of the International Society of Nephrology 2004 Consensus Workshop on Prevention of Progression of Renal Disease, Hong Kong, June 29, 2004. <i>Kidney International</i> , <b>2005</b> , S2-7	9.9	26
311	Messenger RNA expression of RANTES in the urinary sediment of patients with lupus nephritis. <i>Nephrology</i> , <b>2006</b> , 11, 219-25	2.2	25
310	Grading of acute and chronic renal lesions in Henoch-Schönlein purpura. <i>Modern Pathology</i> , <b>2001</b> , 14, 635-40	9.8	25
309	Posttransplant EpsteinBarr virus-associated myogenic tumors involving bone. <i>Cancer</i> , <b>2000</b> , 89, 467-472	6.4	25
308	Characterization of early IgA nephropathy. <i>American Journal of Kidney Diseases</i> , <b>2000</b> , 36, 703-8	7.4	25
307	Use of low-dose low molecular weight heparin in hemodialysis. <i>American Journal of Kidney Diseases</i> , <b>1996</b> , 28, 721-6	7.4	25
306	Good patient and technique survival in elderly patients on continuous ambulatory peritoneal dialysis. <i>Peritoneal Dialysis International</i> , <b>2007</b> , 27 Suppl 2, S196-201	2.8	25
305	Prevalence of complications among Chinese diabetic patients in urban primary care clinics: a cross-sectional study. <i>BMC Family Practice</i> , <b>2014</b> , 15, 8	2.6	24
304	Tenckhoff catheter insertion by nephrologists: open dissection technique. <i>Peritoneal Dialysis International</i> , <b>2010</b> , 30, 524-7	2.8	24
303	mRNA expression of target genes in the urinary sediment as a noninvasive prognostic indicator of CKD. <i>American Journal of Kidney Diseases</i> , <b>2006</b> , 47, 578-86	7.4	24
302	Low GDP Solution and Glucose-Sparing Strategies for Peritoneal Dialysis. <i>Seminars in Nephrology</i> , <b>2017</b> , 37, 30-42	4.8	23
301	Metabolic acidosis and malnutrition in dialysis patients. <i>Seminars in Dialysis</i> , <b>2004</b> , 17, 371-5	2.5	23

300	Clinical manifestation of macrolide antibiotic toxicity in CKD and dialysis patients. <i>CKJ: Clinical Kidney Journal</i> , <b>2014</b> , 7, 507-12	4.5	22
299	Bacteria-derived DNA fragment in peritoneal dialysis effluent as a predictor of relapsing peritonitis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2013</b> , 8, 1935-41	6.9	22
298	Repeat peritonitis in peritoneal dialysis: retrospective review of 181 consecutive cases. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2011</b> , 6, 827-33	6.9	22
297	Expression of ACE and ACE2 in patients with hypertensive nephrosclerosis. <i>Kidney and Blood Pressure Research</i> , <b>2011</b> , 34, 141-9	3.1	22
296	Comprehensive malnutrition inflammation score as a marker of nutritional status in Chinese peritoneal dialysis patients. <i>Nephrology</i> , <b>2007</b> , 12, 130-4	2.2	22
295	Association of ENOS polymorphism with basal peritoneal membrane function in uremic patients. <i>American Journal of Kidney Diseases</i> , <b>2003</b> , 42, 781-6	7.4	22
294	Contribution of gene polymorphisms in the renin-angiotensin system to macroangiopathy in patients with diabetic nephropathy. <i>American Journal of Kidney Diseases</i> , <b>2001</b> , 38, 9-17	7.4	22
293	The Role of Lean Body Mass as a Nutritional Index in Chinese Peritoneal Dialysis Patients—Comparison of Creatinine Kinetics Method and Anthropometric Method. <i>Peritoneal Dialysis International</i> , <b>2000</b> , 20, 708-714	2.8	22
292	Gram-Negative Peritonitis—The Achilles Heel of Peritoneal Dialysis?. <i>Peritoneal Dialysis International</i> , <b>2007</b> , 27, 267-271	2.8	22
291	Circulating Bacterial Fragments as Cardiovascular Risk Factors in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2018</b> , 29, 1601-1608	12.7	21
290	Circulating endotoxaemia and frequent haemodialysis schedules. <i>Nephron Clinical Practice</i> , <b>2014</b> , 128, 141-6		21
289	Cardiovascular Protective Effects of Adjunctive Alternative Medicine ( <i>Salvia miltiorrhiza</i> and <i>Pueraria lobata</i> ) in High-Risk Hypertension. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2013</b> , 2013, 132912	2.3	21
288	Impact of Early Nephrology Referral on Mortality and Hospitalization in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , <b>2008</b> , 28, 371-376	2.8	21
287	The clinical course of peritoneal dialysis-related peritonitis caused by <i>Corynebacterium</i> species. <i>Nephrology Dialysis Transplantation</i> , <b>2005</b> , 20, 2793-6	4.3	21
286	Near-miss errors in laboratory blood test requests by interns. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2005</b> , 98, 753-6	2.7	21
285	Dialysate hyaluronan concentration predicts survival but not peritoneal sclerosis in continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , <b>2000</b> , 36, 609-14	7.4	21
284	Frailty in Chinese Peritoneal Dialysis Patients: Prevalence and Prognostic Significance. <i>Kidney and Blood Pressure Research</i> , <b>2016</b> , 41, 736-745	3.1	21
283	Urinary mononuclear cell and disease activity of systemic lupus erythematosus. <i>Lupus</i> , <b>2006</b> , 15, 262-7	2.6	20

282	Nephrotoxicity Related to New Therapeutic Compounds. <i>Renal Failure</i> , <b>2005</b> , 27, 329-333	2.9	20
281	Mesangial lupus nephritis in Chinese is associated with a high rate of transformation to higher grade nephritis. <i>Lupus</i> , <b>2003</b> , 12, 665-71	2.6	20
280	Transforming growth factor-beta1 gene polymorphism in renal transplant recipients. <i>Renal Failure</i> , <b>2005</b> , 27, 671-5	2.9	20
279	Circulating bacterial-derived DNA fragment level is a strong predictor of cardiovascular disease in peritoneal dialysis patients. <i>PLoS ONE</i> , <b>2015</b> , 10, e0125162	3.7	19
278	Mineralocorticoid receptor antagonist for renal protection. <i>Renal Failure</i> , <b>2012</b> , 34, 810-7	2.9	19
277	Increasing home based dialysis therapies to tackle dialysis burden around the world: a position statement on dialysis economics from the 2nd Congress of the International Society for Hemodialysis. <i>Nephrology</i> , <b>2011</b> , 16, 53-6	2.2	19
276	Effect of membrane permeability on inflammation and arterial stiffness: a randomized trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2010</b> , 5, 652-8	6.9	19
275	Endotoxemia is associated with better clinical outcome in incident Chinese peritoneal dialysis patients: a prospective cohort study. <i>Peritoneal Dialysis International</i> , <b>2010</b> , 30, 178-86	2.8	19
274	Effective treatment of high-grade lymphoproliferative disorder after renal transplantation using autologous lymphocyte activated killer cell therapy. <i>American Journal of Kidney Diseases</i> , <b>1998</b> , 32, 813-9	7.4	19
273	Continuous ambulatory peritoneal dialysis peritonitis: broth inoculation culture versus water lysis method. <i>Nephron Clinical Practice</i> , <b>2007</b> , 105, c121-5		19
272	Metabolic syndrome in peritoneal dialysis patients: choice of diagnostic criteria and prognostic implications. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2014</b> , 9, 779-87	6.9	18
271	Quantification of gene expression in urinary sediment for the study of renal diseases. <i>Nephrology</i> , <b>2007</b> , 12, 494-9	2.2	18
270	Advances in the clinical laboratory assessment of urinary sediment. <i>Clinica Chimica Acta</i> , <b>2004</b> , 340, 67-78	8.2	18
269	Diabetic muscle infarction: myocardial infarct equivalent. <i>Diabetes Care</i> , <b>2002</b> , 25, 1895	14.6	18
268	Effect of Achieving Minimal Disease Activity on the Progression of Subclinical Atherosclerosis and Arterial Stiffness: A Prospective Cohort Study in Psoriatic Arthritis. <i>Arthritis and Rheumatology</i> , <b>2019</b> , 71, 271-280	9.5	17
267	Peritoneal Dialysis-Related Infection in the Older Population. <i>Peritoneal Dialysis International</i> , <b>2015</b> , 35, 659-62	2.8	17
266	Randomized controlled study of icodextrin on the treatment of peritoneal dialysis patients during acute peritonitis. <i>Nephrology Dialysis Transplantation</i> , <b>2014</b> , 29, 1438-43	4.3	17
265	Down-regulated NOD2 by immunosuppressants in peripheral blood cells in patients with SLE reduces the muramyl dipeptide-induced IL-10 production. <i>PLoS ONE</i> , <b>2011</b> , 6, e23855	3.7	17

264	Decreased T-bet expression and changes in chemokine levels in adults with asthma. <i>Clinical and Experimental Immunology</i> , <b>2007</b> , 147, 526-32	6.2	17
263	The Role of Vascular Endothelial Growth Factor in Peritoneal Hyperpermeability during CAPD-Related Peritonitis. <i>Peritoneal Dialysis International</i> , <b>2002</b> , 22, 265-267	2.8	17
262	Transition Between Different Renal Replacement Modalities: Gaps in Knowledge and Care-The Integrated Research Initiative. <i>Peritoneal Dialysis International</i> , <b>2019</b> , 39, 4-12	2.8	16
261	Depression and Physical Frailty Have Additive Effect on the Nutritional Status and Clinical Outcome of Chinese Peritoneal Dialysis. <i>Kidney and Blood Pressure Research</i> , <b>2018</b> , 43, 914-923	3.1	16
260	Treatment of early immunoglobulin A nephropathy by angiotensin-converting enzyme inhibitor. <i>American Journal of Medicine</i> , <b>2013</b> , 126, 162-8	2.4	16
259	Relation between MicroRNA Expression in Peritoneal Dialysis Effluent and Peritoneal Transport Characteristics. <i>Disease Markers</i> , <b>2012</b> , 33, 35-42	3.2	16
258	Fatal pancytopenia in a hemodialysis patient after treatment with low-dose methotrexate. <i>Journal of Clinical Rheumatology</i> , <b>2009</b> , 15, 177-80	1.1	16
257	Peroxisome proliferator-activated receptor-gamma gene polymorphism and risk of cardiovascular disease in patients with diabetic nephropathy. <i>American Journal of Nephrology</i> , <b>2008</b> , 28, 715-22	4.6	16
256	The Impact of Social Support on the Survival of Chinese Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , <b>2008</b> , 28, 252-258	2.8	16
255	Increased subcutaneous insulin requirements in diabetic patients recently commenced on peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , <b>2007</b> , 22, 1697-702	4.3	16
254	Continuous Ambulatory Peritoneal Dialysis in Patients with Hepatitis B Liver Disease. <i>Peritoneal Dialysis International</i> , <b>2006</b> , 26, 213-217	2.8	16
253	Patient acceptance of using telemedicine for follow-up of lupus nephritis in the COVID-19 outbreak. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> ,	2.4	16
252	Climatic influence on the prevalence of noncutaneous disease flare in systemic lupus erythematosus in Hong Kong. <i>Journal of Rheumatology</i> , <b>2008</b> , 35, 1031-7	4.1	16
251	Asymptomatic fluid overload predicts survival and cardiovascular event in incident Chinese peritoneal dialysis patients. <i>PLoS ONE</i> , <b>2018</b> , 13, e0202203	3.7	15
250	Body mass index as a predictive factor for long-term renal transplant outcomes in Asians. <i>Clinical Transplantation</i> , <b>2006</b> , 20, 582-9	3.8	15
249	Effect of a compensated Jaffe creatinine method on the estimation of glomerular filtration rate. <i>Annals of Clinical Biochemistry</i> , <b>2004</b> , 41, 482-4	2.2	15
248	Primary IgA nephropathy with low histologic grade and disease progression: is there a "point of no return"? <i>American Journal of Kidney Diseases</i> , <b>2002</b> , 39, 401-6	7.4	15
247	The Impact of Increasing the Daytime Dialysis Exchange Frequency on Peritoneal Dialysis Adequacy and Nutritional Status of Chinese Anuric Patients. <i>Peritoneal Dialysis International</i> , <b>2002</b> , 22, 197-203	2.8	15

246	Measured-to-predicted creatinine generation ratio increases with time and decline in residual renal function in continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , <b>1999</b> , 34, 235-41	7.4	15
245	Straight Versus Coiled Peritoneal Dialysis Catheters: A Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , <b>2020</b> , 75, 39-44	7.4	15
244	Peritoneal albumin excretion is a strong predictor of cardiovascular events in peritoneal dialysis patients: a prospective cohort study. <i>Peritoneal Dialysis International</i> , <b>2005</b> , 25, 445-52	2.8	15
243	Treatment of metabolic syndrome in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , <b>2009</b> , 29 Suppl 2, S149-52	2.8	15
242	Peritoneal-dialysis related peritonitis caused by <i>Gordonia</i> species: report of four cases and literature review. <i>Nephrology</i> , <b>2014</b> , 19, 379-83	2.2	14
241	Urinary Mitochondrial DNA Level as a Biomarker of Acute Kidney Injury Severity. <i>Kidney Diseases (Basel, Switzerland)</i> , <b>2017</b> , 3, 78-83	3.3	14
240	Effect of using ultrapure dialysate for hemodialysis on the level of circulating bacterial fragment in renal failure patients. <i>Nephron Clinical Practice</i> , <b>2013</b> , 123, 246-53		14
239	Outcome of hemodialysis patients who had failed peritoneal dialysis. <i>Nephron Clinical Practice</i> , <b>2010</b> , 116, c300-6		14
238	Extra-high-dose hepatitis B vaccination does not confer longer serological protection in peritoneal dialysis patients: a randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , <b>2010</b> , 25, 2303-9	4.3	14
237	Longitudinal changes of cardiothoracic ratio and vascular pedicle width as predictors of volume status during one year in Chinese peritoneal dialysis patients. <i>Kidney and Blood Pressure Research</i> , <b>2009</b> , 32, 45-50	3.1	14
236	Connective tissue growth factor is responsible for transforming growth factor-beta-induced peritoneal mesothelial cell apoptosis. <i>Nephron Experimental Nephrology</i> , <b>2006</b> , 103, e166-74		14
235	Multifocal myoclonus secondary to tranexamic acid. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2003</b> , 74, 547	5.5	14
234	Urinary mitochondrial DNA level in non-diabetic chronic kidney diseases. <i>Clinica Chimica Acta</i> , <b>2018</b> , 484, 36-39	6.2	14
233	Gram-negative peritonitis--the Achilles heel of peritoneal dialysis?. <i>Peritoneal Dialysis International</i> , <b>2007</b> , 27 Suppl 2, S267-71	2.8	14
232	Members of the receptor for advanced glycation end products axis as potential therapeutic targets in patients with lupus nephritis. <i>Lupus</i> , <b>2015</b> , 24, 675-86	2.6	13
231	Monitoring of urinary messenger RNA levels for the prediction of flare in systemic lupus erythematosus. <i>Clinica Chimica Acta</i> , <b>2012</b> , 413, 448-55	6.2	13
230	Methods of microRNA quantification in urinary sediment. <i>Methods in Molecular Biology</i> , <b>2013</b> , 1024, 211-20		13
229	Automated peritoneal dialysis in Hong Kong: there are two distinct groups of patients. <i>Nephrology</i> , <b>2013</b> , 18, 356-64	2.2	13

228	The safety and short-term efficacy of aliskiren in the treatment of immunoglobulin a nephropathy--a randomized cross-over study. <i>PLoS ONE</i> , <b>2013</b> , 8, e62736	3.7	13
227	Intra-renal and urinary mRNA expression of podocyte-associated molecules for the estimation of glomerular podocyte loss. <i>Renal Failure</i> , <b>2010</b> , 32, 372-9	2.9	13
226	The impact of antihypertensive drug therapy on endotoxemia in elderly patients with chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2011</b> , 6, 2389-94	6.9	13
225	Increased ascitic level of hyaluronan in liver cirrhosis. <i>Translational Research</i> , <b>1998</b> , 131, 354-9		13
224	Treatment of Metabolic Syndrome in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , <b>2009</b> , 29, 149-152	2.8	13
223	Estimation of glomerular filtration rate in patients with systemic lupus erythematosus. <i>Lupus</i> , <b>2006</b> , 15, 276-81	2.6	13
222	Cerebral atrophy and skull thickening due to chronic phenytoin therapy. <i>Cmaj</i> , <b>2007</b> , 176, 321-3	3.5	13
221	Chromosomal telomere shortening of kidney cells in IgA nephropathy by the measurement of DNA in urinary sediment. <i>Clinical Nephrology</i> , <b>2005</b> , 64, 337-42	2.1	13
220	Remote ischaemic pre-conditioning for the prevention of acute kidney injury. <i>Nephrology</i> , <b>2016</b> , 21, 274-85		13
219	Genetic and clinical variables identify predictors for chronic kidney disease in type 2 diabetes. <i>Kidney International</i> , <b>2016</b> , 89, 411-20	9.9	12
218	Cross sectional survey on the concerns and anxiety of patients waiting for organ transplants. <i>Nephrology</i> , <b>2012</b> , 17, 514-8	2.2	12
217	The Effect of Neutral Peritoneal Dialysis Solution with Low Glucose-Degradation-Product on the Fluid Status and Body Composition--A Randomized Control Trial. <i>PLoS ONE</i> , <b>2015</b> , 10, e0141425	3.7	12
216	Relationship of intrarenal gene expression and the histological class of lupus nephritis -- a study on repeat renal biopsy. <i>Journal of Rheumatology</i> , <b>2012</b> , 39, 1942-7	4.1	12
215	Association of IgA nephropathy with T-cell receptor constant alpha chain gene polymorphism. <i>American Journal of Kidney Diseases</i> , <b>1997</b> , 30, 260-4	7.4	12
214	Revascularization for post-transplant renal artery stenosis. <i>Nephrology</i> , <b>2007</b> , 12, 406-12	2.2	12
213	Adherence to peritoneal dialysis training schedule. <i>Nephrology Dialysis Transplantation</i> , <b>2007</b> , 22, 545-514.3	4.3	12
212	Genetic polymorphism of vascular endothelial growth factor: impact on progression of IgA nephropathy. <i>Renal Failure</i> , <b>2006</b> , 28, 15-20	2.9	12
211	Severe acute respiratory syndrome in a hemodialysis patient. <i>American Journal of Kidney Diseases</i> , <b>2003</b> , 42, 1069-74	7.4	12

210	Treatment of membranous lupus nephritis with prednisone, azathioprine and cyclosporin A. <i>Lupus</i> , <b>2001</b> , 10, 827-9	2.6	12
209	Urinary miRNA profile for the diagnosis of IgA nephropathy. <i>BMC Nephrology</i> , <b>2019</b> , 20, 77	2.7	11
208	Intrarenal and Urinary Th9 and Th22 Cytokine Gene Expression in Lupus Nephritis. <i>Journal of Rheumatology</i> , <b>2015</b> , 42, 1150-5	4.1	11
207	Causes of nephrotic syndrome and nephrotic-range proteinuria are different in adult Chinese patients: A single centre study over 33 years. <i>Nephrology</i> , <b>2018</b> , 23, 565-572	2.2	11
206	Urinary mRNA levels of ELR-negative CXC chemokine ligand and extracellular matrix in diabetic nephropathy. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2015</b> , 31, 699-706	7.5	11
205	Association of interleukin-18 promoter polymorphism and atherosclerotic diseases in Chinese patients with diabetic nephropathy. <i>Nephrology</i> , <b>2009</b> , 14, 606-12	2.2	11
204	Relationship between CRP polymorphism and cardiovascular events in Chinese peritoneal dialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2012</b> , 7, 304-9	6.9	11
203	Rhodococcus equi peritonitis in continuous ambulatory peritoneal dialysis. <i>Journal of Nephrology</i> , <b>2003</b> , 16, 736-9	4.8	11
202	Relationship between Plasma Endocan Level and Clinical Outcome of Chinese Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , <b>2019</b> , 44, 1259-1270	3.1	10
201	Peritonitis before Peritoneal Dialysis Training: Analysis of Causative Organisms, Clinical Outcomes, Risk Factors, and Long-Term Consequences. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2016</b> , 11, 1219-26	6.9	10
200	Fracture risk after thiazide-associated hyponatraemia. <i>Internal Medicine Journal</i> , <b>2012</b> , 42, 760-4	1.6	10
199	Life expectancy of Chinese patients with chronic kidney disease without dialysis. <i>Nephrology</i> , <b>2011</b> , 16, 715-9	2.2	10
198	Arterial pulse wave velocity and peritoneal transport characteristics independently predict hospitalization in Chinese peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , <b>2010</b> , 30, 80-5	2.8	10
197	Persistent symptomatic intra-abdominal collection after catheter removal for PD-related peritonitis. <i>Peritoneal Dialysis International</i> , <b>2011</b> , 31, 34-8	2.8	10
196	Dialysis: Hypokalaemia and cardiac risk in peritoneal dialysis patients. <i>Nature Reviews Nephrology</i> , <b>2012</b> , 8, 501-3	14.9	10
195	Antiproteinuric and anti-inflammatory effects of thiazolidinedione. <i>Nephrology</i> , <b>2008</b> , 13, 53-7	2.2	10
194	Influence of climate on the incidence of thiazide-induced hyponatraemia. <i>International Journal of Clinical Practice</i> , <b>2007</b> , 61, 449-52	2.9	10
193	Plasminogen activator inhibitor-1 4G/5G genetic polymorphism does not affect peritoneal transport characteristic. <i>American Journal of Kidney Diseases</i> , <b>2002</b> , 39, 1061-7	7.4	10

192	Dialysis adequacy and transport test for characterization of peritoneal transport type in Chinese peritoneal dialysis patients receiving three daily exchanges. <i>American Journal of Kidney Diseases</i> , <b>2002</b> , 39, 1287-99	7.4	10
191	Extrapolation of reciprocal creatinine plot is not reliable in predicting the onset of dialysis in patients with progressive renal insufficiency. <i>Journal of Internal Medicine</i> , <b>2003</b> , 253, 335-42	10.8	10
190	Acute renal failure in a patient with Rosai-Dorfman disease. <i>American Journal of Kidney Diseases</i> , <b>1999</b> , 34, e12	7.4	10
189	Urinary mitochondrial DNA level as a biomarker of tissue injury in non-diabetic chronic kidney diseases. <i>BMC Nephrology</i> , <b>2018</b> , 19, 367	2.7	10
188	Cefazolin plus ceftazidime versus imipenem/cilastatin monotherapy for treatment of CAPD peritonitis--a randomized controlled trial. <i>Peritoneal Dialysis International</i> , <b>2004</b> , 24, 440-6	2.8	10
187	Peritoneal dialysis effluent miR-21 and miR-589 levels correlate with longitudinal change in peritoneal transport characteristics. <i>Clinica Chimica Acta</i> , <b>2017</b> , 464, 106-112	6.2	9
186	Helper-assisted continuous ambulatory peritoneal dialysis: Does the choice of helper matter?. <i>Peritoneal Dialysis International</i> , <b>2020</b> , 40, 34-40	2.8	9
185	Newer antibiotics for the treatment of peritoneal dialysis-related peritonitis. <i>CKJ: Clinical Kidney Journal</i> , <b>2016</b> , 9, 616-23	4.5	9
184	Peritoneal dialysis-related peritonitis caused by <i>Pseudomonas</i> species: Insight from a post-millennial case series. <i>PLoS ONE</i> , <b>2018</b> , 13, e0196499	3.7	9
183	Endotoxaemia in haemodialysis: a novel factor in erythropoetin resistance?. <i>PLoS ONE</i> , <b>2012</b> , 7, e40209	3.7	9
182	Increasing home-based dialysis therapies to tackle dialysis burden around the world: A position statement on dialysis economics from the 2nd Congress of the International Society for Hemodialysis. <i>Hemodialysis International</i> , <b>2011</b> , 15, 10-4	1.7	9
181	Unexplained exudative pleural effusion in chronic peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , <b>2010</b> , 30, 534-40	2.8	9
180	Open surgical insertion of tenckhoff catheters for peritoneal dialysis. <i>Peritoneal Dialysis International</i> , <b>2010</b> , 30, 502-3	2.8	9
179	Residual Renal Function and Recovery of Renal Function. <i>Peritoneal Dialysis International</i> , <b>2007</b> , 27, 159-168	1.6	9
178	Impact of enforcing the Labour Ordinance, with 1-in-7-day off for hospital doctors, on weekend hospital discharge rate. <i>Journal of Public Health</i> , <b>2005</b> , 27, 189-91	3.5	9
177	Clinical and biochemical characteristics of type 2 diabetic patients on continuous ambulatory peritoneal dialysis: relationships with insulin requirement. <i>American Journal of Kidney Diseases</i> , <b>1999</b> , 34, 514-20	7.4	9
176	Influence of climate on the incidence of peritoneal dialysis-related peritonitis. <i>Peritoneal Dialysis International</i> , <b>2003</b> , 23, 580-6	2.8	9
175	Manifestation of tranexamic acid toxicity in chronic kidney disease and kidney transplant patients: A report of four cases and review of literature. <i>Nephrology</i> , <b>2017</b> , 22, 316-321	2.2	8

174	Plasma Mitochondrial DNA Level is a Prognostic Marker in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , <b>2016</b> , 41, 402-12	3.1	8
173	Serial monitoring of nutritional status in Chinese peritoneal dialysis patients by Subjective Global Assessment and comprehensive Malnutrition Inflammation Score. <i>Nephrology</i> , <b>2009</b> , 14, 143-7	2.2	8
172	Nephrotoxicity Related to New Therapeutic Compounds. <i>Renal Failure</i> , <b>2005</b> , 27, 329-333	2.9	8
171	Exogenous type-1 cytokines modulate mercury-induced hyper-IgE in the rat. <i>Clinical and Experimental Immunology</i> , <b>2000</b> , 121, 17-22	6.2	8
170	Relation between microRNA expression in peritoneal dialysis effluent and peritoneal transport characteristics. <i>Disease Markers</i> , <b>2012</b> , 33, 35-42	3.2	8
169	Measurements on the routine chest radiograph as prognostic markers in Chinese peritoneal dialysis patients. <i>Clinical Nephrology</i> , <b>2011</b> , 76, 16-22	2.1	8
168	Podocyte mRNA in the urinary sediment of minimal change nephropathy and focal segmental glomerulosclerosis. <i>Clinical Nephrology</i> , <b>2015</b> , 84, 198-205	2.1	8
167	Peritoneal protein clearance predicts mortality in peritoneal dialysis patients. <i>Clinical and Experimental Nephrology</i> , <b>2019</b> , 23, 551-560	2.5	8
166	Risks of AKI and Major Adverse Clinical Outcomes in Patients with Severe Acute Respiratory Syndrome or Coronavirus Disease 2019. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2021</b> ,	12.7	8
165	Independent effects of renal and peritoneal clearances on the mortality of peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , <b>2004</b> , 24, 58-64	2.8	8
164	Can the urine dipstick test reduce the need for microscopy for assessment of systemic lupus erythematosus disease activity?. <i>Journal of Rheumatology</i> , <b>2005</b> , 32, 828-31	4.1	8
163	Metabolomic Changes of Human Proximal Tubular Cell Line in High Glucose Environment. <i>Scientific Reports</i> , <b>2019</b> , 9, 16617	4.9	7
162	Effect of cinacalcet treatment on vascular arterial stiffness among peritoneal dialysis patients with secondary hyperparathyroidism. <i>Nephrology</i> , <b>2014</b> , 19, 339-44	2.2	7
161	Peritonitis rates of the past thirty years: from improvement to stagnation. <i>Peritoneal Dialysis International</i> , <b>2014</b> , 34, 151-3	2.8	7
160	Playing cat and mouse with a gram-negative organism causing peritonitis. <i>Peritoneal Dialysis International</i> , <b>2010</b> , 30, 662-3	2.8	7
159	The width of the basement membrane does not influence clinical presentation or outcome of thin glomerular basement membrane disease with persistent hematuria. <i>Kidney International</i> , <b>2010</b> , 78, 1041-9	2.9	7
158	Role of beta1 and beta2 subunits of the interleukin-12 receptor in determining T helper 1/T helper 2 responses in vivo in the rat. <i>Immunology</i> , <b>2000</b> , 99, 109-12	7.8	7
157	Mixed isopropanol-methanol intoxication following ingestion of alcohol-based hand rub solution?. <i>Clinical Nephrology</i> , <b>2017</b> , 88, 218-220	2.1	7

156	Treatment of Enterococcal Peritonitis in Peritoneal Dialysis Patients by Oral Amoxicillin or Intra-Peritoneal Vancomycin: a Retrospective Study. <i>Kidney and Blood Pressure Research</i> , <b>2017</b> , 42, 837-843	3.1	6
155	2018 Kidney Disease: Improving Global Outcomes (KDIGO) Hepatitis C in Chronic Kidney Disease Guideline Implementation: Asia Summit Conference Report. <i>Kidney International Reports</i> , <b>2020</b> , 5, 1129-1138	4.1	6
154	Peritoneal Dialysis Catheter Revision and Replacement by Nephrologist for Peritoneal Dialysis Catheter Malfunction. <i>Nephron</i> , <b>2018</b> , 138, 214-219	3.3	6
153	The choice of comorbidity scoring system in Chinese peritoneal dialysis patients. <i>Clinical and Experimental Nephrology</i> , <b>2018</b> , 22, 159-166	2.5	6
152	Metabolic syndrome in peritoneal dialysis patients. <i>CKJ: Clinical Kidney Journal</i> , <b>2008</b> , 1, 206-14	4.5	6
151	A lady with rapid onset of swollen parotid glands. <i>Southern Medical Journal</i> , <b>2008</b> , 101, 428-31	0.6	6
150	Factors Associated with Sudden Death in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , <b>2009</b> , 29, 58-63	2.8	6
149	Peritoneal Dialysis Adequacy in Asia: Higher Better?. <i>Peritoneal Dialysis International</i> , <b>2003</b> , 23, 65-68	2.8	6
148	Uraemic tumoural calcinosis. <i>Nephrology Dialysis Transplantation</i> , <b>2004</b> , 19, 505-6	4.3	6
147	Intravenous versus subcutaneous EPO: anything to do with pure red cell aplasia complication. <i>American Journal of Kidney Diseases</i> , <b>2003</b> , 41, 266-7; author reply 267	7.4	6
146	Relation between number of prescribed medication and outcome in peritoneal dialysis patients. <i>Clinical Nephrology</i> , <b>2006</b> , 66, 256-62	2.1	6
145	Urinary sediment mRNA level of extracellular matrix molecules in adult nephrotic syndrome. <i>Clinica Chimica Acta</i> , <b>2016</b> , 456, 157-162	6.2	6
144	The role of vascular endothelial growth factor in peritoneal hyperpermeability during CAPD-related peritonitis. <i>Peritoneal Dialysis International</i> , <b>2002</b> , 22, 265-7	2.8	6
143	The impact of social support on the survival of Chinese peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , <b>2008</b> , 28, 252-8	2.8	6
142	Peritonitis risk for older patients on peritoneal dialysis. <i>Peritoneal Dialysis International</i> , <b>2008</b> , 28, 457-60	2.8	6
141	Polycystic kidney disease presenting with hypertension and hypokalemia. <i>American Journal of Kidney Diseases</i> , <b>2012</b> , 59, 270-2	7.4	5
140	The use of vitamin D analogues in chronic kidney diseases: possible mechanisms beyond bone and mineral metabolism. <i>CKJ: Clinical Kidney Journal</i> , <b>2009</b> , 2, 205-12	4.5	5
139	Haemoglobin variability in Chinese pre-dialysis CKD patients not receiving erythropoietin. <i>Nephrology Dialysis Transplantation</i> , <b>2011</b> , 26, 2919-24	4.3	5

138	Peritoneal Protein and Albumin Excretion as Markers of Cardiovascular Risk and Systemic Endothelial Dysfunction. <i>Hong Kong Journal of Nephrology</i> , <b>2004</b> , 6, 31-37		5
137	Prognostic role of serum ACE activity on outcome of type 2 diabetic patients on chronic ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , <b>2002</b> , 39, 1054-60	7.4	5
136	Rapid Progression of Destructive Spondyloarthropathy. <i>Spine</i> , <b>2005</b> , 30, E31-E33	3.3	5
135	Prevalence of Psychological Problems in Chinese Peritoneal Dialysis Patients. <i>Hong Kong Journal of Nephrology</i> , <b>2005</b> , 7, 82-89		5
134	Treatment of pulmonary embolism by subcutaneous low-molecular-weight heparin in a hemodialysis patient. <i>American Journal of Nephrology</i> , <b>1998</b> , 18, 325-8	4.6	5
133	Peritoneal inflammation and fibrosis in C-reactive protein transgenic mice undergoing peritoneal dialysis solution treatment. <i>Nephrology</i> , <b>2017</b> , 22, 125-132	2.2	4
132	Endotoxemia in Peritoneal Dialysis Patients: A Pilot Study to Examine the Role of Intestinal Perfusion and Congestion. <i>Peritoneal Dialysis International</i> , <b>2017</b> , 37, 111-115	2.8	4
131	Dialysate bacterial endotoxin as a prognostic indicator of peritoneal dialysis related peritonitis. <i>Nephrology</i> , <b>2016</b> , 21, 1069-1072	2.2	4
130	The new ISPD peritonitis guideline. <i>Renal Replacement Therapy</i> , <b>2018</b> , 4,	2.3	4
129	Relationship between serum levels of tumour necrosis factor-related apoptosis-inducing ligand and the survival of Chinese peritoneal dialysis patients. <i>Nephrology</i> , <b>2012</b> , 17, 466-71	2.2	4
128	The relationship between bone morphogenic protein-7 and peritoneal transport characteristics. <i>Nephrology Dialysis Transplantation</i> , <b>2008</b> , 23, 2989-94	4.3	4
127	Influence of emergency room fee on acute stroke presentation in a public hospital in Hong Kong. <i>Neuroepidemiology</i> , <b>2004</b> , 23, 123-8	5.4	4
126	Oral anticoagulant and dental procedures. <i>Archives of Internal Medicine</i> , <b>2003</b> , 163, 2532; author reply 2533		4
125	Severe bone marrow failure associated with the use of alternating steroid with chlorambucil in lupus membranous nephropathy in Chinese. <i>Lupus</i> , <b>2001</b> , 10, 295-8	2.6	4
124	Successful medical eradication of tuberculous paranephric abscess in renal transplantation. <i>Nephrology Dialysis Transplantation</i> , <b>1999</b> , 14, 1288-90	4.3	4
123	Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients. <i>PLoS ONE</i> , <b>2020</b> , 15, e0241242	3.7	4
122	Depression does not predict clinical outcome of Chinese peritoneal Dialysis patients after adjusting for the degree of frailty. <i>BMC Nephrology</i> , <b>2020</b> , 21, 329	2.7	4
121	Clinical practice guidelines for the provision of renal service in Hong Kong: Peritoneal Dialysis. <i>Nephrology</i> , <b>2019</b> , 24 Suppl 1, 27-40	2.2	3

120	Treat to target and prevention of subclinical atherosclerosis in psoriatic arthritis-which target should we choose?. <i>Rheumatology</i> , <b>2020</b> , 59, 2881-2892	3.9	3
119	Long-term outcome of biopsy-proven minimal-change nephrotic syndrome in Chinese children. <i>Hong Kong Journal of Nephrology</i> , <b>2013</b> , 15, 22-27		3
118	Urinary mRNA and lupus disease flare. <i>Nephrology</i> , <b>2017</b> , 22 Suppl 4, 27-30	2.2	3
117	Estimation of clinical parameters of chronic kidney disease by exhaled breath full-scan mass spectrometry data and iterative PCA with intensity screening algorithm. <i>Journal of Breath Research</i> , <b>2017</b> , 11, 036007	3.1	3
116	Functional and histological improvement after everolimus rescue of chronic allograft dysfunction in renal transplant recipients. <i>Therapeutics and Clinical Risk Management</i> , <b>2015</b> , 11, 829-35	2.9	3
115	Characteristics and Outcomes of Chronic Kidney Disease Patients Who Default on Appointments at a Low Clearance Clinic. <i>Hong Kong Journal of Nephrology</i> , <b>2011</b> , 13, 33-38		3
114	In Reply To The Beneficial Effect of Oral Calcitriol Treatment on Proteinuria in IgA Nephropathy: Another Point of View. <i>American Journal of Kidney Diseases</i> , <b>2008</b> , 52, 805	7.4	3
113	Hyperchloremic metabolic acidosis. <i>Emergency Medicine Journal</i> , <b>2008</b> , 25, 613	1.5	3
112	Prevalence and implications of isolated microscopic hematuria in asymptomatic Chinese pregnant women. <i>Nephron Clinical Practice</i> , <b>2007</b> , 105, c147-52		3
111	The Changing Face of Peritonitis. <i>Peritoneal Dialysis International</i> , <b>2004</b> , 24, 413-415	2.8	3
110	Hospital arrival after acute stroke: any better after 10 years?. <i>Cerebrovascular Diseases</i> , <b>2004</b> , 17, 346	3.2	3
109	Good metabolic control using tacrolimus-based immunosuppressants in primary cadaveric renal transplantation in Chinese--a preliminary report. <i>Clinical Transplantation</i> , <b>2002</b> , 16, 39-42	3.8	3
108	Headache caused by Pott's puffy tumor. <i>Headache</i> , <b>2003</b> , 43, 916	4.2	3
107	Nonconvulsive status epilepticus in dialysis patients: In Reply. <i>American Journal of Kidney Diseases</i> , <b>2002</b> , 39, 440-441	7.4	3
106	A confused uraemic woman. <i>Lancet, The</i> , <b>2001</b> , 357, 278	4.0	3
105	Gene expression using the PALM system. <i>Methods in Molecular Biology</i> , <b>2011</b> , 755, 47-56	1.4	3
104	2656 Can N-acetylcysteine really prevent contrast-induced nephropathy in patients with chronic renal insufficiency? A randomized study and pooled analysis. <i>European Heart Journal</i> , <b>2003</b> , 24, 491	9.5	3
103	The role of obesity on chronic kidney disease development, progression, and cardiovascular complications. <i>Advances in Biomarker Sciences and Technology</i> , <b>2020</b> , 2, 24-34	5.1	3

102	Trends in kidney failure and kidney replacement therapy in people with diabetes in Hong Kong, 2002-2015: A retrospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , <b>2021</b> , 11, 100165 <sup>5</sup>		3
101	Employment status in peritoneal-dialysis patients. <i>Hong Kong Journal of Nephrology</i> , <b>2016</b> , 18, 11-14		3
100	The efficacy of managing fluid overload in chronic peritoneal dialysis patients by a structured nurse-led intervention protocol. <i>BMC Nephrology</i> , <b>2019</b> , 20, 454	2.7	3
99	Beware of drug interaction between tigecycline and tacrolimus. <i>Nephrology</i> , <b>2020</b> , 25, 99-100	2.2	3
98	Development of genome-wide polygenic risk scores for lipid traits and clinical applications for dyslipidemia, subclinical atherosclerosis, and diabetes cardiovascular complications among East Asians. <i>Genome Medicine</i> , <b>2021</b> , 13, 29	14.4	3
97	The relationship between peritoneal transport characteristics and messenger RNA expression of aquaporin in the peritoneal dialysis effluent of CAPD patients. <i>Journal of Nephrology</i> , <b>2005</b> , 18, 197-203 <sup>4,8</sup>		3
96	Nephrotoxicity related to new therapeutic compounds. <i>Renal Failure</i> , <b>2005</b> , 27, 329-33	2.9	3
95	Weight change during the first year of peritoneal dialysis: Risk factors and prognostic implications. <i>Hong Kong Journal of Nephrology</i> , <b>2015</b> , 17, 28-35		2
94	Longitudinal Changes of NF- $\kappa$ B Downstream Mediators and Peritoneal Transport Characteristics in Incident Peritoneal Dialysis Patients. <i>Scientific Reports</i> , <b>2020</b> , 10, 6440	4.9	2
93	Concerns Regarding Inconsistencies Within and Between ISPD Recommendations for Peritonitis and Catheter-Related Infections-In Reply. <i>Peritoneal Dialysis International</i> , <b>2018</b> , 38, 311-312	2.8	2
92	Urinary mRNA in systemic lupus erythematosus. <i>Advances in Clinical Chemistry</i> , <b>2013</b> , 62, 197-219	5.8	2
91	Concerns Regarding ISPD Recommendations for Peritonitis in Relation to Imipenem/Cilastatin-In Reply. <i>Peritoneal Dialysis International</i> , <b>2017</b> , 37, 585	2.8	2
90	Campylobacter peritonitis complicating peritoneal dialysis: a review of 12 consecutive cases. <i>Peritoneal Dialysis International</i> , <b>2013</b> , 33, 189-94	2.8	2
89	Relationship between myeloid-related protein 8/14 and survival of Chinese peritoneal dialysis patients. <i>Kidney and Blood Pressure Research</i> , <b>2012</b> , 35, 489-96	3.1	2
88	Prediction of Outcomes for Peritoneal Dialysis-Associated Peritonitis. <i>Peritoneal Dialysis International</i> , <b>2008</b> , 28, 340-342	2.8	2
87	Pseudoclubbing of fingers. <i>Nephrology</i> , <b>2007</b> , 12, 206	2.2	2
86	Spirolactone is not Effective for the Treatment of Hypokalemia in Peritoneal Dialysis Patients. <i>Hong Kong Journal of Nephrology</i> , <b>2007</b> , 9, 36-40		2
85	Secular trends in the medical discharge summary in an acute medical hospital. <i>Postgraduate Medical Journal</i> , <b>2006</b> , 82, 615-8	2	2

84	Preventing contrast nephropathy in catheter laboratory. <i>Heart</i> , <b>2007</b> , 93, 654-5	5.1	2
83	Lead nephropathy: early leads from descriptive studies. <i>Internal Medicine Journal</i> , <b>2006</b> , 36, 678-82	1.6	2
82	Assessment of protein nitrogen appearance in Chinese peritoneal dialysis patients-which method to use?. <i>Renal Failure</i> , <b>2003</b> , 25, 235-46	2.9	2
81	Vancomycin concentrations in autosomal dominant polycystic kidney disease. <i>Clinical Infectious Diseases</i> , <b>2005</b> , 40, 205	11.6	2
80	A simple assessment of peritoneal transport in stable continuous ambulatory peritoneal dialysis patients. <i>American Journal of Nephrology</i> , <b>1998</b> , 18, 311-7	4.6	2
79	Relationship between glutathione S-transferase M1 polymorphism and clinical outcomes in Chinese peritoneal dialysis patients. <i>Journal of Nephrology</i> , <b>2012</b> , 25, 310-6	4.8	2
78	Clinical course of peritonitis due to Pseudomonas species complicating peritoneal dialysis: A review of 104 cases. <i>Kidney International</i> , <b>2001</b> , 59, 2309	9.9	2
77	Extended antibiotic therapy for the prevention of relapsing and recurrent peritonitis in peritoneal dialysis patients: a randomized controlled trial. <i>CKJ: Clinical Kidney Journal</i> , <b>2021</b> , 14, 991-997	4.5	2
76	Residual renal function and recovery of renal function. <i>Peritoneal Dialysis International</i> , <b>2007</b> , 27, 159-61	2.8	2
75	Is peritoneal dialysis kinder for the heart?. <i>Peritoneal Dialysis International</i> , <b>2011</b> , 31, 135-7	2.8	2
74	Effect of Erythropoiesis-Stimulating Agent Therapy in Patients Receiving Palliative Care of Chronic Kidney Disease. <i>American Journal of Hospice and Palliative Medicine</i> , <b>2019</b> , 36, 718-721	2.6	1
73	In Memoriam of Henry Tenckhoff. <i>Artificial Organs</i> , <b>2017</b> , 41, 697-699	2.6	1
72	Relationship between HSP70-2 A+1267G Polymorphism and Cardiovascular Events of Chinese Peritoneal Dialysis Patients. <i>Nephron Clinical Practice</i> , <b>2014</b> , 128, 153-8		1
71	Relationship Between $\alpha$ -Adrenergic Receptor Polymorphisms and Cardiovascular Disease in Peritoneal Dialysis Patients. <i>Hong Kong Journal of Nephrology</i> , <b>2008</b> , 10, 58-63		1
70	A lady with unresolved loin pain. <i>Journal of the Royal Society of Medicine</i> , <b>2008</b> , 101, 85-6	2.3	1
69	Pancytopenia in a patient with tuberculous peritonitis. <i>Internal Medicine Journal</i> , <b>2007</b> , 37, 277-8	1.6	1
68	Dual Therapy with ACE Inhibitors and Angiotensin II Receptor Blockers in Proteinuric IgA Nephropathy Patients. <i>Hong Kong Journal of Nephrology</i> , <b>2007</b> , 9, 89-93		1
67	Maintenance treatment of proliferative lupus nephritis can be discontinued after remission in some patients. <i>Nature Clinical Practice Nephrology</i> , <b>2006</b> , 2, 672-3		1

66	Leflunomide and anti-glomerular basement membrane glomerulonephritis: comment on the letter by Bruyn et al. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 336; author reply 336-7		1
65	The Beneficial Effect of Oral Sodium Bicarbonate in Peritoneal Dialysis Patients [How Long Does It Last After Stopping Treatment?]. <i>Hong Kong Journal of Nephrology</i> , <b>2005</b> , 7, 14-21		1
64	Peritoneal Dialysis-Related Infections <b>2005</b> , 569-587		1
63	Pharmacokinetic advantages of two-hour post-dose cyclosporin a level for the therapeutic drug monitoring in stable Chinese kidney transplant recipients. <i>Nephron Clinical Practice</i> , <b>2005</b> , 99, c68-72		1
62	Selective internal radiation therapy by yttrium-90 microspheres for hepatocellular carcinoma after renal transplantation. <i>Clinical Transplantation</i> , <b>2001</b> , 15, 284-8	3.8	1
61	Exploring the Link Between Hepatic Perfusion and Endotoxemia in Hemodialysis. <i>Kidney International Reports</i> , <b>2021</b> , 6, 1336-1345	4.1	1
60	Progression in Physical Frailty in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , <b>2021</b> , 46, 342-351	3.1	1
59	Risk of peritonitis after gastroscopy in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , <b>2021</b> , 8968608211018608	2.8	1
58	Circulating endotoxin and inflammation: associations with fitness, physical activity and the effect of a six-month programme of cycling exercise during haemodialysis. <i>Nephrology Dialysis Transplantation</i> , <b>2021</b> ,	4.3	1
57	Polymerase chain reaction/electrospray ionization-mass spectrometry (PCR/ESI-MS) is not suitable for rapid bacterial identification in peritoneal dialysis effluent. <i>Peritoneal Dialysis International</i> , <b>2021</b> , 41, 96-100	2.8	1
56	Perspectives on acute kidney injury strategy: Hong Kong. <i>Nephrology</i> , <b>2018</b> , 23 Suppl 4, 104-106	2.2	1
55	Impact of frailty and its inter-relationship with lean tissue wasting and malnutrition on kidney transplant waitlist candidacy and delisting. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 5620-5629	5.9	1
54	The impact of increasing the daytime dialysis exchange frequency on peritoneal dialysis adequacy and nutritional status of Chinese anuric patients. <i>Peritoneal Dialysis International</i> , <b>2002</b> , 22, 197-203	2.8	1
53	Factors Associated With Use of Telemedicine for Follow-Up of SLE in the COVID-19 Outbreak.. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 790652	4.9	1
52	Muscle infarction in peritoneal dialysis patients. <i>American Journal of Kidney Diseases</i> , <b>2003</b> , 42, 1102-3	7.4	0
51	Urinary podocyte markers in kidney diseases. <i>Clinica Chimica Acta</i> , <b>2021</b> , 523, 315-324	6.2	0
50	Shared Decision-Making for a Dialysis Modality.. <i>Kidney International Reports</i> , <b>2022</b> , 7, 15-27	4.1	0
49	The change in the prevalence of obesity and new-onset diabetes in Chinese peritoneal dialysis patients over 25 years.. <i>CKJ: Clinical Kidney Journal</i> , <b>2022</b> , 15, 70-78	4.5	0

48	Clinical course of peritoneal dialysis-related peritonitis due to non-tuberculosis mycobacterium - A single centre experience spanning 20 years. <i>Peritoneal Dialysis International</i> , <b>2021</b> , 8968608211042434	2.8	o
47	Kidney microRNA-21 Expression and Kidney Function in IgA Nephropathy. <i>Kidney Medicine</i> , <b>2021</b> , 3, 76-82.	8.1	o
46	Salt and Water Balance in Peritoneal Dialysis	488-499	o
45	Thiazolidinediones in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , <b>2009</b> , 29, 248-51	2.8	o
44	Use of telemedicine for follow-up of lupus nephritis in the COVID-19 outbreak: The 6-month results of a randomized controlled trial.. <i>Lupus</i> , <b>2022</b> , 9612033221084515	2.6	o
43	Therapeutic drug monitoring of once-daily tacrolimus (Advagraf) in a gastrectomized kidney transplant recipient. <i>Nephrology</i> , <b>2017</b> , 22, 184	2.2	
42	Cardiovascular disease: Questioning the effect of $\beta$ blockers on vascular stiffness. <i>Nature Reviews Nephrology</i> , <b>2015</b> , 11, 447-8	14.9	
41	Peritonitis in Peritoneal Dialysis Patients	2017, 435-447.e1	
40	Laparoscopic live donor nephrectomy: Current practice and results of renal transplantation. <i>Surgical Practice</i> , <b>2012</b> , 16, 17-21	0.4	
39	Spurious hypernatraemia. <i>Nephrology</i> , <b>2013</b> , 18, 531-2	2.2	
38	Relationship between human oxoguanine-DNA glycosylase-1 polymorphism and the outcome of Chinese peritoneal dialysis patients. <i>Hong Kong Journal of Nephrology</i> , <b>2012</b> , 14, 24-29		
37	Relationship between beta1-adrenergic receptor polymorphisms and cardiovascular disease in patients with diabetic nephropathy. <i>Nephrology</i> , <b>2010</b> , 15, 242-7	2.2	
36	Nephrology image: quadriceps rupture. <i>Kidney International</i> , <b>2009</b> , 75, 568	9.9	
35	Concerns regarding the ISPD Guidelines/Recommendations for Peritonitis Due to Mycobacteria Response to Bhowmik et al.. <i>Peritoneal Dialysis International</i> , <b>2011</b> , 31, 365-365	2.8	
34	History of Peritoneal Dialysis Solutions	2012, 553-559	
33	Pseudohypercalcaemia in patients with heat cramps: implications on clinical practice. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2012</b> , 105, 997-9	2.7	
32	Quiz Page December 2010. <i>American Journal of Kidney Diseases</i> , <b>2010</b> , 56, A29-A31	7.4	
31	Factors affecting the therapeutic response of enalapril in treatment of post transplant erythrocytosis. <i>Nephrology</i> , <b>1997</b> , 3, 569-571	2.2	

- 30 Peritonitis in Peritoneal Dialysis Patients **2008**, 596-613
- 29 Are spot urine samples adequate for assessment of proteinuria in patients with lupus nephritis?. *Nature Clinical Practice Nephrology*, **2008**, 4, 72-3
- 28 Thiazolidinediones in Peritoneal Dialysis Patients. *Peritoneal Dialysis International*, **2009**, 29, 248-251 2.8
- 27 Successful embolization of transplant kidney arteriovenous fistula. *Nephrology*, **2007**, 12, 623-4 2.2
- 26 Destructive spondyloarthropathy. *Kidney International*, **2006**, 70, 237 9.9
- 25 "Question mark" aorta. *Postgraduate Medical Journal*, **2003**, 79, 121, 123-4 2
- 24 Malignant hypertension after adrenalectomy. *Nephrology Dialysis Transplantation*, **2004**, 19, 2919-20 4.3
- 23 Peritoneal dialysis in patients with dementia. *American Journal of Kidney Diseases*, **2003**, 42, 212; author reply 212 7.4
- 22 Secular trend in medical education regarding infectious disease. *Medical Education*, **2003**, 37, 881-3 3.7
- 21 Harbinger of fluoroquinolone resistance. *Archives of Internal Medicine*, **2003**, 163, 1617; author reply 1618
- 20 Myoglobinuric renal failure. *Journal of Emergency Medicine*, **2004**, 26, 461; author reply 461-2 1.5
- 19 Nonconvulsive status epilepticus. *American Journal of Medicine*, **2002**, 112, 243-5 2.4
- 18 Calcifications. *Lancet, The*, **2002**, 360, 442 4.0
- 17 Alloimmune hemolytic anemia after ABO-mismatch kidney transplantation: prompt recovery following azathioprine withdrawal. *Hong Kong Journal of Nephrology*, **2000**, 2, 54-56
- 16 Early IgA nephropathy: paradigm evolving from a clinical concept into a histological measure. *Hong Kong Journal of Nephrology*, **2000**, 2, 74-78
- 15 Images of the month: Crystalglobulin-induced nephropathy. *Clinical Medicine*, **2020**, 20, e125-e126 1.9
- 14 Pharmacokinetic study of once-daily formulation of tacrolimus (Advagraf) in stable Chinese kidney transplant recipients. *Hong Kong Journal of Nephrology*, **2016**, 19, 1-6
- 13 Peritoneal Dialysis-Related Infections **2019**, 509-519.e5

12 Peritoneal Dialysis in Diabetic Patients **2021**, 247-258

11 Clinical Spectrum and Renal Outcome of Cryoglobulinemia in Hong Kong.. *Kidney360*, **2021**, 2, 721-728 1.8

10 Letter: chronic kidney disease risk in patients with chronic hepatitis B-authors' reply. *Alimentary Pharmacology and Therapeutics*, **2018**, 48, 1324 6.1

9 Prognostic significance of peritoneal dialysis effluent mitochondrial DNA level. *Clinica Chimica Acta*, **2021**, 519, 1-9 6.2

8 Nodular Lesions on the Hands of an ESKD Patient on Hemodialysis.. *Kidney360*, **2021**, 2, 1390-1391 1.8

7 Bilious peritoneal dialysate in a peritoneal dialysis patient. *Kidney International*, **2021**, 100, 485 9.9

6 Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients **2020**, 15, e0241242

5 Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients **2020**, 15, e0241242

4 Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients **2020**, 15, e0241242

3 Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients **2020**, 15, e0241242

2 Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients **2020**, 15, e0241242

1 Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients **2020**, 15, e0241242