

Cheuk-Chun Szeto

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6653707/cheuk-chun-szeto-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

461
papers

15,612
citations

63
h-index

108
g-index

485
ext. papers

17,743
ext. citations

4.8
avg, IF

6.31
L-index

#	Paper	IF	Citations
461	Shared Decision-Making for a Dialysis Modality.. <i>Kidney International Reports</i> , 2022 , 7, 15-27	4.1	0
460	The change in the prevalence of obesity and new-onset diabetes in Chinese peritoneal dialysis patients over 25 years.. <i>CKJ: Clinical Kidney Journal</i> , 2022 , 15, 70-78	4.5	0
459	Use of telemedicine for follow-up of lupus nephritis in the COVID-19 outbreak: The 6-month results of a randomized controlled trial.. <i>Lupus</i> , 2022 , 9612033221084515	2.6	0
458	Urinary podocyte markers in kidney diseases. <i>Clinica Chimica Acta</i> , 2021 , 523, 315-324	6.2	0
457	Exploring the Link Between Hepatic Perfusion and Endotoxemia in Hemodialysis. <i>Kidney International Reports</i> , 2021 , 6, 1336-1345	4.1	1
456	Progression in Physical Frailty in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2021 , 46, 342-351	3.1	1
455	Risk of peritonitis after gastroscopy in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2021 , 8968608211018608	2.8	1
454	Circulating endotoxin and inflammation: associations with fitness, physical activity and the effect of a six-month programme of cycling exercise during haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	1
453	Trends in kidney failure and kidney replacement therapy in people with diabetes in Hong Kong, 2002-2015: A retrospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 11, 100165 ⁵		3
452	Polymerase chain reaction/electrospray ionization-mass spectrometry (PCR/ESI-MS) is not suitable for rapid bacterial identification in peritoneal dialysis effluent. <i>Peritoneal Dialysis International</i> , 2021 , 41, 96-100	2.8	1
451	Extended antibiotic therapy for the prevention of relapsing and recurrent peritonitis in peritoneal dialysis patients: a randomized controlled trial. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 991-997	4.5	2
450	Risks of AKI and Major Adverse Clinical Outcomes in Patients with Severe Acute Respiratory Syndrome or Coronavirus Disease 2019. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 ,	12.7	8
449	Peritoneal Dialysis in Diabetic Patients 2021 , 247-258		
448	Development of genome-wide polygenic risk scores for lipid traits and clinical applications for dyslipidemia, subclinical atherosclerosis, and diabetes cardiovascular complications among East Asians. <i>Genome Medicine</i> , 2021 , 13, 29	14.4	3
447	Clinical Spectrum and Renal Outcome of Cryoglobulinemia in Hong Kong.. <i>Kidney360</i> , 2021 , 2, 721-728	1.8	
446	Prognostic significance of peritoneal dialysis effluent mitochondrial DNA level. <i>Clinica Chimica Acta</i> , 2021 , 519, 1-9	6.2	
445	Nodular Lesions on the Hands of an ESKD Patient on Hemodialysis.. <i>Kidney360</i> , 2021 , 2, 1390-1391	1.8	

444	Bilious peritoneal dialysate in a peritoneal dialysis patient. <i>Kidney International</i> , 2021 , 100, 485	9.9	
443	Impact of frailty and its inter-relationship with lean tissue wasting and malnutrition on kidney transplant waitlist candidacy and delisting. <i>Clinical Nutrition</i> , 2021 , 40, 5620-5629	5.9	1
442	Clinical course of peritoneal dialysis-related peritonitis due to non-tuberculosis mycobacterium - A single centre experience spanning 20 years. <i>Peritoneal Dialysis International</i> , 2021 , 8968608211042434	2.8	0
441	Kidney microRNA-21 Expression and Kidney Function in IgA Nephropathy. <i>Kidney Medicine</i> , 2021 , 3, 76-82.	8.1	0
440	Factors Associated With Use of Telemedicine for Follow-Up of SLE in the COVID-19 Outbreak.. <i>Frontiers in Medicine</i> , 2021 , 8, 790652	4.9	1
439	2018 Kidney Disease: Improving Global Outcomes (KDIGO) Hepatitis C in Chronic Kidney Disease Guideline Implementation: Asia Summit Conference Report. <i>Kidney International Reports</i> , 2020 , 5, 1129-1138	4.1	6
438	Helper-assisted continuous ambulatory peritoneal dialysis: Does the choice of helper matter?. <i>Peritoneal Dialysis International</i> , 2020 , 40, 34-40	2.8	9
437	Treat to target and prevention of subclinical atherosclerosis in psoriatic arthritis-which target should we choose?. <i>Rheumatology</i> , 2020 , 59, 2881-2892	3.9	3
436	Non-steroidal anti-inflammatory drug (NSAID) therapy in patients with hypertension, cardiovascular, renal or gastrointestinal comorbidities: joint APAGE/APLAR/APSDE/APSH/APSN/PoA recommendations. <i>Gut</i> , 2020 , 69, 617-629	19.2	35
435	Longitudinal Changes of NF-B Downstream Mediators and Peritoneal Transport Characteristics in Incident Peritoneal Dialysis Patients. <i>Scientific Reports</i> , 2020 , 10, 6440	4.9	2
434	Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients. <i>PLoS ONE</i> , 2020 , 15, e0241242	3.7	4
433	Images of the month: Crystalglobulin-induced nephropathy. <i>Clinical Medicine</i> , 2020 , 20, e125-e126	1.9	
432	The role of obesity on chronic kidney disease development, progression, and cardiovascular complications. <i>Advances in Biomarker Sciences and Technology</i> , 2020 , 2, 24-34	5.1	3
431	Depression does not predict clinical outcome of Chinese peritoneal Dialysis patients after adjusting for the degree of frailty. <i>BMC Nephrology</i> , 2020 , 21, 329	2.7	4
430	Beware of drug interaction between tigecycline and tacrolimus. <i>Nephrology</i> , 2020 , 25, 99-100	2.2	3
429	Straight Versus Coiled Peritoneal Dialysis Catheters: A Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 39-44	7.4	15
428	Patient acceptance of using telemedicine for follow-up of lupus nephritis in the COVID-19 outbreak. <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	16
427	Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients 2020 , 15, e0241242		

426	Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients 2020 , 15, e0241242		
425	Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients 2020 , 15, e0241242		
424	Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients 2020 , 15, e0241242		
423	Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients 2020 , 15, e0241242		
422	Interaction between central obesity and frailty on the clinical outcome of peritoneal dialysis patients 2020 , 15, e0241242		
421	Relationship between Plasma Endocan Level and Clinical Outcome of Chinese Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2019 , 44, 1259-1270	3.1	10
420	Transition Between Different Renal Replacement Modalities: Gaps in Knowledge and Care-The Integrated Research Initiative. <i>Peritoneal Dialysis International</i> , 2019 , 39, 4-12	2.8	16
419	Peritoneal Dialysis-Associated Peritonitis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 1100-1105	6.9	35
418	Clinical practice guidelines for the provision of renal service in Hong Kong: Peritoneal Dialysis. <i>Nephrology</i> , 2019 , 24 Suppl 1, 27-40	2.2	3
417	Urinary miRNA profile for the diagnosis of IgA nephropathy. <i>BMC Nephrology</i> , 2019 , 20, 77	2.7	11
416	Effect of Erythropoiesis-Stimulating Agent Therapy in Patients Receiving Palliative Care of Chronic Kidney Disease. <i>American Journal of Hospice and Palliative Medicine</i> , 2019 , 36, 718-721	2.6	1
415	Regional variation in the treatment and prevention of peritoneal dialysis-related infections in the Peritoneal Dialysis Outcomes and Practice Patterns Study. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 2118-2126	4.3	34
414	Effect of Achieving Minimal Disease Activity on the Progression of Subclinical Atherosclerosis and Arterial Stiffness: A Prospective Cohort Study in Psoriatic Arthritis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 271-280	9.5	17
413	Mitochondrial dysfunction in diabetic kidney disease. <i>Clinica Chimica Acta</i> , 2019 , 496, 108-116	6.2	66
412	Metabolomic Changes of Human Proximal Tubular Cell Line in High Glucose Environment. <i>Scientific Reports</i> , 2019 , 9, 16617	4.9	7
411	The efficacy of managing fluid overload in chronic peritoneal dialysis patients by a structured nurse-led intervention protocol. <i>BMC Nephrology</i> , 2019 , 20, 454	2.7	3
410	Progression of diabetic kidney disease and trajectory of kidney function decline in Chinese patients with Type 2 diabetes. <i>Kidney International</i> , 2019 , 95, 178-187	9.9	55
409	Peritoneal Dialysis-Related Infections 2019 , 509-519.e5		

408	Peritoneal protein clearance predicts mortality in peritoneal dialysis patients. <i>Clinical and Experimental Nephrology</i> , 2019 , 23, 551-560	2.5	8
407	Circulating Bacterial Fragments as Cardiovascular Risk Factors in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 1601-1608	12.7	21
406	Peritoneal Dialysis Catheter Revision and Replacement by Nephrologist for Peritoneal Dialysis Catheter Malfunction. <i>Nephron</i> , 2018 , 138, 214-219	3.3	6
405	Urinary mitochondrial DNA level is an indicator of intra-renal mitochondrial depletion and renal scarring in diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 784-788	4.3	28
404	A Genome-Wide Association Study of Diabetic Kidney Disease in Subjects With Type 2 Diabetes. <i>Diabetes</i> , 2018 , 67, 1414-1427	0.9	71
403	Causes of nephrotic syndrome and nephrotic-range proteinuria are different in adult Chinese patients: A single centre study over 33 years. <i>Nephrology</i> , 2018 , 23, 565-572	2.2	11
402	The choice of comorbidity scoring system in Chinese peritoneal dialysis patients. <i>Clinical and Experimental Nephrology</i> , 2018 , 22, 159-166	2.5	6
401	Concerns Regarding Inconsistencies Within and Between ISPD Recommendations for Peritonitis and Catheter-Related Infections-In Reply. <i>Peritoneal Dialysis International</i> , 2018 , 38, 311-312	2.8	2
400	The new ISPD peritonitis guideline. <i>Renal Replacement Therapy</i> , 2018 , 4,	2.3	4
399	Asymptomatic fluid overload predicts survival and cardiovascular event in incident Chinese peritoneal dialysis patients. <i>PLoS ONE</i> , 2018 , 13, e0202203	3.7	15
398	Chronic kidney disease progression in patients with chronic hepatitis B on tenofovir, entecavir, or no treatment. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 48, 984-992	6.1	37
397	Depression and Physical Frailty Have Additive Effect on the Nutritional Status and Clinical Outcome of Chinese Peritoneal Dialysis. <i>Kidney and Blood Pressure Research</i> , 2018 , 43, 914-923	3.1	16
396	Peritoneal dialysis-related peritonitis caused by Pseudomonas species: Insight from a post-millennial case series. <i>PLoS ONE</i> , 2018 , 13, e0196499	3.7	9
395	Urinary mitochondrial DNA level as a biomarker of tissue injury in non-diabetic chronic kidney diseases. <i>BMC Nephrology</i> , 2018 , 19, 367	2.7	10
394	Letter: chronic kidney disease risk in patients with chronic hepatitis B-authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 48, 1324	6.1	
393	Perspectives on acute kidney injury strategy: Hong Kong. <i>Nephrology</i> , 2018 , 23 Suppl 4, 104-106	2.2	1
392	Urinary mitochondrial DNA level in non-diabetic chronic kidney diseases. <i>Clinica Chimica Acta</i> , 2018 , 484, 36-39	6.2	14
391	Peritoneal inflammation and fibrosis in C-reactive protein transgenic mice undergoing peritoneal dialysis solution treatment. <i>Nephrology</i> , 2017 , 22, 125-132	2.2	4

390	Manifestation of tranexamic acid toxicity in chronic kidney disease and kidney transplant patients: A report of four cases and review of literature. <i>Nephrology</i> , 2017 , 22, 316-321	2.2	8
389	Therapeutic drug monitoring of once-daily tacrolimus (Advagraf) in a gastrectomized kidney transplant recipient. <i>Nephrology</i> , 2017 , 22, 184	2.2	
388	Genomewide bisulfite sequencing reveals the origin and time-dependent fragmentation of urinary cfDNA. <i>Clinical Biochemistry</i> , 2017 , 50, 496-501	3.5	42
387	Endotoxemia in Peritoneal Dialysis Patients: A Pilot Study to Examine the Role of Intestinal Perfusion and Congestion. <i>Peritoneal Dialysis International</i> , 2017 , 37, 111-115	2.8	4
386	Low GDP Solution and Glucose-Sparing Strategies for Peritoneal Dialysis. <i>Seminars in Nephrology</i> , 2017 , 37, 30-42	4.8	23
385	ISPD Catheter-Related Infection Recommendations: 2017 Update. <i>Peritoneal Dialysis International</i> , 2017 , 37, 141-154	2.8	172
384	Peritoneal dialysis effluent miR-21 and miR-589 levels correlate with longitudinal change in peritoneal transport characteristics. <i>Clinica Chimica Acta</i> , 2017 , 464, 106-112	6.2	9
383	Treatment of Enterococcal Peritonitis in Peritoneal Dialysis Patients by Oral Amoxicillin or Intra-Peritoneal Vancomycin: a Retrospective Study. <i>Kidney and Blood Pressure Research</i> , 2017 , 42, 837-843	3.1	6
382	Peritonitis in Peritoneal Dialysis Patients 2017 , 435-447.e1		
381	In Memoriam of Henry Tenckhoff. <i>Artificial Organs</i> , 2017 , 41, 697-699	2.6	1
380	Concerns Regarding ISPD Recommendations for Peritonitis in Relation to Imipenem/Cilastatin-In Reply. <i>Peritoneal Dialysis International</i> , 2017 , 37, 585	2.8	2
379	Urinary Mitochondrial DNA Level as a Biomarker of Acute Kidney Injury Severity. <i>Kidney Diseases (Basel, Switzerland)</i> , 2017 , 3, 78-83	3.3	14
378	DNA of Erythroid Origin Is Present in Human Plasma and Informs the Types of Anemia. <i>Clinical Chemistry</i> , 2017 , 63, 1614-1623	5.5	44
377	Urinary mRNA and lupus disease flare. <i>Nephrology</i> , 2017 , 22 Suppl 4, 27-30	2.2	3
376	Estimation of clinical parameters of chronic kidney disease by exhaled breath full-scan mass spectrometry data and iterative PCA with intensity screening algorithm. <i>Journal of Breath Research</i> , 2017 , 11, 036007	3.1	3
375	Mixed isopropanol-methanol intoxication following ingestion of alcohol-based hand rub solution?. <i>Clinical Nephrology</i> , 2017 , 88, 218-220	2.1	7
374	Newer antibiotics for the treatment of peritoneal dialysis-related peritonitis. <i>CKJ: Clinical Kidney Journal</i> , 2016 , 9, 616-23	4.5	9
373	Dialysate bacterial endotoxin as a prognostic indicator of peritoneal dialysis related peritonitis. <i>Nephrology</i> , 2016 , 21, 1069-1072	2.2	4

372	Peritonitis before Peritoneal Dialysis Training: Analysis of Causative Organisms, Clinical Outcomes, Risk Factors, and Long-Term Consequences. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 1219-26	6.9	10
371	ISPD Peritonitis Recommendations: 2016 Update on Prevention and Treatment. <i>Peritoneal Dialysis International</i> , 2016 , 36, 481-508	2.8	545
370	Plasma Mitochondrial DNA Level is a Prognostic Marker in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2016 , 41, 402-12	3.1	8
369	Synbiotics Easing Renal Failure by Improving Gut Microbiology (SYNERGY): A Randomized Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 223-31	6.9	194
368	Genetic and clinical variables identify predictors for chronic kidney disease in type 2 diabetes. <i>Kidney International</i> , 2016 , 89, 411-20	9.9	12
367	Frailty in Chinese Peritoneal Dialysis Patients: Prevalence and Prognostic Significance. <i>Kidney and Blood Pressure Research</i> , 2016 , 41, 736-745	3.1	21
366	Urinary sediment mRNA level of extracellular matrix molecules in adult nephrotic syndrome. <i>Clinica Chimica Acta</i> , 2016 , 456, 157-162	6.2	6
365	Employment status in peritoneal-dialysis patients. <i>Hong Kong Journal of Nephrology</i> , 2016 , 18, 11-14		3
364	Pharmacokinetic study of once-daily formulation of tacrolimus (Advagraf) in stable Chinese kidney transplant recipients. <i>Hong Kong Journal of Nephrology</i> , 2016 , 19, 1-6		
363	Remote ischaemic pre-conditioning for the prevention of acute kidney injury. <i>Nephrology</i> , 2016 , 21, 274-85		13
362	Intrarenal and Urinary Th9 and Th22 Cytokine Gene Expression in Lupus Nephritis. <i>Journal of Rheumatology</i> , 2015 , 42, 1150-5	4.1	11
361	Members of the receptor for advanced glycation end products axis as potential therapeutic targets in patients with lupus nephritis. <i>Lupus</i> , 2015 , 24, 675-86	2.6	13
360	Cardiovascular disease: Questioning the effect of β blockers on vascular stiffness. <i>Nature Reviews Nephrology</i> , 2015 , 11, 447-8	14.9	
359	Weight change during the first year of peritoneal dialysis: Risk factors and prognostic implications. <i>Hong Kong Journal of Nephrology</i> , 2015 , 17, 28-35		2
358	Long-term outcome of biopsy-proven minimal change nephropathy in Chinese adults. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 710-8	7.4	28
357	Urinary mRNA levels of ELR-negative CXC chemokine ligand and extracellular matrix in diabetic nephropathy. <i>Diabetes/Metabolism Research and Reviews</i> , 2015 , 31, 699-706	7.5	11
356	Predictors of residual renal function decline in patients undergoing continuous ambulatory peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2015 , 35, 180-8	2.8	44
355	Functional and histological improvement after everolimus rescue of chronic allograft dysfunction in renal transplant recipients. <i>Therapeutics and Clinical Risk Management</i> , 2015 , 11, 829-35	2.9	3

354	Circulating bacterial-derived DNA fragment level is a strong predictor of cardiovascular disease in peritoneal dialysis patients. <i>PLoS ONE</i> , 2015 , 10, e0125162	3.7	19
353	The Effect of Neutral Peritoneal Dialysis Solution with Low Glucose-Degradation-Product on the Fluid Status and Body Composition--A Randomized Control Trial. <i>PLoS ONE</i> , 2015 , 10, e0141425	3.7	12
352	Peritoneal Dialysis-Related Infection in the Older Population. <i>Peritoneal Dialysis International</i> , 2015 , 35, 659-62	2.8	17
351	Podocyte mRNA in the urinary sediment of minimal change nephropathy and focal segmental glomerulosclerosis. <i>Clinical Nephrology</i> , 2015 , 84, 198-205	2.1	8
350	Peritoneal-dialysis related peritonitis caused by <i>Gordonia</i> species: report of four cases and literature review. <i>Nephrology</i> , 2014 , 19, 379-83	2.2	14
349	Clinical manifestation of macrolide antibiotic toxicity in CKD and dialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2014 , 7, 507-12	4.5	22
348	Urine miRNA in nephrotic syndrome. <i>Clinica Chimica Acta</i> , 2014 , 436, 308-13	6.2	34
347	MicroRNAs in IgA nephropathy. <i>Nature Reviews Nephrology</i> , 2014 , 10, 249-56	14.9	62
346	Cell-free urinary microRNA-99a and microRNA-125b are diagnostic markers for the non-invasive screening of bladder cancer. <i>PLoS ONE</i> , 2014 , 9, e100793	3.7	54
345	Bioimpedance spectroscopy for the detection of fluid overload in Chinese peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2014 , 34, 409-16	2.8	42
344	Metabolic syndrome in peritoneal dialysis patients: choice of diagnostic criteria and prognostic implications. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 779-87	6.9	18
343	Randomized controlled study of icodextrin on the treatment of peritoneal dialysis patients during acute peritonitis. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 1438-43	4.3	17
342	Effect of cinacalcet treatment on vascular arterial stiffness among peritoneal dialysis patients with secondary hyperparathyroidism. <i>Nephrology</i> , 2014 , 19, 339-44	2.2	7
341	Circulating endotoxaemia and frequent haemodialysis schedules. <i>Nephron Clinical Practice</i> , 2014 , 128, 141-6		21
340	Prevalence of complications among Chinese diabetic patients in urban primary care clinics: a cross-sectional study. <i>BMC Family Practice</i> , 2014 , 15, 8	2.6	24
339	Relationship between HSP70-2 A+1267G Polymorphism and Cardiovascular Events of Chinese Peritoneal Dialysis Patients. <i>Nephron Clinical Practice</i> , 2014 , 128, 153-8		1
338	Peritonitis rates of the past thirty years: from improvement to stagnation. <i>Peritoneal Dialysis International</i> , 2014 , 34, 151-3	2.8	7
337	Urinary mRNA in systemic lupus erythematosus. <i>Advances in Clinical Chemistry</i> , 2013 , 62, 197-219	5.8	2

336	Spurious hypernatraemia. <i>Nephrology</i> , 2013 , 18, 531-2	2.2	
335	Treatment of early immunoglobulin A nephropathy by angiotensin-converting enzyme inhibitor. <i>American Journal of Medicine</i> , 2013 , 126, 162-8	2.4	16
334	Urinary sediment miRNA levels in adult nephrotic syndrome. <i>Clinica Chimica Acta</i> , 2013 , 418, 5-11	6.2	46
333	Long-term outcome of biopsy-proven minimal-change nephrotic syndrome in Chinese children. <i>Hong Kong Journal of Nephrology</i> , 2013 , 15, 22-27		3
332	Methods of microRNA quantification in urinary sediment. <i>Methods in Molecular Biology</i> , 2013 , 1024, 211-24		13
331	Bacteria-derived DNA fragment in peritoneal dialysis effluent as a predictor of relapsing peritonitis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 1935-41	6.9	22
330	Circulating bacterial-derived DNA fragments as a marker of systemic inflammation in peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 2139-45	4.3	27
329	Predicting 12-month mortality for peritoneal dialysis patients using the "surprise" question. <i>Peritoneal Dialysis International</i> , 2013 , 33, 60-6	2.8	42
328	Cardiovascular Protective Effects of Adjunctive Alternative Medicine (<i>Salvia miltiorrhiza</i> and <i>Pueraria lobata</i>) in High-Risk Hypertension. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 132912	2.3	21
327	<i>Campylobacter</i> peritonitis complicating peritoneal dialysis: a review of 12 consecutive cases. <i>Peritoneal Dialysis International</i> , 2013 , 33, 189-94	2.8	2
326	Effect of using ultrapure dialysate for hemodialysis on the level of circulating bacterial fragment in renal failure patients. <i>Nephron Clinical Practice</i> , 2013 , 123, 246-53		14
325	Automated peritoneal dialysis in Hong Kong: there are two distinct groups of patients. <i>Nephrology</i> , 2013 , 18, 356-64	2.2	13
324	The safety and short-term efficacy of aliskiren in the treatment of immunoglobulin a nephropathy--a randomized cross-over study. <i>PLoS ONE</i> , 2013 , 8, e62736	3.7	13
323	Polycystic kidney disease presenting with hypertension and hypokalemia. <i>American Journal of Kidney Diseases</i> , 2012 , 59, 270-2	7.4	5
322	Laparoscopic live donor nephrectomy: Current practice and results of renal transplantation. <i>Surgical Practice</i> , 2012 , 16, 17-21	0.4	
321	Glomerular and tubulointerstitial miR-638, miR-198 and miR-146a expression in lupus nephritis. <i>Nephrology</i> , 2012 , 17, 346-51	2.2	88
320	Relationship between serum levels of tumour necrosis factor-related apoptosis-inducing ligand and the survival of Chinese peritoneal dialysis patients. <i>Nephrology</i> , 2012 , 17, 466-71	2.2	4
319	Cross sectional survey on the concerns and anxiety of patients waiting for organ transplants. <i>Nephrology</i> , 2012 , 17, 514-8	2.2	12

318	Fracture risk after thiazide-associated hyponatraemia. <i>Internal Medicine Journal</i> , 2012 , 42, 760-4	1.6	10
317	Expression of miR-146a and miR-155 in the urinary sediment of systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2012 , 31, 435-40	3.9	72
316	Urinary miR-21, miR-29, and miR-93: novel biomarkers of fibrosis. <i>American Journal of Nephrology</i> , 2012 , 36, 412-8	4.6	112
315	Mineralocorticoid receptor antagonist for renal protection. <i>Renal Failure</i> , 2012 , 34, 810-7	2.9	19
314	Monitoring of urinary messenger RNA levels for the prediction of flare in systemic lupus erythematosus. <i>Clinica Chimica Acta</i> , 2012 , 413, 448-55	6.2	13
313	Associations between microRNA (miR-21, 126, 155 and 221), albuminuria and heavy metals in Hong Kong Chinese adolescents. <i>Clinica Chimica Acta</i> , 2012 , 413, 1053-7	6.2	53
312	A prospective cohort study of the long-term effects of CPAP on carotid artery intima-media thickness in obstructive sleep apnea syndrome. <i>Respiratory Research</i> , 2012 , 13, 22	7.3	33
311	Antagonist-mediated down-regulation of Toll-like receptors increases the prevalence of human papillomavirus infection in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2012 , 14, R80	5.7	26
310	Endotoxaemia in haemodialysis: a novel factor in erythropoetin resistance?. <i>PLoS ONE</i> , 2012 , 7, e40209	3.7	9
309	Micro-RNA expression in the urinary sediment of patients with chronic kidney diseases. <i>Disease Markers</i> , 2012 , 33, 137-44	3.2	88
308	Relation between MicroRNA Expression in Peritoneal Dialysis Effluent and Peritoneal Transport Characteristics. <i>Disease Markers</i> , 2012 , 33, 35-42	3.2	16
307	Prognostic value of arterial pulse wave velocity in peritoneal dialysis patients. <i>American Journal of Nephrology</i> , 2012 , 35, 127-33	4.6	31
306	Expression of microRNAs in the urine of patients with bladder cancer. <i>Clinical Genitourinary Cancer</i> , 2012 , 10, 106-13	3.3	120
305	Relationship between human oxoguanine-DNA glycosylase-1 polymorphism and the outcome of Chinese peritoneal dialysis patients. <i>Hong Kong Journal of Nephrology</i> , 2012 , 14, 24-29		
304	Dialysis: Hypokalaemia and cardiac risk in peritoneal dialysis patients. <i>Nature Reviews Nephrology</i> , 2012 , 8, 501-3	14.9	10
303	Relationship of intrarenal gene expression and the histological class of lupus nephritis -- a study on repeat renal biopsy. <i>Journal of Rheumatology</i> , 2012 , 39, 1942-7	4.1	12
302	Urinary sediment ICAM-1 level in lupus nephritis. <i>Lupus</i> , 2012 , 21, 1190-5	2.6	27
301	Relationship between CRP polymorphism and cardiovascular events in Chinese peritoneal dialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 304-9	6.9	11

300	History of Peritoneal Dialysis Solutions 2012 , 553-559		
299	Relationship between myeloid-related protein 8/14 and survival of Chinese peritoneal dialysis patients. <i>Kidney and Blood Pressure Research</i> , 2012 , 35, 489-96	3.1	2
298	Pseudohypercalcaemia in patients with heat cramps: implications on clinical practice. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2012 , 105, 997-9	2.7	
297	Relation between microRNA expression in peritoneal dialysis effluent and peritoneal transport characteristics. <i>Disease Markers</i> , 2012 , 33, 35-42	3.2	8
296	Relationship between glutathione S-transferase M1 polymorphism and clinical outcomes in Chinese peritoneal dialysis patients. <i>Journal of Nephrology</i> , 2012 , 25, 310-6	4.8	2
295	Down-regulated NOD2 by immunosuppressants in peripheral blood cells in patients with SLE reduces the muramyl dipeptide-induced IL-10 production. <i>PLoS ONE</i> , 2011 , 6, e23855	3.7	17
294	Increasing home based dialysis therapies to tackle dialysis burden around the world: a position statement on dialysis economics from the 2nd Congress of the International Society for Hemodialysis. <i>Nephrology</i> , 2011 , 16, 53-6	2.2	19
293	Gene expression of TWEAK/Fn14 and IP-10/CXCR3 in glomerulus and tubulointerstitium of patients with lupus nephritis. <i>Nephrology</i> , 2011 , 16, 426-32	2.2	43
292	Life expectancy of Chinese patients with chronic kidney disease without dialysis. <i>Nephrology</i> , 2011 , 16, 715-9	2.2	10
291	Increasing home-based dialysis therapies to tackle dialysis burden around the world: A position statement on dialysis economics from the 2nd Congress of the International Society for Hemodialysis. <i>Hemodialysis International</i> , 2011 , 15, 10-4	1.7	9
290	Characteristics and Outcomes of Chronic Kidney Disease Patients Who Default on Appointments at a Low Clearance Clinic. <i>Hong Kong Journal of Nephrology</i> , 2011 , 13, 33-38		3
289	Peritoneal dialysis as the first-line renal replacement therapy in patients with autosomal dominant polycystic kidney disease. <i>American Journal of Kidney Diseases</i> , 2011 , 57, 903-7	7.4	54
288	In Reply to Peritoneal Dialysis for Patients With Polycystic Kidney Disease in Spain And Do the Benefits of Peritoneal Dialysis for Polycystic Kidney Disease Wane With Time? <i>American Journal of Kidney Diseases</i> , 2011 , 58, 494	7.4	27
287	Serum and urinary free microRNA level in patients with systemic lupus erythematosus. <i>Lupus</i> , 2011 , 20, 493-500	2.6	128
286	Haemoglobin variability in Chinese pre-dialysis CKD patients not receiving erythropoietin. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 2919-24	4.3	5
285	ISPD position statement on reducing the risks of peritoneal dialysis-related infections. <i>Peritoneal Dialysis International</i> , 2011 , 31, 614-30	2.8	226
284	Repeat peritonitis in peritoneal dialysis: retrospective review of 181 consecutive cases. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 827-33	6.9	22
283	Persistent symptomatic intra-abdominal collection after catheter removal for PD-related peritonitis. <i>Peritoneal Dialysis International</i> , 2011 , 31, 34-8	2.8	10

282	The impact of antihypertensive drug therapy on endotoxemia in elderly patients with chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 2389-94	6.9	13
281	Repeat renal biopsy in lupus nephritis: a change in histological pattern is common. <i>American Journal of Nephrology</i> , 2011 , 34, 220-5	4.6	35
280	Circulating endotoxemia: a novel factor in systemic inflammation and cardiovascular disease in chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 133-41	6.9	299
279	Expression of ACE and ACE2 in patients with hypertensive nephrosclerosis. <i>Kidney and Blood Pressure Research</i> , 2011 , 34, 141-9	3.1	22
278	Concerns regarding the ISPD Guidelines/Recommendations for Peritonitis Due to Mycobacteria Response to Bhowmik et al.. <i>Peritoneal Dialysis International</i> , 2011 , 31, 365-365	2.8	
277	Elevated Levels of miR-146a and miR-155 in Kidney Biopsy and Urine from Patients with IgA Nephropathy. <i>Disease Markers</i> , 2011 , 30, 171-179	3.2	97
276	Elevated levels of miR-146a and miR-155 in kidney biopsy and urine from patients with IgA nephropathy. <i>Disease Markers</i> , 2011 , 30, 171-9	3.2	71
275	Measurements on the routine chest radiograph as prognostic markers in Chinese peritoneal dialysis patients. <i>Clinical Nephrology</i> , 2011 , 76, 16-22	2.1	8
274	Gene expression using the PALM system. <i>Methods in Molecular Biology</i> , 2011 , 755, 47-56	1.4	3
273	Is peritoneal dialysis kinder for the heart?. <i>Peritoneal Dialysis International</i> , 2011 , 31, 135-7	2.8	2
272	Intrarenal expression of microRNAs in patients with IgA nephropathy. <i>Laboratory Investigation</i> , 2010 , 90, 98-103	5.9	94
271	Relationship between beta1-adrenergic receptor polymorphisms and cardiovascular disease in patients with diabetic nephropathy. <i>Nephrology</i> , 2010 , 15, 242-7	2.2	
270	Expression of MicroRNAs in the Urinary Sediment of Patients with IgA Nephropathy. <i>Disease Markers</i> , 2010 , 28, 79-86	3.2	89
269	Effect of membrane permeability on inflammation and arterial stiffness: a randomized trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 652-8	6.9	19
268	Endotoxemia is associated with better clinical outcome in incident Chinese peritoneal dialysis patients: a prospective cohort study. <i>Peritoneal Dialysis International</i> , 2010 , 30, 178-86	2.8	19
267	Unexplained exudative pleural effusion in chronic peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2010 , 30, 534-40	2.8	9
266	Playing cat and mouse with a gram-negative organism causing peritonitis. <i>Peritoneal Dialysis International</i> , 2010 , 30, 662-3	2.8	7
265	Tenckhoff catheter insertion by nephrologists: open dissection technique. <i>Peritoneal Dialysis International</i> , 2010 , 30, 524-7	2.8	24

264	Open surgical insertion of tenckhoff catheters for peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2010 , 30, 502-3	2.8	9
263	Outcome of hemodialysis patients who had failed peritoneal dialysis. <i>Nephron Clinical Practice</i> , 2010 , 116, c300-6		14
262	Arterial pulse wave velocity and peritoneal transport characteristics independently predict hospitalization in Chinese peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2010 , 30, 80-5	2.8	10
261	Peritoneal dialysis-related infections recommendations: 2010 update. <i>Peritoneal Dialysis International</i> , 2010 , 30, 393-423	2.8	666
260	Intrarenal expression of miRNAs in patients with hypertensive nephrosclerosis. <i>American Journal of Hypertension</i> , 2010 , 23, 78-84	2.3	101
259	Extra-high-dose hepatitis B vaccination does not confer longer serological protection in peritoneal dialysis patients: a randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 2303-9	4.3	14
258	Urinary expression of kidney injury markers in renal transplant recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 2329-37	6.9	38
257	The width of the basement membrane does not influence clinical presentation or outcome of thin glomerular basement membrane disease with persistent hematuria. <i>Kidney International</i> , 2010 , 78, 1041-9	2.6	7
256	Geriatric nutritional risk index as a screening tool for malnutrition in patients on chronic peritoneal dialysis. <i>Journal of Renal Nutrition</i> , 2010 , 20, 29-37	3	28
255	Intra-renal and urinary mRNA expression of podocyte-associated molecules for the estimation of glomerular podocyte loss. <i>Renal Failure</i> , 2010 , 32, 372-9	2.9	13
254	Serum and urinary cell-free MiR-146a and MiR-155 in patients with systemic lupus erythematosus. <i>Journal of Rheumatology</i> , 2010 , 37, 2516-22	4.1	157
253	Quiz Page December 2010. <i>American Journal of Kidney Diseases</i> , 2010 , 56, A29-A31	7.4	
252	Expression of microRNAs in the urinary sediment of patients with IgA nephropathy. <i>Disease Markers</i> , 2010 , 28, 79-86	3.2	56
251	The gene expression of type 17 T-helper cell-related cytokines in the urinary sediment of patients with systemic lupus erythematosus. <i>Rheumatology</i> , 2009 , 48, 1491-7	3.9	74
250	The use of vitamin D analogues in chronic kidney diseases: possible mechanisms beyond bone and mineral metabolism. <i>CKJ: Clinical Kidney Journal</i> , 2009 , 2, 205-12	4.5	5
249	Longitudinal changes of cardiothoracic ratio and vascular pedicle width as predictors of volume status during one year in Chinese peritoneal dialysis patients. <i>Kidney and Blood Pressure Research</i> , 2009 , 32, 45-50	3.1	14
248	Discrepancy between intrarenal messenger RNA and protein expression of ACE and ACE2 in human diabetic nephropathy. <i>American Journal of Nephrology</i> , 2009 , 29, 524-31	4.6	37
247	Podocyte loss in human hypertensive nephrosclerosis. <i>American Journal of Hypertension</i> , 2009 , 22, 300-6	2.3	63

246	Nephrology image: quadriceps rupture. <i>Kidney International</i> , 2009 , 75, 568	9.9	
245	Urinary FOXP3 mRNA in patients with lupus nephritis--relation with disease activity and treatment response. <i>Rheumatology</i> , 2009 , 48, 755-60	3.9	26
244	Recurrent and relapsing peritonitis: causative organisms and response to treatment. <i>American Journal of Kidney Diseases</i> , 2009 , 54, 702-10	7.4	45
243	Serial monitoring of nutritional status in Chinese peritoneal dialysis patients by Subjective Global Assessment and comprehensive Malnutrition Inflammation Score. <i>Nephrology</i> , 2009 , 14, 143-7	2.2	8
242	Association of interleukin-18 promoter polymorphism and atherosclerotic diseases in Chinese patients with diabetic nephropathy. <i>Nephrology</i> , 2009 , 14, 606-12	2.2	11
241	Is combination rituximab with cyclophosphamide better than rituximab alone in the treatment of lupus nephritis?. <i>Rheumatology</i> , 2009 , 48, 892-8	3.9	55
240	Fatal pancytopenia in a hemodialysis patient after treatment with low-dose methotrexate. <i>Journal of Clinical Rheumatology</i> , 2009 , 15, 177-80	1.1	16
239	Factors Associated with Sudden Death in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2009 , 29, 58-63	2.8	6
238	Thiazolidinediones in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2009 , 29, 248-251	2.8	
237	Treatment of Metabolic Syndrome in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2009 , 29, 149-152	2.8	13
236	Treatment of metabolic syndrome in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2009 , 29 Suppl 2, S149-52	2.8	15
235	Thiazolidinediones in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2009 , 29, 248-51	2.8	0
234	Antiproteinuric and anti-inflammatory effects of thiazolidinedione. <i>Nephrology</i> , 2008 , 13, 53-7	2.2	10
233	Oral calcitriol for the treatment of persistent proteinuria in immunoglobulin A nephropathy: an uncontrolled trial. <i>American Journal of Kidney Diseases</i> , 2008 , 51, 724-31	7.4	78
232	In Reply To "The Beneficial Effect of Oral Calcitriol Treatment on Proteinuria in IgA Nephropathy: Another Point of View" <i>American Journal of Kidney Diseases</i> , 2008 , 52, 805	7.4	3
231	Relationship Between β -Adrenergic Receptor Polymorphisms and Cardiovascular Disease in Peritoneal Dialysis Patients. <i>Hong Kong Journal of Nephrology</i> , 2008 , 10, 58-63		1
230	Peritonitis in Peritoneal Dialysis Patients 2008 , 596-613		
229	Peroxisome proliferator-activated receptor-gamma gene polymorphism and risk of cardiovascular disease in patients with diabetic nephropathy. <i>American Journal of Nephrology</i> , 2008 , 28, 715-22	4.6	16

228	Tacrolimus for the treatment of systemic lupus erythematosus with pure class V nephritis. <i>Rheumatology</i> , 2008 , 47, 1678-81	3.9	97
227	Metabolic syndrome in peritoneal dialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2008 , 1, 206-14	4.5	6
226	Coagulase negative staphylococcal peritonitis in peritoneal dialysis patients: review of 232 consecutive cases. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 91-7	6.9	48
225	A lady with unresolved loin pain. <i>Journal of the Royal Society of Medicine</i> , 2008 , 101, 85-6	2.3	1
224	Hyperchloraemic metabolic acidosis. <i>Emergency Medicine Journal</i> , 2008 , 25, 613	1.5	3
223	Urinary messenger RNA expression of podocyte-associated molecules in patients with diabetic nephropathy treated by angiotensin-converting enzyme inhibitor and angiotensin receptor blocker. <i>European Journal of Endocrinology</i> , 2008 , 158, 317-22	6.5	35
222	Endotoxemia is related to systemic inflammation and atherosclerosis in peritoneal dialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 431-6	6.9	148
221	Are spot urine samples adequate for assessment of proteinuria in patients with lupus nephritis?. <i>Nature Clinical Practice Nephrology</i> , 2008 , 4, 72-3		
220	The relationship between bone morphogenic protein-7 and peritoneal transport characteristics. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 2989-94	4.3	4
219	A lady with rapid onset of swollen parotid glands. <i>Southern Medical Journal</i> , 2008 , 101, 428-31	0.6	6
218	The Impact of Social Support on the Survival of Chinese Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2008 , 28, 252-258	2.8	16
217	Prediction of Outcomes for Peritoneal Dialysis-Associated Peritonitis. <i>Peritoneal Dialysis International</i> , 2008 , 28, 340-342	2.8	2
216	Impact of Early Nephrology Referral on Mortality and Hospitalization in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2008 , 28, 371-376	2.8	21
215	Urinary mRNA expression of ACE and ACE2 in human type 2 diabetic nephropathy. <i>Diabetologia</i> , 2008 , 51, 1062-7	10.3	42
214	Climatic influence on the prevalence of noncutaneous disease flare in systemic lupus erythematosus in Hong Kong. <i>Journal of Rheumatology</i> , 2008 , 35, 1031-7	4.1	16
213	The impact of social support on the survival of Chinese peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2008 , 28, 252-8	2.8	6
212	Peritonitis risk for older patients on peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2008 , 28, 457-60	2.8	6
211	Residual Renal Function and Recovery of Renal Function. <i>Peritoneal Dialysis International</i> , 2007 , 27, 159-161	1.6	9

210	Good Patient and Technique Survival in Elderly Patients on Continuous Ambulatory Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2007 , 27, 196-201	2.8	49
209	Decreased T-bet expression and changes in chemokine levels in adults with asthma. <i>Clinical and Experimental Immunology</i> , 2007 , 147, 526-32	6.2	17
208	Comprehensive malnutrition inflammation score as a marker of nutritional status in Chinese peritoneal dialysis patients. <i>Nephrology</i> , 2007 , 12, 130-4	2.2	22
207	Pseudoclubbing of fingers. <i>Nephrology</i> , 2007 , 12, 206	2.2	2
206	Revascularization for post-transplant renal artery stenosis. <i>Nephrology</i> , 2007 , 12, 406-12	2.2	12
205	Quantification of gene expression in urinary sediment for the study of renal diseases. <i>Nephrology</i> , 2007 , 12, 494-9	2.2	18
204	Successful embolization of transplant kidney arteriovenous fistula. <i>Nephrology</i> , 2007 , 12, 623-4	2.2	
203	Pancytopenia in a patient with tuberculous peritonitis. <i>Internal Medicine Journal</i> , 2007 , 37, 277-8	1.6	1
202	New-onset hyperglycemia in nondiabetic chinese patients started on peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 2007 , 49, 524-32	7.4	70
201	Spironolactone is not Effective for the Treatment of Hypokalemia in Peritoneal Dialysis Patients. <i>Hong Kong Journal of Nephrology</i> , 2007 , 9, 36-40		2
200	Dual Therapy with ACE Inhibitors and Angiotensin II Receptor Blockers in Proteinuric IgA Nephropathy Patients. <i>Hong Kong Journal of Nephrology</i> , 2007 , 9, 89-93		1
199	Clinical biocompatibility of a neutral peritoneal dialysis solution with minimal glucose-degradation products--a 1-year randomized control trial. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 552-9	4.3	125
198	Adherence to peritoneal dialysis training schedule. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 545-51	4.3	12
197	Urine protein-to-creatinine ratio in an untimed urine collection is a reliable measure of proteinuria in lupus nephritis. <i>Rheumatology</i> , 2007 , 46, 649-52	3.9	38
196	Staphylococcus aureus peritonitis complicates peritoneal dialysis: review of 245 consecutive cases. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007 , 2, 245-51	6.9	74
195	Intrarenal cytokine gene expression in lupus nephritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 886-92	2.4	68
194	Increased subcutaneous insulin requirements in diabetic patients recently commenced on peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 1697-702	4.3	16
193	Cerebral atrophy and skull thickening due to chronic phenytoin therapy. <i>Cmaj</i> , 2007 , 176, 321-3	3.5	13

192	Expression of T-bet, a type 1 T-helper cell transcription factor, in the urinary sediment of lupus patients predicts disease flare. <i>Rheumatology</i> , 2007 , 46, 44-8	3.9	29
191	Carotid intima media thickness predicts cardiovascular diseases in Chinese predialysis patients with chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 1966-72	12.7	79
190	Influence of peritoneal dialysis training nurses' experience on peritonitis rates. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007 , 2, 647-52	6.9	50
189	Preventing contrast nephropathy in catheter laboratory. <i>Heart</i> , 2007 , 93, 654-5	5.1	2
188	Continuous ambulatory peritoneal dialysis peritonitis: broth inoculation culture versus water lysis method. <i>Nephron Clinical Practice</i> , 2007 , 105, c121-5		19
187	Prevalence and implications of isolated microscopic hematuria in asymptomatic Chinese pregnant women. <i>Nephron Clinical Practice</i> , 2007 , 105, c147-52		3
186	Messenger RNA expression of podocyte-associated molecules in the urinary sediment of patients with diabetic nephropathy. <i>Nephron Clinical Practice</i> , 2007 , 106, c169-79		55
185	Prognostic value of renal function in patients with cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2007 , 122, 10-6	3.2	52
184	Elevation of pro-inflammatory cytokines, C-reactive protein and cardiac troponin T in chronic renal failure patients on dialysis. <i>Immunological Investigations</i> , 2007 , 36, 47-57	2.9	30
183	Influence of climate on the incidence of thiazide-induced hyponatraemia. <i>International Journal of Clinical Practice</i> , 2007 , 61, 449-52	2.9	10
182	Gram-Negative Peritonitis--the Achilles Heel of Peritoneal Dialysis?. <i>Peritoneal Dialysis International</i> , 2007 , 27, 267-271	2.8	22
181	Residual renal function and recovery of renal function. <i>Peritoneal Dialysis International</i> , 2007 , 27, 159-61	2.8	2
180	Good patient and technique survival in elderly patients on continuous ambulatory peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2007 , 27 Suppl 2, S196-201	2.8	25
179	Gram-negative peritonitis--the Achilles heel of peritoneal dialysis?. <i>Peritoneal Dialysis International</i> , 2007 , 27 Suppl 2, S267-71	2.8	14
178	Messenger RNA expression of podocyte-associated molecules in urinary sediment of patients with lupus nephritis. <i>Journal of Rheumatology</i> , 2007 , 34, 2358-64	4.1	39
177	mRNA expression of target genes in the urinary sediment as a noninvasive prognostic indicator of CKD. <i>American Journal of Kidney Diseases</i> , 2006 , 47, 578-86	7.4	24
176	Hong Kong study using valsartan in IgA nephropathy (HKVIN): a double-blind, randomized, placebo-controlled study. <i>American Journal of Kidney Diseases</i> , 2006 , 47, 751-60	7.4	140
175	The effect of immunosuppressive therapy on the messenger RNA expression of target genes in the urinary sediment of patients with active lupus nephritis. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 1534-40	4.3	37

174	Nasal CPAP reduces systemic blood pressure in patients with obstructive sleep apnoea and mild sleepiness. <i>Thorax</i> , 2006 , 61, 1083-90	7.3	74
173	Estimation of glomerular filtration rate in patients with systemic lupus erythematosus. <i>Lupus</i> , 2006 , 15, 276-81	2.6	13
172	Predictive value of dialysate cell counts in peritonitis complicating peritoneal dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006 , 1, 768-73	6.9	56
171	Urinary mononuclear cell and disease activity of systemic lupus erythematosus. <i>Lupus</i> , 2006 , 15, 262-7	2.6	20
170	Secular trends in the medical discharge summary in an acute medical hospital. <i>Postgraduate Medical Journal</i> , 2006 , 82, 615-8	2	2
169	Safety and efficacy of leflunomide in the treatment of lupus nephritis refractory or intolerant to traditional immunosuppressive therapy: an open label trial. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 417-8	2.4	46
168	Glomerular filtration rate, cardiorenal end points, and all-cause mortality in type 2 diabetic patients. <i>Diabetes Care</i> , 2006 , 29, 2046-52	14.6	158
167	Risk factors of vitamin B(12) deficiency in patients receiving metformin. <i>Archives of Internal Medicine</i> , 2006 , 166, 1975-9		184
166	Antibody response to hepatitis B vaccine in end-stage renal disease patients. <i>Nephron Clinical Practice</i> , 2006 , 103, c89-93		53
165	Maintenance treatment of proliferative lupus nephritis can be discontinued after remission in some patients. <i>Nature Clinical Practice Nephrology</i> , 2006 , 2, 672-3		1
164	Genetic polymorphism of vascular endothelial growth factor: impact on progression of IgA nephropathy. <i>Renal Failure</i> , 2006 , 28, 15-20	2.9	12
163	Connective tissue growth factor is responsible for transforming growth factor-beta-induced peritoneal mesothelial cell apoptosis. <i>Nephron Experimental Nephrology</i> , 2006 , 103, e166-74		14
162	Continuous Ambulatory Peritoneal Dialysis in Patients with Hepatitis B Liver Disease. <i>Peritoneal Dialysis International</i> , 2006 , 26, 213-217	2.8	16
161	Body mass index as a predictive factor for long-term renal transplant outcomes in Asians. <i>Clinical Transplantation</i> , 2006 , 20, 582-9	3.8	15
160	Messenger RNA expression of RANTES in the urinary sediment of patients with lupus nephritis. <i>Nephrology</i> , 2006 , 11, 219-25	2.2	25
159	Lead nephropathy: early leads from descriptive studies. <i>Internal Medicine Journal</i> , 2006 , 36, 678-82	1.6	2
158	Enterobacteriaceae peritonitis complicating peritoneal dialysis: a review of 210 consecutive cases. <i>Kidney International</i> , 2006 , 69, 1245-52	9.9	84
157	Assessment of glomerular filtration rate in addition to albuminuria is important in managing type II diabetes. <i>Kidney International</i> , 2006 , 69, 383-7	9.9	35

156	Destructive spondyloarthropathy. <i>Kidney International</i> , 2006 , 70, 237	9.9	
155	Relation between number of prescribed medication and outcome in peritoneal dialysis patients. <i>Clinical Nephrology</i> , 2006 , 66, 256-62	2.1	6
154	Messenger RNA expression of target genes in the urinary sediment of patients with chronic kidney diseases. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 105-13	4.3	41
153	The clinical course of peritoneal dialysis-related peritonitis caused by <i>Corynebacterium</i> species. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 2793-6	4.3	21
152	Nephrotoxicity Related to New Therapeutic Compounds. <i>Renal Failure</i> , 2005 , 27, 329-333	2.9	20
151	Messenger RNA expression of glomerular podocyte markers in the urinary sediment of acquired proteinuric diseases. <i>Clinica Chimica Acta</i> , 2005 , 361, 182-90	6.2	62
150	Differential effects of transforming growth factor-beta on the synthesis of connective tissue growth factor and vascular endothelial growth factor by peritoneal mesothelial cell. <i>Nephron Experimental Nephrology</i> , 2005 , 99, e95-e104		27
149	Rapid Progression of Destructive Spondyloarthropathy. <i>Spine</i> , 2005 , 30, E31-E33	3.3	5
148	Change in bacterial aetiology of peritoneal dialysis-related peritonitis over 10 years: experience from a centre in South-East Asia. <i>Clinical Microbiology and Infection</i> , 2005 , 11, 837-9	9.5	58
147	A report with consensus statements of the International Society of Nephrology 2004 Consensus Workshop on Prevention of Progression of Renal Disease, Hong Kong, June 29, 2004. <i>Kidney International</i> , 2005 , S2-7	9.9	26
146	The Beneficial Effect of Oral Sodium Bicarbonate in Peritoneal Dialysis Patients [How Long Does It Last After Stopping Treatment?]. <i>Hong Kong Journal of Nephrology</i> , 2005 , 7, 14-21		1
145	Prevalence of Psychological Problems in Chinese Peritoneal Dialysis Patients. <i>Hong Kong Journal of Nephrology</i> , 2005 , 7, 82-89		5
144	Hypokalemia in Chinese peritoneal dialysis patients: prevalence and prognostic implication. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 128-35	7.4	67
143	Rosiglitazone reduces insulin requirement and C-reactive protein levels in type 2 diabetic patients receiving peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 713-9	7.4	60
142	Neurotoxicity induced by beta-lactam antibiotics: from bench to bedside. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2005 , 24, 649-53	5.3	111
141	Peritoneal Dialysis-Related Infections 2005 , 569-587		1
140	A Risk Analysis of Continuous Ambulatory Peritoneal Dialysis-Related Peritonitis. <i>Peritoneal Dialysis International</i> , 2005 , 25, 374-379	2.8	105
139	Peritoneal Albumin Excretion is a Strong Predictor of Cardiovascular Events in Peritoneal Dialysis Patients: A Prospective Cohort Study. <i>Peritoneal Dialysis International</i> , 2005 , 25, 445-452	2.8	40

138	Near-miss errors in laboratory blood test requests by interns. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2005 , 98, 753-6	2.7	21
137	Nephrotoxicity Related to New Therapeutic Compounds. <i>Renal Failure</i> , 2005 , 27, 329-333	2.9	8
136	Impact of enforcing the Labour Ordinance, with 1-in-7-day off for hospital doctors, on weekend hospital discharge rate. <i>Journal of Public Health</i> , 2005 , 27, 189-91	3.5	9
135	Transforming growth factor-beta1 gene polymorphism in renal transplant recipients. <i>Renal Failure</i> , 2005 , 27, 671-5	2.9	20
134	Impact of social factors on patients on peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 2504-10	4.3	30
133	Pharmacokinetic advantages of two-hour post-dose cyclosporin a level for the therapeutic drug monitoring in stable Chinese kidney transplant recipients. <i>Nephron Clinical Practice</i> , 2005 , 99, c68-72		1
132	Vancomycin concentrations in autosomal dominant polycystic kidney disease. <i>Clinical Infectious Diseases</i> , 2005 , 40, 205	11.6	2
131	Chromosomal telomere shortening of kidney cells in IgA nephropathy by the measurement of DNA in urinary sediment. <i>Clinical Nephrology</i> , 2005 , 64, 337-42	2.1	13
130	Can the urine dipstick test reduce the need for microscopy for assessment of systemic lupus erythematosus disease activity?. <i>Journal of Rheumatology</i> , 2005 , 32, 828-31	4.1	8
129	The relationship between peritoneal transport characteristics and messenger RNA expression of aquaporin in the peritoneal dialysis effluent of CAPD patients. <i>Journal of Nephrology</i> , 2005 , 18, 197-203	4.8	3
128	Nephrotoxicity related to new therapeutic compounds. <i>Renal Failure</i> , 2005 , 27, 329-33	2.9	3
127	A risk analysis of continuous ambulatory peritoneal dialysis-related peritonitis. <i>Peritoneal Dialysis International</i> , 2005 , 25, 374-9	2.8	48
126	Peritoneal albumin excretion is a strong predictor of cardiovascular events in peritoneal dialysis patients: a prospective cohort study. <i>Peritoneal Dialysis International</i> , 2005 , 25, 445-52	2.8	15
125	Independent Effects of Renal and Peritoneal Clearances on the Mortality of Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2004 , 24, 58-64	2.8	30
124	The Changing Face of Peritonitis. <i>Peritoneal Dialysis International</i> , 2004 , 24, 413-415	2.8	3
123	Cefazolin plus Ceftazidime versus Imipenem / Cilastatin Monotherapy for Treatment of Capd Peritonitis ▯ Randomized Controlled Trial. <i>Peritoneal Dialysis International</i> , 2004 , 24, 440-446	2.8	31
122	Double-blind, randomized, placebo-controlled pilot study of leflunomide in systemic lupus erythematosus. <i>Lupus</i> , 2004 , 13, 601-4	2.6	90
121	Severe acute respiratory syndrome in dialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 1883-8	12.7	45

120	Hospital arrival after acute stroke: any better after 10 years?. <i>Cerebrovascular Diseases</i> , 2004 , 17, 346	3.2	3
119	Influence of emergency room fee on acute stroke presentation in a public hospital in Hong Kong. <i>Neuroepidemiology</i> , 2004 , 23, 123-8	5.4	4
118	Uraemic tumoural calcinosis. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 505-6	4.3	6
117	Malignant hypertension after adrenalectomy. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 2919-20	4.3	
116	Asymptomatic isolated microscopic haematuria: long-term follow-up. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2004 , 97, 739-45	2.7	41
115	Effect of a compensated Jaffe creatinine method on the estimation of glomerular filtration rate. <i>Annals of Clinical Biochemistry</i> , 2004 , 41, 482-4	2.2	15
114	Genetic polymorphism of VEGF: Impact on longitudinal change of peritoneal transport and survival of peritoneal dialysis patients. <i>Kidney International</i> , 2004 , 65, 1947-55	9.9	58
113	Metabolic acidosis and malnutrition in dialysis patients. <i>Seminars in Dialysis</i> , 2004 , 17, 371-5	2.5	23
112	Isolate diffuse thickening of glomerular capillary basement membrane: a renal lesion in prediabetes?. <i>Modern Pathology</i> , 2004 , 17, 1506-12	9.8	42
111	Peritoneal Protein and Albumin Excretion as Markers of Cardiovascular Risk and Systemic Endothelial Dysfunction. <i>Hong Kong Journal of Nephrology</i> , 2004 , 6, 31-37		5
110	Effect of N-acetylcysteine for prevention of contrast nephropathy in patients with moderate to severe renal insufficiency: a randomized trial. <i>American Journal of Kidney Diseases</i> , 2004 , 43, 801-8	7.4	74
109	Leflunomide and anti-glomerular basement membrane glomerulonephritis: comment on the letter by Bruyn et al. <i>Arthritis and Rheumatism</i> , 2004 , 50, 336; author reply 336-7		1
108	Expression of chemokine and fibrosing factor messenger RNA in the urinary sediment of patients with lupus nephritis. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2882-90		66
107	Mechanisms of antibiotic neurotoxicity in renal failure. <i>International Journal of Antimicrobial Agents</i> , 2004 , 23, 213-7	14.3	43
106	Advances in the clinical laboratory assessment of urinary sediment. <i>Clinica Chimica Acta</i> , 2004 , 340, 67-78.	8.2	18
105	Myoglobinuric renal failure. <i>Journal of Emergency Medicine</i> , 2004 , 26, 461; author reply 461-2	1.5	
104	Pathogenesis and management of hydrothorax complicating peritoneal dialysis. <i>Current Opinion in Pulmonary Medicine</i> , 2004 , 10, 315-9	3	70
103	Independent effects of renal and peritoneal clearances on the mortality of peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2004 , 24, 58-64	2.8	8

102	Cefazolin plus ceftazidime versus imipenem/cilastatin monotherapy for treatment of CAPD peritonitis—a randomized controlled trial. <i>Peritoneal Dialysis International</i> , 2004 , 24, 440-6	2.8	10
101	"Question mark" aorta. <i>Postgraduate Medical Journal</i> , 2003 , 79, 121, 123-4	2	
100	Influence of Climate on the Incidence of Peritoneal Dialysis-Related Peritonitis. <i>Peritoneal Dialysis International</i> , 2003 , 23, 580-586	2.8	35
99	Peritoneal Dialysis Adequacy in Asia—Higher Better?. <i>Peritoneal Dialysis International</i> , 2003 , 23, 65-68	2.8	6
98	Severe acute respiratory syndrome in a hemodialysis patient. <i>American Journal of Kidney Diseases</i> , 2003 , 42, 1069-74	7.4	12
97	Muscle infarction in peritoneal dialysis patients. <i>American Journal of Kidney Diseases</i> , 2003 , 42, 1102-3	7.4	0
96	A whitened face woman with nephrotic syndrome. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 250-3	7.4	50
95	Intravenous versus subcutaneous EPO: anything to do with pure red cell aplasia complication. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 266-7; author reply 267	7.4	6
94	Peritoneal dialysis in patients with dementia. <i>American Journal of Kidney Diseases</i> , 2003 , 42, 212; author reply 212	7.4	
93	The clinical course of culture-negative peritonitis complicating peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 2003 , 42, 567-74	7.4	60
92	Association of ENOS polymorphism with basal peritoneal membrane function in uremic patients. <i>American Journal of Kidney Diseases</i> , 2003 , 42, 781-6	7.4	22
91	Retrospective review of neurotoxicity induced by cefepime and ceftazidime. <i>Pharmacotherapy</i> , 2003 , 23, 369-73	5.8	88
90	Inflammatory cytokine gene expression in the urinary sediment of patients with lupus nephritis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 1326-31		64
89	Extrapolation of reciprocal creatinine plot is not reliable in predicting the onset of dialysis in patients with progressive renal insufficiency. <i>Journal of Internal Medicine</i> , 2003 , 253, 335-42	10.8	10
88	Secular trend in medical education regarding infectious disease. <i>Medical Education</i> , 2003 , 37, 881-3	3.7	
87	Association of transforming growth factor-beta (TGF-beta) T869C (Leu 10Pro) gene polymorphisms with type 2 diabetic nephropathy in Chinese. <i>Kidney International</i> , 2003 , 63, 1831-5	9.9	40
86	Management options for hydrothorax complicating peritoneal dialysis. <i>Seminars in Dialysis</i> , 2003 , 16, 389-94	2.5	76
85	Headache caused by Pott's puffy tumor. <i>Headache</i> , 2003 , 43, 916	4.2	3

84	A major outbreak of severe acute respiratory syndrome in Hong Kong. <i>New England Journal of Medicine</i> , 2003 , 348, 1986-94	59.2	1676
83	Risk factors for thiazide-induced hyponatraemia. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2003 , 96, 911-7	2.7	121
82	Indication for peritoneal biopsy in tuberculous peritonitis. <i>American Journal of Surgery</i> , 2003 , 185, 567-73.	7.7	88
81	Are peritoneal dialysis patients with and without residual renal function equivalent for survival study? Insight from a retrospective review of the cause of death. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 977-82	4.3	78
80	Effects of an angiotensin-converting enzyme inhibitor on residual renal function in patients receiving peritoneal dialysis. A randomized, controlled study. <i>Annals of Internal Medicine</i> , 2003 , 139, 105-12	8.12	196
79	Assessment of protein nitrogen appearance in Chinese peritoneal dialysis patients-which method to use?. <i>Renal Failure</i> , 2003 , 25, 235-46	2.9	2
78	Oral sodium bicarbonate for the treatment of metabolic acidosis in peritoneal dialysis patients: a randomized placebo-control trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, 2119-26	12.7	97
77	Mesangial lupus nephritis in Chinese is associated with a high rate of transformation to higher grade nephritis. <i>Lupus</i> , 2003 , 12, 665-71	2.6	20
76	Oral anticoagulant and dental procedures. <i>Archives of Internal Medicine</i> , 2003 , 163, 2532; author reply 2533		4
75	Harbinger of fluoroquinolone resistance. <i>Archives of Internal Medicine</i> , 2003 , 163, 1617; author reply 1618		
74	Multifocal myoclonus secondary to tranexamic acid. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003 , 74, 547	5.5	14
73	2656 Can N-acetylcysteine really prevent contrast-induced nephropathy in patients with chronic renal insufficiency? A randomized study and pooled analysis. <i>European Heart Journal</i> , 2003 , 24, 491	9.5	3
72	Influence of climate on the incidence of peritoneal dialysis-related peritonitis. <i>Peritoneal Dialysis International</i> , 2003 , 23, 580-6	2.8	9
71	Rhodococcus equi peritonitis in continuous ambulatory peritoneal dialysis. <i>Journal of Nephrology</i> , 2003 , 16, 736-9	4.8	11
70	Prognostic role of serum ACE activity on outcome of type 2 diabetic patients on chronic ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 2002 , 39, 1054-60	7.4	5
69	Plasminogen activator inhibitor-1 4G/5G genetic polymorphism does not affect peritoneal transport characteristic. <i>American Journal of Kidney Diseases</i> , 2002 , 39, 1061-7	7.4	10
68	Dialysis adequacy and transport test for characterization of peritoneal transport type in Chinese peritoneal dialysis patients receiving three daily exchanges. <i>American Journal of Kidney Diseases</i> , 2002 , 39, 1287-99	7.4	10
67	Comparison of clinical outcome and ease of handling in two double-bag systems in continuous ambulatory peritoneal dialysis: a prospective, randomized, controlled, multicenter study. <i>American Journal of Kidney Diseases</i> , 2002 , 40, 373-80	7.4	52

66	Good metabolic control using tacrolimus-based immunosuppressants in primary cadaveric renal transplantation in Chinese--a preliminary report. <i>Clinical Transplantation</i> , 2002 , 16, 39-42	3.8	3
65	Renal outcome in type 2 diabetic patients with or without coexisting nondiabetic nephropathies. <i>Diabetes Care</i> , 2002 , 25, 900-5	14.6	100
64	Diabetic muscle infarction: myocardial infarct equivalent. <i>Diabetes Care</i> , 2002 , 25, 1895	14.6	18
63	Prognostic indicators of IgA nephropathy in the Chinese--clinical and pathological perspectives. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17, 64-9	4.3	125
62	Tuberculous peritonitis-associated mortality is high among patients waiting for the results of mycobacterial cultures of ascitic fluid samples. <i>Clinical Infectious Diseases</i> , 2002 , 35, 409-13	11.6	144
61	Nonconvulsive status epilepticus. <i>American Journal of Medicine</i> , 2002 , 112, 243-5	2.4	
60	Conservative management of polymicrobial peritonitis complicating peritoneal dialysis--a series of 140 consecutive cases. <i>American Journal of Medicine</i> , 2002 , 113, 728-33	2.4	43
59	Primary IgA nephropathy with low histologic grade and disease progression: is there a "point of no return"? <i>American Journal of Kidney Diseases</i> , 2002 , 39, 401-6	7.4	15
58	Risk factors and clinical features for tuberculosis among patients with systemic lupus erythematosus in Hong Kong. <i>Scandinavian Journal of Rheumatology</i> , 2002 , 31, 296-300	1.9	92
57	Calcifications. <i>Lancet, The</i> , 2002 , 360, 442	4.0	
56	Nonconvulsive status epilepticus in dialysis patients: In Reply. <i>American Journal of Kidney Diseases</i> , 2002 , 39, 440-441	7.4	3
55	The Impact of Increasing the Daytime Dialysis Exchange Frequency on Peritoneal Dialysis Adequacy and Nutritional Status of Chinese Anuric Patients. <i>Peritoneal Dialysis International</i> , 2002 , 22, 197-203	2.8	15
54	The Role of Vascular Endothelial Growth Factor in Peritoneal Hyperpermeability during CAPD-Related Peritonitis. <i>Peritoneal Dialysis International</i> , 2002 , 22, 265-267	2.8	17
53	Hydrothorax Complicating Peritoneal Dialysis: Diagnostic Value of Glucose Concentration in Pleural Fluid Aspirate. <i>Peritoneal Dialysis International</i> , 2002 , 22, 525-527	2.8	34
52	Feasibility of resuming peritoneal dialysis after severe peritonitis and Tenckhoff catheter removal. <i>Journal of the American Society of Nephrology: JASN</i> , 2002 , 13, 1040-1045	12.7	77
51	The impact of increasing the daytime dialysis exchange frequency on peritoneal dialysis adequacy and nutritional status of Chinese anuric patients. <i>Peritoneal Dialysis International</i> , 2002 , 22, 197-203	2.8	1
50	The role of vascular endothelial growth factor in peritoneal hyperpermeability during CAPD-related peritonitis. <i>Peritoneal Dialysis International</i> , 2002 , 22, 265-7	2.8	6
49	Clinical course of peritonitis due to <i>Pseudomonas</i> species complicating peritoneal dialysis: a review of 104 cases. <i>Kidney International</i> , 2001 , 59, 2309-15	9.9	85

48	Selective internal radiation therapy by yttrium-90 microspheres for hepatocellular carcinoma after renal transplantation. <i>Clinical Transplantation</i> , 2001 , 15, 284-8	3.8	1
47	Contribution of gene polymorphisms in the renin-angiotensin system to macroangiopathy in patients with diabetic nephropathy. <i>American Journal of Kidney Diseases</i> , 2001 , 38, 9-17	7.4	22
46	Nonconvulsive status epilepticus in peritoneal dialysis patients. <i>American Journal of Kidney Diseases</i> , 2001 , 38, 400-5	7.4	41
45	Severe bone marrow failure associated with the use of alternating steroid with chlorambucil in lupus membranous nephropathy in Chinese. <i>Lupus</i> , 2001 , 10, 295-8	2.6	4
44	Treatment of membranous lupus nephritis with prednisone, azathioprine and cyclosporin A. <i>Lupus</i> , 2001 , 10, 827-9	2.6	12
43	Grading of acute and chronic renal lesions in Henoch-Schönlein purpura. <i>Modern Pathology</i> , 2001 , 14, 635-40	9.8	25
42	The natural history of immunoglobulin a nephropathy among patients with hematuria and minimal proteinuria. <i>American Journal of Medicine</i> , 2001 , 110, 434-7	2.4	158
41	Peritoneal transport status correlates with morbidity but not longitudinal change of nutritional status of continuous ambulatory peritoneal dialysis patients: a 2-year prospective study. <i>American Journal of Kidney Diseases</i> , 2001 , 37, 329-36	7.4	57
40	A confused uraemic woman. <i>Lancet, The</i> , 2001 , 357, 278	4.0	3
39	Adequacy Targets of Peritoneal Dialysis in the Asian Population. <i>Peritoneal Dialysis International</i> , 2001 , 21, 378-383	2.8	37
38	Impact of dialysis adequacy on the mortality and morbidity of anuric Chinese patients receiving continuous ambulatory peritoneal dialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2001 , 12, 355-360	12.7	73
37	Clinical course of peritonitis due to Pseudomonas species complicating peritoneal dialysis: A review of 104 cases. <i>Kidney International</i> , 2001 , 59, 2309	9.9	2
36	Posttransplant Epstein-Barr virus-associated myogenic tumors involving bone. <i>Cancer</i> , 2000 , 89, 467-472	6.4	25
35	Importance of dialysis adequacy in mortality and morbidity of chinese CAPD patients. <i>Kidney International</i> , 2000 , 58, 400-7	9.9	154
34	Association of plasminogen activator inhibitor-1 4G/4G genotype and type 2 diabetic nephropathy in Chinese patients. <i>Kidney International</i> , 2000 , 57, 632-8	9.9	51
33	Exogenous type-1 cytokines modulate mercury-induced hyper-IgE in the rat. <i>Clinical and Experimental Immunology</i> , 2000 , 121, 17-22	6.2	8
32	Levamisole induces interleukin-18 and shifts type 1/type 2 cytokine balance. <i>Immunology</i> , 2000 , 100, 217-24	7.8	72
31	Role of beta1 and beta2 subunits of the interleukin-12 receptor in determining T helper 1/T helper 2 responses in vivo in the rat. <i>Immunology</i> , 2000 , 99, 109-12	7.8	7

30	Alloimmune hemolytic anemia after ABO-mismatch kidney transplantation: prompt recovery following azathioprine withdrawal. <i>Hong Kong Journal of Nephrology</i> , 2000 , 2, 54-56		
29	Early IgA nephropathy: paradigm evolving from a clinical concept into a histological measure. <i>Hong Kong Journal of Nephrology</i> , 2000 , 2, 74-78		
28	Use of Intraperitoneal Cefepime as Monotherapy in Treatment of CAPD Peritonitis. <i>Peritoneal Dialysis International</i> , 2000 , 20, 232-234	2.8	32
27	Longitudinal Study of Peritoneal Membrane Function in Continuous Ambulatory Peritoneal Dialysis: Relationship with Peritonitis and Fibrosing Factors. <i>Peritoneal Dialysis International</i> , 2000 , 20, 679-685	2.8	38
26	The Role of Lean Body Mass as a Nutritional Index in Chinese Peritoneal Dialysis Patients: Comparison of Creatinine Kinetics Method and Anthropometric Method. <i>Peritoneal Dialysis International</i> , 2000 , 20, 708-714	2.8	22
25	Outcome of IgA nephropathy in adults graded by chronic histological lesions. <i>American Journal of Kidney Diseases</i> , 2000 , 35, 392-400	7.4	59
24	Dialysate hyaluronan concentration predicts survival but not peritoneal sclerosis in continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 2000 , 36, 609-14	7.4	21
23	Characterization of early IgA nephropathy. <i>American Journal of Kidney Diseases</i> , 2000 , 36, 703-8	7.4	25
22	Prevalence of sleep disturbances in chinese patients with end-stage renal failure on continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 2000 , 36, 783-8	7.4	108
21	Growth factors in continuous ambulatory peritoneal dialysis effluent. Their relation with peritoneal transport of small solutes. <i>American Journal of Nephrology</i> , 1999 , 19, 416-22	4.6	32
20	Successful medical eradication of tuberculous paranephric abscess in renal transplantation. <i>Nephrology Dialysis Transplantation</i> , 1999 , 14, 1288-90	4.3	4
19	Independent effects of residual renal function and dialysis adequacy on nutritional status and patient outcome in continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 1999 , 34, 1056-64	7.4	77
18	Parvovirus B19 infection causing red cell aplasia in renal transplantation on tacrolimus. <i>American Journal of Kidney Diseases</i> , 1999 , 34, 1132-6	7.4	56
17	Clinical and biochemical characteristics of type 2 diabetic patients on continuous ambulatory peritoneal dialysis: relationships with insulin requirement. <i>American Journal of Kidney Diseases</i> , 1999 , 34, 514-20	7.4	9
16	Acute renal failure in a patient with Rosai-Dorfman disease. <i>American Journal of Kidney Diseases</i> , 1999 , 34, e12	7.4	10
15	Comparison of double-bag and Y-set disconnect systems in continuous ambulatory peritoneal dialysis: a randomized prospective multicenter study. <i>American Journal of Kidney Diseases</i> , 1999 , 33, 535-40	7.4	53
14	Increased production of hyaluronan by peritoneal cells and its significance in patients on CAPD. <i>American Journal of Kidney Diseases</i> , 1999 , 33, 318-24	7.4	38
13	Measured-to-predicted creatinine generation ratio increases with time and decline in residual renal function in continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 1999 , 34, 235-41	7.4	15

12	Increased ascitic level of hyaluronan in liver cirrhosis. <i>Translational Research</i> , 1998 , 131, 354-9		13
11	Effective treatment of high-grade lymphoproliferative disorder after renal transplantation using autologous lymphocyte activated killer cell therapy. <i>American Journal of Kidney Diseases</i> , 1998 , 32, 813-9	7.4	19
10	Long-term treatment of lupus nephritis with cyclosporin A. <i>QJM - Monthly Journal of the Association of Physicians</i> , 1998 , 91, 573-80	2.7	56
9	Nephrotic syndrome in strongyloidiasis: remission after eradication with anthelmintic agents. <i>Nephron</i> , 1998 , 79, 333-6	3.3	30
8	Treatment of pulmonary embolism by subcutaneous low-molecular-weight heparin in a hemodialysis patient. <i>American Journal of Nephrology</i> , 1998 , 18, 325-8	4.6	5
7	A simple assessment of peritoneal transport in stable continuous ambulatory peritoneal dialysis patients. <i>American Journal of Nephrology</i> , 1998 , 18, 311-7	4.6	2
6	Xanthomonas maltophilia peritonitis in uremic patients receiving continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 1997 , 29, 91-5	7.4	35
5	Association of IgA nephropathy with T-cell receptor constant alpha chain gene polymorphism. <i>American Journal of Kidney Diseases</i> , 1997 , 30, 260-4	7.4	12
4	Dialysate cell population and cancer antigen 125 in stable continuous ambulatory peritoneal dialysis patients: their relationship with transport parameters. <i>American Journal of Kidney Diseases</i> , 1997 , 29, 699-705	7.4	46
3	Factors affecting the therapeutic response of enalapril in treatment of post transplant erythrocytosis. <i>Nephrology</i> , 1997 , 3, 569-571	2.2	
2	Use of low-dose low molecular weight heparin in hemodialysis. <i>American Journal of Kidney Diseases</i> , 1996 , 28, 721-6	7.4	25
1	Salt and Water Balance in Peritoneal Dialysis 488-499		0