

Nathalie Thieblemont

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6653745/publications.pdf>

Version: 2024-02-01

43
papers

3,315
citations

186265

28
h-index

254184

43
g-index

44
all docs

44
docs citations

44
times ranked

4932
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Skewed peripheral B- and T-cell compartments in patients with ANCA-associated vasculitis. <i>Rheumatology</i> , 2021, 60, 2157-2168. | 1.9 | 6 |
| 2 | Cytosolic PCNA interacts with p47phox and controls NADPH oxidase NOX2 activation in neutrophils. <i>Journal of Experimental Medicine</i> , 2019, 216, 2669-2687. | 8.5 | 27 |
| 3 | Proteomic analysis of neutrophils in ANCA-associated vasculitis reveals a dysregulation in proteinase 3-associated proteins such as annexin-A1 involved in apoptotic cell clearance. <i>Kidney International</i> , 2019, 96, 397-408. | 5.2 | 32 |
| 4 | Granulomatosis with polyangiitis (Wegener granulomatosis): A proteinase-3 driven disease?. <i>Joint Bone Spine</i> , 2018, 85, 185-189. | 1.6 | 14 |
| 5 | Expanding Neutrophil Horizons: New Concepts in Inflammation. <i>Journal of Innate Immunity</i> , 2018, 10, 422-431. | 3.8 | 34 |
| 6 | Regulation of macrophage activation by proteins expressed on apoptotic neutrophils: Subversion towards autoimmunity by proteinase 3. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12990. | 3.4 | 30 |
| 7 | Proteinase 3 Interferes With C1q-Mediated Clearance of Apoptotic Cells. <i>Frontiers in Immunology</i> , 2018, 9, 818. | 4.8 | 34 |
| 8 | Granulomatose avec polyangéite (Wegener)Â: maladie de la protéinase-3Â?. <i>Revue Du Rhumatisme Monographies</i> , 2017, 84, 236-240. | 0.0 | 1 |
| 9 | Transgenic Mice Expressing Human Proteinase 3 Exhibit Sustained Neutrophil-Associated Peritonitis. <i>Journal of Immunology</i> , 2017, 199, 3914-3924. | 0.8 | 12 |
| 10 | Human neutrophils in auto-immunity. <i>Seminars in Immunology</i> , 2016, 28, 159-173. | 5.6 | 150 |
| 11 | MyD88 modulates eosinophil and neutrophil recruitment as well as IL-17A production during allergic inflammation. <i>Cellular Immunology</i> , 2016, 310, 116-122. | 3.0 | 2 |
| 12 | Neutrophil-Expressed p21/waf1 Favors Inflammation Resolution in <i>Pseudomonas aeruginosa</i> Infection. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2016, 54, 740-750. | 2.9 | 20 |
| 13 | Dividing the Janus vasculitis? Pathophysiology of eosinophilic granulomatosis with polyangitis. <i>Autoimmunity Reviews</i> , 2016, 15, 139-145. | 5.8 | 24 |
| 14 | Histidine Decarboxylase Deficiency Prevents Autoimmune Diabetes in NOD Mice. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-9. | 2.3 | 7 |
| 15 | Strict Requirement for Vector-Induced Type I Interferon in Efficacious Antitumor Responses to Virally Encoded IL12. <i>Cancer Research</i> , 2015, 75, 497-507. | 0.9 | 34 |
| 16 | Proteinase 3 on apoptotic cells disrupts immune silencing in autoimmune vasculitis. <i>Journal of Clinical Investigation</i> , 2015, 125, 4107-4121. | 8.2 | 101 |
| 17 | Conventional but Not Plasmacytoid Dendritic Cells Foster the Systemic Virus-Induced Type I IFN Response Needed for Efficient CD8 T Cell Priming. <i>Journal of Immunology</i> , 2014, 193, 1151-1161. | 0.8 | 21 |
| 18 | Activation of basophils by the double-stranded RNA poly(A:U) exacerbates allergic inflammation. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013, 68, 732-738. | 5.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | HIV-1 Tat protein binds to TLR4-MD2 and signals to induce TNF- α and IL-10. <i>Retrovirology</i> , 2013, 10, 123. | 2.0 | 63 |
| 20 | Treatment with the TLR7 agonist R848 induces regulatory T-cell-mediated suppression of established asthma symptoms. <i>European Journal of Immunology</i> , 2011, 41, 1992-1999. | 2.9 | 49 |
| 21 | The TLR7 Agonist R848 Alleviates Allergic Inflammation by Targeting Invariant NKT Cells To Produce IFN- γ . <i>Journal of Immunology</i> , 2011, 186, 284-290. | 0.8 | 52 |
| 22 | Systemic Toll-Like Receptor Stimulation Suppresses Experimental Allergic Asthma and Autoimmune Diabetes in NOD Mice. <i>PLoS ONE</i> , 2010, 5, e11484. | 2.5 | 115 |
| 23 | Basophils: new players in the cytokine network. <i>European Cytokine Network</i> , 2010, 21, 142-53. | 2.0 | 60 |
| 24 | Ginger prevents Th2-mediated immune responses in a mouse model of airway inflammation. <i>International Immunopharmacology</i> , 2008, 8, 1626-1632. | 3.8 | 85 |
| 25 | TLR3 ligand stimulates fully functional memory CD8+ T cells in the absence of CD4+ T-cell help. <i>Blood</i> , 2007, 109, 5318-5326. | 1.4 | 57 |
| 26 | Atheroprotective effect of adjuvants in apolipoprotein E knockout mice. <i>Atherosclerosis</i> , 2006, 184, 330-341. | 0.8 | 49 |
| 27 | Transforming growth factor- β and T-cell-mediated immunoregulation in the control of autoimmune diabetes. <i>Immunological Reviews</i> , 2006, 212, 185-202. | 6.0 | 62 |
| 28 | Transforming growth factor-beta and natural killer T-cells are involved in the protective effect of a bacterial extract on type 1 diabetes. <i>Diabetes</i> , 2006, 55, 179-85. | 0.6 | 41 |
| 29 | Double-stranded RNAs from the Helminth Parasite <i>Schistosoma</i> Activate TLR3 in Dendritic Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 277-283. | 3.4 | 143 |
| 30 | Complexity and Complementarity of Outer Membrane Protein A Recognition by Cellular and Humoral Innate Immunity Receptors. <i>Immunity</i> , 2005, 22, 551-560. | 14.3 | 271 |
| 31 | Direct bacterial protein PAMP recognition by human NK cells involves TLRs and triggers α -defensin production. <i>Blood</i> , 2004, 104, 1778-1783. | 1.4 | 306 |
| 32 | Toll-like receptor α ,2 (TLR2) and TLR4 differentially activate human mast cells. <i>European Journal of Immunology</i> , 2003, 33, 899-906. | 2.9 | 271 |
| 33 | The <i>Trypanosoma cruzi</i> Tc52-Released Protein Induces Human Dendritic Cell Maturation, Signals Via Toll-Like Receptor 2, and Confers Protection Against Lethal Infection. <i>Journal of Immunology</i> , 2002, 168, 6366-6374. | 0.8 | 123 |
| 34 | Toll-Like Receptor 4 Expression Is Required to Control Chronic <i>Mycobacterium tuberculosis</i> Infection in Mice. <i>Journal of Immunology</i> , 2002, 169, 3155-3162. | 0.8 | 334 |
| 35 | Transport of Bacterial Lipopolysaccharide to the Golgi Apparatus. <i>Journal of Experimental Medicine</i> , 1999, 190, 523-534. | 8.5 | 110 |
| 36 | Enhancement of leukocyte response to lipopolysaccharide by secretory group IIA phospholipase A2. <i>Journal of Leukocyte Biology</i> , 1999, 65, 750-756. | 3.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Secretory Leukocyte Protease Inhibitor Interferes with Uptake of Lipopolysaccharide by Macrophages. <i>Infection and Immunity</i> , 1999, 67, 4485-4489. | 2.2 | 80 |
| 38 | Innate Immune Recognition of Bacterial Lipopolysaccharide: Dependence on Interactions with Membrane Lipids and Endocytic Movement. <i>Immunity</i> , 1998, 8, 771-777. | 14.3 | 75 |
| 39 | Mice Genetically Hyporesponsive to Lipopolysaccharide (LPS) Exhibit a Defect in Endocytic Uptake of LPS and Ceramide. <i>Journal of Experimental Medicine</i> , 1997, 185, 2095-2100. | 8.5 | 62 |
| 40 | Flow-Cytometric Assessment of in Vivo Cytokine-Producing Monocytes in HIV-Infected Patients. <i>Clinical Immunology and Immunopathology</i> , 1997, 83, 60-67. | 2.0 | 20 |
| 41 | CD14 ^{low} CD16 ^{high} : A cytokine-producing monocyte subset which expands during human immunodeficiency virus infection. <i>European Journal of Immunology</i> , 1995, 25, 3418-3424. | 2.9 | 273 |
| 42 | Complement enhancement of HIV infection is mediated by complement receptors. <i>Immunopharmacology</i> , 1993, 25, 87-93. | 2.0 | 9 |
| 43 | Complement Activation by gp160 Glycoprotein of HIV-1. <i>AIDS Research and Human Retroviruses</i> , 1993, 9, 229-233. | 1.1 | 37 |