MÃ³nica Adriana Torres-Ramos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6654458/publications.pdf

Version: 2024-02-01



MÃ³nica Adriana

#	Article	IF	CITATIONS
1	On the antioxidant properties of kynurenic acid: Free radical scavenging activity and inhibition of oxidative stress. Neurotoxicology and Teratology, 2011, 33, 538-547.	1.2	251
2	Receptor for AGEs (RAGE) as Mediator of NF-kB Pathway Activation in Neuroinflammation and Oxidative Stress. CNS and Neurological Disorders - Drug Targets, 2014, 13, 1615-1626.	0.8	226
3	Multiple Molecular and Cellular Mechanisms of Action of Lycopene in Cancer Inhibition. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-17.	0.5	106
4	Clozapine reduces GLT-1 expression and glutamate uptake in astrocyte cultures. Glia, 2005, 50, 276-279.	2.5	52
5	Aryl Hydrocarbon Receptor in Post-Mortem Hippocampus and in Serum from Young, Elder, and Alzheimer's Patients. International Journal of Molecular Sciences, 2020, 21, 1983.	1.8	37
6	Isolation of Ubiquitylated Proteins Using Tandem Ubiquitin-Binding Entities. Methods in Molecular Biology, 2012, 832, 173-183.	0.4	34
7	GLT-1 down-regulation induced by clozapine in rat frontal cortex is associated with synaptophysin up-regulation. Journal of Neurochemistry, 2006, 99, 134-141.	2.1	32
8	GLTâ€l expression and Glu uptake in rat cerebral cortex are increased by phencyclidine. Glia, 2008, 56, 1320-1327.	2.5	29
9	Neuroprotection by Natural Polyphenols: Molecular Mechanisms. Central Nervous System Agents in Medicinal Chemistry, 2010, 10, 269-277.	0.5	24
10	Antioxidant properties of xanthones from Calophyllum brasiliense: prevention of oxidative damage induced by FeSO4. BMC Complementary and Alternative Medicine, 2013, 13, 262.	3.7	21
11	Neuroprotective Effects of Apocynin and Galantamine During the Chronic Administration of Scopolamine in an Alzheimer's Disease Model. Journal of Molecular Neuroscience, 2020, 70, 180-193.	1.1	21
12	Tetramerizationâ€defects of p53 result in aberrant ubiquitylation and transcriptional activity. Molecular Oncology, 2014, 8, 1026-1042.	2.1	20
13	Activation of AHR mediates the ubiquitination and proteasome degradation of c-Fos through the induction of Ubcm4 gene expression. Toxicology, 2015, 337, 47-57.	2.0	18
14	Selenium-induced antioxidant protection recruits modulation of thioredoxin reductase during excitotoxic/pro-oxidant events in the rat striatum. Neurochemistry International, 2012, 61, 195-206.	1.9	16
15	Role of Monoubiquitylation on the Control of lκBα Degradation and NF-κB Activity. PLoS ONE, 2011, 6, e25397.	1.1	16
16	Cortical Astrocytes Acutely Exposed to the Monomethylarsonous Acid (MMAIII) Show Increased Pro-inflammatory Cytokines Gene Expression that is Consistent with APP and BACE-1: Over-expression. Neurochemical Research, 2016, 41, 2559-2572.	1.6	15
17	Oligomerization conditions Mdm2-mediated efficient p53 polyubiquitylation but not its proteasomal degradation. International Journal of Biochemistry and Cell Biology, 2010, 42, 725-735.	1.2	12
18	Intranasal Methylprednisolone Ameliorates Neuroinflammation Induced by Chronic Toluene Exposure. Pharmaceutics, 2022, 14, 1195.	2.0	3

#	Article	IF	CITATIONS
19	Recent Advances in Cnidarian Neurotoxin Research. Comments on Modern Biology Part B, Comments on Toxicology, 2003, 9, 161-174.	0.2	2
20	Tert-butyl-(4-hydroxy-3-((3-(2-methylpiperidin-yl)propyl)carbamoyl)phenyl)carbamate Has Moderated Protective Activity in Astrocytes Stimulated with Amyloid Beta 1-42 and in a Scopolamine Model. Molecules, 2020, 25, 5009.	1.7	1