

# Mã³nica Adriana Torres-Ramos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6654458/publications.pdf>

Version: 2024-02-01

20  
papers

940  
citations

567144

15  
h-index

713332

21  
g-index

21  
all docs

21  
docs citations

21  
times ranked

2004  
citing authors

#	ARTICLE	IF	CITATIONS
1	Intranasal Methylprednisolone Ameliorates Neuroinflammation Induced by Chronic Toluene Exposure. <i>Pharmaceutics</i> , 2022, 14, 1195.	2.0	3
2	Neuroprotective Effects of Apocynin and Galantamine During the Chronic Administration of Scopolamine in an Alzheimer's Disease Model. <i>Journal of Molecular Neuroscience</i> , 2020, 70, 180-193.	1.1	21
3	Tert-butyl-(4-hydroxy-3-((3-(2-methylpiperidin-yl)propyl)carbamoyl)phenyl)carbamate Has Moderated Protective Activity in Astrocytes Stimulated with Amyloid Beta 1-42 and in a Scopolamine Model. <i>Molecules</i> , 2020, 25, 5009.	1.7	1
4	Aryl Hydrocarbon Receptor in Post-Mortem Hippocampus and in Serum from Young, Elder, and Alzheimer's Patients. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1983.	1.8	37
5	Cortical Astrocytes Acutely Exposed to the Monomethylarsonous Acid (MMAIII) Show Increased Pro-inflammatory Cytokines Gene Expression that is Consistent with APP and BACE-1: Over-expression. <i>Neurochemical Research</i> , 2016, 41, 2559-2572.	1.6	15
6	Activation of AHR mediates the ubiquitination and proteasome degradation of c-Fos through the induction of Ubcm4 gene expression. <i>Toxicology</i> , 2015, 337, 47-57.	2.0	18
7	Tetramerization defects of p53 result in aberrant ubiquitylation and transcriptional activity. <i>Molecular Oncology</i> , 2014, 8, 1026-1042.	2.1	20
8	Receptor for AGEs (RAGE) as Mediator of NF- $\kappa$ B Pathway Activation in Neuroinflammation and Oxidative Stress. <i>CNS and Neurological Disorders - Drug Targets</i> , 2014, 13, 1615-1626.	0.8	226
9	Multiple Molecular and Cellular Mechanisms of Action of Lycopene in Cancer Inhibition. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-17.	0.5	106
10	Antioxidant properties of xanthenes from <i>Calophyllum brasiliense</i> : prevention of oxidative damage induced by FeSO <sub>4</sub> . <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 262.	3.7	21
11	Selenium-induced antioxidant protection recruits modulation of thioredoxin reductase during excitotoxic/pro-oxidant events in the rat striatum. <i>Neurochemistry International</i> , 2012, 61, 195-206.	1.9	16
12	Isolation of Ubiquitylated Proteins Using Tandem Ubiquitin-Binding Entities. <i>Methods in Molecular Biology</i> , 2012, 832, 173-183.	0.4	34
13	On the antioxidant properties of kynurenic acid: Free radical scavenging activity and inhibition of oxidative stress. <i>Neurotoxicology and Teratology</i> , 2011, 33, 538-547.	1.2	251
14	Role of Monoubiquitylation on the Control of $\beta$ -Amyloid Degradation and NF- $\kappa$ B Activity. <i>PLoS ONE</i> , 2011, 6, e25397.	1.1	16
15	Neuroprotection by Natural Polyphenols: Molecular Mechanisms. <i>Central Nervous System Agents in Medicinal Chemistry</i> , 2010, 10, 269-277.	0.5	24
16	Oligomerization conditions Mdm2-mediated efficient p53 polyubiquitylation but not its proteasomal degradation. <i>International Journal of Biochemistry and Cell Biology</i> , 2010, 42, 725-735.	1.2	12
17	GLT-1 expression and Glu uptake in rat cerebral cortex are increased by phencyclidine. <i>Glia</i> , 2008, 56, 1320-1327.	2.5	29
18	GLT-1 down-regulation induced by clozapine in rat frontal cortex is associated with synaptophysin up-regulation. <i>Journal of Neurochemistry</i> , 2006, 99, 134-141.	2.1	32

#	ARTICLE	IF	CITATIONS
19	Clozapine reduces GLT-1 expression and glutamate uptake in astrocyte cultures. <i>Glia</i> , 2005, 50, 276-279.	2.5	52
20	Recent Advances in Cnidarian Neurotoxin Research. <i>Comments on Modern Biology Part B, Comments on Toxicology</i> , 2003, 9, 161-174.	0.2	2