

# Nicholas Andrew Veldhuis

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6655644/publications.pdf>

Version: 2024-02-01

50  
papers

2,291  
citations

257450

24  
h-index

223800

46  
g-index

52  
all docs

52  
docs citations

52  
times ranked

3250  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neurokinin 1 receptor signaling in endosomes mediates sustained nociception and is a viable therapeutic target for prolonged pain relief. <i>Science Translational Medicine</i> , 2017, 9, .	12.4	158
2	Cathepsin S Causes Inflammatory Pain via Biased Agonism of PAR2 and TRPV4. <i>Journal of Biological Chemistry</i> , 2014, 289, 27215-27234.	3.4	153
3	Protease-activated Receptor 2 (PAR2) Protein and Transient Receptor Potential Vanilloid 4 (TRPV4) Protein Coupling Is Required for Sustained Inflammatory Signaling*. <i>Journal of Biological Chemistry</i> , 2013, 288, 5790-5802.	3.4	140
4	Endosomal signaling of the receptor for calcitonin gene-related peptide mediates pain transmission. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 12309-12314.	7.1	136
5	The G Proteinâ€“Coupled Receptorâ€“Transient Receptor Potential Channel Axis: Molecular Insights for Targeting Disorders of Sensation and Inflammation. <i>Pharmacological Reviews</i> , 2015, 67, 36-73.	16.0	131
6	Protease-activated receptor-2 in endosomes signals persistent pain of irritable bowel syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E7438-E7447.	7.1	128
7	Quantification and Potential Functions of Endogenous Agonists of Transient Receptor Potential Channels in Patients With Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2015, 149, 433-444.e7.	1.3	116
8	G Protein-Coupled Receptors: Dynamic Machines for Signaling Pain and Itch. <i>Neuron</i> , 2015, 88, 635-649.	8.1	115
9	A pH-responsive nanoparticle targets the neurokinin 1 receptor in endosomes to prevent chronic pain. <i>Nature Nanotechnology</i> , 2019, 14, 1150-1159.	31.5	103
10	Cysteine-rich secretory protein 4 is an inhibitor of transient receptor potential M8 with a role in establishing sperm function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 7034-7039.	7.1	96
11	Endosomal signaling of delta opioid receptors is an endogenous mechanism and therapeutic target for relief from inflammatory pain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15281-15292.	7.1	72
12	Cellular Interactions of Liposomes and PISA Nanoparticles during Human Blood Flow in a Microvascular Network. <i>Small</i> , 2020, 16, e2002861.	10.0	67
13	A Novel Ultra-Stable, Monomeric Green Fluorescent Protein For Direct Volumetric Imaging of Whole Organs Using CLARITY. <i>Scientific Reports</i> , 2018, 8, 667.	3.3	66
14	The multi-layered regulation of copper translocating P-type ATPases. <i>BioMetals</i> , 2009, 22, 177-190.	4.1	64
15	Schwann cell endosome CGRP signals elicit periorbital mechanical allodynia in mice. <i>Nature Communications</i> , 2022, 13, 646.	12.8	57
16	Phosphorylation regulates copper-responsive trafficking of the Menkes copper transporting P-type ATPase. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 2403-2412.	2.8	52
17	N-Glycosylation Determines Ionic Permeability and Desensitization of the TRPV1 Capsaicin Receptor. <i>Journal of Biological Chemistry</i> , 2012, 287, 21765-21772.	3.4	44
18	The tyrosine kinase inhibitor bafetinib inhibits <sc>PAR</sc>2â€“induced activation of <sc>TRPV</sc>4 channels <i>in vitro</i> and pain <i>in vivo</i>. <i>British Journal of Pharmacology</i> , 2014, 171, 3881-3894.	5.4	44

#	ARTICLE	IF	CITATIONS
19	Selective G protein signaling driven by substance Pâ€“neurokinin receptor dynamics. <i>Nature Chemical Biology</i> , 2022, 18, 109-115.	8.0	40
20	Activation of Mu Opioid Receptors Sensitizes Transient Receptor Potential Vanilloid Type 1 (TRPV1) via Î²-Arrestin-2-Mediated Cross-Talk. <i>PLoS ONE</i> , 2014, 9, e93688.	2.5	39
21	P2Y1 Receptor Activation of the TRPV4 Ion Channel Enhances Purinergic Signaling in Satellite Glial Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 29051-29062.	3.4	39
22	Rapid Assessment of Nanoparticle Extravasation in a Microfluidic Tumor Model. <i>ACS Applied Nano Materials</i> , 2019, 2, 1844-1856.	5.0	36
23	Transient receptor potential vanilloid 4 inhibits mouse colonic motility by activating NO-dependent enteric neurotransmission. <i>Journal of Molecular Medicine</i> , 2015, 93, 1297-1309.	3.9	31
24	Protein kinase-dependent phosphorylation of the Menkes copper P-type ATPase. <i>Biochemical and Biophysical Research Communications</i> , 2003, 303, 337-342.	2.1	29
25	Internalized GPCRs as Potential Therapeutic Targets for the Management of Pain. <i>Frontiers in Molecular Neuroscience</i> , 2019, 12, 273.	2.9	27
26	Mu and Delta Opioid Receptors Are Coexpressed and Functionally Interact in the Enteric Nervous System of the Mouse Colon. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 9, 465-483.	4.5	23
27	Conservation of copper-transporting P(1B)-type ATPase function. <i>BioMetals</i> , 2010, 23, 681-694.	4.1	22
28	Role of Nonneuronal TRPV4 Signaling in Inflammatory Processes. <i>Advances in Pharmacology</i> , 2017, 79, 117-139.	2.0	22
29	G-Proteinâ€“Coupled Receptors Are Dynamic Regulators of Digestion and Targets for Digestive Diseases. <i>Gastroenterology</i> , 2019, 156, 1600-1616.	1.3	22
30	Inflammation-associated changes in DOR expression and function in the mouse colon. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, G544-G559.	3.4	20
31	Polymers with acyl-protected perthiol chain termini as convenient building blocks for doubly responsive H<sub>2</sub>-S-donating nanoparticles. <i>Polymer Chemistry</i> , 2017, 8, 6362-6367.	3.9	18
32	A lipid-anchored neurokinin 1 receptor antagonist prolongs pain relief by a three-pronged mechanism of action targeting the receptor at the plasma membrane and in endosomes. <i>Journal of Biological Chemistry</i> , 2021, 296, 100345.	3.4	17
33	Diverse Roles of TRPV4 in Macrophages: A Need for Unbiased Profiling. <i>Frontiers in Immunology</i> , 2021, 12, 828115.	4.8	16
34	Sustained endosomal release of a neurokinin-1 receptor antagonist from nanostars provides long-lasting relief of chronic pain. <i>Biomaterials</i> , 2022, 285, 121536.	11.4	16
35	Inflammation-induced abnormalities in the subcellular localization and trafficking of the neurokinin 1 receptor in the enteric nervous system. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, G248-G259.	3.4	15
36	Mice expressing fluorescent PAR <sub>2</sub> reveal that endocytosis mediates colonic inflammation and pain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	14

#	ARTICLE	IF	CITATIONS
37	Localisation and activation of the neurokinin 1 receptor in the enteric nervous system of the mouse distal colon. <i>Cell and Tissue Research</i> , 2014, 356, 319-332.	2.9	11
38	The transient receptor potential vanilloid 4 (TRPV4) ion channel mediates protease activated receptor 1 (PAR1)-induced vascular hyperpermeability. <i>Laboratory Investigation</i> , 2020, 100, 1057-1067.	3.7	11
39	Linker chemistry dictates the delivery of a phototoxic organometallic rhenium( $\text{I}$ ) complex to human cervical cancer cells from core crosslinked star polymer nanoparticles. <i>Journal of Materials Chemistry B</i> , 2018, 6, 7805-7810.	5.8	9
40	Clathrin and GRK2/3 inhibitors block $\mu$ -opioid receptor internalization in myenteric neurons and inhibit neuromuscular transmission in the mouse colon. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, G79-G89.	3.4	9
41	Agonist-dependent development of delta opioid receptor tolerance in the colon. <i>Cellular and Molecular Life Sciences</i> , 2019, 76, 3033-3050.	5.4	9
42	Serotonin-induced vascular permeability is mediated by transient receptor potential vanilloid 4 in the airways and upper gastrointestinal tract of mice. <i>Laboratory Investigation</i> , 2021, 101, 851-864.	3.7	8
43	Mini-review: Dissecting receptor-mediated stimulation of TRPV4 in nociceptive and inflammatory pathways. <i>Neuroscience Letters</i> , 2022, 770, 136377.	2.1	8
44	Development of a shape-controlled H <sub>2</sub> S delivery system using epoxide-functional nanoparticles. <i>Journal of Polymer Science Part A</i> , 2019, 57, 1982-1993.	2.3	7
45	Positive allosteric modulation of endogenous delta opioid receptor signaling in the enteric nervous system is a potential treatment for gastrointestinal motility disorders. <i>American Journal of Physiology - Renal Physiology</i> , 2022, 322, G66-G78.	3.4	7
46	In silico modeling of the Menkes copper-translocating P-type ATPase 3rd metal binding domain predicts that phosphorylation regulates copper-binding. <i>BioMetals</i> , 2011, 24, 477-487.	4.1	6
47	G protein-coupled receptor trafficking and signaling: new insights into the enteric nervous system. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 316, G446-G452.	3.4	6
48	Demonstration of elevated levels of active cathepsin S in dextran sulfate sodium colitis using a new activatable probe. <i>Neurogastroenterology and Motility</i> , 2015, 27, 1675-1680.	3.0	5
49	New small molecule fluorescent probes for G protein-coupled receptors: valuable tools for drug discovery. <i>Future Medicinal Chemistry</i> , 2021, 13, 63-90.	2.3	4
50	Targeting of Transient Receptor Potential Channels in Digestive Disease. , 2015, , 385-403.		2