Marie-José Kersten

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6656335/publications.pdf Version: 2024-02-01

		186209	138417
119	4,018	28	58
papers	citations	h-index	g-index
122	122	122	4736
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Axicabtagene Ciloleucel as Second-Line Therapy for Large B-Cell Lymphoma. New England Journal of Medicine, 2022, 386, 640-654.	13.9	586
2	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. Cancer Treatment Reviews, 2017, 52, 91-104.	3.4	398
3	Management of adults and children undergoing chimeric antigen receptor T-cell therapy: best practice recommendations of the European Society for Blood and Marrow Transplantation (EBMT) and the Joint Accreditation Committee of ISCT and EBMT (JACIE). Haematologica, 2020, 105, 297-316.	1.7	230
4	Long-term clinical outcomes of tisagenlecleucel in patients with relapsed or refractory aggressive B-cell lymphomas (JULIET): a multicentre, open-label, single-arm, phase 2 study. Lancet Oncology, The, 2021, 22, 1403-1415.	5.1	222
5	Acalabrutinib monotherapy in patients with Waldenström macroglobulinemia: a single-arm, multicentre, phase 2 study. Lancet Haematology,the, 2020, 7, e112-e121.	2.2	119
6	Guideline for the diagnosis, treatment and response criteria for Bing-Neel syndrome. Haematologica, 2017, 102, 43-51.	1.7	112
7	Efficacy and safety of <scp>CD19</scp> â€directed <scp>CARâ€T</scp> cell therapies in patients with relapsed/refractory aggressive Bâ€cell lymphomas: Observations from the <scp>JULIET</scp> , <scp>ZUMA</scp> â€I, and <scp>TRANSCEND</scp> trials. American Journal of Hematology, 2021, 96, 1295-1312.	2.0	107
8	Consensus treatment recommendations from the tenth International Workshop for Waldenström Macroglobulinaemia. Lancet Haematology,the, 2020, 7, e827-e837.	2.2	96
9	Tisagenlecleucel cellular kinetics, dose, and immunogenicity in relation to clinical factors in relapsed/refractory DLBCL. Blood Advances, 2020, 4, 560-572.	2.5	88
10	Three-Year Follow-Up of KTE-X19 in Patients With Relapsed/Refractory Mantle Cell Lymphoma, Including High-Risk Subgroups, in the ZUMA-2 Study. Journal of Clinical Oncology, 2023, 41, 555-567.	0.8	82
11	Ibrutinib and idelalisib synergistically target BCR-controlled adhesion in MCL and CLL: a rationale for combination therapy. Blood, 2015, 125, 2306-2309.	0.6	79
12	Carboxy Terminal Variants of Epsteinâ€Barr Virus–Encoded Latent Membrane Protein 1 during Longâ€Term Human Immunodeficiency Virus Infection: Reliable Markers for Individual Strain Identification. Journal of Infectious Diseases, 1999, 179, 240-244.	1.9	74
13	Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. Journal of the National Cancer Institute, 2018, 110, 1190-1200.	3.0	72
14	Dual TORK/DNA-PK inhibition blocks critical signaling pathways in chronic lymphocytic leukemia. Blood, 2016, 128, 574-583.	0.6	69
15	High prevalence of MYD88 and CD79B mutations in intravascular large B-cell lymphoma. Blood, 2018, 131, 2086-2089.	0.6	69
16	Epstein-Barr Virus–Positive Posttransplant Lymphoproliferative Disease After Solid Organ Transplantation. Transplantation Direct, 2016, 2, e48.	0.8	68
17	Randomized controlled trial on the effects of a supervised high intensity exercise program in patients with a hematologic malignancy treated with autologous stem cell transplantation: Results from the EXIST study. PLoS ONE, 2017, 12, e0181313.	1.1	64
18	Phase 2 study of carfilzomib, thalidomide, and dexamethasone as induction/consolidation therapy for newly diagnosed multiple myeloma. Blood, 2015, 125, 449-456.	0.6	60

#	Article	IF	CITATIONS
19	Investigation and management of IgM and Waldenströmâ€associated peripheral neuropathies: recommendations from the <scp>IWWM</scp> â€8 consensus panel. British Journal of Haematology, 2017, 176, 728-742.	1.2	58
20	Combining brentuximab vedotin with dexamethasone, high-dose cytarabine and cisplatin as salvage treatment in relapsed or refractory Hodgkin lymphoma: the phase II HOVON/LLPC Transplant BRaVE study. Haematologica, 2021, 106, 1129-1137.	1.7	57
21	<i>MYD88</i> mutations identify a molecular subgroup of diffuse large B-cell lymphoma with an unfavorable prognosis. Haematologica, 2020, 105, 424-434.	1.7	55
22	Fatigue, anxiety, depression and quality of life in kidney transplant recipients, haemodialysis patients, patients with a haematological malignancy and healthy controls. Nephrology Dialysis Transplantation, 2019, 34, 833-838.	0.4	52
23	Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. Medicine and Science in Sports and Exercise, 2020, 52, 303-314.	0.2	50
24	MYD88 in the driver's seat of B-cell lymphomagenesis: from molecular mechanisms to clinical implications. Haematologica, 2019, 104, 2337-2348.	1.7	48
25	Psychometric properties of two physical activity questionnaires, the AQuAA and the PASE, in cancer patients. BMC Medical Research Methodology, 2011, 11, 30.	1.4	47
26	Voxtalisib (XL765) in patients with relapsed or refractory non-Hodgkin lymphoma or chronic lymphocytic leukaemia: an open-label, phase 2 trial. Lancet Haematology,the, 2018, 5, e170-e180.	2.2	44
27	Prognostic relevance of CD163 and CD8 combined with EZH2 and gain of chromosome 18 in follicular lymphoma: a study by the Lunenburg Lymphoma Biomarker Consortium. Haematologica, 2017, 102, 1413-1423.	1.7	39
28	Treatment of secondary central nervous system lymphoma with intrathecal rituximab, highâ€dose methotrexate, and Râ€DHAP followed by autologous stem cell transplantation: results of the HOVON 80 phase 2 study. Hematological Oncology, 2017, 35, 497-503.	0.8	36
29	Tailoring the amount of treatment information to cancer patients' and survivors' preferences: Effects on patient-reported outcomes. Patient Education and Counseling, 2020, 103, 514-520.	1.0	31
30	Ibrutinib and idelalisib target B cell receptor- but not CXCL12/CXCR4-controlled integrin-mediated adhesion in Waldenstrom macroglobulinemia. Haematologica, 2016, 101, e111-e115.	1.7	30
31	Chimeric Antigen Receptorâ€T Cell Therapy. HemaSphere, 2018, 2, e18.	1.2	30
32	Treatment of patients with MYC rearrangement positive large B-cell lymphoma with R-CHOP plus lenalidomide: results of a multicenter HOVON phase II trial. Haematologica, 2020, 105, 2805-2812.	1.7	30
33	Immune checkpoint inhibitor treatment and atherosclerotic cardiovascular disease: an emerging clinical problem. , 2021, 9, e002916.		29
34	Sustained Disease Control for Adult Patients with Relapsed or Refractory Diffuse Large B-Cell Lymphoma: An Updated Analysis of Juliet, a Global Pivotal Phase 2 Trial of Tisagenlecleucel. Blood, 2018, 132, 1684-1684.	0.6	28
35	Bortezomib Induction and Maintenance in Patients with Newly Diagnosed Multiple Myeloma: Long-Term Follow-up of the HOVON-65/GMMG-HD4 Trial. Blood, 2015, 126, 27-27.	0.6	28
36	Bortezomib-based induction followed by stem cell transplantation in light chain amyloidosis: results of the multicenter HOVON 104 trial. Haematologica, 2019, 104, 2274-2282.	1.7	27

#	Article	IF	CITATIONS
37	Phase I dose-escalation study of brentuximab-vedotin combined with dexamethasone, high-dose cytarabine and cisplatin, as salvage treatment in relapsed/refractory classical Hodgkin lymphoma: The HOVON/LLPC Transplant BRaVE study. Haematologica, 2019, 104, e151-e153.	1.7	27
38	CD19-directed CAR T-cell therapy in B-cell NHL. Current Opinion in Oncology, 2020, 32, 408-417.	1.1	26
39	Thalidomide before and after autologous stem cell transplantation in recently diagnosed multiple myeloma (HOVON-50): long-term results from the phase 3, randomised controlled trial. Lancet Haematology,the, 2018, 5, e479-e492.	2.2	25
40	Correlative Analyses of Patient and Clinical Characteristics Associated with Efficacy in Tisagenlecleucel-Treated Relapsed/Refractory Diffuse Large B-Cell Lymphoma Patients in the Juliet Trial. Blood, 2019, 134, 4103-4103.	0.6	24
41	High Rates of Minimal Residual Disease-Negative (MRDâ [~]) Complete Responses (CR) in Adult and Pediatric and Patients With Relapsed/Refractory Acute Lymphoblastic Leukemia (R/R ALL) Treated With KTE-C19 (Anti-CD19 Chimeric Antigen Receptor [CAR] T Cells): Preliminary Results of the ZUMA-3 and ZUMA-4 Trials. Blood. 2016. 128. 2803-2803.	0.6	24
42	CXCL13 levels are elevated in patients with Waldenström macroglobulinemia, and are predictive of major response to ibrutinib. Haematologica, 2017, 102, e452-e455.	1.7	22
43	Combining Ixazomib With Subcutaneous Rituximab and Dexamethasone in Relapsed or Refractory WaldenstrA¶m's Macroglobulinemia: Final Analysis of the Phase I/II HOVON124/ECWM-R2 Study. Journal of Clinical Oncology, 2022, 40, 40-51.	0.8	22
44	Efficacy and safety of daratumumab combined with all- <i>trans</i> retinoic acid in relapsed/refractory multiple myeloma. Blood Advances, 2021, 5, 5128-5139.	2.5	22
45	Developing a digital communication training tool on information-provision in oncology: uncovering learning needs and training preferences. BMC Medical Education, 2018, 18, 220.	1.0	21
46	The Impact of Semiautomatic Segmentation Methods on Metabolic Tumor Volume, Intensity, and Dissemination Radiomics in ¹⁸ F-FDG PET Scans of Patients with Classical Hodgkin Lymphoma. Journal of Nuclear Medicine, 2022, 63, 1424-1430.	2.8	20
47	Final results of a phase 1b study of the safety and efficacy of the PI3Kδ inhibitor acalisib (GS-9820) in relapsed/refractory lymphoid malignancies. Blood Cancer Journal, 2018, 8, 16.	2.8	19
48	Precision medicine in diffuse large B-cell lymphoma: hitting the target. Haematologica, 2015, 100, 989-93.	1.7	19
49	Physical activity in patients with cancer: self-report versus accelerometer assessments. Supportive Care in Cancer, 2020, 28, 3701-3709.	1.0	18
50	KTE-X19, an Anti-CD19 Chimeric Antigen Receptor (CAR) T Cell Therapy, in Patients (Pts) With Relapsed/Refractory (R/R) Mantle Cell Lymphoma (MCL): Results of the Phase 2 ZUMA-2 Study. Blood, 2019, 134, 754-754.	0.6	18
51	Efficacy and Safety of Tisagenlecleucel in Adult Patients with Relapsed/Refractory Follicular Lymphoma: Interim Analysis of the Phase 2 Elara Trial. Blood, 2020, 136, 1-3.	0.6	18
52	ZUMA-7: A phase 3 randomized trial of axicabtagene ciloleucel (Axi-Cel) versus standard-of-care (SOC) therapy in patients with relapsed/refractory diffuse large B cell lymphoma (R/R DLBCL) Journal of Clinical Oncology, 2018, 36, TPS7585-TPS7585.	0.8	18
53	Validation and Refinement of Prediction Models to Estimate Exercise Capacity in Cancer Survivors Using the Steep Ramp Test. Archives of Physical Medicine and Rehabilitation, 2017, 98, 2167-2173.	0.5	15
54	Correlation of Bridging and Lymphodepleting Chemotherapy with Clinical Outcomes in Patients with Relapsed/Refractory Diffuse Large B-Cell Lymphoma Treated with Tisagenlecleucel. Blood, 2019, 134, 2883-2883.	0.6	15

#	Article	IF	CITATIONS
55	Bortezomib Maintenance Therapy after Induction with R-CHOP, ARA-C and Autologous Stem Cell Transplantation in Newly Diagnosed MCL Patients, Results of a Multicenter Phase II HOVON Study. Blood, 2015, 126, 339-339.	0.6	15
56	Provider caring and structuring treatment information to improve cancer patients' recall: Does it help?. Patient Education and Counseling, 2020, 103, 55-62.	1.0	14
57	<scp>WhiMSICAL</scp> : A global Waldenström's Macroglobulinemia patientâ€derived data registry capturing treatment and quality of life outcomes. American Journal of Hematology, 2021, 96, E218-E222.	2.0	12
58	Health-related physical fitness in patients with multiple myeloma or lymphoma recently treated with autologous stem cell transplantation. Journal of Science and Medicine in Sport, 2017, 20, 116-122.	0.6	11
59	The Successful Return-To-Work Questionnaire for Cancer Survivors (I-RTW_CS): Development, Validity and Reproducibility. Patient, 2020, 13, 567-582.	1.1	11
60	Primary therapy and relative survival in classical Hodgkin lymphoma: a nationwide population-based study in the Netherlands, 1989–2017. Leukemia, 2021, 35, 494-505.	3.3	11
61	Frequent mutated <i>B2M</i> , <i>EZH2</i> , <i>IRF8</i> , and <i>TNFRSF14</i> in primary bone diffuse large B-cell lymphoma reflect a GCB phenotype. Blood Advances, 2021, 5, 3760-3775.	2.5	11
62	Acalabrutinib in patients (pts) with Waldenström macroglobulinemia (WM) Journal of Clinical Oncology, 2018, 36, 7501-7501.	0.8	11
63	Reduced relapse rate in upfront tandem autologous/reduced-intensity allogeneic transplantation in multiple myeloma only results in borderline non-significant prolongation of progression-free but not overall survival. Haematologica, 2015, 100, e508-e510.	1.7	10
64	Clinicopathological characteristics of T-cell non-Hodgkin lymphoma arising in patients with immunodeficiencies: a single-center case series of 25 patients and a review of the literature. Haematologica, 2018, 103, 486-496.	1.7	9
65	Tisagenlecleucel Vs Standard of Care As Second-Line Therapy of Primary Refractory or Relapsed Aggressive B-Cell Non-Hodgkin Lymphoma: Analysis of the Phase III Belinda Study. Blood, 2021, 138, LBA-6-LBA-6.	0.6	9
66	Rituximabâ€ <scp>PECC</scp> induction followed by ⁹⁰ Yâ€ibritumomab tiuxetan consolidation in relapsed or refractory <scp>DLBCL</scp> patients who are ineligible for or have failed <scp>ASCT</scp> : results from a phase <scp>II HOVON</scp> study. British Journal of Haematology, 2019, 187, 347-355.	1.2	8
67	Stage-specific trends in primary therapy and survival in follicular lymphoma: a nationwide population-based analysis in the Netherlands, 1989–2016. Leukemia, 2021, 35, 1683-1695.	3.3	8
68	Successful Treatment of MYC rearrangement Positive Large B Cell Lymphoma Patients with R-CHOP21 Plus Lenalidomide: Results of a Multicenter Phase II HOVON Trial. Blood, 2018, 132, 786-786.	0.6	8
69	Impact of Tisagenlecleucel Chimeric Antigen Receptor (CAR)-T Cell Therapy Product Attributes on Clinical Outcomes in Adults with Relapsed or Refractory Diffuse Large B-Cell Lymphoma (r/r DLBCL). Blood, 2019, 134, 242-242.	0.6	8
70	SAR245409 Monotherapy In Relapsed/Refractory Follicular Lymphoma: Preliminary Results From The Phase II ARD12130 Study. Blood, 2013, 122, 86-86.	0.6	8
71	Efficacy of Tisagenlecleucel in Adult Patients (Pts) with High-Risk Relapsed/Refractory Follicular Lymphoma (r/r FL): Subgroup Analysis of the Phase II Elara Study. Blood, 2021, 138, 131-131.	0.6	8
72	Serum neurofilament light chain, contactin-1 and complement activation in anti-MAG IgM paraprotein-related peripheral neuropathy. Journal of Neurology, 2022, 269, 3700-3705.	1.8	8

Marie-José Kersten

#	Article	IF	CITATIONS
73	Discriminating between Waldenström macroglobulinemia and marginal zone lymphoma using logistic LASSO regression. Leukemia and Lymphoma, 2022, 63, 1070-1079.	0.6	8
74	Radioimmunotherapy in follicular lymphoma: Some like it hot…. Transfusion and Apheresis Science, 2011, 44, 173-178.	0.5	7
75	Ixazomib, Rituximab and Dexamethasone (IRD) in Patients with Relapsed or Progressive Waldenstrom's Macroblobulinemia: Results of the Prospective Phase I/II HOVON 124/Ecwm-R2 Trial. Blood, 2019, 134, 344-344.	0.6	7
76	Interim Analysis Of Dose-Escalation Stage Of a Phase 1b Study Evaluating Safety and Pharmacology Of GS-9820, a Second-Generation, Selective, PI3Kd-Inhibitor in Recurrent Lymphoid Malignancies. Blood, 2013, 122, 2881-2881.	0.6	7
77	Phase 2 Study of Carfilzomib, Thalidomide, and Low-Dose Dexamethasone As Induction/Consolidation in Newly Diagnosed, Transplant Eligible Patients with Multiple Myeloma, the Carthadex Trial. Blood, 2016, 128, 1141-1141.	0.6	7
78	Preliminary results of earlier steroid use with axicabtagene ciloleucel (axi-cel) in patients with relapsed/refractory large B-cell lymphoma (R/R LBCL) Journal of Clinical Oncology, 2019, 37, 7558-7558.	0.8	7
79	Primary therapy and relative survival in patients with lymphoplasmacytic lymphoma/Waldenström macroglobulinaemia: a populationâ€based study in the Netherlands, 1989–2018. British Journal of Haematology, 2022, 196, 660-669.	1.2	7
80	Comparative efficacy of tisagenlecleucel and lisocabtagene maraleucel among adults with relapsed/refractory large B-cell lymphomas: an indirect treatment comparison. Leukemia and Lymphoma, 2022, 63, 845-854.	0.6	6
81	Time trends in primary therapy and relative survival of diffuse large B-cell lymphoma by stage: a nationwide, population-based study in the Netherlands, 1989â€ ^e 2018. Blood Cancer Journal, 2022, 12, 38.	2.8	6
82	Biological and Clinical Implications of Gene-Expression Profiling in Diffuse Large B-Cell Lymphoma: A Proposal for a Targeted BLYM-777 Consortium Panel as Part of a Multilayered Analytical Approach. Cancers, 2022, 14, 1857.	1.7	6
83	Targeting cell adhesion and homing as strategy to cure Waldenström's macroglobulinemia. Best Practice and Research in Clinical Haematology, 2016, 29, 161-168.	0.7	5
84	Rare but Serious: Ibrutinib Induced Liver Failure. HemaSphere, 2019, 3, e307.	1.2	5
85	The impact of prior malignancies on the development of second malignancies and survival in follicular lymphoma: A populationâ€based study. EJHaem, 2020, 1, 489-497.	0.4	5
86	Effective Information Provision About the Side Effects of Treatment for Malignant Lymphoma: Protocol of a Randomized Controlled Trial Using Video Vignettes. JMIR Research Protocols, 2019, 8, e12453.	0.5	5
87	Risk of second primary malignancies in patients with follicular lymphoma: a population-based study in the Netherlands, 1989-2018. Blood Cancer Journal, 2021, 11, 179.	2.8	5
88	Health-related quality of life in cancer immunotherapy: a systematic perspective, using causal loop diagrams. Quality of Life Research, 2022, 31, 2357-2366.	1.5	5
89	How to choose first salvage therapy in Hodgkin lymphoma: traditional chemotherapy vs novel agents. Hematology American Society of Hematology Education Program, 2021, 2021, 240-246.	0.9	5
90	Bendamustine Plus Rituximab for the Treatment of Waldenström Macroglobulinaemia: Patient Outcomes and Impact of Bendamustine Dosing. Blood, 2020, 136, 10-11.	0.6	4

#	Article	IF	CITATIONS
91	Bortezomib-Based Induction and Maintenance Overcomes the Negative Prognostic Impact of Renal Impairment and del17p in Transplant-Eligible Myeloma Patients: Long Term Results from the Phase III HOVON-65/GMMG-HD4 Study after Median 137 Months Follow up. Blood, 2019, 134, 3308-3308.	0.6	3
92	Combined Inhibition of mTOR and DNA-PK Blocks Survival, Adhesion, Proliferation and Chemoresistance in Primary Chronic Lymphocytic Leukemia (CLL) Cells. Blood, 2014, 124, 1981-1981.	0.6	3
93	Effect of Brentuximab Vedotin Addition to Chemotherapy and Prognostic Factors in Patients with Relapsed/Refractory Hodgkin Lymphoma: A Large Multi-Trial Analysis Based on Individual Patient Data. Blood, 2021, 138, 879-879.	0.6	3
94	T-cell subset composition and functionality in patients with Waldenström's macroglobulinemia. Leukemia and Lymphoma, 2022, , 1-5.	0.6	3
95	Causes of death of patients with follicular lymphoma in the Netherlands by stage and age groups: a population-based study in the pre- and post-rituximab era. Leukemia, 2022, 36, 1416-1420.	3.3	3
96	HOVON110/ReBeL Study: Results of the Phase I Part of a Randomized Phase I/II Study of Lenalidomide, Rituximab With or Without Bendamustine in Patients With Relapsed/Refractory Follicular Lymphoma. HemaSphere, 2020, 4, e325.	1.2	2
97	Comparative efficacy of tisagenlecleucel (tisa-cel) and lisocabtagene maraleucel (liso-cel) in patients with relapsed/refractory diffuse large B-cell lymphoma (r/r DLBCL) Journal of Clinical Oncology, 2021, 39, 7535-7535.	0.8	2
98	EHA Endorsement of ESMO Clinical Practice Guidelines for Diagnosis, Treatment, and Follow-up for Waldenström's Macroglobulinemia. HemaSphere, 2021, 5, e634.	1.2	2
99	Defining the Incidence, Pathology and Clinical Outcomes of Kidney Disease Related to Waldenstrom's Macroglobulinemia and IgM MGUS. Blood, 2015, 126, 3926-3926.	0.6	2
100	Conditional relative survival in Waldenström's macroglobulinaemia: a populationâ€based study in The Netherlands. British Journal of Haematology, 2021, , .	1.2	2
101	Evaluating Patients' Preferences Regarding Treatment Options for Waldenström's Macroglobulinemia, a Discrete-Choice-Experiment. Blood, 2021, 138, 835-835.	0.6	2
102	Conditional relative survival among patients with follicular lymphoma: a population-based study in the Netherlands. Blood Cancer Journal, 2021, 11, 12.	2.8	1
103	Conditional relative survival among patients with nodular lymphocyte-predominant Hodgkin lymphoma in the Netherlands. Blood Cancer Journal, 2021, 11, 87.	2.8	1
104	Cost-effectiveness of lenalidomide plus rituximab versus rituximab monotherapy in patients with previously treated follicular lymphoma: a societal view. Expert Review of Anticancer Therapy, 2021, 21, 1-12.	1.1	1
105	Whimsical (Waldenstrom's Macroglobulinemia Study Involving CArt-wheeL): A Global Patient-Derived Data Registry Capturing Treatment, Quality of Life and COVID-19 Data. Blood, 2020, 136, 30-31.	0.6	1
106	Gene Expression Profiles Are Best Suited To Assess Present Though Not Future Clinical Aggressiveness in Follicular Lymphoma Blood, 2004, 104, 698-698.	0.6	1
107	A Phase 1B Study of CC-122 in Combination with Obinutuzumab (GA101) in Relapsed or Refractory Diffuse Large B-Cell Lymphoma and Indolent Non-Hodgkin Lymphoma. Blood, 2016, 128, 4199-4199.	0.6	1
108	Combined Inhibition of Phosphatidylinositol 3-Kinase (PI3K) Isoform α and δ By the Pan-Class I PI3K Inhibitor SAR245409 (XL765) in Primary Chronic Lymphocytic Leukemia Cells Blocks Survival, Adhesion and Proliferation. Blood, 2014, 124, 4691-4691.	0.6	1

Marie-José Kersten

#	Article	IF	CITATIONS
109	The Impact of Allogeneic Stem Cell Transplantation As Part of First Line Treatment on Outcome of Patients with Multiple Myeloma Depends on the Method of Analysis. Blood, 2014, 124, 1209-1209.	0.6	1
110	First-Line Treatment and Survival of Stage I(E) Peripheral T-Cell Lymphoma in the Netherlands; A Nationwide Population-Based Cohort Study. Blood, 2021, 138, 1381-1381.	0.6	1
111	Professor Anton Hagenbeek 1948–2021: Father of MRD and lymphoma expert. Bone Marrow Transplantation, 2021, 56, 2038-2039.	1.3	0
112	Gene Expression Profiling Can Predict Responsiveness to Chemotherapy in Patients with Transformation of Follicular Lymphoma Blood, 2006, 108, 823-823.	0.6	0
113	CMV-Associated Expansion of CD8+CD45RA+CD27â^ T-Cells in Patients with B-Cell Malignancies Blood, 2007, 110, 3592-3592.	0.6	0
114	In Vivo Tumor Dynamic Studies in Stable CLL Show an Association between CLL Turnover Rates and IgVH Mutational Status and Provide Evidence That the Bone Marrow Is Not a Major Site of Neoplastic Cell Generation Blood, 2007, 110, 1128-1128.	0.6	0
115	Genetic Associations with Therapy Response in the HOVON-65/GMMG-HD4 Trial in Patients with Multiple Myeloma Blood, 2009, 114, 1790-1790.	0.6	0
116	High Incidence of Peripheral Blood Plasmacytosis In Patients with Dengue Virus Infection: a Prospective Study. Blood, 2010, 116, 2772-2772.	0.6	0
117	Phase I/II Trial of Weekly Escalated Dose Bortezomib Combined with Lenalidomide and Dexamethasone in Patients in First Relapse or Primary Refractory Disease after First Line Therapy for Multiple Myeloma. Blood, 2014, 124, 4735-4735.	0.6	0
118	Tumor Specific Glycosylated CD43 Is a Novel and Highly Specific Target for Acute Myeloid Leukemia and Myelodysplastic Syndrome. Blood, 2016, 128, 1646-1646.	0.6	0
119	Global Waldenström's Macroglobulinemia Patient-Derived Data Registry, Whimsical, Highlights Real-World Treatment Outcomes and COVID-19 Data. Blood, 2021, 138, 1343-1343.	0.6	0