

Xiaolin Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6658101/publications.pdf>

Version: 2024-02-01

93
papers

5,472
citations

66234

42
h-index

85405

71
g-index

93
all docs

93
docs citations

93
times ranked

5387
citing authors

#	ARTICLE	IF	CITATIONS
1	Tailoring noble metal nanoparticle designs to enable sensitive lateral flow immunoassay. <i>Theranostics</i> , 2022, 12, 574-602.	4.6	63
2	Low-sample-consumption and ultrasensitive detection of procalcitonin by boronate affinity recognition-enhanced dynamic light scattering biosensor. <i>Biosensors and Bioelectronics</i> , 2022, 200, 113914.	5.3	9
3	Ultrasensitive dynamic light scattering immunosensing platform for NT-proBNP detection using boronate affinity amplification. <i>Journal of Nanobiotechnology</i> , 2022, 20, 21.	4.2	8
4	“Three-in-One” Multifunctional Nanohybrids with Colorimetric Magnetic Catalytic Activities to Enhance Immunochromatographic Diagnosis. <i>ACS Nano</i> , 2022, 16, 3351-3361.	7.3	69
5	Avoiding the self-nucleation interference: a pH-regulated gold <i>in situ</i> growth strategy to enable ultrasensitive immunochromatographic diagnostics. <i>Theranostics</i> , 2022, 12, 2801-2810.	4.6	12
6	Oxygen Quenching-Resistant Nanoaggregates with Aggregation-Induced Delayed Fluorescence for Time-Resolved Mapping of Intracellular Microviscosity. <i>ACS Nano</i> , 2022, 16, 6176-6184.	7.3	7
7	Ratiometric Monitoring of Biogenic Amines by a Simple Ammonia-Response Aiegen. <i>Foods</i> , 2022, 11, 932.	1.9	6
8	A Universal Boronate Affinity Crosslinking Amplified Dynamic Light Scattering Immunoassay for Point-of-Care Glycoprotein Detection. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	15
9	A Universal Boronate Affinity Crosslinking Amplified Dynamic Light Scattering Immunoassay for Point-of-Care Glycoprotein Detection. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	0
10	Covalent organic framework-gold nanoparticle heterostructures amplified dynamic light scattering immunosensor for ultrasensitive detection of NT-proBNP in whole blood. <i>Sensors and Actuators B: Chemical</i> , 2022, 364, 131872.	4.0	5
11	A novel magneto-gold nanohybrid-enhanced lateral flow immunoassay for ultrasensitive and rapid detection of ochratoxin A in grape juice. <i>Food Chemistry</i> , 2021, 336, 127710.	4.2	37
12	pH-Responsive Torpedo-Like Persistent Luminescence Nanoparticles for Autofluorescence-Free Biosensing and High-Level Information Encryption. <i>Angewandte Chemie</i> , 2021, 133, 2428-2435.	1.6	14
13	pH-Responsive Torpedo-Like Persistent Luminescence Nanoparticles for Autofluorescence-Free Biosensing and High-Level Information Encryption. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 2398-2405.	7.2	68
14	Integrated nanoparticle size with membrane porosity for improved analytical performance in sandwich immunochromatographic assay. <i>Analytica Chimica Acta</i> , 2021, 1141, 136-143.	2.6	10
15	Direct competitive ELISA enhanced by dynamic light scattering for the ultrasensitive detection of aflatoxin B1 in corn samples. <i>Food Chemistry</i> , 2021, 342, 128327.	4.2	36
16	Controlled copper in situ growth-amplified lateral flow sensors for sensitive, reliable, and field-deployable infectious disease diagnostics. <i>Biosensors and Bioelectronics</i> , 2021, 171, 112753.	5.3	29
17	Wash-free detection and bioimaging by AIEgens. <i>Materials Chemistry Frontiers</i> , 2021, 5, 723-743.	3.2	25
18	Hyperbranched Gold Plasmonic Blackbodies Enhanced Immunochromatographic Test Strip for the Sensitive Detection of Aflatoxin B1 in Maize Sample. <i>Food Analytical Methods</i> , 2021, 14, 2017-2025.	1.3	4

#	ARTICLE	IF	CITATIONS
19	Gold Nanobeads with Enhanced Absorbance for Improved Sensitivity in Competitive Lateral Flow Immunoassays. <i>Foods</i> , 2021, 10, 1488.	1.9	13
20	A self-luminous bifunctional bacteria directed fluorescent immunosensor for the simultaneous detection and quantification of three pathogens in milk. <i>Sensors and Actuators B: Chemical</i> , 2021, 338, 129757.	4.0	10
21	Hydrazide-assisted directional antibody conjugation of gold nanoparticles to enhance immunochromatographic assay. <i>Analytica Chimica Acta</i> , 2021, 1168, 338623.	2.6	20
22	Dynamic light scattering immunosensor based on metal-organic framework mediated gold growth strategy for the ultra-sensitive detection of alpha-fetoprotein. <i>Sensors and Actuators B: Chemical</i> , 2021, 341, 130030.	4.0	12
23	Manipulating Intratumoral Fenton Chemistry for Enhanced Chemodynamic and Chemodynamic-Synergized Multimodal Therapy. <i>Advanced Materials</i> , 2021, 33, e2104223.	11.1	210
24	Development of a rapid and sensitive quantum dot nanobead-based double-antigen sandwich lateral flow immunoassay and its clinical performance for the detection of SARS-CoV-2 total antibodies. <i>Sensors and Actuators B: Chemical</i> , 2021, 343, 130139.	4.0	61
25	Recent advances in colorimetry/fluorimetry-based dual-modal sensing technologies. <i>Biosensors and Bioelectronics</i> , 2021, 190, 113386.	5.3	53
26	Light scattering intensity as signal transducer to enhance the performance of immunoassay for Cronobacter detection in powdered infant formula. <i>Sensors and Actuators B: Chemical</i> , 2021, 344, 130312.	4.0	4
27	Boronate affinity-assisted oriented antibody conjugation on quantum dot nanobeads for improved detection performance in lateral flow immunoassay. <i>Microchemical Journal</i> , 2021, 171, 106822.	2.3	7
28	Eco-Friendly Fluorescent ELISA Based on Bifunctional Phage for Ultrasensitive Detection of Ochratoxin A in Corn. <i>Foods</i> , 2021, 10, 2429.	1.9	12
29	Point-of-care COVID-19 diagnostics powered by lateral flow assay. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 145, 116452.	5.8	103
30	Ensuring food safety using fluorescent nanoparticles-based immunochromatographic test strips. <i>Trends in Food Science and Technology</i> , 2021, 118, 658-678.	7.8	41
31	AI Egen for cancer discrimination. <i>Materials Science and Engineering Reports</i> , 2021, 146, 100649.	14.8	23
32	Comparison of three sample addition methods in competitive and sandwich colloidal gold immunochromatographic assay. <i>Analytica Chimica Acta</i> , 2020, 1094, 90-98.	2.6	16
33	Amphiphilic ligand modified gold nanocarriers to amplify lanthanide loading for ultrasensitive DELFIA detection of Cronobacter. <i>Analyst</i> , The, 2020, 145, 249-256.	1.7	0
34	Core-Shell Heterostructured Magnetic Plasmonic Nanoassemblies with Highly Retained Magnetic Plasmonic Activities for Ultrasensitive Bioanalysis in Complex Matrix. <i>Advanced Science</i> , 2020, 7, 1902433.	5.6	31
35	Natural enzyme-free colorimetric immunoassay for human chorionic gonadotropin detection based on the Ag ⁺ -triggered catalytic activity of cetyltrimethylammonium bromide-coated gold nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2020, 305, 127439.	4.0	18
36	Dramatically Enhanced Immunochromatographic Assay Using Cascade Signal Amplification for Ultrasensitive Detection of Escherichia coli O157:H7 in Milk. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 1118-1125.	2.4	69

#	ARTICLE	IF	CITATIONS
37	Gold nanoparticle-decorated metal organic frameworks on immunochromatographic assay for human chorionic gonadotropin detection. <i>Mikrochimica Acta</i> , 2020, 187, 640.	2.5	21
38	Emerging strategies to enhance the sensitivity of competitive ELISA for detection of chemical contaminants in food samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 126, 115861.	5.8	94
39	ALeEgens: An emerging fluorescent sensing tool to aid food safety and quality control. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020, 19, 2297-2329.	5.9	39
40	Self-assembled colloidal gold superparticles to enhance the sensitivity of lateral flow immunoassays with sandwich format. <i>Theranostics</i> , 2020, 10, 3737-3748.	4.6	58
41	Magnetic-Plasmonic Nanoassemblies: Core-Shell-Heterostructured Magnetic-Plasmonic Nanoassemblies with Highly Retained Magnetic-Plasmonic Activities for Ultrasensitive Bioanalysis in Complex Matrix (<i>Adv. Sci.</i> 2/2020). <i>Advanced Science</i> , 2020, 7, 2070011.	5.6	1
42	Engineered gold nanoparticles as multicolor labels for simultaneous multi-mycotoxin detection on the immunochromatographic test strip nanosensor. <i>Sensors and Actuators B: Chemical</i> , 2020, 316, 128107.	4.0	63
43	Cancer cell discrimination and dynamic viability monitoring through wash-free bioimaging using ALeEgens. <i>Chemical Science</i> , 2020, 11, 7676-7684.	3.7	45
44	Emerging design strategies for constructing multiplex lateral flow test strip sensors. <i>Biosensors and Bioelectronics</i> , 2020, 157, 112168.	5.3	84
45	Integrated gold superparticles into lateral flow immunoassays for the rapid and sensitive detection of <i>Escherichia coli</i> O157:H7 in milk. <i>Journal of Dairy Science</i> , 2020, 103, 6940-6949.	1.4	15
46	Integrated magneto-fluorescence nanobeads for ultrasensitive glycoprotein detection using antibody coupled boronate-affinity recognition. <i>Chemical Communications</i> , 2019, 55, 10312-10315.	2.2	17
47	Gold Nanoflower-Enhanced Dynamic Light Scattering Immunosensor for the Ultrasensitive No-Wash Detection of <i>Escherichia coli</i> O157:H7 in Milk. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 9104-9111.	2.4	28
48	Biotin-Streptavidin System-Mediated Ratiometric Multiplex Immunochromatographic Assay for Simultaneous and Accurate Quantification of Three Mycotoxins. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 9022-9031.	2.4	56
49	A Gold Growth-Based Plasmonic ELISA for the Sensitive Detection of Fumonisin B1 in Maize. <i>Toxins</i> , 2019, 11, 323.	1.5	17
50	Emerging strategies to develop sensitive AuNP-based ICTS nanosensors. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 112, 147-160.	5.8	77
51	Fluorescence immunoassay through histone-ds-poly(AT)-templated copper nanoparticles as signal transducers for the sensitive detection of <i>Salmonella choleraesuis</i> in milk. <i>Journal of Dairy Science</i> , 2019, 102, 6047-6055.	1.4	7
52	Multicolor quantum dot nanobeads for simultaneous multiplex immunochromatographic detection of mycotoxins in maize. <i>Sensors and Actuators B: Chemical</i> , 2019, 291, 411-417.	4.0	107
53	A Catalase-Like Metal-Organic Framework Nanohybrid for O_2 -Evolving Synergistic Chemoradiotherapy. <i>Angewandte Chemie</i> , 2019, 131, 8844-8848.	1.6	33
54	A Catalase-Like Metal-Organic Framework Nanohybrid for O_2 -Evolving Synergistic Chemoradiotherapy. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 8752-8756.	7.2	154

#	ARTICLE	IF	CITATIONS
55	Magnetic Quantum Dot Nanobead-Based Fluorescent Immunochromatographic Assay for the Highly Sensitive Detection of Aflatoxin B ₁ in Dark Soy Sauce. <i>Analytical Chemistry</i> , 2019, 91, 4727-4734.	3.2	108
56	Quantum bead-based fluorescence-linked immunosorbent assay for ultrasensitive detection of aflatoxin M1 in pasteurized milk, yogurt, and milk powder. <i>Journal of Dairy Science</i> , 2019, 102, 3985-3993.	1.4	21
57	Supramolecular Recognition-Mediated Layer-by-Layer Self-Assembled Gold Nanoparticles for Customized Sensitivity in Paper-Based Strip Nanobiosensors. <i>Small</i> , 2019, 15, e1903861.	5.2	47
58	Plasmonic ELISA based on DNA-directed gold nanoparticle growth for Cronobacter detection in powdered infant formula samples. <i>Journal of Dairy Science</i> , 2019, 102, 10877-10886.	1.4	19
59	An amphiphilic-ligand-modified gold nanoflower probe for enhancing the stability of lateral flow immunoassays in dried distillers grains. <i>RSC Advances</i> , 2019, 9, 36670-36679.	1.7	5
60	Hybrid Nanomedicine Fabricated from Photosensitizer-Terminated Metal-Organic Framework Nanoparticles for Photodynamic Therapy and Hypoxia-Activated Cascade Chemotherapy. <i>Small</i> , 2019, 15, e1804131.	5.2	105
61	Urease-induced metallization of gold nanorods for the sensitive detection of Salmonella enterica Choleraesuis through colorimetric ELISA. <i>Journal of Dairy Science</i> , 2019, 102, 1997-2007.	1.4	37
62	Folic Acid Targeting for Efficient Isolation and Detection of Ovarian Cancer CTCs from Human Whole Blood Based on Two-Step Binding Strategy. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 14055-14062.	4.0	52
63	Ratiometric optical nanoprobe enable accurate molecular detection and imaging. <i>Chemical Society Reviews</i> , 2018, 47, 2873-2920.	18.7	579
64	Multi-branched gold nanoflower-embedded iron porphyrin for colorimetric immunosensor. <i>Biosensors and Bioelectronics</i> , 2018, 102, 9-16.	5.3	60
65	Plasmonic ELISA for naked-eye detection of ochratoxin A based on the tyramine-H ₂ O ₂ amplification system. <i>Sensors and Actuators B: Chemical</i> , 2018, 259, 162-169.	4.0	42
66	Fluorescence ELISA based on CAT-regulated fluorescence quenching of CdTe QDs for sensitive detection of FB ₁ . <i>Analytical Methods</i> , 2018, 10, 5797-5802.	1.3	28
67	Fluorescence immunoassay based on the enzyme cleaving ss-DNA to regulate the synthesis of histone-ds-poly(AT) templated copper nanoparticles. <i>Nanoscale</i> , 2018, 10, 19890-19897.	2.8	17
68	Synchronous Chemoradiation Nanovesicles by X-Ray Triggered Cascade of Drug Release. <i>Angewandte Chemie</i> , 2018, 130, 8599-8603.	1.6	4
69	Dual-mode fluorescent and colorimetric immunoassay for the ultrasensitive detection of alpha-fetoprotein in serum samples. <i>Analytica Chimica Acta</i> , 2018, 1038, 112-119.	2.6	21
70	Three-in-one Nanohybrids as Synergistic Nanoquencher to Enhance No-Wash Fluorescence Biosensors for Ratiometric Detection of Cancer Biomarkers. <i>Theranostics</i> , 2018, 8, 3461-3473.	4.6	72
71	Glutathione-Responsive Self-Assembled Magnetic Gold Nanowreath for Enhanced Tumor Imaging and Imaging-Guided Photothermal Therapy. <i>ACS Nano</i> , 2018, 12, 8129-8137.	7.3	131
72	Synchronous Chemoradiation Nanovesicles by X-Ray Triggered Cascade of Drug Release. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8463-8467.	7.2	59

#	ARTICLE	IF	CITATIONS
73	Supramolecular Polymer-Based Nanomedicine: High Therapeutic Performance and Negligible Long-Term Immunotoxicity. <i>Journal of the American Chemical Society</i> , 2018, 140, 8005-8019.	6.6	227
74	Controllable self-assembled plasmonic vesicle-based three-dimensional SERS platform for picomolar detection of hydrophobic contaminants. <i>Nanoscale</i> , 2018, 10, 13202-13211.	2.8	25
75	Ultrasensitive direct competitive FLISA using highly luminescent quantum dot beads for tuning affinity of competing antigens to antibodies. <i>Analytica Chimica Acta</i> , 2017, 972, 94-101.	2.6	34
76	Nanotechnology-Enhanced No-Wash Biosensors for <i>in Vitro</i> Diagnostics of Cancer. <i>ACS Nano</i> , 2017, 11, 5238-5292.	7.3	208
77	Size-Dependent Immunochromatographic Assay with Quantum Dot Nanobeads for Sensitive and Quantitative Detection of Ochratoxin A in Corn. <i>Analytical Chemistry</i> , 2017, 89, 7062-7068.	3.2	102
78	Two-step large-volume magnetic separation combined with PCR assay for sensitive detection of <i>Listeria monocytogenes</i> in pasteurized milk. <i>Journal of Dairy Science</i> , 2017, 100, 7883-7890.	1.4	39
79	Fluorescence ELISA for sensitive detection of ochratoxin A based on glucose oxidase-mediated fluorescence quenching of CdTe QDs. <i>Analytica Chimica Acta</i> , 2016, 936, 195-201.	2.6	55
80	Ultrasensitive fluorescence immunoassay for detection of ochratoxin A using catalase-mediated fluorescence quenching of CdTe QDs. <i>Nanoscale</i> , 2016, 8, 9390-9397.	2.8	66
81	A novel fluorescence immunoassay for the sensitive detection of <i>Escherichia coli</i> O157:H7 in milk based on catalase-mediated fluorescence quenching of CdTe quantum dots. <i>Analytica Chimica Acta</i> , 2016, 947, 50-57.	2.6	56
82	Novel fluorescent ELISA for the sensitive detection of zearalenone based on H ₂ O ₂ -sensitive quantum dots for signal transduction. <i>Talanta</i> , 2016, 158, 51-56.	2.9	62
83	Nanospherical Brush as Catalase Container for Enhancing the Detection Sensitivity of Competitive Plasmonic ELISA. <i>Analytical Chemistry</i> , 2016, 88, 1951-1958.	3.2	61
84	Effect of the tip length of multi-branched AuNFs on the detection performance of immunochromatographic assays. <i>Analytical Methods</i> , 2016, 8, 3316-3324.	1.3	36
85	Effect of different-sized spherical gold nanoparticles grown layer by layer on the sensitivity of an immunochromatographic assay. <i>RSC Advances</i> , 2016, 6, 26178-26185.	1.7	57
86	Phage-free peptide ELISA for ochratoxin A detection based on biotinylated mimotope as a competing antigen. <i>Talanta</i> , 2016, 146, 394-400.	2.9	62
87	Membrane-based lateral flow immunochromatographic strip with nanoparticles as reporters for detection: A review. <i>Biosensors and Bioelectronics</i> , 2016, 75, 166-180.	5.3	394
88	Plasmonic Enzyme-Linked Immunosorbent Assay Using Nanospherical Brushes as a Catalase Container for Colorimetric Detection of Ultralow Concentrations of <i>Listeria monocytogenes</i> . <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 28632-28639.	4.0	62
89	Magnetic beads carrying poly(acrylic acid) brushes as nanobody containers for immunoaffinity purification of aflatoxin B1 from corn samples. <i>RSC Advances</i> , 2015, 5, 77380-77387.	1.7	15
90	Gold nanoparticle-based dynamic light scattering immunoassay for ultrasensitive detection of <i>Listeria monocytogenes</i> in lettuces. <i>Biosensors and Bioelectronics</i> , 2015, 66, 184-190.	5.3	84

#	ARTICLE	IF	CITATIONS
91	Immunochromatographic Assay for Ultrasensitive Detection of Aflatoxin B ₁ in Maize by Highly Luminescent Quantum Dot Beads. ACS Applied Materials & Interfaces, 2014, 6, 14215-14222.	4.0	230
92	Ru(phen) ₃ ²⁺ doped silica nanoparticle based immunochromatographic strip for rapid quantitative detection of β -agonist residues in swine urine. Talanta, 2013, 114, 160-166.	2.9	51
93	Fluorescent Ru(phen) ₃ ²⁺ -Doped Silica Nanoparticles-Based ICTS Sensor for Quantitative Detection of Enrofloxacin Residues in Chicken Meat. Analytical Chemistry, 2013, 85, 5120-5128.	3.2	103