

# Jackson Bittencourt

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6658409/jackson-bittencourt-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105  
papers

6,205  
citations

30  
h-index

78  
g-index

112  
ext. papers

6,813  
ext. citations

4.2  
avg, IF

5.44  
L-index

#	Paper	IF	Citations
105	Anatomical and functional heterogeneity of 'hypothalamic' peptidergic neuron populations.. <i>Nature Reviews Endocrinology</i> , <b>2022</b> ,	15.2	0
104	Perillyl alcohol reduces parasite sequestration and cerebrovascular dysfunction during experimental cerebral malaria. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2021</b> ,	5.9	1
103	Fasting reduces the number of TRH immunoreactive neurons in the hypothalamic paraventricular nucleus of male rats, but not in mice. <i>Neuroscience Letters</i> , <b>2021</b> , 752, 135832	3.3	4
102	Norepinephrine and Glucocorticoids Modulate Chronic Unpredictable Stress-Induced Increase in the Type 2 CRF and Glucocorticoid Receptors in Brain Structures Related to the HPA Axis Activation. <i>Molecular Neurobiology</i> , <b>2021</b> , 58, 4871-4885	6.2	1
101	Distribution of growth hormone-responsive cells in the brain of rats and mice. <i>Brain Research</i> , <b>2021</b> , 1751, 147189	3.7	8
100	Effects of ovariectomy on inputs from the medial preoptic area to the ventromedial nucleus of the hypothalamus of young adult rats. <i>Journal of Anatomy</i> , <b>2021</b> , 238, 467-479	2.9	2
99	Effects of ovariectomy on the inputs from the medial nucleus of the amygdala to the ventromedial nucleus of the hypothalamus in young adult rats. <i>Neuroscience Letters</i> , <b>2021</b> , 746, 135657	3.3	
98	Melanin-Concentrating Hormone, Neuropeptide E-I, and MCH Receptor 1. <i>Masterclass in Neuroendocrinology</i> , <b>2021</b> , 347-396	0.2	
97	Hypothalamic melanin-concentrating hormone neurons, key sleep cycle modulators, degenerate early in Alzheimer's disease. <i>Alzheimers and Dementia</i> , <b>2020</b> , 16, e044677	1.2	
96	Ciliary melanin-concentrating hormone receptor 1 (MCHR1) is widely distributed in the murine CNS in a sex-independent manner. <i>Journal of Neuroscience Research</i> , <b>2020</b> , 98, 2045-2071	4.4	11
95	Regulation and neurochemical identity of melanin-concentrating hormone neurones in the preoptic area of lactating mice. <i>Journal of Neuroendocrinology</i> , <b>2020</b> , 32, e12818	3.8	8
94	The Rat Mammary Gland as a Novel Site of Expression of Melanin-Concentrating Hormone Receptor 1 mRNA and Its Protein Immunoreactivity. <i>Frontiers in Endocrinology</i> , <b>2020</b> , 11, 463	5.7	1
93	Differences between rats and mice in the leptin action on the paraventricular nucleus of the hypothalamus: Implications for the regulation of the hypothalamic-pituitary-thyroid axis. <i>Journal of Neuroendocrinology</i> , <b>2020</b> , 32, e12895	3.8	5
92	Neurons expressing estrogen receptor $\alpha$ differentially innervate the periaqueductal gray matter of female rats. <i>Journal of Chemical Neuroanatomy</i> , <b>2019</b> , 97, 33-42	3.2	1
91	Differential effects of hypo- and hyperthyroidism on remodeling of contacts between neurons expressing the neuropeptide EI and tyrosine hydroxylase in hypothalamic areas of the male rat. <i>Peptides</i> , <b>2019</b> , 113, 1-10	3.8	1
90	Melanin-concentrating hormone peptidergic system: Comparative morphology between muroid species. <i>Journal of Comparative Neurology</i> , <b>2019</b> , 527, 2973-3001	3.4	14
89	Characterisation and origins of melanin-concentrating hormone immunoreactive fibres of the posterior lobe of the pituitary and median eminence during lactation in the Long-Evans rat. <i>Journal of Neuroendocrinology</i> , <b>2019</b> , 31, e12723	3.8	6

88	0303 Neurobiological Basis of Sleep Disturbances in Tauopathies: Human Wake-Promoting Neurons Degenerate More in Alzheimer's Disease. <i>Sleep</i> , <b>2019</b> , 42, A123-A124	1.1	
87	Profound degeneration of wake-promoting neurons in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , <b>2019</b> , 15, 1253-1263	1.2	41
86	A Putative Role of Teneurin-2 and Its Related Proteins in Astrocytes. <i>Frontiers in Neuroscience</i> , <b>2019</b> , 13, 655	5.1	2
85	Stereological Analysis of Early Gene Expression Using Egr-1 Immunolabeling After Spreading Depression in the Rat Somatosensory Cortex. <i>Frontiers in Neuroscience</i> , <b>2019</b> , 13, 1020	5.1	3
84	Nomenclature and Comparative Morphology of the Teneurin/TCAP/ADGRL Protein Families. <i>Frontiers in Neuroscience</i> , <b>2019</b> , 13, 425	5.1	1
83	The Melanin-Concentrating Hormone (MCH) System: A Tale of Two Peptides. <i>Frontiers in Neuroscience</i> , <b>2019</b> , 13, 1280	5.1	13
82	Dopamine: Functions, Signaling, and Association with Neurological Diseases. <i>Cellular and Molecular Neurobiology</i> , <b>2019</b> , 39, 31-59	4.6	218
81	The role of co-neurotransmitters in sleep and wake regulation. <i>Molecular Psychiatry</i> , <b>2019</b> , 24, 1284-1295	5.1	21
80	Estrogen imprinting compromises male sexual behavior and affects the number of androgen-receptor-expressing hypothalamic neurons. <i>Biology of Reproduction</i> , <b>2019</b> , 100, 737-744	3.9	0
79	Neuroanatomical Structure of the MCH System <b>2018</b> , 1-46		7
78	Effects of acute restraint and unpredictable chronic mild stress on brain corticotrophin releasing factor mRNA in the elevated T-maze. <i>Behavioural Brain Research</i> , <b>2018</b> , 337, 139-150	3.4	5
77	The weaning period promotes alterations in the orexin neuronal population of rats in a suckling-dependent manner. <i>Brain Structure and Function</i> , <b>2018</b> , 223, 3739-3755	4	2
76	Morphological and Cellular Characterization of the Fetal Canine ( <i>Canis lupus familiaris</i> ) Subventricular Zone, Rostral Migratory Stream, and Olfactory Bulb. <i>Anatomical Record</i> , <b>2018</b> , 301, 1570-1584	2.1	2
75	The absence of maternal pineal melatonin rhythm during pregnancy and lactation impairs offspring physical growth, neurodevelopment, and behavior. <i>Hormones and Behavior</i> , <b>2018</b> , 105, 146-156	3.7	30
74	The blockage of ventromedial hypothalamus CRF type 2 receptors impairs escape responses in the elevated T-maze. <i>Behavioural Brain Research</i> , <b>2017</b> , 329, 41-50	3.4	3
73	Melanin-concentrating hormone and sleep. <i>Current Opinion in Neurobiology</i> , <b>2017</b> , 44, 152-158	7.6	31
72	Litter size determines the number of melanin-concentrating hormone neurons in the medial preoptic area of Sprague Dawley lactating dams. <i>Physiology and Behavior</i> , <b>2017</b> , 181, 75-79	3.5	12
71	Cdc2-like kinase 2 in the hypothalamus is necessary to maintain energy homeostasis. <i>International Journal of Obesity</i> , <b>2017</b> , 41, 268-278	5.5	9

70	Anatomical Organization of Urocortin 3-Synthesizing Neurons and Immunoreactive Terminals in the Central Nervous System of Non-Human Primates [ spp.]. <i>Frontiers in Neuroanatomy</i> , <b>2017</b> , 11, 57	3.6	4
69	The Melanin-Concentrating Hormone as an Integrative Peptide Driving Motivated Behaviors. <i>Frontiers in Systems Neuroscience</i> , <b>2017</b> , 11, 32	3.5	56
68	Suckling-induced Fos activation and melanin-concentrating hormone immunoreactivity during late lactation. <i>Life Sciences</i> , <b>2016</b> , 148, 241-6	6.8	16
67	Effect of intrahippocampal administration of anti-melanin-concentrating hormone on spatial food-seeking behavior in rats. <i>Peptides</i> , <b>2016</b> , 76, 130-8	3.8	11
66	The activation and blockage of CRF type 2 receptors of the medial amygdala alter elevated T-maze inhibitory avoidance, an anxiety-related response. <i>Behavioural Brain Research</i> , <b>2016</b> , 305, 191-7	3.4	11
65	The centrally projecting Edinger-Westphal nucleus--I: Efferents in the rat brain. <i>Journal of Chemical Neuroanatomy</i> , <b>2015</b> , 68, 22-38	3.2	30
64	Selective protection of the cerebellum against intracerebroventricular LPS is mediated by local melatonin synthesis. <i>Brain Structure and Function</i> , <b>2015</b> , 220, 827-40	4	53
63	Behavioral alterations and Fos protein immunoreactivity in brain regions of bile duct-ligated cirrhotic rats. <i>Anais Da Academia Brasileira De Ciencias</i> , <b>2015</b> , 87, 331-493	1.4	3
62	Melanin-concentrating hormone inputs to the nucleus accumbens originate from distinct hypothalamic sources and are apposed to GABAergic and cholinergic cells in the Long-Evans rat brain. <i>Neuroscience</i> , <b>2015</b> , 289, 392-405	3.9	14
61	CRF type 1 receptors of the medial amygdala modulate inhibitory avoidance responses in the elevated T-maze. <i>Hormones and Behavior</i> , <b>2014</b> , 65, 195-202	3.7	17
60	Distribution of the neuronal inputs to the ventral premammillary nucleus of male and female rats. <i>Brain Research</i> , <b>2014</b> , 1582, 77-90	3.7	16
59	CRF family peptides are differently altered by acute restraint stress and chronic unpredictable stress. <i>Behavioural Brain Research</i> , <b>2014</b> , 271, 302-8	3.4	10
58	IKK $\beta$ is key to induction of insulin resistance in the hypothalamus, and its inhibition reverses obesity. <i>Diabetes</i> , <b>2014</b> , 63, 3334-45	0.9	34
57	Dorsomedial hypothalamus CRF type 1 receptors selectively modulate inhibitory avoidance responses in the elevated T-maze. <i>Behavioural Brain Research</i> , <b>2014</b> , 271, 249-57	3.4	13
56	Kinin B1 receptor gene ablation affects hypothalamic CART production. <i>Biological Chemistry</i> , <b>2013</b> , 394, 901-8	4.5	2
55	Differential effects of undernourishment on the differentiation and maturation of rat enteric neurons. <i>Cell and Tissue Research</i> , <b>2013</b> , 353, 367-80	4.2	15
54	The tale of a person and a peptide: Wylie W. Vale Jr. and the role of corticotropin-releasing factor in the stress response. <i>Journal of Chemical Neuroanatomy</i> , <b>2013</b> , 54, 1-4	3.2	3
53	The Edinger-Westphal nucleus II: Hypothalamic afferents in the rat. <i>Journal of Chemical Neuroanatomy</i> , <b>2013</b> , 54, 5-19	3.2	18

52	Hypothalamic melanin-concentrating hormone projections to the septo-hippocampal complex in the rat. <i>Journal of Chemical Neuroanatomy</i> , <b>2013</b> , 47, 1-14	3.2	18
51	Effects of thyroid status on NEI concentration in specific brain areas related to reproduction during the estrous cycle. <i>Peptides</i> , <b>2013</b> , 49, 74-80	3.8	6
50	The periaqueductal gray as a critical site to mediate reward seeking during predatory hunting. <i>Behavioural Brain Research</i> , <b>2012</b> , 226, 32-40	3.4	30
49	Effects of spider venom toxin PWTX-I (6-Hydroxytryptargine) on the central nervous system of rats. <i>Toxins</i> , <b>2011</b> , 3, 142-62	4.9	5
48	Hypo- and hyperthyroidism affect NEI concentration in discrete brain areas of adult male rats. <i>Peptides</i> , <b>2011</b> , 32, 1249-54	3.8	8
47	Anatomical organization of the melanin-concentrating hormone peptide family in the mammalian brain. <i>General and Comparative Endocrinology</i> , <b>2011</b> , 172, 185-97	3	95
46	The non-coding RNA BC1 is down-regulated in the hippocampus of Wistar Audiogenic Rat (WAR) strain after audiogenic kindling. <i>Brain Research</i> , <b>2011</b> , 1367, 114-21	3.7	20
45	Comparative distribution of cocaine- and amphetamine-regulated transcript (CART) in the hypothalamus of the capuchin monkey ( <i>Cebus apella</i> ) and the common marmoset ( <i>Callithrix jacchus</i> ). <i>Brain Research</i> , <b>2011</b> , 1425, 47-61	3.7	6
44	The Edinger-Westphal nucleus: a historical, structural, and functional perspective on a dichotomous terminology. <i>Journal of Comparative Neurology</i> , <b>2011</b> , 519, 1413-34	3.4	142
43	Chemical identity and connections of medial preoptic area neurons expressing melanin-concentrating hormone during lactation. <i>Journal of Chemical Neuroanatomy</i> , <b>2010</b> , 39, 51-62	3.2	50
42	mRNA expression of corticotropin-releasing factor and urocortin 1 after restraint and foot shock together with alprazolam administration. <i>Peptides</i> , <b>2010</b> , 31, 2200-8	3.8	21
41	Male and female odors induce Fos expression in chemically defined neuronal population. <i>Physiology and Behavior</i> , <b>2010</b> , 99, 67-77	3.5	43
40	Increased expression of GluR2-flip in the hippocampus of the Wistar audiogenic rat strain after acute and kindled seizures. <i>Hippocampus</i> , <b>2010</b> , 20, 125-33	3.5	14
39	Neuronal expression of Cd36, Cd44, and Cd83 antigen transcripts maps to distinct and specific murine brain circuits. <i>Journal of Comparative Neurology</i> , <b>2009</b> , 517, 906-24	3.4	39
38	Expression profile and distribution of Efhc1 gene transcript during rodent brain development. <i>Journal of Molecular Neuroscience</i> , <b>2009</b> , 39, 69-77	3.3	6
37	Forebrain projections to brainstem nuclei involved in the control of mandibular movements in rats. <i>European Journal of Oral Sciences</i> , <b>2009</b> , 117, 676-84	2.3	23
36	The ventral premammillary nucleus links fasting-induced changes in leptin levels and coordinated luteinizing hormone secretion. <i>Journal of Neuroscience</i> , <b>2009</b> , 29, 5240-50	6.6	97
35	Melanin-concentrating hormone projections to areas involved in somatomotor responses. <i>Journal of Chemical Neuroanatomy</i> , <b>2008</b> , 35, 188-201	3.2	41

34	Anatomy, function and regulation of neuropeptide EI (NEI). <i>Peptides</i> , <b>2008</b> , 29, 1441-50	3.8	25
33	Direct and indirect connections between cochlear root neurons and facial motor neurons: pathways underlying the acoustic pinna reflex in the albino rat. <i>Journal of Comparative Neurology</i> , <b>2008</b> , 507, 1763-79	3.7	17
32	Expression of hypothalamic neuropeptides and the desensitization of pituitary-adrenal axis and hypophagia in the endotoxin tolerance. <i>Hormones and Behavior</i> , <b>2007</b> , 52, 508-19	3.7	30
31	Connectivity pattern suggests that incerto-hypothalamic area belongs to the medial hypothalamic system. <i>Neuroscience</i> , <b>2007</b> , 148, 949-69	3.9	52
30	Melanin-concentrating hormone is expressed in the laterodorsal tegmental nucleus only in female rats. <i>Brain Research Bulletin</i> , <b>2007</b> , 74, 21-8	3.9	23
29	Distribution of NADPH-diaphorase-positive neurons in the prefrontal cortex of the Cebus monkey. <i>Brain Research</i> , <b>2006</b> , 1083, 118-33	3.7	8
28	Distribution of urocortin 3 neurons innervating the ventral premammillary nucleus in the rat brain. <i>Brain Research</i> , <b>2006</b> , 1089, 116-25	3.7	27
27	Neuropeptide glutamic acid-isoleucine may induce luteinizing hormone secretion via multiple pathways. <i>Neuroendocrinology</i> , <b>2006</b> , 83, 313-24	5.6	17
26	Female odors stimulate CART neurons in the ventral premammillary nucleus of male rats. <i>Physiology and Behavior</i> , <b>2006</b> , 88, 160-6	3.5	40
25	Teneurin proteins possess a carboxy terminal sequence with neuromodulatory activity. <i>Molecular Brain Research</i> , <b>2005</b> , 133, 253-65		62
24	Alternative pathways for catecholamine action in oral motor control. <i>Neuroscience Letters</i> , <b>2005</b> , 386, 34-9	3.3	19
23	Isolation and chemical characterization of PwTx-II: a novel alkaloid toxin from the venom of the spider <i>Parawixia bistriata</i> (Araneidae, Araneae). <i>Toxicon</i> , <b>2005</b> , 46, 786-96	2.8	18
22	Leptin fragments induce Fos immunoreactivity in rat hypothalamus. <i>Regulatory Peptides</i> , <b>2005</b> , 127, 123-32		21
21	Hypothalamic cocaine- and amphetamine-regulated transcript neurons project to areas expressing gonadotropin releasing hormone immunoreactivity and to the anteroventral periventricular nucleus in male and female rats. <i>Neuroscience</i> , <b>2004</b> , 125, 735-48	3.9	77
20	Far Lateral Transcondylar Approach for Lesions of the Foramen Magnum. <i>Techniques in Neurosurgery</i> , <b>2003</b> , 9, 93-105		2
19	Evidence that urocortin is absent from neurons of the Edinger-Westphal nucleus in pigeons. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2003</b> , 36, 1695-700	2.8	33
18	Dopamine and melanin-concentrating hormone neurons are distinct populations in the rat rostromedial zona incerta. <i>Brain Research</i> , <b>2003</b> , 970, 232-7	3.7	27
17	Urocortin in the central nervous system of a primate ( <i>Cebus apella</i> ): sequencing, immunohistochemical, and hybridization histochemical characterization. <i>Journal of Comparative Neurology</i> , <b>2003</b> , 463, 157-75	3.4	67

16	Distribution of melanin-concentrating hormone neurons projecting to the medial mammillary nucleus. <i>Neuroscience</i> , <b>2002</b> , 115, 899-915	3.9	33
15	Distribution of mRNAs encoding CRF receptors in brain and pituitary of rat and mouse. <i>Journal of Comparative Neurology</i> , <b>2000</b> , 428, 191-212	3.4	875
14	Differential neuronal expression and projections of melanin-concentrating hormone (MCH) and MCH-gene-overprinted-polypeptide (MGOP) in the rat brain. <i>European Journal of Neuroscience</i> , <b>2000</b> , 12, 4367-80	3.5	15
13	Afferent connections of the caudal raphe pallidus nucleus in rats: a study using the fluorescent retrograde tracers fluorogold and true-blue. <i>Annals of Anatomy</i> , <b>2000</b> , 182, 35-45	2.9	20
12	Do centrally administered neuropeptides access cognate receptors?: an analysis in the central corticotropin-releasing factor system. <i>Journal of Neuroscience</i> , <b>2000</b> , 20, 1142-56	6.6	303
11	Urocortin Expression in Rat Brain: Evidence Against a Pervasive Relationship of Urocortin-Containing Projections With Targets Bearing Type 2 CRF Receptors. <i>Journal of Comparative Neurology</i> , <b>1999</b> , 415, 285-312	3.4	311
10	Melanin-concentrating hormone and neuropeptide EI projections from the lateral hypothalamic area and zona incerta to the medial septal nucleus and spinal cord: a study using multiple neuronal tracers. <i>Brain Research</i> , <b>1998</b> , 805, 1-19	3.7	86
9	The distribution of melanin-concentrating hormone in the monkey brain ( <i>Cebus apella</i> ). <i>Brain Research</i> , <b>1998</b> , 804, 140-3	3.7	32
8	Study of the origins of melanin-concentrating hormone and neuropeptide EI immunoreactive projections to the periaqueductal gray matter. <i>Brain Research</i> , <b>1997</b> , 755, 255-71	3.7	46
7	Caudal Brainstem Raphe Nuclei: Neural Substrate for their Involvement in the Expression of Some Biological Rhythms. <i>Biological Rhythm Research</i> , <b>1996</b> , 27, 245-260	0.8	1
6	Urocortin, a mammalian neuropeptide related to fish urotensin I and to corticotropin-releasing factor. <i>Nature</i> , <b>1995</b> , 378, 287-92	50.4	1328
5	Diencephalic origins of melanin-concentrating hormone immunoreactive projections to medial septum/diagonal band complex and spinal cord using two retrograde fluorescent tracers. <i>Annals of the New York Academy of Sciences</i> , <b>1993</b> , 680, 462-5	6.5	17
4	The melanin-concentrating hormone system of the rat brain: an immuno- and hybridization histochemical characterization. <i>Journal of Comparative Neurology</i> , <b>1992</b> , 319, 218-45	3.4	912
3	Distribution and origins of substance P-immunoreactive projections to the paraventricular and supraoptic nuclei: partial overlap with ascending catecholaminergic projections. <i>Journal of Chemical Neuroanatomy</i> , <b>1991</b> , 4, 63-78	3.2	83
2	Inhibin beta, somatostatin, and enkephalin immunoreactivities coexist in caudal medullary neurons that project to the paraventricular nucleus of the hypothalamus. <i>Journal of Comparative Neurology</i> , <b>1990</b> , 291, 269-80	3.4	119
1	The distribution of neuronal primary cilia immunoreactive to melanin-concentrating hormone receptor 1 (MCHR1) in the murine prosencephalon		1