Valentina Terio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6658421/publications.pdf

Version: 2024-02-01

49 papers

1,382 citations

257101 24 h-index 35 g-index

49 all docs 49 docs citations

times ranked

49

1674 citing authors

#	Article	IF	CITATIONS
1	Occurrence of hepatitis E virus (HEV) in Calabrian wild boars. International Journal of Food Microbiology, 2022, 371, 109671.	2.1	8
2	Determination of antibiotic residues in honey in relation to different potential sources and relevance for food inspection. Food Chemistry, 2021, 334, 127575.	4.2	34
3	Methylglyoxal (MGO) in Italian Honey. Applied Sciences (Switzerland), 2021, 11, 831.	1.3	9
4	Occurrence and characterization of Arcobacter spp. from ready-to-eat vegetables produced in Southern Italy. Italian Journal of Food Safety, 2021, 10, 8585.	0.5	7
5	Survival of a SARS-CoV-2 Surrogate on Flow-Pack Polyethylene and Polystyrene Food Trays at Refrigeration and Room Temperature Conditions. Applied Sciences (Switzerland), 2021, 11, 3977.	1.3	8
6	Evaluation of the persistence of SARS-CoV-2 (ATCC® VR-1986HKâ,,¢) on two different food contact materials: flow pack polyethylene and polystyrene food trays. LWT - Food Science and Technology, 2021, 146, 111606.	2.5	10
7	First Report of Hepatitis E Virus in Shellfish in Southeast Italy. Applied Sciences (Switzerland), 2021, 11, 43.	1.3	8
8	Prevalence of Listeria monocytogenes and Salmonella spp. in Different Ready to Eat Foods from Large Retailers and Canteens over a 2-Year Period in Northern Italy. International Journal of Environmental Research and Public Health, 2021, 18, 10568.	1.2	6
9	Norovirus Detection in Ready-To-Eat Salads by Propidium Monoazide Real Time RT-PCR Assay. Applied Sciences (Switzerland), 2020, 10, 5176.	1.3	5
10	Arcobacter species detection in Italian composite foods. LWT - Food Science and Technology, 2020, 134, 110161.	2.5	3
11	Occurrence of antibiotic residues in Apulian honey: potential risk of environmental pollution by antibiotics. Italian Journal of Food Safety, 2020, 9, 8678.	0.5	8
12	Occurrence of Aichi virus in retail shellfish in Italy. Food Microbiology, 2018, 74, 120-124.	2.1	13
13	DNA-based approach for species identification of goat-milk products. Food Chemistry, 2017, 229, 93-97.	4.2	39
14	Occurrence of hepatitis A and E and norovirus GI and GII in ready-to-eat vegetables in Italy. International Journal of Food Microbiology, 2017, 249, 61-65.	2.1	60
15	Food-Borne Viruses in Shellfish: Investigation on Norovirus and HAV Presence in Apulia (SE Italy). Food and Environmental Virology, 2017, 9, 179-186.	1.5	42
16	Norovirus GII.17 as Major Epidemic Strain in Italy, Winter 2015–16. Emerging Infectious Diseases, 2017, 23, 1206-1208.	2.0	15
17	Occurrence of emerging food-borne pathogenic Arcobacter spp. isolated from pre-cut (ready-to-eat) vegetables. International Journal of Food Microbiology, 2016, 236, 33-37.	2.1	41
18	Occurrence of potentially pathogenic arcobacters in shellfish. Food Microbiology, 2016, 57, 23-27.	2.1	39

#	Article	IF	Citations
19	Packaged frozen fishery products: species identification, mislabeling occurrence and legislative implications. Food Chemistry, 2016, 194, 279-283.	4.2	34
20	Occurrence of mislabelling in prepared fishery products in Southern Italy. Italian Journal of Food Safety, 2015, 4, 5358.	0.5	14
21	Virus infections of honeybees Apis Mellifera. Italian Journal of Food Safety, 2015, 4, 5364.	0.5	41
22	Epidemiological dynamics of norovirus GII.4 variant New Orleans 2009. Journal of General Virology, 2015, 96, 2919-2927.	1.3	8
23	Outbreak of Hepatitis A in Italy Associated with Frozen Redcurrants Imported from Poland: A Case Study. Food and Environmental Virology, 2015, 7, 305-308.	1.5	15
24	Full-Genome Analysis of a Canine Pneumovirus Causing Acute Respiratory Disease in Dogs, Italy. PLoS ONE, 2014, 9, e85220.	1.1	12
25	Analysis of early strains of the norovirus pandemic variant GII.4 Sydney 2012 identifies mutations in adaptive sites of the capsid protein. Virology, 2014, 450-451, 355-358.	1.1	20
26	Occurence of potentially enterotoxigenic Bacillus cereus in infant milk powder. European Food Research and Technology, 2013, 237, 275-279.	1.6	30
27	DNA barcoding for detecting market substitution in salted cod fillets and battered cod chunks. Food Chemistry, 2013, 141, 1757-1762.	4.2	84
28	Lineage diversification and recombination in type-4 human astroviruses. Infection, Genetics and Evolution, 2013, 20, 330-335.	1.0	30
29	Evidence for Recombination between Pandemic GII.4 Norovirus Strains New Orleans 2009 and Sydney 2012: Fig 1. Journal of Clinical Microbiology, 2013, 51, 3855-3857.	1.8	45
30	Detection of Vibrio parahaemolyticus in shellfish using polymerase chain reaction-enzyme-linked immunosorbent assay. Letters in Applied Microbiology, 2012, 54, 494-498.	1.0	28
31	Detection of potentially pathogenic <i>Aeromonas</i> isolates from <i>readyâ€toâ€eat</i> seafood products by PCR analysis. International Journal of Food Science and Technology, 2012, 47, 269-273.	1.3	21
32	Comparison between thiosulphate-citrate-bile salt sucrose (TCBS) agar and CHROMagar Vibrio for isolating Vibrio parahaemolyticus. Food Control, 2011, 22, 124-127.	2.8	64
33	ERIC-PCR Genotyping of Paenibacillus larvae in Southern Italian Honey and Brood Combs. Current Microbiology, 2011, 63, 416-419.	1.0	9
34	High Pressure Inactivation of HAV Within Mussels. Food and Environmental Virology, 2010, 2, 83-88.	1.5	25
35	Norovirus in retail shellfish. Food Microbiology, 2010, 27, 29-32.	2.1	42
36	RNA extraction method for the PCR detection of hepatitis A virus in shellfish. International Journal of Food Microbiology, 2010, 142, 198-201.	2.1	6

#	Article	IF	CITATIONS
37	Detection of potentially enterotoxigenic foodâ€related <i>Bacillus cereus</i> by PCR analysis. International Journal of Food Science and Technology, 2010, 45, 1310-1315.	1.3	24
38	Identification of tuna species in commercial cans by minor groove binder probe real-time polymerase chain reaction analysis of mitochondrial DNA sequences. Molecular and Cellular Probes, 2010, 24, 352-356.	0.9	23
39	Characterisation of canine parvovirus strains isolated from cats with feline panleukopenia. Research in Veterinary Science, 2010, 89, 275-278.	0.9	69
40	Detection of pathogenic Vibrio parahaemolyticus in southern Italian shellfish. Food Control, 2008, 19, 1037-1041.	2.8	54
41	Detection of a honeybee iflavirus with intermediate characteristics between kakugo virus and deformed wing virus. New Microbiologica, 2008, 31, 439-44.	0.1	13
42	DETECTION OF VIBRIO ALGINOLYTICUS AND VIBRIO PARAHAEMOLYTICUS IN SHELLFISH SAMPLES USING COLLAGENASE-TARGETED MULTIPLEX-PCR. Journal of Food Safety, 2006, 26, 150-159.	1.1	6
43	Lapine rotaviruses of the genotype P[22] are widespread in Italian rabbitries. Veterinary Microbiology, 2005, 111, 117-124.	0.8	25
44	Sequence analysis of the VP7 and VP4 genes identifies a novel VP7 gene allele of porcine rotaviruses, sharing a common evolutionary origin with human G2 rotaviruses. Virology, 2005, 337, 111-123.	1.1	65
45	Nucleotide variation in the VP7 gene affects PCR genotyping of G9 rotaviruses identified in Italy. Journal of Medical Virology, 2004, 72, 143-148.	2.5	36
46	Molecular characterization of the VP4, VP6, VP7, and NSP4 genes of lapine rotaviruses identified in italy: emergence of a novel VP4 genotype. Virology, 2003, 314, 358-370.	1.1	73
47	Molecular Analysis of the VP7, VP4, VP6, NSP4, and NSP5/6 Genes of a Buffalo Rotavirus Strain: Identification of the Rare P[3] Rhesus Rotavirus-Like VP4 Gene Allele. Journal of Clinical Microbiology, 2003, 41, 5665-5675.	1.8	42
48	Detection of the Emerging Rotavirus G9 Serotype at High Frequency in Italy. Journal of Clinical Microbiology, 2003, 41, 3960-3963.	1.8	42
49	Detection of Hepatitis A Virus in Shellfish (Mytilus galloprovincialis) with RT-PCR. Journal of Food Protection, 2003, 66, 1681-1685.	0.8	27