

Ho Ming Edwin Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6658599/publications.pdf>

Version: 2024-02-01

124
papers

2,378
citations

218677

26
h-index

302126

39
g-index

126
all docs

126
docs citations

126
times ranked

3058
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of high-endurance exercise intervention on sleep-dependent procedural memory consolidation in individuals with schizophrenia: a randomized controlled trial. <i>Psychological Medicine</i> , 2023, 53, 1708-1720.	4.5	9
2	Impact of restrictive COVID-19 measures on daily momentary affect in an epidemiological youth sample in Hong Kong: An experience sampling study. <i>Current Psychology</i> , 2023, 42, 20804-20813.	2.8	4
3	Prevalence and correlates of suicidal behaviours in a representative epidemiological youth sample in Hong Kong: the significance of suicide-related rumination, family functioning, and ongoing population-level stressors. <i>Psychological Medicine</i> , 2023, 53, 4603-4613.	4.5	8
4	Elucidating the relationship between internalized stigma, cognitive insight, illness severity, and functioning in patients with schizophrenia using a path analysis approach. <i>Journal of Mental Health</i> , 2022, 31, 29-38.	1.9	4
5	Investigation of motor self-monitoring deficits in schizophrenia with passivity experiences using a novel modified joint position matching paradigm. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 509-518.	3.2	0
6	Motivational coaching augmentation of exercise intervention for early psychotic disorders: A randomised controlled trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 1277-1286.	2.3	3
7	Stressful events as correlates of depressive and PTSD symptoms in Hong Kong women during social unrest and COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2022, 300, 263-268.	4.1	2
8	Adjunctive berberine reduces <scp>antipsychoticâ€associated</scp> weight gain and metabolic syndrome in patients with schizophrenia: a randomized controlled trial. <i>Psychiatry and Clinical Neurosciences</i> , 2022, 76, 77-85.	1.8	11
9	Explicit and implicit mentalization of patients with first-episode schizophrenia: a study of self-referential gaze perception with eye movement analysis using hidden Markov models. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	3.2	3
10	Effectiveness and optimal duration of early intervention treatment in adult-onset psychosis: a randomized clinical trial. <i>Psychological Medicine</i> , 2022, , 1-13.	4.5	3
11	Striatal dopamine synthesis capacity and its association with negative symptoms upon resolution of positive symptoms in first-episode schizophrenia and delusional disorder. <i>Psychopharmacology</i> , 2022, 239, 2133-2141.	3.1	4
12	Longitudinal relapse pattern of patients with first-episode schizophrenia-spectrum disorders and its predictors and outcomes: A 10-year follow-up study. <i>Asian Journal of Psychiatry</i> , 2022, 71, 103087.	2.0	4
13	Correlates and predictors of perceived stigma and selfâ€stigma in Chinese patients with psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 1075-1084.	1.7	3
14	Dynamic Patterns of Symptoms and Functioning in Predicting Deliberate Self-harm in Patients with First-Episode Schizophrenia-Spectrum Disorders Over 3 Years. <i>Schizophrenia Bulletin</i> , 2022, 48, 1043-1052.	4.3	1
15	The 12-month prevalence of psychotic experiences and their association with clinical outcomes in Hong Kong: an epidemiological and a 2-year follow up studies. <i>Psychological Medicine</i> , 2021, 51, 2501-2508.	4.5	9
16	Effect of brief social contact video compared with expert information video in changing knowledge and attitude towards psychosis patients among medical students. <i>Microbial Biotechnology</i> , 2021, 15, 278-285.	1.7	8
17	Predictors of Treatment-Resistant and Clozapine-Resistant Schizophrenia: A 12-Year Follow-up Study of First-Episode Schizophrenia-Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021, 47, 485-494.	4.3	42
18	The Latent Structure of Negative Symptoms in Individuals With Attenuated Psychosis Syndrome and Early Psychosis: Support for the 5 Consensus Domains. <i>Schizophrenia Bulletin</i> , 2021, 47, 386-394.	4.3	28

#	ARTICLE	IF	CITATIONS
19	Relationship between stressful life events, stigma and life satisfaction with the willingness of disclosure of psychotic illness: A community study in Hong Kong. <i>Microbial Biotechnology</i> , 2021, 15, 686-696.	1.7	6
20	Physical exercise improves quality of life, depressive symptoms, and cognition across chronic brain disorders: a transdiagnostic systematic review and meta-analysis of randomized controlled trials. <i>Journal of Neurology</i> , 2021, 268, 1222-1246.	3.6	120
21	Integration of biological and psychological illness attributional belief in association with medication adherence behaviour: A path analysis. <i>Microbial Biotechnology</i> , 2021, 15, 1686-1695.	1.7	2
22	Self-referential gaze perception of patients with schizophrenia and its relationship with symptomatology and cognitive functions. <i>Schizophrenia Research</i> , 2021, 228, 288-294.	2.0	4
23	Relationship between subjective quality of life and perceptions of recovery orientation of treatment service in patients with schizophrenia and major depressive disorder. <i>Asian Journal of Psychiatry</i> , 2021, 57, 102578.	2.0	2
24	Induced ideas of reference during social unrest and pandemic in Hong Kong. <i>Schizophrenia Research</i> , 2021, 229, 46-52.	2.0	13
25	Sociodemographic correlates of public stigma about mental illness: a population study on Hong Kong's Chinese population. <i>BMC Psychiatry</i> , 2021, 21, 274.	2.6	12
26	Patterns and predictors of trajectories for subjective quality of life in patients with early psychosis: Three-year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 983-992.	2.3	5
27	Bipolar disorder prevalence and psychotropic medication utilisation in Hong Kong and the United Kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1588-1600.	1.9	16
28	LevelMind @ JC hubs – a novel community-based youth mental wellness early intervention in Hong Kong: An evaluation of stakeholders' perceptions and experiences. <i>Microbial Biotechnology</i> , 2021, . .	1.7	0
29	Relationship of subjective quality of life with symptomatology, neurocognition and psychosocial functioning in first-episode psychosis: a structural equation modelling approach. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1561-1569.	3.2	5
30	Mindfulness meditation for Chinese patients with psychosis: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2021, 237, 103-114.	2.0	8
31	Mental Health Risks after Repeated Exposure to Multiple Stressful Events during Ongoing Social Unrest and Pandemic in Hong Kong: The Role of Rumination: Risques pour la sant� mentale apr�s une exposition r�p�t�e � de multiples �v�nements stressants d� agitation sociale durable et de pand�mie � Hong Kong: le r�le de la rumination. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 577-585.	1.9	24
32	<scp>ReMind</scp>, a smartphone application for psychotic relapse prediction: A longitudinal study protocol. <i>Microbial Biotechnology</i> , 2021, 15, 1659-1666.	1.7	4
33	A multifaceted approach in promoting positive mental health culture in Hong Kong secondary schools: The Mindshift educational networking programme. <i>Microbial Biotechnology</i> , 2021, . .	1.7	0
34	Ten-year employment patterns of patients with first-episode schizophrenia-spectrum disorders: comparison of early intervention and standard care services. <i>British Journal of Psychiatry</i> , 2020, 217, 491-497.	2.8	9
35	Cognitive behavioural family intervention for people diagnosed with severe mental illness and their families: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020, 27, 128-139.	2.1	16
36	The role of dopamine dysregulation and evidence for the transdiagnostic nature of elevated dopamine synthesis in psychosis: a positron emission tomography (PET) study comparing schizophrenia, delusional disorder, and other psychotic disorders. <i>Neuropsychopharmacology</i> , 2020, 45, 1870-1876.	5.4	22

#	ARTICLE	IF	CITATIONS
37	Perspective on medication decisions following remission from first-episode psychosis. <i>Schizophrenia Research</i> , 2020, 225, 82-89.	2.0	5
38	Mortality Risk Associated with Haloperidol Use Compared with Other Antipsychotics: An 11-Year Population-Based Propensity-Score-Matched Cohort Study. <i>CNS Drugs</i> , 2020, 34, 197-206.	5.9	15
39	Ten-year trajectory and outcomes of negative symptoms of patients with first-episode schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020, 220, 85-91.	2.0	16
40	Executive dysfunctions differentially predict amotivation in first-episode schizophrenia-spectrum disorder: a prospective 1-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 887-896.	3.2	5
41	Ten-year follow up of patients with first-episode schizophrenia spectrum disorder from an early intervention service: Predictors of clinical remission and functional recovery. <i>Schizophrenia Research</i> , 2019, 204, 65-71.	2.0	29
42	Destigmatizing psychosis: Investigating the effectiveness of a school-based programme in Hong Kong secondary school students. <i>Microbial Biotechnology</i> , 2019, 13, 882-887.	1.7	11
43	Late-onset psychosis and very-late-onset-schizophrenia-like-psychosis: an updated systematic review. <i>International Review of Psychiatry</i> , 2019, 31, 523-542.	2.8	26
44	A systematic review of long-term outcomes of patients with psychosis who received early intervention services. <i>International Review of Psychiatry</i> , 2019, 31, 425-440.	2.8	23
45	Systematic review (meta-aggregation) of qualitative studies on the experiences of family members caring for individuals with early psychosis. <i>International Review of Psychiatry</i> , 2019, 31, 491-509.	2.8	7
46	A systematic review of clinical guidelines on choice, dose, and duration of antipsychotics treatment in first- and multi-episode schizophrenia. <i>International Review of Psychiatry</i> , 2019, 31, 441-459.	2.8	27
47	10Kin1day: A Bottom-Up Neuroimaging Initiative. <i>Frontiers in Neurology</i> , 2019, 10, 425.	2.4	15
48	Spontaneous eye blink in patients with psychosis in perceptions of stimulus salience. <i>Schizophrenia Research</i> , 2019, 209, 275-277.	2.0	0
49	Effort-based decision-making impairment in patients with clinically-stabilized first-episode psychosis and its relationship with amotivation and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2019, 29, 629-642.	0.7	31
50	Gender differences in correlates of cognition in first-episode psychosis. <i>Psychiatry Research</i> , 2019, 271, 412-420.	3.3	27
51	The role of symptoms and insight in mediating cognition and functioning in first episode psychosis. <i>Schizophrenia Research</i> , 2019, 206, 251-256.	2.0	17
52	Factors Associated With Successful Medication Discontinuation After a Randomized Clinical Trial of Relapse Prevention in First-Episode Psychosis. <i>JAMA Psychiatry</i> , 2019, 76, 217.	11.0	6
53	Differential cortical thinning of auditory cortex in first episode schizophrenia: Association with auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2019, 206, 464-465.	2.0	1
54	Relationship between neurocognitive function and clinical symptoms with self-stigma in patients with schizophrenia-spectrum disorders. <i>Journal of Mental Health</i> , 2019, 28, 583-588.	1.9	21

#	ARTICLE	IF	CITATIONS
55	Clinical and functional correlates of financially deprived women with first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 639-645.	1.7	4
56	Rates and predictors of disengagement of patients with first-episode psychosis from the early intervention service for psychosis service (EASY) covering 15 to 64 years of age in Hong Kong. <i>Microbial Biotechnology</i> , 2019, 13, 398-404.	1.7	11
57	Motivational impairment predicts functional remission in first-episode psychosis: 3-Year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1194-1201.	2.3	16
58	Suicide Rates, Psychiatric Hospital Bed Numbers, and Unemployment Rates From 1999 to 2015: A Population-Based Study in Hong Kong. <i>American Journal of Psychiatry</i> , 2018, 175, 285-286.	7.2	5
59	Association of an Early Intervention Service for Psychosis With Suicide Rate Among Patients With First-Episode Schizophrenia-Spectrum Disorders. <i>JAMA Psychiatry</i> , 2018, 75, 458.	11.0	57
60	Patterns and predictors of trajectories for social and occupational functioning in patients presenting with first-episode non-affective psychosis: A three-year follow-up study. <i>Schizophrenia Research</i> , 2018, 197, 131-137.	2.0	31
61	Long-term effects of discontinuation from antipsychotic maintenance following first-episode schizophrenia and related disorders: a 10 year follow-up of a randomised, double-blind trial. <i>Lancet Psychiatry</i> , 2018, 5, 432-442.	7.4	97
62	Prevalence and correlates of antipsychotic polypharmacy in Hong Kong. <i>Asian Journal of Psychiatry</i> , 2018, 33, 113-120.	2.0	17
63	Metabolic screening for patients with second-generation antipsychotic medication: A population-based study from 2004 to 2016. <i>Schizophrenia Research</i> , 2018, 197, 618-619.	2.0	3
64	Long term effect of early intervention service on duration of untreated psychosis in youth and adult population in Hong Kong. <i>Microbial Biotechnology</i> , 2018, 12, 331-338.	1.7	11
65	Demographic correlates of medication knowledge in Hong Kong early psychosis patients. <i>Microbial Biotechnology</i> , 2018, 12, 107-112.	1.7	3
66	Early intervention for incipient insanity: early notions from the 19th century English literature. <i>Microbial Biotechnology</i> , 2018, 12, 708-714.	1.7	1
67	Predictors of functioning in people suffering from first-episode psychosis 1 year into entering early intervention service in Hong Kong. <i>Microbial Biotechnology</i> , 2018, 12, 828-838.	1.7	1
68	Perception towards relapse and its predictors in psychosis patients: A qualitative study. <i>Microbial Biotechnology</i> , 2018, 12, 856-862.	1.7	8
69	Verbal working memory in schizophrenia: The role of syntax in facilitating serial recall. <i>Schizophrenia Research</i> , 2018, 192, 294-299.	2.0	5
70	Psychosocial factors associated with physical activity behavior among patients with psychosis. <i>Schizophrenia Research</i> , 2018, 195, 130-135.	2.0	4
71	Prediction of self-stigma in early psychosis: 3-Year follow-up of the randomized-controlled trial on extended early intervention. <i>Schizophrenia Research</i> , 2018, 195, 463-468.	2.0	26
72	Efficacy of transcranial direct current stimulation (tDCS) as a treatment for persistent hallucinations in patients with schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2018, 202, 423-425.	2.0	10

#	ARTICLE	IF	CITATIONS
73	Chinese label for people at risk for psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 224-228.	1.7	3
74	Newspaper coverage of mental illness in <sc>H</sc>ong <sc>K</sc>ong between 2002 and 2012: impact of introduction of a new <sc>C</sc>hinese name of psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 342-345.	1.7	15
75	Clinical and treatment-related determinants of subjective quality of life in patients with first-episode psychosis. <i>Psychiatry Research</i> , 2017, 249, 39-45.	3.3	13
76	Yoga reduces the brain's amplitude of low-frequency fluctuations in patients with early psychosis results of a randomized controlled trial. <i>Schizophrenia Research</i> , 2017, 184, 141-142.	2.0	17
77	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. <i>Schizophrenia Bulletin</i> , 2017, 43, 1280-1290.	4.3	55
78	Sustainability of treatment effect of a 3-year early intervention programme for first-episode psychosis. <i>British Journal of Psychiatry</i> , 2017, 211, 37-44.	2.8	35
79	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. <i>International Psychogeriatrics</i> , 2017, 29, 259-267.	1.0	20
80	Web-Based Psychoeducation Program for Caregivers of First-Episode of Psychosis: An Experience of Chinese Population in Hong Kong. <i>Frontiers in Psychology</i> , 2016, 07, 2006.	2.1	21
81	Activity intervention for first-episode psychosis. , 2016, , 41-65.		1
82	A Low-Intensity Mindfulness-Based Intervention for Mood Symptoms in People with Early Psychosis: Development and Pilot Evaluation. <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 550-560.	2.7	21
83	Prediction of functional remission in first-episode psychosis: 12-month follow-up of the randomized-controlled trial on extended early intervention in Hong Kong. <i>Schizophrenia Research</i> , 2016, 173, 79-83.	2.0	29
84	Risk factors for antipsychotic medication non-adherence behaviors and attitudes in adult-onset psychosis. <i>Schizophrenia Research</i> , 2016, 174, 144-149.	2.0	30
85	Association Between Acute Neuropsychiatric Events and <i>Helicobacter pylori</i> Therapy Containing Clarithromycin. <i>JAMA Internal Medicine</i> , 2016, 176, 828.	5.1	39
86	Self-stigma and affiliate stigma in first-episode psychosis patients and their caregivers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1225-1231.	3.1	40
87	Three-year clinical and functional outcome comparison between first-episode mania with psychotic features and first-episode schizophrenia. <i>Journal of Affective Disorders</i> , 2016, 200, 1-5.	4.1	17
88	Antipsychotic Treatment of Young Chinese Individuals From 2004 to 2015: A Population-Based Study in Hong Kong. <i>American Journal of Psychiatry</i> , 2016, 173, 939-940.	7.2	2
89	Admission Rates and Psychiatric Beds in Hong Kong, 1999-2014: A Population-Based Study. <i>Psychiatric Services</i> , 2016, 67, 579-579.	2.0	3
90	Incidence of hospitalization and its associated factors in first-episode psychosis in <sc>H</sc>ong <sc>K</sc>ong. <i>Microbial Biotechnology</i> , 2016, 10, 263-266.	1.7	1

#	ARTICLE	IF	CITATIONS
91	Premorbid, clinical and cognitive correlates of primary negative symptoms in first-episode psychosis. <i>Psychiatry Research</i> , 2016, 242, 144-149.	3.3	24
92	Public Stigma in China Associated With Schizophrenia, Depression, Attenuated Psychosis Syndrome, and Psychosis-Like Experiences. <i>Psychiatric Services</i> , 2016, 67, 766-770.	2.0	38
93	Quality of life and functioning in first-episode psychosis Chinese patients with different antipsychotic medications. <i>Microbial Biotechnology</i> , 2016, 10, 535-539.	1.7	4
94	Impact of avolition and cognitive impairment on functional outcome in first-episode schizophrenia-spectrum disorder: a prospective one-year follow-up study. <i>Schizophrenia Research</i> , 2016, 170, 318-321.	2.0	44
95	A systematic review on definitions and assessments of psychotic-like experiences. <i>Microbial Biotechnology</i> , 2016, 10, 3-16.	1.7	78
96	A population study of public stigma about psychosis and its contributing factors among Chinese population in Hong Kong. <i>International Journal of Social Psychiatry</i> , 2016, 62, 205-213.	3.1	23
97	The Effect of Paternal Age on Relapse in First-Episode Schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2015, 60, 346-353.	1.9	10
98	Use of electroconvulsive therapy for Asian patients with schizophrenia (2001-2009): Trends and correlates. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 489-496.	1.8	30
99	Optimal duration of an early intervention programme for first-episode psychosis: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2015, 206, 492-500.	2.8	63
100	Psychosis patients' knowledge, adherence and attitudes towards the naming of antipsychotic medication in Hong Kong. <i>Microbial Biotechnology</i> , 2015, 9, 422-427.	1.7	13
101	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1379-1388.	3.1	147
102	Prevalence and predictors of medication non-adherence among Chinese patients with first-episode psychosis. <i>Psychiatry Research</i> , 2015, 228, 680-687.	3.3	12
103	Perceived risk of relapse and role of medication: comparison between patients with psychosis and their caregivers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 307-315.	3.1	15
104	Prevalence and risk factors for violent behavior in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 914-922.	2.3	23
105	Rate and risk factors of depressive symptoms in Chinese patients presenting with first-episode non-affective psychosis in Hong Kong. <i>Schizophrenia Research</i> , 2015, 168, 99-105.	2.0	24
106	Self-perceived cognitive functioning and its relationship with objective performance in first-episode schizophrenia: The Subjective Cognitive Impairment Scale. <i>Comprehensive Psychiatry</i> , 2015, 56, 42-50.	3.1	16
107	Clinical and social correlates of duration of untreated psychosis among adult-onset psychosis in Hong Kong. <i>Microbial Biotechnology</i> , 2015, 9, 118-125.	1.7	31
108	Early intervention and evaluation for adult-onset psychosis: the JCEP study rationale and design. <i>Microbial Biotechnology</i> , 2014, 8, 261-268.	1.7	38

#	ARTICLE	IF	CITATIONS
109	Comparing illness presentation, treatment and functioning between patients with adolescent- and adult-onset psychosis. <i>Psychiatry Research</i> , 2014, 220, 797-802.	3.3	24
110	Clinical and cognitive predictors of vocational outcome in first-episode schizophrenia: A prospective 3 year follow-up study. <i>Psychiatry Research</i> , 2014, 220, 834-839.	3.3	25
111	Medication Adherence, Knowledge About Psychosis, and Insight Among Patients With a Schizophrenia-Spectrum Disorder. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 25-29.	1.0	23
112	Correlates of insight with symptomatology and executive function in patients with first-episode schizophrenia-spectrum disorder: A longitudinal perspective. <i>Psychiatry Research</i> , 2014, 216, 177-184.	3.3	12
113	Prospective relationship between duration of untreated psychosis and 13-year clinical outcome: A first-episode psychosis study. <i>Schizophrenia Research</i> , 2014, 153, 1-8.	2.0	53
114	Executive function as predictors of persistent thought disorder in first-episode schizophrenia: A one-year follow-up study. <i>Schizophrenia Research</i> , 2014, 159, 465-470.	2.0	28
115	The relationships of suicidal ideation with symptoms, neurocognitive function, and psychological factors in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 157, 12-18.	2.0	46
116	Relationship between diminished expression and cognitive impairment in first-episode schizophrenia: A prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2014, 152, 146-151.	2.0	16
117	Impaired facilitation of self-control cognition by glucose in patients with schizophrenia: A randomized controlled study. <i>Schizophrenia Research</i> , 2014, 156, 38-45.	2.0	9
118	Rate and predictors of disengagement from a 2-year early intervention program for psychosis in Hong Kong. <i>Schizophrenia Research</i> , 2014, 153, 204-208.	2.0	12
119	Sexual dysfunction in Chinese patients with first-episode psychosis: prevalence, clinical correlates and functioning. <i>Schizophrenia Research</i> , 2013, 148, 181-182.	2.0	2
120	Impact of physical activity on functioning of patients with first-episode psychosis – A 6months prospective longitudinal study. <i>Schizophrenia Research</i> , 2013, 150, 538-541.	2.0	25
121	Predicting 1-year risk for relapse in patients who have discontinued or continued quetiapine after remission from first-episode psychosis. <i>Schizophrenia Research</i> , 2013, 150, 297-302.	2.0	24
122	Socio-demographic and clinical determinants of quality of life in Chinese patients with schizophrenia: a prospective study. <i>Quality of Life Research</i> , 2010, 19, 317-322.	3.1	31
123	Cigarette Smoking in Patients with Schizophrenia in China: Prospective, Multicentre Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 456-462.	2.3	27
124	Sex differences in patients with schizophrenia: A prospective, multi-center study. <i>Psychiatry Research</i> , 2010, 177, 294-298.	3.3	18