Aminuddin Ab Ghani

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6660466/aminuddin-ab-ghani-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,939 25 40 112 h-index g-index citations papers 1.8 121 5.02 2,213 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|-----------------------------------|-----------|
| 112 | Assessment of imidacloprid removal from agricultural runoff by the bioretention treatment train system. <i>Environmental Advances</i> , 2022 , 7, 100156 | 3.5 | |
| 111 | Bio-ecological Drainage System (BIOECODS): A Sustainable Green University Drainage System. World Sustainability Series, 2022 , 207-231 | 0.6 | |
| 110 | Regression models for sediment transport in tropical rivers. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 53097-53115 | 5.1 | 3 |
| 109 | SWMM Modelling of Automated Hydraulic Flushing Gate as a Flow Control Structure. <i>Community, Environment and Disaster Risk Management</i> , 2021 , 77-86 | 0.2 | |
| 108 | Hydrodynamics of Flow over Axonopus Compressus (Cow Grass) as a Flexible Vegetation. <i>Lecture Notes in Civil Engineering</i> , 2021 , 103-110 | 0.3 | |
| 107 | Addressing Water Resources Shortfalls Due to Climate Change in Penang, Malaysia. <i>Springer Water</i> , 2021 , 239-249 | 0.3 | 0 |
| 106 | Evaluation of tree regression analysis for estimation of river basin discharge. <i>Modeling Earth Systems and Environment</i> , 2021 , 7, 2531 | 3.2 | 2 |
| 105 | The Effectiveness of Cascaded Bioretention System in Treating Urban Stormwater Runoff. <i>Lecture Notes in Civil Engineering</i> , 2021 , 39-46 | 0.3 | 0 |
| 104 | Critical shear stress approach for self-cleansing design of a rectangular channel. <i>International Journal of Sediment Research</i> , 2021 , 36, 678-685 | 3 | |
| 103 | Distribution of rainfall events in northern region of Peninsular Malaysia. <i>IOP Conference Series:</i> Earth and Environmental Science, 2020 , 476, 012116 | 0.3 | 1 |
| 102 | The use of treatment train for stormwater quality control in urban areas in Malaysia: A short review. IOP Conference Series: Earth and Environmental Science, 2020, 476, 012090 | 0.3 | 2 |
| 101 | Stable channel analysis with sediment transport for rivers in Malaysia: A case study of the Muda, Kurau, and Langat rivers. <i>International Journal of Sediment Research</i> , 2020 , 35, 455-466 | 3 | 5 |
| 100 | Flow Resistance in Ecological Subdrainage Channel. <i>Lecture Notes in Civil Engineering</i> , 2020 , 1117-1127 | 0.3 | 1 |
| 99 | Revised Equations of Total Bed Material Load for Rivers in Malaysia. <i>Water Resources Development and Management</i> , 2020 , 332-340 | 0.1 | |
| 98 | HEC-RAS One-Dimensional Hydrodynamic Modelling for Recent Major Flood Events in Pahang River. <i>Lecture Notes in Civil Engineering</i> , 2020 , 1099-1115 | 0.3 | 7 |
| 97 | Integrating Structural and Non-structural Flood Management Measures for Greater Effectiveness in Flood Loss Reduction in the Kelantan River Basin, Malaysia. <i>Lecture Notes in Civil Engineering</i> , 2020 , 115 | 1 ⁰ 1 ³ 16: | 2 3 |
| 96 | An integrated technique for assessing flow parameters through subsurface drainage module systems. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020 , 476, 012112 | 0.3 | O |

(2016-2020)

| 95 | Manning's roughness coefficient for ecological subsurface channel with modules. <i>International Journal of River Basin Management</i> , 2020 , 18, 349-361 | 1.7 | 5 |
|----|--|-----|----|
| 94 | Modelling of Flow Parameters through Subsurface Drainage Modules for Application in BIOECODS. Water (Switzerland), 2019 , 11, 1823 | 3 | 2 |
| 93 | Sustainable urban drainage as a viable measure of coping with heat and floods due to climate change. IOP Conference Series: Earth and Environmental Science, 2019, 257, 012013 | 0.3 | 9 |
| 92 | Local scour around complex abutments. ISH Journal of Hydraulic Engineering, 2019, 1-9 | 1.5 | 4 |
| 91 | Movable-Bed Experiments Using Spur Dike to Concentrate Flow in One Channel of Multithreaded Channel Model. <i>Journal of Hydraulic Engineering</i> , 2019 , 145, 06019006 | 1.8 | O |
| 90 | A Review of Nitrogen Removal for Urban Stormwater Runoff in Bioretention System. <i>Sustainability</i> , 2019 , 11, 5415 | 3.6 | 29 |
| 89 | Assessing phytoplankton distribution and water quality in constructed wetlands during dry and wet periods: A Case Study in USM Engineering Campus. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019 , 380, 012018 | 0.3 | 1 |
| 88 | Numerical modelling of flow characteristics over sharp crested triangular hump. <i>Results in Engineering</i> , 2019 , 4, 100052 | 3.3 | 5 |
| 87 | Influence of bed deposit in the prediction of incipient sediment motion in sewers using artificial neural networks. <i>Urban Water Journal</i> , 2018 , 15, 296-302 | 2.3 | 23 |
| 86 | Prediction models for flow resistance in flexible vegetated channels. <i>International Journal of River Basin Management</i> , 2018 , 16, 427-437 | 1.7 | 7 |
| 85 | Experimental Studies of Self-Cleansing Drainage System Design: A Review. <i>Journal of Pipeline Systems Engineering and Practice</i> , 2018 , 9, 04018017 | 1.5 | 27 |
| 84 | Advances and Challenging Issues in Subsurface Drainage Module Technology and BIOECODS: A Review. <i>MATEC Web of Conferences</i> , 2018 , 203, 07005 | 0.3 | 1 |
| 83 | Predicting scour at river bridge abutments over time. Water Management, 2017, 170, 15-30 | 1 | 11 |
| 82 | Analysis of Manning and Drag Coefficients for Flexible Submerged Vegetation. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 216, 012046 | 0.4 | 3 |
| 81 | Development of group method of data handling based on genetic algorithm to predict incipient motion in rigid rectangular storm water channel. <i>Scientia Iranica</i> , 2017 , 24, 1000-1009 | 1.5 | 10 |
| 80 | ANALYSIS OF TRENDS OF EXTREME RAINFALL EVENTS USING MANN KENDALL TEST: A CASE STUDY IN PAHANG AND KELANTAN RIVER BASINS. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2016 , 78, | 1.2 | 2 |
| 79 | Sediment Transport Dynamic in a Meandering Fluvial System: Case Study of Chini River. <i>IOP Conference Series: Materials Science and Engineering</i> , 2016 , 136, 012072 | 0.4 | 1 |
| 78 | Hydraulic Analysis of Biochannels for Sustainable Urban Drainage Systems. <i>MATEC Web of Conferences</i> , 2016 , 68, 08002 | 0.3 | 1 |

| 77 | Temporal variation of clear-water scour at compound Abutments. <i>Ain Shams Engineering Journal</i> , 2016 , 7, 1045-1052 | 4.4 | 9 |
|----|---|----------------------|----|
| 76 | Prediction of water quality index in free surface constructed wetlands. <i>Environmental Earth Sciences</i> , 2016 , 75, 1 | 2.9 | 24 |
| 75 | Prediction of temporal scour hazard at bridge abutment. <i>Natural Hazards</i> , 2016 , 80, 1891-1911 | 3 | 13 |
| 74 | SUITABILITY OF BIOENGINEERING CHANNELS IN EROSION CONTROL: APPLICATION TO URBAN STORMWATER DRAINAGE SYSTEMS. <i>Advances and Applications in Fluid Mechanics</i> , 2016 , 19, 765-785 | Ο | 2 |
| 73 | Velocity Distributions in Grassed Channel 2016 , | | 2 |
| 72 | Trend of Total Phosphorus on Total Suspended Solid Reduction in Constructed Wetland Under Tropical Climate 2016 , 273-280 | | 1 |
| 71 | Effects of DEMs from different sources in deriving stream networks threshold values 2016 , 361-364 | | 1 |
| 70 | Design of a new hybrid artificial neural network method based on decision trees for calculating the Froude number in rigid rectangular channels. <i>Journal of Hydrology and Hydromechanics</i> , 2016 , 64, 252-2 | .6 <mark>0</mark> .1 | 6 |
| 69 | Sediment deposit thickness and its effect on critical velocity for incipient motion. <i>Water Science and Technology</i> , 2016 , 74, 1876-1884 | 2.2 | 18 |
| 68 | Performance of Elaeis Guineensis Leaves Compost in Filter Media for Stormwater Treament Through Column Study. <i>IOP Conference Series: Materials Science and Engineering</i> , 2016 , 136, 012049 | 0.4 | 2 |
| 67 | Time Variations of Scour Below Submerged Skewed Pipelines. <i>IOP Conference Series: Materials Science and Engineering</i> , 2016 , 136, 012071 | 0.4 | 3 |
| 66 | Potential of tipping flush gate for sedimentation management in open stormwater sewer. <i>Urban Water Journal</i> , 2016 , 13, 486-498 | 2.3 | 9 |
| 65 | Prediction of water quality index in constructed wetlands using support vector machine. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 6208-19 | 5.1 | 77 |
| 64 | Estimation of Tsunami Force for Onshore Buildings in the Northwest Coast of Peninsular Malaysia. <i>Applied Mechanics and Materials</i> , 2015 , 802, 172-177 | 0.3 | 4 |
| 63 | Evaluation of Water Quality Index (WQI) Performance in Newly Constructed Free Water Surface (FWS) Constructed Wetland for Stormwater Treatment. <i>Applied Mechanics and Materials</i> , 2015 , 802, 62 | 3-628 | 1 |
| 62 | Sediment size and deposition characteristics in Malaysian urban concrete drains la case study of Kuching City. <i>Urban Water Journal</i> , 2014 , 11, 74-89 | 2.3 | 12 |
| 61 | Bedload transport of small rivers in Malaysia. International Journal of Sediment Research, 2014, 29, 481- | 490 | 10 |
| 60 | Discussion: Bridge pier scour prediction by gene expression programming. <i>Water Management</i> , 2014 , 167, 368-369 | 1 | 1 |

(2012-2014)

| 59 | Spatial pattern analysis for water quality in free-surface constructed wetland. <i>Water Science and Technology</i> , 2014 , 70, 1161-7 | 2.2 | 13 |
|----|--|-----|-----|
| 58 | The Impact of Stormwater Runoff on Nutrient Removal in Sand Columns. <i>Applied Mechanics and Materials</i> , 2014 , 567, 155-160 | 0.3 | 1 |
| 57 | Development of GEP-based functional relationship for sediment transport in tropical rivers. <i>Neural Computing and Applications</i> , 2014 , 24, 271-276 | 4.8 | 32 |
| 56 | Constructed Wetlands as a Natural Resource for Water Quality Improvement in Malaysia. <i>Natural Resources</i> , 2014 , 05, 292-298 | 0.2 | 2 |
| 55 | Estimation of dimension and time variation of local scour at short abutment. <i>International Journal of River Basin Management</i> , 2013 , 11, 121-135 | 1.7 | 31 |
| 54 | Erratum for Genetic Programming to Predict Bridge Pier Scour By H. Md. Azamathulla, Aminuddin Ab Ghani, Nor Azazi Zakaria, and Aytac Guven. <i>Journal of Hydraulic Engineering</i> , 2013 , 139, 1020-1020 | 1.8 | 2 |
| 53 | Suspended sediment load prediction of river systems: GEP approach. <i>Arabian Journal of Geosciences</i> , 2013 , 6, 3469-3480 | 1.8 | 26 |
| 52 | An expert system for predicting Manning roughness coefficient in open channels by using gene expression programming. <i>Neural Computing and Applications</i> , 2013 , 23, 1343-1349 | 4.8 | 20 |
| 51 | COMPUTATION OF DISCHARGE THROUGH SIDE SLUICE GATE USING GENE-EXPRESSION PROGRAMMING. <i>Irrigation and Drainage</i> , 2013 , 62, 115-119 | 1.1 | 8 |
| 50 | Numerical modeling of 3-D flow on porous broad crested weirs. <i>Applied Mathematical Modelling</i> , 2013 , 37, 9324-9337 | 4.5 | 22 |
| 49 | Prediction of equilibrium scour time around long abutments. Water Management, 2013, 166, 394-401 | 1 | 7 |
| 48 | Verification of equations for incipient motion studies for a rigid rectangular channel. <i>Water Science and Technology</i> , 2013 , 67, 395-403 | 2.2 | 20 |
| 47 | Hydraulics characteristics of tipping sediment flushing gate. <i>Water Science and Technology</i> , 2013 , 68, 2397-406 | 2.2 | 4 |
| 46 | Appraisal of soft computing techniques in prediction of total bed material load in tropical rivers. Journal of Earth System Science, 2012 , 121, 125-133 | 1.8 | 25 |
| 45 | ANFIS-based approach for predicting sediment transport in clean sewer. <i>Applied Soft Computing Journal</i> , 2012 , 12, 1227-1230 | 7.5 | 110 |
| 44 | Performance of a dry detention pond: case study of Kota Damansara, Selangor, Malaysia. <i>Urban Water Journal</i> , 2012 , 9, 129-136 | 2.3 | 11 |
| 43 | Sungai Pahang digital flood mapping: 2007 flood. <i>International Journal of River Basin Management</i> , 2012 , 10, 139-148 | 1.7 | 22 |
| 42 | Bridge pier scour prediction by gene expression programming. <i>Water Management</i> , 2012 , 165, 481-493 | 1 | 12 |

| 41 | MATHEMATICAL MODELLING OF FLOW AND SEDIMENT PATTERN AT IJOK INTAKE, IJOK RIVER, PERAK, MALAYSIA. <i>International Journal of Modelling and Simulation</i> , 2012 , 32, | 1.5 | 1 |
|----|--|------|-----|
| 40 | Flow and sediment yield simulations for Bukit Merah Reservoir catchment, Malaysia: a case study. Water Science and Technology, 2012 , 66, 2170-6 | 2.2 | 15 |
| 39 | ANFIS-Based Approach for Predicting the Scour Depth at Culvert Outlets. <i>Journal of Pipeline Systems Engineering and Practice</i> , 2011 , 2, 35-40 | 1.5 | 49 |
| 38 | FLOW SIMULATION FOR LAKE HARAPAN USING CCHE2D 🖾 CASE STUDY. International Journal of Modelling and Simulation, 2011, 31, | 1.5 | 2 |
| 37 | PREDICTION OF SCOUR DEPTH IN DOWNSTREAM OF SKI-JUMP SPILLWAYS USING SOFT COMPUTING TECHNIQUES. <i>International Journal of Computers and Applications</i> , 2011 , 33, | 0.8 | 5 |
| 36 | Prediction of total bed material load for rivers in Malaysia: A case study of Langat, Muda and Kurau Rivers. <i>Environmental Fluid Mechanics</i> , 2011 , 11, 307-318 | 2.2 | 20 |
| 35 | Genetic Programming for Predicting Longitudinal Dispersion Coefficients in Streams. <i>Water Resources Management</i> , 2011 , 25, 1537-1544 | 3.7 | 86 |
| 34 | Gene-Expression Programming for the Development of a Stage-Discharge Curve of the Pahang River. <i>Water Resources Management</i> , 2011 , 25, 2901-2916 | 3.7 | 82 |
| 33 | Flow pattern and hydraulic performance of the REDAC Gross Pollutant Trap. <i>Flow Measurement and Instrumentation</i> , 2011 , 22, 215-224 | 2.2 | 10 |
| 32 | Gene-Expression Programming for Sediment Transport in Sewer Pipe Systems. <i>Journal of Pipeline Systems Engineering and Practice</i> , 2011 , 2, 102-106 | 1.5 | 70 |
| 31 | Case Study: Flood Mitigation of the Muda River, Malaysia. <i>Journal of Hydraulic Engineering</i> , 2010 , 136, 251-261 | 1.8 | 41 |
| 30 | A temporal change study of the Muda River system over 22 years. <i>International Journal of River Basin Management</i> , 2010 , 8, 25-37 | 1.7 | 18 |
| 29 | Genetic Programming to Predict Bridge Pier Scour. <i>Journal of Hydraulic Engineering</i> , 2010 , 136, 165-169 | 1.8 | 128 |
| 28 | Genetic Programming to Predict River Pipeline Scour. <i>Journal of Pipeline Systems Engineering and Practice</i> , 2010 , 1, 127-132 | 1.5 | 47 |
| 27 | 3D simulation of flow around a single spur dike with free-surface flow. <i>International Journal of River Basin Management</i> , 2010 , 8, 55-62 | 1.7 | 40 |
| 26 | Hydraulics of stepped spillways with different numbers of steps. <i>Dams and Reservoirs</i> , 2010 , 20, 131-136 | 50.3 | 6 |
| 25 | Prediction of Scour below Flip Bucket using Soft Computing Techniques 2010 , | | 8 |
| 24 | Gene expression programming for total bed material load estimationa case study. <i>Science of the Total Environment</i> , 2010 , 408, 5078-85 | 10.2 | 50 |

(2000-2010)

| 23 | Machine Learning Approach to Predict Sediment Load 🖟 Case Study. <i>Clean - Soil, Air, Water</i> , 2010 , 38, 969-976 | 1.6 | 46 | |
|----|--|-----|----|--|
| 22 | Knowledge Extraction from Trained Neural Network Scour Models. <i>Modern Applied Science</i> , 2009 , 2, | 1.3 | 4 | |
| 21 | ANFIS-based approach to predicting scour location of spillway. Water Management, 2009, 162, 399-407 | 1 | 15 | |
| 20 | An ANFIS-based approach for predicting the bed load for moderately sized rivers. <i>Journal of Hydro-Environment Research</i> , 2009 , 3, 35-44 | 2.3 | 64 | |
| 19 | Modelling urban river catchment: a case study in Malaysia. Water Management, 2009, 162, 25-34 | 1 | 6 | |
| 18 | Sediment deposition in a rigid monsoon drain. <i>International Journal of River Basin Management</i> , 2008 , 6, 23-30 | 1.7 | 4 | |
| 17 | Sediment transport modeling for Kulim River 🖪 case study. <i>Journal of Hydro-Environment Research</i> , 2008 , 2, 47-59 | 2.3 | 27 | |
| 16 | Comparison between genetic algorithm and linear programming approach for real time operation. <i>Journal of Hydro-Environment Research</i> , 2008 , 2, 172-181 | 2.3 | 80 | |
| 15 | Discharge estimation for equatorial natural rivers with overbank flow. <i>International Journal of River Basin Management</i> , 2008 , 6, 13-21 | 1.7 | 11 | |
| 14 | Determination of apparent and composite friction factors for flooded equatorial natural rivers. <i>International Journal of River Basin Management</i> , 2008 , 6, 3-12 | 1.7 | 4 | |
| 13 | A study of hydraulic characteristics for flow in equatorial rivers. <i>International Journal of River Basin Management</i> , 2008 , 6, 213-223 | 1.7 | 14 | |
| 12 | Revised equations for Manning's coefficient for Sand-Bed Rivers. <i>International Journal of River Basin Management</i> , 2007 , 5, 329-346 | 1.7 | 25 | |
| 11 | Multiple Linear Regression Model for Total Bed Material Load Prediction. <i>Journal of Hydraulic Engineering</i> , 2006 , 132, 521-528 | 1.8 | 50 | |
| 10 | Sediment transport equation assessment for selected rivers in Malaysia. <i>International Journal of River Basin Management</i> , 2005 , 3, 203-208 | 1.7 | 8 | |
| 9 | Storm water treatment using Bio-Ecological Drainage System. <i>International Journal of River Basin Management</i> , 2005 , 3, 215-221 | 1.7 | 18 | |
| 8 | Bio-ecological drainage system (BIOECODS) for water quantity and quality control. <i>International Journal of River Basin Management</i> , 2003 , 1, 237-251 | 1.7 | 31 | |
| 7 | Flood risk mapping for Pari River incorporating sediment transport. <i>Environmental Modelling and Software</i> , 2003 , 18, 119-130 | 5.2 | 33 | |
| 6 | Inlet and Sewer Traps for Sediment Control in Stormwater Drainage - A Malaysian Case Study 2000 , 1 | | 1 | |
| | | | | |

| 5 | Sediment size characteristics of urban drains in Malaysian cities. <i>Urban Water</i> , 2000 , 2, 335-341 | | 15 |
|---|--|-----|----|
| 4 | Design options for self-cleansing storm sewers. Water Science and Technology, 1996 , 33, 215 | 2.2 | 21 |
| 3 | Design options for self-cleansing storm sewers. Water Science and Technology, 1996, 33, 215-220 | 2.2 | 21 |
| 2 | Sediment Transport over Deposited Beds in Sewers. Water Science and Technology, 1994 , 29, 125-133 | 2.2 | 26 |
| 1 | GEP- and MLR-based equations for stable channel analysis. <i>Journal of Hydroinformatics</i> , | 2.6 | 1 |