

Michael W Otto

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6661840/michael-w-otto-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

387
papers

24,461
citations

80
h-index

144
g-index

405
ext. papers

27,372
ext. citations

5.2
avg, IF

6.84
L-index

#	Paper	IF	Citations
387	Acceptability of Telehealth CBT During the Time of COVID-19: Evidence from Patient Treatment Initiation and Attendance Records.. <i>Journal of Behavioral and Cognitive Therapy</i> , 2022 , 32, 67-67	1.6	1
386	Investigation of the predictive influence of personal and gubernatorial politics on COVID-19 related behaviors and beliefs.. <i>Current Psychology</i> , 2022 , 1-11	1.4	1
385	Role of preexisting inhibitory control deficits vs. drug use history in mediating insensitivity to aversive consequences in a rat model of polysubstance use.. <i>Psychopharmacology</i> , 2022 , 1	4.7	0
384	Skin conductance levels and responses in Asian and White participants during fear conditioning.. <i>Physiology and Behavior</i> , 2022 , 113802	3.5	0
383	Stage models for major depression: Cognitive behavior therapy, mechanistic treatment targets, and the prevention of stage transition. <i>Clinical Psychology Review</i> , 2022 , 102172	10.8	0
382	Anxiety Sensitivity as a Malleable Mechanistic Target for Prevention Interventions: A Meta-Analysis of the Efficacy of Brief Treatment Interventions.. <i>Clinical Psychology: Science and Practice</i> , 2021 , 28, 323-337	3.7	1
381	Sleep quality and outcome of exposure therapy in adults with social anxiety disorder. <i>Depression and Anxiety</i> , 2021 , 38, 1182-1190	8.4	2
380	Do Pain-Related Anxiety and Difficulties With Emotion Regulation Impact Abstinence Expectancies or Motivation to Quit E-Cigarette Use?. <i>Journal of Studies on Alcohol and Drugs</i> , 2021 , 82, 414-421	1.9	0
379	Community-based smoking cessation treatment for adults with high anxiety sensitivity: a randomized clinical trial. <i>Addiction</i> , 2021 , 116, 3188-3197	4.6	4
378	Evaluating the Interactive Effect of COVID-19 Worry and Loneliness on Mental Health Among Young Adults. <i>Cognitive Therapy and Research</i> , 2021 , 1-9	2.7	2
377	A randomized controlled trial of exercise on augmenting the effects of cognitive remediation in persons with severe mental illness. <i>Journal of Psychiatric Research</i> , 2021 , 139, 38-46	5.2	3
376	Does anxiety sensitivity predict addiction severity in opioid use disorder?. <i>Addictive Behaviors</i> , 2021 , 112, 106644	4.2	3
375	Working memory moderates the predictive influence of distress intolerance on health-related goal attainment. <i>Cognitive Behaviour Therapy</i> , 2021 , 50, 172-177	4.4	1
374	Affective Vulnerability Across Non-Daily and Daily Electronic Cigarette Users. <i>Behavioral Medicine</i> , 2021 , 47, 51-59	4.4	7
373	The role of fear of COVID-19 in motivation to quit smoking and reductions in cigarette smoking: a preliminary investigation of at-risk cigarette smokers. <i>Cognitive Behaviour Therapy</i> , 2021 , 50, 295-304	4.4	10
372	COVID-19 vaccine acceptance: influential roles of political party and religiosity. <i>Psychology, Health and Medicine</i> , 2021 , 1-11	2.1	9
371	Dose Timing of D-Cycloserine to Augment Exposure Therapy for Social Anxiety Disorder: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2020 , 3, e206777	10.4	9

370	An investigation of racial and ethnic differences in e-cigarette beliefs and use characteristics. <i>Journal of Ethnicity in Substance Abuse</i> , 2020 , 1-15	1.1	1
369	Age and pre quit-day attrition during smoking cessation treatment. <i>Cognitive Behaviour Therapy</i> , 2020 , 49, 361-373	4.4	1
368	Assessing BDNF as a mediator of the effects of exercise on depression. <i>Journal of Psychiatric Research</i> , 2020 , 123, 114-118	5.2	14
367	The new TV dinner: effects of television programming content on eating and attitudes towards exercise. <i>Psychology, Health and Medicine</i> , 2020 , 25, 486-491	2.1	3
366	Isradipine enhancement of virtual reality cue exposure for smoking cessation: Rationale and study protocol for a double-blind randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2020 , 94, 106013	2.3	2
365	Enhancing panic and smoking reduction treatment with D-Cycloserine: A pilot randomized clinical trial. <i>Drug and Alcohol Dependence</i> , 2020 , 208, 107877	4.9	4
364	A randomized controlled trial protocol for engaging distress tolerance and working memory to aid smoking cessation in low socioeconomic status (SES) adults. <i>Health Psychology</i> , 2020 , 39, 815-825	5	7
363	Catching As and Zs: poor sleep quality predicts failures to increase studying time. <i>Sleep Health</i> , 2020 , 6, 15-18	4	
362	Targeting cognitive and emotional regulatory skills for smoking prevention in low-SES youth: A randomized trial of mindfulness and working memory interventions. <i>Addictive Behaviors</i> , 2020 , 104, 106262	4.2	4
361	Examining experiential avoidance as a mediator of the relation between anxiety sensitivity and depressive symptoms. <i>Cognitive Behaviour Therapy</i> , 2020 , 49, 41-54	4.4	3
360	Emotion regulation and motives for illicit drug use in opioid-dependent patients. <i>Cognitive Behaviour Therapy</i> , 2020 , 49, 74-80	4.4	7
359	Efficacy evaluation of exercise as an augmentation strategy to brief behavioral activation treatment for depression: a randomized pilot trial. <i>Cognitive Behaviour Therapy</i> , 2020 , 49, 228-241	4.4	5
358	Anxiety sensitivity and your clinical practice 2019 , 179-193		2
357	Distinguishing Characteristics of E-Cigarette Users Who Attempt and Fail to Quit: Dependence, Perceptions, and Affective Vulnerability. <i>Journal of Studies on Alcohol and Drugs</i> , 2019 , 80, 134-140	1.9	27
356	Anxiety sensitivity as a transdiagnostic treatment target 2019 , 1-8		5
355	A placebo-controlled randomized trial of D-cycloserine augmentation of cue exposure therapy for smoking cessation. <i>Cognitive Behaviour Therapy</i> , 2019 , 48, 65-76	4.4	7
354	Differential Effects of Anxiety Sensitivity on E-Cigarettes Processes: The Importance of E-Cigarette Quit Attempt History. <i>American Journal on Addictions</i> , 2019 , 28, 390-397	3.7	7
353	Effect of d-cycloserine on fear extinction training in adults with social anxiety disorder. <i>PLoS ONE</i> , 2019 , 14, e0223729	3.7	9

352	Changes in Dosing and Dose Timing of D-Cycloserine Explain Its Apparent Declining Efficacy for Augmenting Exposure Therapy for Anxiety-related Disorders: An Individual Participant-data Meta-analysis. <i>Journal of Anxiety Disorders</i> , 2019 , 68, 102149	10.9	20
351	The potential role of anxiety sensitivity in the risk for and recovery from heart attacks: Comment on Edmondson et al. (2018). <i>American Psychologist</i> , 2019 , 74, 622-623	9.5	2
350	The Efficacy of Modafinil as a Cognitive Enhancer: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Psychopharmacology</i> , 2019 , 39, 455-461	1.7	11
349	Distinguishing Characteristics of E-Cigarette Users Who Attempt and Fail to Quit: Dependence, Perceptions, and Affective Vulnerability. <i>Journal of Studies on Alcohol and Drugs</i> , 2019 , 80, 134-140	1.9	14
348	Rescuing cognitive and emotional regulatory skills to aid smoking prevention in at-risk youth: A randomized trial. <i>Contemporary Clinical Trials</i> , 2018 , 70, 1-7	2.3	4
347	Substance use comorbidity in bipolar disorder: A qualitative review of treatment strategies and outcomes. <i>American Journal on Addictions</i> , 2018 , 27, 188-201	3.7	18
346	Memory performance predicts response to psychotherapy for depression in bipolar disorder: A pilot randomized controlled trial with exploratory functional magnetic resonance imaging. <i>Journal of Affective Disorders</i> , 2018 , 229, 342-350	6.6	6
345	Anxiety sensitivity moderates drug cravings in response to induced negative affect in opioid dependent outpatients. <i>Addictive Behaviors</i> , 2018 , 84, 75-78	4.2	11
344	The impact of depressed mood, working memory capacity, and priming on delay discounting. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018 , 60, 37-41	2.6	10
343	Attending to Timely Contingencies: Promoting Physical Activity Uptake Among Adults with Serious Mental Illness with an Exercise-For-Mood vs. an Exercise-For-Fitness Prescription. <i>Behavioral Medicine</i> , 2018 , 44, 108-115	4.4	5
342	A longitudinal study of neurotrophic, oxidative, and inflammatory markers in first-onset depression in midlife women. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 771-781	5.1	25
341	Circulating microRNAs as biomarkers for depression: Many candidates, few finalists. <i>Journal of Affective Disorders</i> , 2018 , 233, 68-78	6.6	53
340	Body Mass Index and functional impairment: the explanatory role of anxiety sensitivity among treatment-seeking smokers. <i>Psychology, Health and Medicine</i> , 2018 , 23, 232-243	2.1	3
339	The impact of substance use disorders on recovery from bipolar depression: Results from the Systematic Treatment Enhancement Program for Bipolar Disorder psychosocial treatment trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 847-855	2.6	6
338	Anxiety Sensitivity, Health Behaviors, and the Prevention and Treatment of Medical Illness. <i>Clinical Psychology: Science and Practice</i> , 2018 , 25,	3.7	8
337	Exploring the boundaries of post-retrieval extinction in healthy and anxious individuals. <i>Behaviour Research and Therapy</i> , 2018 , 108, 45-57	5.2	10
336	Who is studied in de novo fear conditioning paradigms? An examination of demographic and stimulus characteristics predicting fear learning. <i>International Journal of Psychophysiology</i> , 2018 , 130, 21-28	2.9	12
335	Memory creation and modification: Enhancing the treatment of psychological disorders. <i>American Psychologist</i> , 2018 , 73, 269-285	9.5	7

334	Does exercise aid smoking cessation through reductions in anxiety sensitivity and dysphoria?. <i>Health Psychology</i> , 2018 , 37, 647-657	5	22
333	Does d-cycloserine facilitate the effects of homework compliance on social anxiety symptom reduction?. <i>Journal of Anxiety Disorders</i> , 2018 , 53, 85-90	10.9	3
332	A topographical map approach to representing treatment efficacy: a focus on positive psychology interventions. <i>Cognitive Behaviour Therapy</i> , 2018 , 47, 34-42	4.4	10
331	Behavioral activation treatment for major depression: A randomized trial of the efficacy of augmentation with cognitive control training. <i>Journal of Affective Disorders</i> , 2017 , 210, 265-268	6.6	22
330	D-Cycloserine Augmentation of Exposure-Based Cognitive Behavior Therapy for Anxiety, Obsessive-Compulsive, and Posttraumatic Stress Disorders: A Systematic Review and Meta-analysis of Individual Participant Data. <i>JAMA Psychiatry</i> , 2017 , 74, 501-510	14.5	175
329	Identifying attendance patterns in a smoking cessation treatment and their relationships with quit success. <i>Drug and Alcohol Dependence</i> , 2017 , 174, 65-69	4.9	7
328	Do Sleep Disturbances Predict or Moderate the Response to Psychotherapy in Bipolar Disorder?. <i>Journal of Nervous and Mental Disease</i> , 2017 , 205, 196-202	1.8	4
327	Assessment of skin conductance in African American and Non-African American participants in studies of conditioned fear. <i>Psychophysiology</i> , 2017 , 54, 1741-1754	4.1	28
326	Combined Treatment With CBT and Psychopharmacology 2017 , 131-153		
325	Eating in response to exercise cues: Role of self-control fatigue, exercise habits, and eating restraint. <i>Appetite</i> , 2016 , 96, 56-61	4.5	8
324	Clicking away at co-rumination: co-rumination correlates across different modalities of communication. <i>Cognitive Behaviour Therapy</i> , 2016 , 45, 473-8	4.4	8
323	Cardiorespiratory fitness moderates the effect of an affect-guided physical activity prescription: a pilot randomized controlled trial. <i>Cognitive Behaviour Therapy</i> , 2016 , 45, 445-57	4.4	15
322	Emotion dysregulation explains relations between sleep disturbance and smoking quit-related cognition and behavior. <i>Addictive Behaviors</i> , 2016 , 57, 6-12	4.2	21
321	Exercise Self-Efficacy Moderates the Relation between Anxiety Sensitivity and Body Mass Index and Exercise Tolerance in Treatment-Seeking Smokers. <i>Mental Health and Physical Activity</i> , 2016 , 10, 25-32	5	9
320	Medical burden, body mass index and the outcome of psychosocial interventions for bipolar depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 667-77	2.6	15
319	Anxiety Sensitivity Uniquely Predicts Exercise Behaviors in Young Adults Seeking to Increase Physical Activity. <i>Behavior Modification</i> , 2016 , 40, 178-98	2.5	30
318	Enhancement of Psychosocial Treatment With D-Cycloserine: Models, Moderators, and Future Directions. <i>Biological Psychiatry</i> , 2016 , 80, 274-283	7.9	51
317	The Development of a Novel Measure to Assess Motives for Compensatory Eating in Response to Exercise: The CEMQ. <i>Behavioral Medicine</i> , 2016 , 42, 93-104	4.4	11

316	Harnessing reconsolidation to weaken fear and appetitive memories: A meta-analysis of post-retrieval extinction effects. <i>Psychological Bulletin</i> , 2016 , 142, 314-36	19.1	76
315	The Efficacy of Vigorous-Intensity Exercise as an Aid to Smoking Cessation in Adults With High Anxiety Sensitivity: A Randomized Controlled Trial. <i>Psychosomatic Medicine</i> , 2016 , 78, 354-64	3.7	71
314	Anxiety sensitivity and smoking variability among treatment seeking smokers. <i>Addictive Disorders and Their Treatment</i> , 2016 , 15, 136-142	0.5	8
313	RANDOMIZED TRIAL OF D-CYCLOSERINE ENHANCEMENT OF COGNITIVE-BEHAVIORAL THERAPY FOR PANIC DISORDER. <i>Depression and Anxiety</i> , 2016 , 33, 737-45	8.4	53
312	Impaired De Novo Fear Conditioning in Opiate-Dependent Outpatients. <i>Cognitive Therapy and Research</i> , 2016 , 40, 824-830	2.7	4
311	Examining the efficacy of d-cycloserine to augment therapeutic learning in depression. <i>Contemporary Clinical Trials</i> , 2016 , 48, 146-52	2.3	9
310	BDNF Val66Met Polymorphism as a Moderator of Exercise Enhancement of Smoking Cessation Treatment in Anxiety Vulnerable Adults. <i>Mental Health and Physical Activity</i> , 2016 , 10, 73-77	5	2
309	Enhancing panic and smoking reduction treatment with d-cycloserine: Study protocol for a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2016 , 48, 46-51	2.3	3
308	The desire to belong: Social identification as a predictor of treatment outcome in social anxiety disorder. <i>Behaviour Research and Therapy</i> , 2016 , 81, 21-34	5.2	9
307	Affective instability and the course of bipolar depression: results from the STEP-BD randomised controlled trial of psychosocial treatment. <i>British Journal of Psychiatry</i> , 2016 , 208, 352-8	5.4	17
306	No site unseen: predicting the failure to control problematic Internet use among young adults. <i>Cognitive Behaviour Therapy</i> , 2016 , 45, 496-500	4.4	3
305	A cluster analytic approach to identifying predictors and moderators of psychosocial treatment for bipolar depression: Results from STEP-BD. <i>Journal of Affective Disorders</i> , 2016 , 203, 152-157	6.6	8
304	The Therapeutic Potential of Exercise to Improve Mood, Cognition, and Sleep in Parkinson Disease. <i>Movement Disorders</i> , 2016 , 31, 23-38	7	83
303	Anxiety sensitivity and working memory capacity: Risk factors and targets for health behavior promotion. <i>Clinical Psychology Review</i> , 2016 , 49, 67-78	10.8	83
302	Family functioning in the context of parental bipolar disorder: associations with offspring age, sex, and psychopathology. <i>Journal of Family Psychology</i> , 2015 , 29, 108-18	2.7	11
301	Interference with the reconsolidation of trauma-related memories in adults. <i>Depression and Anxiety</i> , 2015 , 32, 32-7	8.4	17
300	Contextual Influences on Distress Intolerance: Priming Effects on Behavioral Persistence. <i>Cognitive Therapy and Research</i> , 2015 , 39, 499-507	2.7	13
299	Dose timing of D-cycloserine to augment cognitive behavioral therapy for social anxiety: Study design and rationale. <i>Contemporary Clinical Trials</i> , 2015 , 43, 223-30	2.3	17

298	A meta-analytic review of the effects of exercise on brain-derived neurotrophic factor. <i>Journal of Psychiatric Research</i> , 2015 , 60, 56-64	5.2	405
297	The Effects of Computerized Cognitive Control Training on Community Adults with Depressed Mood. <i>Behavioural and Cognitive Psychotherapy</i> , 2015 , 43, 578-89	2.1	59
296	A latent class analysis of parental bipolar disorder: Examining associations with offspring psychopathology. <i>Psychiatry Research</i> , 2015 , 230, 314-22	9.9	3
295	Assessing the Effects of Depressed Mood and Cognitive Control Training on Memory Confidence and Accuracy Following Repeated Checking. <i>International Journal of Cognitive Therapy</i> , 2015 , 8, 206-221	1.4	5
294	The role of distress intolerance for panic and nicotine withdrawal symptoms during a biological challenge. <i>Journal of Psychopharmacology</i> , 2015 , 29, 783-91	4.6	23
293	D-cycloserine augmentation of cognitive behavioral therapy for anxiety disorders: an update. <i>Current Psychiatry Reports</i> , 2015 , 17, 532	9.1	48
292	The effects of physical activity on sleep: a meta-analytic review. <i>Journal of Behavioral Medicine</i> , 2015 , 38, 427-49	3.6	495
291	The role of anxiety sensitivity in daily physical activity and eating behavior. <i>Eating Behaviors</i> , 2014 , 15, 255-8	3	39
290	Gender moderates the effect of exercise on anxiety sensitivity. <i>Mental Health and Physical Activity</i> , 2014 , 7, 147-151	5	13
289	Yohimbine enhancement of exposure therapy for social anxiety disorder: a randomized controlled trial. <i>Biological Psychiatry</i> , 2014 , 75, 840-6	7.9	52
288	The human ortholog of acid-sensing ion channel gene ASIC1a is associated with panic disorder and amygdala structure and function. <i>Biological Psychiatry</i> , 2014 , 76, 902-10	7.9	57
287	Mechanisms of Action in the Treatment of Social Anxiety Disorder 2014 , 777-800		1
286	Exercise for Mood and Anxiety Disorders 2014 ,		2
285	Panic Disorder: Assessment and Treatment 2014 , 924-963		
284	A randomized, controlled trial of the efficacy of an interoceptive exposure-based CBT for treatment-refractory outpatients with opioid dependence. <i>Journal of Psychoactive Drugs</i> , 2014 , 46, 402-11	3.6	11
283	Do comorbid anxiety disorders moderate the effects of psychotherapy for bipolar disorder? Results from STEP-BD. <i>American Journal of Psychiatry</i> , 2014 , 171, 178-86	11.9	44
282	Early risk factors for psychopathology in offspring of parents with bipolar disorder: the role of obstetric complications and maternal comorbid anxiety. <i>Depression and Anxiety</i> , 2014 , 31, 583-90	8.4	9
281	Combination Psychological and Pharmacological Treatments for Panic Disorder. <i>International Journal of Cognitive Therapy</i> , 2014 , 7, 122-135	1.4	

280	Extreme attributions predict suicidal ideation and suicide attempts in bipolar disorder: prospective data from STEP-BD. <i>World Psychiatry</i> , 2014 , 13, 95-6	14.4	8
279	Age at onset, course of illness and response to psychotherapy in bipolar disorder: results from the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>Psychological Medicine</i> , 2014 , 44, 3455-67	6.9	25
278	De novo fear conditioning across diagnostic groups in the affective disorders: evidence for learning impairments. <i>Behavior Therapy</i> , 2014 , 45, 619-29	4.8	25
277	CBT for treatment resistant depression. <i>Lancet, The</i> , 2013 , 381, 352-3	4.0	5
276	Testing the Boundaries of Computerized Cognitive Control Training on Symptoms of Obsessive Compulsive Disorder. <i>Cognitive Therapy and Research</i> , 2013 , 37, 587-594	2.7	6
275	Clarifying the Link Between Distress Intolerance and Exercise: Elevated Anxiety Sensitivity Predicts Less Vigorous Exercise. <i>Cognitive Therapy and Research</i> , 2013 , 37, 476-482	2.7	22
274	D-cycloserine enhancement of fear extinction is specific to successful exposure sessions: evidence from the treatment of height phobia. <i>Biological Psychiatry</i> , 2013 , 73, 1054-8	7.9	119
273	Sleep quality predicts treatment outcome in CBT for social anxiety disorder. <i>Depression and Anxiety</i> , 2013 , 30, 1114-20	8.4	34
272	Augmentation of exposure therapy with post-session administration of D-cycloserine. <i>Journal of Psychiatric Research</i> , 2013 , 47, 168-74	5.2	62
271	D-cycloserine enhancement of exposure therapy for social anxiety disorder depends on the success of exposure sessions. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1455-61	5.2	91
270	Extreme attributions predict transition from depression to mania or hypomania in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1329-36	5.2	17
269	Impulsivity as a moderator of the intention-behavior relationship for illicit drug use in patients undergoing treatment. <i>Addictive Behaviors</i> , 2013 , 38, 1651-5	4.2	10
268	Acceptance and Mindfulness Techniques as Applied to Refugee and Ethnic Minority Populations With PTSD: Examples From "Culturally Adapted CBT". <i>Cognitive and Behavioral Practice</i> , 2013 , 20, 33-46	2.3	69
267	Psychosocial predictors of sleep dysfunction: the role of anxiety sensitivity, dysfunctional beliefs, and neuroticism. <i>Behavioral Sleep Medicine</i> , 2013 , 11, 133-43	4.2	52
266	Predictors of dropout from psychosocial treatment in opioid-dependent outpatients. <i>American Journal on Addictions</i> , 2013 , 22, 18-22	3.7	47
265	An Examination of the Association of Distress Intolerance and Emotion Regulation with Avoidance. <i>Cognitive Therapy and Research</i> , 2013 , 37, 363-367	2.7	52
264	LetQ get physical: a contemporary review of the anxiolytic effects of exercise for anxiety and its disorders. <i>Depression and Anxiety</i> , 2013 , 30, 362-73	8.4	198
263	The Role of Anxiety Sensitivity and Eating Expectancy in Maladaptive Eating Behavior. <i>Cognitive Therapy and Research</i> , 2013 , 37, 923-933	2.7	24

262	D-Cycloserine as an augmentation strategy with cognitive-behavioral therapy for social anxiety disorder. <i>American Journal of Psychiatry</i> , 2013 , 170, 751-8	11.9	94
261	Disparate rates of new-onset depression during the menopausal transition in 2 community-based populations: real, or really wrong?. <i>American Journal of Epidemiology</i> , 2013 , 177, 1148-56	3.8	7
260	Patient preference for psychological vs pharmacologic treatment of psychiatric disorders: a meta-analytic review. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 595-602	4.6	368
259	Extreme attributions predict the course of bipolar depression: results from the STEP-BD randomized controlled trial of psychosocial treatment. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 249-55	4.6	18
258	D-cycloserine augmentation of cognitive behavioral group therapy of social anxiety disorder: prognostic and prescriptive variables. <i>Journal of Consulting and Clinical Psychology</i> , 2013 , 81, 1100-12	6.5	38
257	Refining the measurement of distress intolerance. <i>Behavior Therapy</i> , 2012 , 43, 641-51	4.8	113
256	Cognitive behavioral therapy for adherence and depression (CBT-AD) in HIV-infected injection drug users: a randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2012 , 80, 404-15	6.5	159
255	The role of perceived belongingness to a drug subculture among opioid-dependent patients. <i>Psychology of Addictive Behaviors</i> , 2012 , 26, 812-20	3.4	16
254	Mood regulation and quality of life in social anxiety disorder: an examination of generalized expectancies for negative mood regulation. <i>Journal of Anxiety Disorders</i> , 2012 , 26, 435-41	10.9	17
253	A randomized placebo-controlled trial of D-cycloserine and exposure therapy for posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1184-90	5.2	148
252	The efficacy of vigorous-intensity exercise as an aid to smoking cessation in adults with elevated anxiety sensitivity: study protocol for a randomized controlled trial. <i>Trials</i> , 2012 , 13, 207	2.8	29
251	Profiles of distress intolerance in a substance-dependent sample. <i>American Journal of Drug and Alcohol Abuse</i> , 2012 , 38, 161-5	3.7	31
250	Cognitive therapy for anxious depression in STAR(*) D: what have we learned?. <i>Journal of Affective Disorders</i> , 2012 , 142, 213-8	6.6	37
249	Sexual HIV risk behaviors in a treatment-refractory opioid-dependent sample. <i>Journal of Psychoactive Drugs</i> , 2012 , 44, 237-42	3.6	5
248	Five sessions and counting: considering ultra-brief treatment for panic disorder. <i>Depression and Anxiety</i> , 2012 , 29, 465-70	8.4	32
247	Adapting CBT for traumatized refugees and ethnic minority patients: examples from culturally adapted CBT (CA-CBT). <i>Transcultural Psychiatry</i> , 2012 , 49, 340-65	2.7	117
246	Exploring exercise as an avenue for the treatment of anxiety disorders. <i>Expert Review of Neurotherapeutics</i> , 2012 , 12, 1011-22	4.3	62
245	Evaluation of the glycine transporter inhibitor Org 25935 as augmentation to cognitive-behavioral therapy for panic disorder: a multicenter, randomized, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 647-53	4.6	14

244	Expanding findings on D-cycloserine augmentation of therapeutic learning: a role for social learning relative to autism spectrum disorders?. <i>Biological Psychiatry</i> , 2011 , 70, 210-1	7.9	2
243	Culturally adapted CBT (CA-CBT) for Latino women with treatment-resistant PTSD: a pilot study comparing CA-CBT to applied muscle relaxation. <i>Behaviour Research and Therapy</i> , 2011 , 49, 275-80	5.2	116
242	A novel method for assessing distress intolerance: adaptation of a measure of willingness to pay. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011 , 42, 440-6	2.6	11
241	Predictors of relapse in the second follow-up year post cognitive-behavior therapy for panic disorder. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33, 23-9	2.6	19
240	Domain-general and domain-specific strategies for the assessment of distress intolerance. <i>Psychology of Addictive Behaviors</i> , 2011 , 25, 745-9	3.4	78
239	Cognitive enhancers for anxiety disorders. <i>Pharmacology Biochemistry and Behavior</i> , 2011 , 99, 275-84	3.9	45
238	Shared Variance among Self-Report and Behavioral Measures of Distress Intolerance. <i>Cognitive Therapy and Research</i> , 2011 , 35, 266-275	2.7	154
237	Comprehension of self-report evidence-based measures of anxiety. <i>Depression and Anxiety</i> , 2011 , 28, 607-14	8.4	17
236	The association between affect amplification and urgency. <i>Depression and Anxiety</i> , 2011 , 28, 1105-10	8.4	12
235	Memory dysfunction in panic disorder: an investigation of the role of chronic benzodiazepine use. <i>Depression and Anxiety</i> , 2011 , 28, 999-1007	8.4	20
234	Anxiety sensitivity and illicit sedative use among opiate-dependent women and men. <i>American Journal of Drug and Alcohol Abuse</i> , 2011 , 37, 43-7	3.7	39
233	The effects of prior cognitive control task exposure on responses to emotional tasks in healthy participants. <i>Behavioural and Cognitive Psychotherapy</i> , 2011 , 39, 205-20	2.1	19
232	Anxious Patients 2010 , 133-152		1
231	Elucidating the Relationship between Worry and Physical Health. <i>Journal of Experimental Psychopathology</i> , 2010 , 1, jep.008210	2.3	3
230	Mechanisms of Action in the Treatment of Social Anxiety Disorder 2010 , 577-598		1
229	Rates of mood and anxiety disorders and contributors to continued heroin use in methadone maintenance patients: A comparison by HIV status. <i>Neurobehavioral HIV Medicine</i> , 2010 , 2010, 49-57		15
228	Cognitive behavioral therapy vs relaxation with educational support for medication-treated adults with ADHD and persistent symptoms: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 875-80	27.4	243
227	Contributors to neuropsychological impairment in HIV-infected and HIV-uninfected opiate-dependent patients. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010 , 32, 579-89	2.1	15

226	Development and validation of the smoking cue appeal survey. <i>Substance Use and Misuse</i> , 2010 , 45, 2152-61	3
225	D-cycloserine deters reacquisition of cocaine self-administration by augmenting extinction learning. <i>Neuropsychopharmacology</i> , 2010 , 35, 357-67	8.7 78
224	Identifying potential barriers to physical activity adherence: anxiety sensitivity and body mass as predictors of fear during exercise. <i>Cognitive Behaviour Therapy</i> , 2010 , 39, 28-36	4.4 57
223	Attentional bias and craving in smokers: the impact of a single attentional training session. <i>Nicotine and Tobacco Research</i> , 2010 , 12, 1261-4	4.9 38
222	Cognitive behavioral therapy for substance use disorders. <i>Psychiatric Clinics of North America</i> , 2010 , 33, 511-25	3.1 235
221	Efficacy of d-cycloserine for enhancing response to cognitive-behavior therapy for panic disorder. <i>Biological Psychiatry</i> , 2010 , 67, 365-70	7.9 220
220	D-cycloserine for the augmentation of an attentional training intervention for trait anxiety. <i>Journal of Anxiety Disorders</i> , 2010 , 24, 440-5	10.9 16
219	Efficacy of CBT for benzodiazepine discontinuation in patients with panic disorder: Further evaluation. <i>Behaviour Research and Therapy</i> , 2010 , 48, 720-7	5.2 58
218	The serotonin transporter gene and risk for alcohol dependence: a meta-analytic review. <i>Drug and Alcohol Dependence</i> , 2010 , 108, 1-6	4.9 86
217	Cortisol, stress, and attentional bias toward threat. <i>Anxiety, Stress and Coping</i> , 2010 , 23, 529-45	3.1 26
216	Dysfunctional Attitudes, Attributional Styles, and Phase of Illness in Bipolar Disorder. <i>Cognitive Therapy and Research</i> , 2010 , 34, 24-34	2.7 14
215	A meta-analytic review of the association between anxiety sensitivity and pain. <i>Depression and Anxiety</i> , 2010 , 27, 760-7	8.4 112
214	A meta-analysis of the magnitude of biased attention in depression. <i>Depression and Anxiety</i> , 2010 , 27, 1135-42	8.4 377
213	Combined Pharmacotherapy and Cognitive-Behavioral Therapy for Anxiety Disorders: Medication Effects, Glucocorticoids, and Attenuated Treatment Outcomes. <i>Clinical Psychology: Science and Practice</i> , 2010 , 17, 91-103	3.7 53
212	Resolving Treatment Complications Associated with Comorbid Depression 2010 , 231-249	1
211	Avoiding Treatment Failures in Panic Disorder 2010 , 103-124	0
210	Helping Exposure Succeed: Learning Theory Perspectives on Treatment Resistance and Relapse 2010 , 31-49	2
209	Therapeutic Alliance and Common Factors in Treatment 2010 , 51-66	1

208	Combined Cognitive Behavioral and Pharmacologic Treatment Strategies: Current Status and Future Directions 2010 , 67-81		1
207	Effects of D-cycloserine administration on weekly nonemotional memory tasks in healthy participants. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 49-54	9.4	30
206	Facilitation of fear extinction in phobic participants with a novel cognitive enhancer: a randomized placebo controlled trial of yohimbine augmentation. <i>Journal of Anxiety Disorders</i> , 2009 , 23, 350-6	10.9	91
205	Psychosocial predictors of the onset of anxiety disorders in women: results from a prospective 3-year longitudinal study. <i>Journal of Anxiety Disorders</i> , 2009 , 23, 1165-9	10.9	37
204	A comparison of emotional approach coping (EAC) between individuals with anxiety disorders and nonanxious controls. <i>CNS Neuroscience and Therapeutics</i> , 2009 , 15, 100-6	6.8	5
203	Mechanisms of efficacy of CBT for Cambodian refugees with PTSD: improvement in emotion regulation and orthostatic blood pressure response. <i>CNS Neuroscience and Therapeutics</i> , 2009 , 15, 255-63	6.8	131
202	Empirically supported treatments for panic disorder. <i>Psychiatric Clinics of North America</i> , 2009 , 32, 593-610	6.0	69
201	A randomized controlled trial of cognitive behavioral therapy for adherence and depression (CBT-AD) in HIV-infected individuals. <i>Health Psychology</i> , 2009 , 28, 1-10	5	313
200	Next-step strategies for panic disorder refractory to initial pharmacotherapy: a 3-phase randomized clinical trial. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1563-70	4.6	34
199	Exercise for Mood and Anxiety Disorders 2009 ,		2
198	Exercise for Mood and Anxiety Disorders 2009 ,		2
197	CBT for Medication Adherence and Depression (CBT-AD) in HIV-Infected Patients Receiving Methadone Maintenance Therapy. <i>Cognitive and Behavioral Practice</i> , 2008 , 15, 93-106	2.3	17
196	Once-weekly D-cycloserine effects on negative symptoms and cognition in schizophrenia: an exploratory study. <i>Schizophrenia Research</i> , 2008 , 106, 320-7	3.6	107
195	Anxiety sensitivity: a unique predictor of dropout among inner-city heroin and crack/cocaine users in residential substance use treatment. <i>Behaviour Research and Therapy</i> , 2008 , 46, 811-8	5.2	91
194	Personality factors associated with methadone maintenance dose. <i>American Journal of Drug and Alcohol Abuse</i> , 2008 , 34, 634-41	3.7	6
193	A meta-analytic review of psychosocial interventions for substance use disorders. <i>American Journal of Psychiatry</i> , 2008 , 165, 179-87	11.9	889
192	Novel Treatment Approaches for Refractory Anxiety Disorders. <i>Focus (American Psychiatric Publishing)</i> , 2008 , 6, 486-495	1.1	5
191	Anxiety Sensitivity, Emotional Intolerance, and Expansion of the Application of Interoceptive Exposure: Commentary on the Special Issue. <i>Journal of Cognitive Psychotherapy</i> , 2008 , 22, 379-384	0.9	9

190	Novel treatment approaches for refractory anxiety disorders. <i>Depression and Anxiety</i> , 2008 , 25, 467-76	8.4	51
189	Reducing anxiety sensitivity with exercise. <i>Depression and Anxiety</i> , 2008 , 25, 689-99	8.4	192
188	Paroxetine CR augmentation for posttraumatic stress disorder refractory to prolonged exposure therapy. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 400-5	4.6	67
187	Cognitive-Behavioral Therapy, Behavioral Therapy, and Cognitive Therapy 2008 , 189-202		
186	Managing Bipolar Disorder: Workbook 2008 ,		2
185	The Promise of Exercise Interventions for the Anxiety Disorders 2008 , 81-104		3
184	Effectiveness of adjunctive antidepressant treatment for bipolar depression. <i>New England Journal of Medicine</i> , 2007 , 356, 1711-22	59.2	671
183	Translational research perspectives on maximizing the effectiveness of exposure therapy 2007 , 109-126		9
182	Is Psychosocial Management Effective? Reply. <i>Archives of General Psychiatry</i> , 2007 , 64, 1452		
181	Translating Empirically Supported Strategies Into Accessible Interventions: The Potential Utility of Exercise for the Treatment of Panic Disorder. <i>Cognitive and Behavioral Practice</i> , 2007 , 14, 364-374	2.3	22
180	Understanding the link between anxiety symptoms and suicidal ideation and behaviors in outpatients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2007 , 97, 91-9	6.6	49
179	The association of comorbid anxiety disorders with suicide attempts and suicidal ideation in outpatients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2007 , 41, 255-64	5.2	127
178	Intensive psychosocial intervention enhances functioning in patients with bipolar depression: results from a 9-month randomized controlled trial. <i>American Journal of Psychiatry</i> , 2007 , 164, 1340-7	11.9	186
177	Prediction of "fear" acquisition in healthy control participants in a de novo fear-conditioning paradigm. <i>Behavior Modification</i> , 2007 , 31, 32-51	2.5	59
176	Clinical perspectives on the combination of D-cycloserine and cognitive-behavioral therapy for the treatment of anxiety disorders. <i>CNS Spectrums</i> , 2007 , 12, 51-6, 59-61	1.8	41
175	Dysfunctional attitudes and episodes of major depression: Predictive validity and temporal stability in never-depressed, depressed, and recovered women. <i>Journal of Abnormal Psychology</i> , 2007 , 116, 475-83	7	58
174	Defense mechanisms after brief cognitive-behavior group therapy for panic disorder: one-year follow-up. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 540-3	1.8	15
173	Psychosocial treatments for bipolar depression: a 1-year randomized trial from the Systematic Treatment Enhancement Program. <i>Archives of General Psychiatry</i> , 2007 , 64, 419-26		379

172	Posttraumatic stress disorder symptoms following media exposure to tragic events: impact of 9/11 on children at risk for anxiety disorders. <i>Journal of Anxiety Disorders</i> , 2007 , 21, 888-902	10.9	136
171	Attending to emotional cues for drug abuse: bridging the gap between clinic and home behaviors. <i>Science & Practice Perspectives / A Publication of the National Institute on Drug Abuse, National Institutes of Health</i> , 2007 , 3, 48-56		16
170	Exercise for mood and anxiety disorders. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 669-76	4.6	17
169	Cost-efficacy of individual and combined treatments for panic disorder. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1038-44	4.6	46
168	Exercise for mood and anxiety disorders. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2007 , 9, 287-94		23
167	Psychosocial interventions for bipolar disorder: a review of literature and introduction of the systematic treatment enhancement program. <i>Psychopharmacology Bulletin</i> , 2007 , 40, 116-31	0.9	24
166	Symptom Presentation and Symptom Meaning Among Traumatized Cambodian Refugees: Relevance to a Somatically Focused Cognitive-Behavior Therapy. <i>Cognitive and Behavioral Practice</i> , 2006 , 13, 249-260	2.3	57
165	Modifying Exposure-Based CBT for Cambodian Refugees with Posttraumatic Stress Disorder. <i>Cognitive and Behavioral Practice</i> , 2006 , 13, 261-270	2.3	43
164	Combining pharmacotherapy with cognitive behavioral therapy: traditional and new approaches. <i>Journal of Traumatic Stress</i> , 2006 , 19, 571-81	3.8	48
163	Predictors of Recurrence in Bipolar Disorder: Primary Outcomes From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>Focus (American Psychiatric Publishing)</i> , 2006 , 4, 553-561	1.1	6
162	New Psychosocial Interventions for Bipolar Disorder: A Review of Literature and Introduction of the Systematic Treatment Enhancement Program. <i>Journal of Cognitive Psychotherapy</i> , 2006 , 20, 215-230 ^{0.9}		11
161	Predictors of recurrence in bipolar disorder: primary outcomes from the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>American Journal of Psychiatry</i> , 2006 , 163, 217-24 ^{11.9}		473
160	Augmentation of exposure therapy with D-cycloserine for social anxiety disorder. <i>Archives of General Psychiatry</i> , 2006 , 63, 298-304		457
159	Risk for new onset of depression during the menopausal transition: the Harvard study of moods and cycles. <i>Archives of General Psychiatry</i> , 2006 , 63, 385-90		55 ⁰
158	Quality of life and treatment outcome in panic disorder: cognitive behavior group therapy effects in patients refractory to medication treatment. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 183-6	9.4	36
157	Prevention of missing data in clinical research studies. <i>Biological Psychiatry</i> , 2006 , 59, 997-1000	7.9	27
156	One-year follow-up of pharmacotherapy-resistant patients with panic disorder treated with cognitive-behavior therapy: Outcome and predictors of remission. <i>Behaviour Research and Therapy</i> , 2006 , 44, 657-65	5.2	63
155	Rates of isolated sleep paralysis in outpatients with anxiety disorders. <i>Journal of Anxiety Disorders</i> , 2006 , 20, 687-93	10.9	55

154	Combined Psychotherapy and Pharmacotherapy for Mood and Anxiety Disorders in Adults: Review and Analysis. <i>Focus (American Psychiatric Publishing)</i> , 2006 , 4, 204-214	1.1	5
153	Combining Cognitive-Behavioral Therapy and Pharmacotherapy for the Treatment of Panic Disorder. <i>Journal of Cognitive Psychotherapy</i> , 2006 , 20, 75-84	0.9	6
152	Do baseline client characteristics predict the therapeutic alliance in the treatment of schizophrenia?. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 10-4	1.8	57
151	Psychotherapy, symptom outcomes, and role functioning over one year among patients with bipolar disorder. <i>Psychiatric Services</i> , 2006 , 57, 959-65	3.3	15
150	The relationship of anxiety disorders, anxiety sensitivity and pulmonary dysfunction with dyspnea-related distress and avoidance. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 951-7	1.8	30
149	Prospective 12-month course of bipolar disorder in out-patients with and without comorbid anxiety disorders. <i>British Journal of Psychiatry</i> , 2006 , 189, 20-5	5.4	164
148	Prospective predictors of suicide and suicide attempts in 1,556 patients with bipolar disorders followed for up to 2 years. <i>Bipolar Disorders</i> , 2006 , 8, 566-75	3.8	91
147	Exercise Interventions for Mental Health: A Quantitative and Qualitative Review.. <i>Clinical Psychology: Science and Practice</i> , 2006 , 13, 179-193	3.7	374
146	Augmentation treatment of psychotherapy for anxiety disorders with D-cycloserine. <i>CNS Neuroscience & Therapeutics</i> , 2006 , 12, 208-17		90
145	Validity of the distinction between primary and secondary substance use disorder in patients with bipolar disorder: data from the first 1000 STEP-BD participants. <i>American Journal on Addictions</i> , 2006 , 15, 138-43	3.7	34
144	Persistent posttraumatic stress disorder following September 11 in patients with bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 394-9	4.6	30
143	Emotional exposure in the treatment of substance use disorders: conceptual model, evidence, and future directions. <i>Clinical Psychology Review</i> , 2005 , 25, 824-39	10.8	48
142	Anxiety disorders among patients with co-occurring bipolar and substance use disorders. <i>Drug and Alcohol Dependence</i> , 2005 , 80, 251-7	4.9	25
141	Cognitive-behavioral therapy for ADHD in medication-treated adults with continued symptoms. <i>Behaviour Research and Therapy</i> , 2005 , 43, 831-42	5.2	317
140	Perceived criticism from family members as a predictor of the one-year course of bipolar disorder. <i>Psychiatry Research</i> , 2005 , 136, 101-11	9.9	78
139	Clinical and diagnostic implications of lifetime attention-deficit/hyperactivity disorder comorbidity in adults with bipolar disorder: data from the first 1000 STEP-BD participants. <i>Biological Psychiatry</i> , 2005 , 57, 1467-73	7.9	206
138	A pilot study of functional Cognitive Behavioral Therapy (fCBT) for schizophrenia. <i>Schizophrenia Research</i> , 2005 , 74, 201-9	3.6	92
137	Hypericum extract in patients with MDD and reversed vegetative signs: re-analysis from data of a double-blind, randomized trial of hypericum extract, fluoxetine, and placebo. <i>International Journal of Neuropsychopharmacology</i> , 2005 , 8, 215-21	5.8	12

136	A Double-blind, randomized trial of St John's wort, fluoxetine, and placebo in major depressive disorder. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 441-7	1.7	96
135	Adding Cognitive-Behavioral Therapy to Pharmacotherapy for Panic Disorder: Issues and Strategies. <i>CNS Spectrums</i> , 2005 , 10, 32-39	1.8	7
134	Combined Psychotherapy and Pharmacotherapy for Mood and Anxiety Disorders in Adults: Review and Analysis.. <i>Clinical Psychology: Science and Practice</i> , 2005 , 12, 72-86	3.7	110
133	Panic disorder and bipolar disorder: anxiety sensitivity as a potential mediator of panic during manic states. <i>Journal of Affective Disorders</i> , 2005 , 87, 101-5	6.6	26
132	Computer-assisted cognitive therapy for depression: maintaining efficacy while reducing therapist time. <i>American Journal of Psychiatry</i> , 2005 , 162, 1158-64	11.9	215
131	Influence of psychiatric comorbidity on recovery and recurrence in generalized anxiety disorder, social phobia, and panic disorder: a 12-year prospective study. <i>American Journal of Psychiatry</i> , 2005 , 162, 1179-87	11.9	623
130	Does recovery from substance use disorder matter in patients with bipolar disorder?. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 730-5; quiz 808-9	4.6	94
129	Benzodiazepine use, cognitive impairment, and cognitive-behavioral therapy for anxiety disorders: issues in the treatment of a patient in need. <i>Journal of Clinical Psychiatry</i> , 2005 , 66 Suppl 2, 34-8	4.6	8
128	Should CBT Target the Social Impairments Associated With Schizophrenia?. <i>Journal of Cognitive Psychotherapy</i> , 2004 , 18, 255-264	0.9	7
127	Cognitive Therapy For Delusions in Schizophrenia: Models, Benefits, and New Approaches. <i>Journal of Cognitive Psychotherapy</i> , 2004 , 18, 207-221	0.9	5
126	Supportive therapy for schizophrenia: possible mechanisms and implications for adjunctive psychosocial treatments. <i>Schizophrenia Bulletin</i> , 2004 , 30, 101-12	1.3	87
125	Anxiety disorder comorbidity in bipolar disorder patients: data from the first 500 participants in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>American Journal of Psychiatry</i> , 2004 , 161, 2222-9	11.9	423
124	Cognitive behavior therapy and pharmacotherapy for insomnia: a randomized controlled trial and direct comparison. <i>Archives of Internal Medicine</i> , 2004 , 164, 1888-96		378
123	Posttraumatic stress disorder in patients with bipolar disorder: a review of prevalence, correlates, and treatment strategies. <i>Bipolar Disorders</i> , 2004 , 6, 470-9	3.8	98
122	Demographic and diagnostic characteristics of the first 1000 patients enrolled in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>Bipolar Disorders</i> , 2004 , 6, 460-9	3.8	97
121	Changes in anxiety sensitivity with pharmacotherapy for panic disorder. <i>Journal of Psychiatric Research</i> , 2004 , 38, 491-5	5.2	32
120	Cognitive-behavioral therapy for HIV medication adherence and depression. <i>Cognitive and Behavioral Practice</i> , 2004 , 11, 415-424	2.3	48
119	Early life menstrual characteristics and pregnancy experiences among women with and without major depression: the Harvard study of moods and cycles. <i>Journal of Affective Disorders</i> , 2004 , 79, 167-76	6.6	59

118	CBT for Vietnamese refugees with treatment-resistant PTSD and panic attacks: a pilot study. <i>Journal of Traumatic Stress</i> , 2004 , 17, 429-33	3.8	179
117	Psychosocial treatments for adults with attention-deficit/hyperactivity disorder. <i>Psychiatric Clinics of North America</i> , 2004 , 27, 349-60	3.1	62
116	Internal cue exposure and the treatment of substance use disorders: lessons from the treatment of panic disorder. <i>Journal of Anxiety Disorders</i> , 2004 , 18, 69-87	10.9	56
115	Pharmacotherapy for bipolar disorder and comorbid conditions: baseline data from STEP-BD. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 512-20	1.7	71
114	Psychosocial service utilization by patients with bipolar disorders: data from the first 500 participants in the Systematic Treatment Enhancement Program. <i>Journal of Psychiatric Practice</i> , 2004 , 10, 81-7	1.3	18
113	The role and impact of psychotherapy in the management of bipolar disorder. <i>CNS Spectrums</i> , 2004 , 9, 27-32	1.8	8
112	Cognitive-behavioral therapy for the treatment of anxiety disorders. <i>Journal of Clinical Psychiatry</i> , 2004 , 65 Suppl 5, 34-41	4.6	28
111	Treating medication-resistant panic disorder: predictors and outcome of cognitive-behavior therapy in a Brazilian public hospital. <i>Psychotherapy and Psychosomatics</i> , 2003 , 72, 43-8	9.4	66
110	Combined paroxetine and clonazepam treatment strategies compared to paroxetine monotherapy for panic disorder. <i>Journal of Psychopharmacology</i> , 2003 , 17, 276-82	4.6	90
109	Depression and its influence on reproductive endocrine and menstrual cycle markers associated with perimenopause: the Harvard Study of Moods and Cycles. <i>Archives of General Psychiatry</i> , 2003 , 60, 29-36		175
108	. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 250-259	1.7	1
107	Cognitive-behavioral therapy for panic disorder: a review of treatment elements, strategies, and outcomes. <i>CNS Spectrums</i> , 2003 , 8, 356-62	1.8	12
106	Treatment contracting in cognitive-behavior therapy. <i>Cognitive and Behavioral Practice</i> , 2003 , 10, 199-203	3	8
105	Psychoeducational and cognitive-behavioral strategies in the management of bipolar disorder. <i>Journal of Affective Disorders</i> , 2003 , 73, 171-81	6.6	60
104	Peritraumatic dissociation and PTSD severity: do event-related fears about death and control mediate their relation?. <i>Behaviour Research and Therapy</i> , 2003 , 41, 157-66	5.2	74
103	Anger-associated panic attacks in Cambodian refugees with PTSD; a multiple baseline examination of clinical data. <i>Behaviour Research and Therapy</i> , 2003 , 41, 647-54	5.2	36
102	Treatment of pharmacotherapy-refractory posttraumatic stress disorder among Cambodian refugees: a pilot study of combination treatment with cognitive-behavior therapy vs sertraline alone. <i>Behaviour Research and Therapy</i> , 2003 , 41, 1271-6	5.2	157
101	Rationale, design, and methods of the systematic treatment enhancement program for bipolar disorder (STEP-BD). <i>Biological Psychiatry</i> , 2003 , 53, 1028-42	7.9	421

100	Exploring the psychometric properties and construct validity of the MCMI-III anxiety and avoidant personality scales. <i>Journal of Personality Assessment</i> , 2003 , 81, 237-41	2.8	13
99	Longitudinal outcome with pharmacotherapy in a naturalistic study of panic disorder. <i>Journal of Affective Disorders</i> , 2002 , 69, 201-8	6.6	40
98	Hypothyroidism and hyperthyroidism in anxiety disorders revisited: new data and literature review. <i>Journal of Affective Disorders</i> , 2002 , 69, 209-17	6.6	53
97	Prevalence and predictors of premenstrual dysphoric disorder (PMDD) in older premenopausal women. The Harvard Study of Moods and Cycles. <i>Journal of Affective Disorders</i> , 2002 , 70, 125-32	6.6	147
96	Early improvement predicts endpoint remission status in sertraline and placebo treatments of panic disorder. <i>Journal of Psychiatric Research</i> , 2002 , 36, 229-36	5.2	25
95	Demographic, family, and occupational characteristics associated with major depression: the Harvard study of moods and cycles. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 209-17	6.5	23
94	The dose and delivery of psychotherapy: A commentary on Hansen et al.. <i>Clinical Psychology: Science and Practice</i> , 2002 , 9, 348-349	3.7	2
93	Assay sensitivity, failed clinical trials, and the conduct of science. <i>Psychotherapy and Psychosomatics</i> , 2002 , 71, 241-3	9.4	36
92	Quality of life in social anxiety disorder compared with panic disorder and the general population. <i>Psychiatric Services</i> , 2002 , 53, 714-8	3.3	63
91	History of childhood abuse in panic disorder, social phobia, and generalized anxiety disorder. <i>Journal of Nervous and Mental Disease</i> , 2002 , 190, 453-6	1.8	75
90	Effect of abrupt change from standard to low serum levels of lithium: a reanalysis of double-blind lithium maintenance data. <i>American Journal of Psychiatry</i> , 2002 , 159, 1155-9	11.9	58
89	Benzodiazepine discontinuation difficulties in panic disorder: conceptual model and outcome for cognitive-behavior therapy. <i>Current Pharmaceutical Design</i> , 2002 , 8, 75-80	3.3	32
88	Predictors of psychological well-being in a diverse sample of HIV-positive patients receiving highly active antiretroviral therapy. <i>Psychosomatics</i> , 2002 , 43, 478-85	2.6	59
87	A novel cognitive-behavioral approach for treatment-resistant drug dependence. <i>Journal of Substance Abuse Treatment</i> , 2002 , 23, 335-42	4.2	43
86	Prevalence of body dysmorphic disorder in a community sample of women. <i>American Journal of Psychiatry</i> , 2001 , 158, 2061-3	11.9	158
85	Reliability and validity of a structured interview guide for the Hamilton Anxiety Rating Scale (SIGH-A). <i>Depression and Anxiety</i> , 2001 , 13, 166-178	8.4	315
84	Prevalence of childhood ADHD among patients with Generalized Anxiety Disorder and a comparison condition, Social Phobia. <i>Depression and Anxiety</i> , 2001 , 13, 190-191	8.4	30
83	Childhood history of anxiety disorders among adults with social phobia: rates, correlates, and comparisons with patients with panic disorder. <i>Depression and Anxiety</i> , 2001 , 14, 209-13	8.4	80

82	Cognitive Bias in Panic Disorder: A Process Dissociation Approach to Automaticity. <i>Cognitive Therapy and Research</i> , 2001 , 25, 335-347	2.7	8
81	Introducing flexibility in manualized treatments: Application of recommended strategies to the cognitive-behavioral treatment of bipolar disorder. <i>Cognitive and Behavioral Practice</i> , 2001 , 8, 317-328	2.3	15
80	Is age at symptom onset associated with severity of memory impairment in adults with obsessive-compulsive disorder?. <i>American Journal of Psychiatry</i> , 2001 , 158, 137-9	11.9	24
79	An effect-size analysis of the relative efficacy and tolerability of serotonin selective reuptake inhibitors for panic disorder. <i>American Journal of Psychiatry</i> , 2001 , 158, 1989-92	11.9	119
78	The anxiety sensitivity index: item analysis and suggestions for refinement. <i>Journal of Personality Assessment</i> , 2001 , 77, 272-94	2.8	77
77	Cognitive-behavioral therapy for social anxiety disorder. <i>Psychiatric Clinics of North America</i> , 2001 , 24, 805-15	3.1	8
76	Cognitive-behavior therapy for discontinuation of SSRI treatment of panic disorder: a case series. <i>Behaviour Research and Therapy</i> , 2001 , 39, 939-45	5.2	38
75	Two strategies to increase adherence to HIV antiretroviral medication: life-steps and medication monitoring. <i>Behaviour Research and Therapy</i> , 2001 , 39, 1151-62	5.2	237
74	The voice of emotional memory: content-filtered speech in panic disorder, social phobia, and major depressive disorder. <i>Behaviour Research and Therapy</i> , 2001 , 39, 1329-37	5.2	10
73	Characteristics of women with premenstrual dysphoric disorder (PMDD) who did or did not report history of depression: a preliminary report from the Harvard Study of Moods and Cycles. <i>Journal of Womens Health and Gender-Based Medicine</i> , 2001 , 10, 873-8		37
72	Reliability and validity of a structured interview guide for the Hamilton Anxiety Rating Scale (SIGH-A) 2001 , 13, 166		6
71	Empirically supported treatments for panic disorder: Costs, benefits, and stepped care.. <i>Journal of Consulting and Clinical Psychology</i> , 2000 , 68, 556-563	6.5	134
70	Cell-surface expression of L-selectin (CD62L) by blood lymphocytes: Correlates with affective parameters and severity of panic disorder 2000 , 11, 31-37		18
69	Constructing a model of change: Clinical commentary on a complex case. <i>Cognitive and Behavioral Practice</i> , 2000 , 7, 123-126	2.3	3
68	Stories and metaphors in cognitive-behavior therapy. <i>Cognitive and Behavioral Practice</i> , 2000 , 7, 166-172	2.3	40
67	History of childhood attention deficit hyperactivity disorder (ADHD) features among adults with panic disorder. <i>Journal of Affective Disorders</i> , 2000 , 58, 99-106	6.6	34
66	A comparison of the efficacy of clonazepam and cognitive-behavioral group therapy for the treatment of social phobia. <i>Journal of Anxiety Disorders</i> , 2000 , 14, 345-58	10.9	116
65	The relationship between semantic organization and memory in obsessive-compulsive disorder. <i>Psychotherapy and Psychosomatics</i> , 2000 , 69, 101-7	9.4	120

64	Cognitive-behavioral therapy for depression. Applications and outcome. <i>Psychiatric Clinics of North America</i> , 2000 , 23, 795-809, VII	3.1	17
63	Reliability and validity of a scoring system for measuring organizational approach in the Complex Figure Test. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2000 , 22, 640-8	2.1	56
62	Prevalence and predictors of depressive symptoms in older premenopausal women: the Harvard Study of Moods and Cycles. <i>Archives of General Psychiatry</i> , 1999 , 56, 418-24		128
61	Dysfunctional attitudes and poor problem solving skills predict hopelessness in major depression. <i>Journal of Affective Disorders</i> , 1999 , 55, 45-9	6.6	35
60	Five-factor personality traits in patients with seasonal depression: treatment effects and comparisons with bipolar patients. <i>Journal of Affective Disorders</i> , 1999 , 55, 51-4	6.6	42
59	Life-steps: Applying cognitive behavioral therapy to HIV medication adherence. <i>Cognitive and Behavioral Practice</i> , 1999 , 6, 332-341	2.3	121
58	New tools for anxiety disorders: A clinical commentary on treatment innovations. <i>Cognitive and Behavioral Practice</i> , 1999 , 6, 263-266	2.3	1
57	Is panic disorder linked to cognitive avoidance of threatening information?. <i>Journal of Anxiety Disorders</i> , 1999 , 13, 335-48	10.9	47
56	Cognitive behavior group therapy for body dysmorphic disorder: a case series. <i>Behaviour Research and Therapy</i> , 1999 , 37, 71-5	5.2	113
55	Group cognitive-behavior therapy for patients failing to respond to pharmacotherapy for panic disorder: a clinical case series. <i>Behaviour Research and Therapy</i> , 1999 , 37, 763-70	5.2	78
54	Psychological interventions in the age of managed care: A commentary on medical cost offsets.. <i>Clinical Psychology: Science and Practice</i> , 1999 , 6, 239-241	3.7	2
53	Quality of life in patients with panic disorder. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 429-34	1.8	78
52	Clinician response to treatment refractory panic disorder: a survey of psychiatrists. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 755-7	1.8	4
51	Additional findings on the association between anxiety sensitivity and hypochondriacal concerns: examination of patients with major depression. <i>Journal of Anxiety Disorders</i> , 1998 , 12, 225-32	10.9	59
50	Rate of improvement during cognitive-behavioral group treatment for panic disorder. <i>Behaviour Research and Therapy</i> , 1998 , 36, 665-73	5.2	56
49	Sertraline in the treatment of panic disorder: a flexible-dose multicenter trial. <i>Archives of General Psychiatry</i> , 1998 , 55, 1010-6		120
48	Panic, dyspnea, and asthma. <i>Current Opinion in Pulmonary Medicine</i> , 1998 , 4, 40-5	3	26
47	How do clinicians respond to patients who miss appointments?. <i>Journal of Clinical Psychiatry</i> , 1998 , 59, 330-8; quiz 339-40	4.6	17

46	Prevalence of body dysmorphic disorder in patients with anxiety disorders. <i>Journal of Anxiety Disorders</i> , 1997 , 11, 499-502	10.9	100
45	Selective encoding of threat in panic disorder: application of a dual priming paradigm. <i>Behaviour Research and Therapy</i> , 1997 , 35, 543-9	5.2	13
44	Cognitive-behavioral and pharmacological treatment for social phobia: A meta-analysis.. <i>Clinical Psychology: Science and Practice</i> , 1997 , 4, 291-306	3.7	247
43	Cognitive behavioral and pharmacological treatment of generalized anxiety disorder: A preliminary meta-analysis. <i>Behavior Therapy</i> , 1997 , 28, 285-305	4.8	260
42	Life Event, Mood, and Cognitive Predictors of Perceived Stress Before and After Treatment for Major Depression. <i>Cognitive Therapy and Research</i> , 1997 , 21, 409-420	2.7	19
41	Panic disorder in emergency ward patients with chest pain. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 274-6	1.8	16
40	Prevalence and correlates of anger attacks: a two site study. <i>Journal of Affective Disorders</i> , 1996 , 39, 31-8	6.6	61
39	Symptom subtypes of obsessive-compulsive disorder in behavioral treatment studies: a quantitative review. <i>Behaviour Research and Therapy</i> , 1996 , 34, 47-51	5.2	133
38	Panic anxiety, dyspnea, and respiratory disease. Theoretical and clinical considerations. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996 , 154, 6-17	10.2	206
37	Relationship of childhood anxiety to adult panic disorder: correlates and influence on course. <i>American Journal of Psychiatry</i> , 1996 , 153, 376-81	11.9	110
36	Dichotic listening before and after fluoxetine treatment for major depression: relations of laterality to therapeutic response. <i>Neuropsychopharmacology</i> , 1996 , 15, 171-9	8.7	30
35	Maintenance of remission following cognitive behavior therapy for panic disorder: Possible deleterious effects of concurrent medication treatment. <i>Behavior Therapy</i> , 1996 , 27, 473-482	4.8	71
34	Relationship of antecedent stressful life events to childhood and family history of anxiety and the course of panic disorder. <i>Journal of Affective Disorders</i> , 1996 , 41, 135-9	6.6	42
33	Current status of pharmacotherapy for PTSD: an effect size analysis of controlled studies. <i>Depression and Anxiety</i> , 1996 , 4, 240-2	8.4	21
32	The effectiveness of cognitive-behavior therapy for panic disorder without concurrent medication treatment: a reply to Power and Sharp. <i>Journal of Psychopharmacology</i> , 1996 , 10, 254-6	4.6	8
31	Cognitive-Behavior Therapy and the Longitudinal Course of Panic Disorder. <i>Psychiatric Clinics of North America</i> , 1995 , 18, 803-820	3.1	13
30	Elevated Anxiety Sensitivity Index scores in patients with major depression: Correlates and changes with antidepressant treatment. <i>Journal of Anxiety Disorders</i> , 1995 , 9, 117-123	10.9	120
29	Differentiating social phobia and panic disorder: A test of core beliefs. <i>Cognitive Therapy and Research</i> , 1995 , 19, 473-482	2.7	48

28	Cognitive-behavioral treatment of choking phobia: 3 case studies. <i>Psychotherapy and Psychosomatics</i> , 1994 , 62, 207-11	9.4	17
27	Sleep panic attacks: an association with childhood anxiety and adult psychopathology. <i>Biological Psychiatry</i> , 1994 , 36, 57-60	7.9	41
26	Anxiety psychopathology predictive of outcome in patients with panic disorder and depression treated with imipramine, alprazolam and placebo. <i>Journal of Affective Disorders</i> , 1994 , 30, 273-81	6.6	23
25	Norms for depressed patients for the California verbal learning test: Associations with depression severity and self-report of cognitive difficulties. <i>Archives of Clinical Neuropsychology</i> , 1994 , 9, 81-88	2.7	2
24	Panic disorder and hypochondriacal concerns: A reply to Taylor. <i>Journal of Anxiety Disorders</i> , 1994 , 8, 101-103	10.9	10
23	Premenstrual exacerbation of symptoms in women with panic disorder. <i>Journal of Anxiety Disorders</i> , 1994 , 8, 131-138	10.9	52
22	Predicting prospective episodes of depression in patients with panic disorder: A longitudinal study.. <i>Journal of Consulting and Clinical Psychology</i> , 1994 , 62, 359-365	6.5	50
21	Hemispheric laterality and memory bias for threat in anxiety disorders. <i>Journal of Abnormal Psychology</i> , 1994 , 103, 828-831	7	26
20	Childhood history of anxiety in adults with panic disorder: association with anxiety sensitivity and comorbidity. <i>Harvard Review of Psychiatry</i> , 1994 , 1, 288-93	4.1	17
19	Treatment strategies for panic disorder: a debate. <i>Harvard Review of Psychiatry</i> , 1994 , 2, 166-70	4.1	3
18	Long-Term Pharmacologic Treatment of Panic Disorder. <i>Psychiatric Annals</i> , 1994 , 24, 291-298	0.5	10
17	Discontinuation of benzodiazepine treatment: efficacy of cognitive-behavioral therapy for patients with panic disorder. <i>American Journal of Psychiatry</i> , 1993 , 150, 1485-90	11.9	199
16	Hemispheric activation, affective judgments, and pain perception. <i>Psychotherapy and Psychosomatics</i> , 1993 , 60, 186-94	9.4	2
15	Long-term Outcome After Acute Treatment with. <i>Journal of Clinical Psychopharmacology</i> , 1993 , 13, 257-263	17.63	50
14	A novel contact-lens system to assess visual hemispheric asymmetries. <i>Perceptual and Motor Skills</i> , 1992 , 74, 567-75	2.2	4
13	The thyrotropin response to thyrotropin-releasing hormone as a predictor of response to treatment in depressed outpatients. <i>Acta Psychiatrica Scandinavica</i> , 1992 , 86, 42-5	6.5	23
12	Hypochondriacal concerns, anxiety sensitivity, and panic disorder. <i>Journal of Anxiety Disorders</i> , 1992 , 6, 93-104	10.9	78
11	Personality disorders in patients with panic disorder: association with childhood anxiety disorders, early trauma, comorbidity, and chronicity. <i>Comprehensive Psychiatry</i> , 1992 , 33, 78-83	7.3	45

10	Normal and Abnormal Information Processing: A Neuropsychological Perspective on Obsessive Compulsive Disorder. <i>Psychiatric Clinics of North America</i> , 1992 , 15, 825-848	3.1	64
9	Alcohol dependence in panic disorder patients. <i>Journal of Psychiatric Research</i> , 1992 , 26, 29-38	5.2	55
8	Major depression in panic disorder patients with comorbid social phobia. <i>Journal of Affective Disorders</i> , 1991 , 22, 171-7	6.6	15
7	Perceptual asymmetry, plasma cortisol, and response to treatment in depressed outpatients. <i>Biological Psychiatry</i> , 1991 , 30, 703-10	7.9	16
6	Fluoxetine versus trazodone in depressed geriatric patients. <i>Topics in Geriatrics</i> , 1989 , 2, 208-14		35
5	Depression, pain, and hemispheric activation. <i>Journal of Nervous and Mental Disease</i> , 1989 , 177, 210-8	1.8	48
4	Right hemisphere involvement in depression: toward a neuropsychological theory of negative affective experiences. <i>Biological Psychiatry</i> , 1987 , 22, 1201-15	7.9	65
3	Respondent conditioning of self-injurious behavior in early socially deprived rhesus monkeys (<i>Macaca mulatta</i>).. <i>Journal of Abnormal Psychology</i> , 1985 , 94, 222-226	7	9
2	Sex differences and personality factors in responsivity to pain. <i>Perceptual and Motor Skills</i> , 1985 , 61, 383-90	2.0	142
1	Cognitive Behavioral Therapy for Social Anxiety Disorder		69