## Otto Robertsson

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6661956/otto-robertsson-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16 1,592 39 39 g-index h-index citations papers 1,838 4.1 41 4.27 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
39	The effect of patient and prosthesis factors on revision rates after total knee replacement using a multi-registry meta-analytic approach <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2022</b> , 93, 284-293	4.3	O
38	Bipolar hemiarthroplasty versus total hip arthroplasty in femoral neck fracture patients: results from Lithuanian Arthroplasty Register. <i>HIP International</i> , <b>2021</b> , 31, 691-695	1.7	1
37	Association between fixation type and revision risk in total knee arthroplasty patients aged 65 years and older: a cohort study of 265,877 patients from the Nordic Arthroplasty Register Association 2000-2016. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2021</b> , 92, 91-96	4.3	1
36	Bariatric surgery prior to total knee arthroplasty is not associated with lower risk of revision: a register-based study of 441 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2021</b> , 92, 97-101	4.3	3
35	Variation and trends in reasons for knee replacement revision: a multi-registry study of revision burden. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2021</b> , 92, 182-188	4.3	3
34	Similar periprosthetic joint infection rates after and before a national infection control program: a study of 45,438 primary total knee arthroplasties. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2021</b> , 1-7	4.3	1
33	Short-term Revision Risk of Patellofemoral Arthroplasty Is High: An Analysis from Eight Large Arthroplasty Registries. <i>Clinical Orthopaedics and Related Research</i> , <b>2020</b> , 478, 1222-1231	2.2	9
32	The effect of fixation type on the survivorship of contemporary total knee arthroplasty in patients younger than 65 years of age: a register-based study of 115,177 knees in the Nordic Arthroplasty Register Association (NARA) 2000-2016. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> ,	4.3	7
31	Weight and height separated provide better understanding than BMI on the risk of revision after total knee arthroplasty: report of 107,228 primary total knee arthroplasties from the Swedish Knee Arthroplasty Register 2009-2017. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2020</b> ,	4.3	2
30	Higher Risk of Loosening for a Four-Pegged TKA Tibial Baseplate Than for a Stemmed One: A Register-based Study. <i>Clinical Orthopaedics and Related Research</i> , <b>2020</b> , 478, 58-65	2.2	7
29	Inadequate evaluation and management of suspected -infections after TKA surgery in Lithuania: a retrospective study of 2,769 patients with 2-year follow-up. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2019</b> , 90, 373-376	4.3	2
28	Manipulation under anesthesia after primary knee arthroplasty in Sweden: incidence, patient characteristics and risk of revision. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2019</b> , 90, 484-488	4.3	11
27	Validation of Lithuanian Arthroplasty Register Telephone Survey of 2769 Patients Operated for Total Knee Replacement. <i>Medicina (Lithuania)</i> , <b>2019</b> , 55,	3.1	1
26	The benefits of collaboration: the Nordic Arthroplasty Register Association. <i>EFORT Open Reviews</i> , <b>2019</b> , 4, 391-400	5.5	8
25	Nonagenarians qualify for total knee arthroplasty: a report on 329 patients from the Swedish Knee Arthroplasty Register 2000-2016. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2019</b> , 90, 53-59	4.3	7
24	Comparison of dual mobility cup and other surgical construts used for three hundred and sixty two first time hip revisions due to recurrent dislocations: five year results from Lithuanian arthroplasty register. <i>International Orthopaedics</i> , <b>2018</b> , 42, 1015-1020	3.8	18
23	Different incidences of knee arthroplasty in the Nordic countries. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2017</b> , 88, 173-178	4.3	29

## (2000-2017)

22	Short-term outcome after total hip arthroplasty using dual-mobility cup: report from Lithuanian Arthroplasty Register. <i>International Orthopaedics</i> , <b>2017</b> , 41, 595-598	3.8	11
21	Higher risk of revision for infection using systemic clindamycin prophylaxis than with cloxacillin. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2017</b> , 88, 562-567	4.3	13
20	Excellent long-term results of the Mller acetabular reinforcement ring in primary total hip arthroplasty: A prospective study on radiology and survival of 321 hips with a mean follow-up of 11 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2016</b> , 87, 100-5	4.3	10
19	Moderate varus/valgus malalignment after total knee arthroplasty has little effect on knee function or muscle strength. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2015</b> , 86, 728-33	<sub>3</sub> 4·3	21
18	The risk of revision after TKA is affected by previous HTO or UKA. <i>Clinical Orthopaedics and Related Research</i> , <b>2015</b> , 473, 90-3	2.2	40
17	International comparative evaluation of knee replacement with fixed or mobile-bearing posterior-stabilized prostheses. <i>Journal of Bone and Joint Surgery - Series A</i> , <b>2014</b> , 96 Suppl 1, 59-64	5.6	19
16	International comparative evaluation of knee replacement with fixed or mobile non-posterior-stabilized implants. <i>Journal of Bone and Joint Surgery - Series A</i> , <b>2014</b> , 96 Suppl 1, 52-8	5.6	19
15	First outcome results after total knee and hip replacement from the Lithuanian arthroplasty register. <i>Medicina (Lithuania)</i> , <b>2014</b> , 50, 87-91	3.1	14
14	All-Polyethylene Versus Metal-Backed Tibial Components-An Analysis of 27,733 Cruciate-Retaining Total Knee Replacements from the Swedish Knee Arthroplasty Register. <i>Journal of Bone and Joint Surgery - Series A</i> , <b>2014</b> , 96, 994-999	5.6	33
13	International comparative evaluation of fixed-bearing non-posterior-stabilized and posterior-stabilized total knee replacements. <i>Journal of Bone and Joint Surgery - Series A</i> , <b>2014</b> , 96 Suppl 1, 65-72	5.6	24
12	Challenges in prosthesis classification. <i>Journal of Bone and Joint Surgery - Series A</i> , <b>2011</b> , 93 Suppl 3, 72-	<b>5</b> 5.6	13
11	Knee arthroplasty in Denmark, Norway and Sweden. A pilot study from the Nordic Arthroplasty Register Association. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2010</b> , 81, 82-9	4.3	158
10	The short-term results of 3 common UKA implants during different periods in Sweden. <i>Journal of Arthroplasty</i> , <b>2008</b> , 23, 801-7	4.4	27
9	Variation in outcome and ranking of hospitals: an analysis from the Swedish knee arthroplasty register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2006</b> , 77, 487-93	4.3	14
8	The Swedish Knee Arthroplasty Register 1975-1997: an update with special emphasis on 41,223 knees operated on in 1988-1997. <i>Acta Orthopaedica</i> , <b>2001</b> , 72, 503-13		309
7	Patient satisfaction after knee arthroplasty: a report on 27,372 knees operated on between 1981 and 1995 in Sweden. <i>Acta Orthopaedica</i> , <b>2000</b> , 71, 262-7		483
6	Translation and validation of the Oxford-12 item knee score for use in Sweden. <i>Acta Orthopaedica</i> , <b>2000</b> , 71, 268-74		72
5	The Swedish Knee Arthroplasty Project. <i>Acta Orthopaedica</i> , <b>2000</b> , 71, 7-18		55

4	Past incidence and future demand for knee arthroplasty in Sweden: a report from the Swedish Knee Arthroplasty Register regarding the effect of past and future population changes on the number of arthroplasties performed. <i>Acta Orthopaedica</i> , <b>2000</b> , 71, 376-80	76
3	Validation of the Swedish Knee Arthroplasty Register: a postal survey regarding 30,376 knees operated on between 1975 and 1995. <i>Acta Orthopaedica</i> , <b>1999</b> , 70, 467-72	58
_	Cumulative revision rate with the Scan Hip Classic I total hip prosthesis. 1,660 cases followed for	12
2	2-12 years. <i>Acta Orthopaedica</i> , <b>1998</b> , 69, 133-7	12