Adam QingYang Kuang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6662599/publications.pdf

Version: 2024-02-01

687363 610901 32 631 13 24 citations g-index h-index papers 32 32 32 606 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Overview of the SPARC physics basis towards the exploration of burning-plasma regimes in high-field, compact tokamaks. Nuclear Fusion, 2022, 62, 042003.	3.5	37
2	Deep modeling of plasma and neutral fluctuations from gas puff turbulence imaging. Review of Scientific Instruments, 2022, 93, 063504.	1.3	4
3	Simulation of the SPARC plasma boundary with the UEDGE code. Nuclear Fusion, 2021, 61, 086014.	3.5	6
4	First application of a digital mirror Langmuir probe for real-time plasma diagnosis. Review of Scientific Instruments, 2021, 92, 103502.	1.3	2
5	Study of passively stable, fully detached divertor plasma regimes attained in innovative long-legged divertor configurations. Nuclear Fusion, 2020, 60, 016004.	3.5	10
6	Overview of the SPARC tokamak. Journal of Plasma Physics, 2020, 86, .	2.1	181
7	Divertor heat flux challenge and mitigation in SPARC. Journal of Plasma Physics, 2020, 86, .	2.1	40
8	Projections of H-mode access and edge pedestal in the SPARC tokamak. Journal of Plasma Physics, 2020, 86, .	2.1	16
9	Design study of a combined interferometer and polarimeter for a high-field, compact tokamak. Physics of Plasmas, 2020, 27, .	1.9	4
10	Performance assessment of long-legged tightly-baffled divertor geometries in the ARC reactor concept. Nuclear Fusion, 2019, 59, 106052.	3.5	15
11	The digital mirror Langmuir probe: Field programmable gate array implementation of real-time Langmuir probe biasing. Review of Scientific Instruments, 2019, 90, 083504.	1.3	5
12	Plasma fluctuations in the scrape-off layer and at the divertor target in Alcator C-Mod and their relationship to divertor collisionality and density shoulder formation. Nuclear Materials and Energy, 2019, 19, 295-299.	1.3	16
13	Statistical properties of the plasma fluctuations and turbulent cross-field fluxes in the outboard mid-plane scrape-off layer of Alcator C-Mod. Nuclear Materials and Energy, 2019, 18, 193-200.	1.3	11
14	Radiative heat exhaust in Alcator C-Mod I-mode plasmas. Nuclear Fusion, 2019, 59, 046018.	3.5	14
15	Neutron diagnostics for the physics of a high-field, compact, Qâ€â‰¥â€¹1 tokamak. Fusion Engineering and Design, 2019, 143, 212-225.	1.9	5
16	UEDGE modelling of detached divertor operation for longâ€leg divertor geometries in ARC. Contributions To Plasma Physics, 2018, 58, 791-797.	1.1	5
17	An experimental assessment of methods used to compute secondary electron emission yield for tungsten and molybdenum electrodes based on exposure to Alcator C-Mod scrape-off layer plasmas. Plasma Physics and Controlled Fusion, 2018, 60, 035011.	2.1	5
18	The flush-mounted rail Langmuir probe array designed for the Alcator C-Mod vertical target plate divertor. Review of Scientific Instruments, 2018, 89, 043512.	1.3	12

#	Article	IF	CITATIONS
19	Intermittent electron density and temperature fluctuations and associated fluxes in the Alcator C-Mod scrape-off layer. Plasma Physics and Controlled Fusion, 2018, 60, 065002.	2.1	22
20	High-resolution disruption halo current measurements using Langmuir probes in Alcator C-Mod. Nuclear Fusion, 2018, 58, 016005.	3.5	8
21	Conceptual design study for heat exhaust management in the ARC fusion pilot plant. Fusion Engineering and Design, 2018, 137, 221-242.	1.9	56
22	The dependence of divertor power sharing on magnetic flux balance in near double-null configurations on Alcator C-Mod. Nuclear Fusion, 2018, 58, 076010.	3.5	17
23	High-resolution heat flux width measurements at reactor-level magnetic fields and observation of a unified width scaling across confinement regimes in the Alcator C-Mod tokamak. Nuclear Fusion, 2018, 58, 094002.	3.5	41
24	Design and operation of a high-heat flux, flush-mounted †rail†Langmuir probe array on Alcator C-Mod. Nuclear Materials and Energy, 2017, 12, 1231-1235.	1.3	7
25	High-field side scrape-off layer investigation: Plasma profiles and impurity screening behavior in near-double-null configurations. Nuclear Materials and Energy, 2017, 12, 139-147.	1.3	10
26	Impurity screening behavior of the high-field side scrape-off layer in near-double-null configurations: prospect for mitigating plasma–material interactions on RF actuators and first-wall components. Nuclear Fusion, 2017, 57, 076021.	3.5	12
27	Linear servomotor probe drive system with real-time self-adaptive position control for the Alcator C-Mod tokamak. Review of Scientific Instruments, 2017, 88, 073501.	1.3	10
28	Surface heat flux feedback controlled impurity seeding experiments with Alcator C-Mod's high- <i>Z</i> >vertical target plate divertor: performance, limitations and implications for fusion power reactors. Nuclear Fusion, 2017, 57, 086030.	3.5	16
29	Lower hybrid wave edge power loss quantification on the Alcator C-Mod tokamak. Physics of Plasmas, 2016, 23, 056115.	1.9	14
30	Feedback system for divertor impurity seeding based on real-time measurements of surface heat flux in the Alcator C-Mod tokamak. Review of Scientific Instruments, 2016, 87, 023504.	1.3	24
31	Performance evaluation of CWH base isolated building during two major earthquakes in Christchurch. Bulletin of the New Zealand Society for Earthquake Engineering, 2015, 48, 264-273.	0.5	6
32	Dependence of the boundary heat flux width on core and edge profiles in Alcator C-Mod. Nuclear Fusion, 0, , .	3.5	o