

Li-jia Pan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6662821/li-jia-pan-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

11,127
citations

42
h-index

105
g-index

124
ext. papers

12,580
ext. citations

7
avg, IF

6.39
L-index

#	Paper	IF	Citations
118	An ultra-sensitive resistive pressure sensor based on hollow-sphere microstructure induced elasticity in conducting polymer film. <i>Nature Communications</i> , 2014 , 5, 3002	17.4	977
117	Stable Li-ion battery anodes by in-situ polymerization of conducting hydrogel to conformally coat silicon nanoparticles. <i>Nature Communications</i> , 2013 , 4, 1943	17.4	971
116	Hybrid nanostructured materials for high-performance electrochemical capacitors. <i>Nano Energy</i> , 2013 , 2, 213-234	17.1	883
115	Hierarchical nanostructured conducting polymer hydrogel with high electrochemical activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 9287-92	11.5	850
114	Highly sensitive glucose sensor based on pt nanoparticle/polyaniline hydrogel heterostructures. <i>ACS Nano</i> , 2013 , 7, 3540-6	16.7	597
113	Nanostructured conductive polypyrrole hydrogels as high-performance, flexible supercapacitor electrodes. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 6086-6091	13	516
112	Towards intrinsic charge transport in monolayer molybdenum disulfide by defect and interface engineering. <i>Nature Communications</i> , 2014 , 5, 5290	17.4	448
111	Electrical characterization of back-gated bi-layer MoS ₂ field-effect transistors and the effect of ambient on their performances. <i>Applied Physics Letters</i> , 2012 , 100, 123104	3.4	420
110	Hierarchical N-Doped Carbon as CO ₂ Adsorbent with High CO ₂ Selectivity from Rationally Designed Polypyrrole Precursor. <i>Journal of the American Chemical Society</i> , 2016 , 138, 1001-9	16.4	306
109	3D nanostructured conductive polymer hydrogels for high-performance electrochemical devices. <i>Energy and Environmental Science</i> , 2013 , 6, 2856	35.4	302
108	A nanostructured conductive hydrogels-based biosensor platform for human metabolite detection. <i>Nano Letters</i> , 2015 , 15, 1146-51	11.5	286
107	A Self-Healable, Highly Stretchable, and Solution Processable Conductive Polymer Composite for Ultrasensitive Strain and Pressure Sensing. <i>Advanced Functional Materials</i> , 2018 , 28, 1705551	15.6	285
106	Conducting polymer nanostructures: template synthesis and applications in energy storage. <i>International Journal of Molecular Sciences</i> , 2010 , 11, 2636-57	6.3	271
105	Multifunctional Nanostructured Conductive Polymer Gels: Synthesis, Properties, and Applications. <i>Accounts of Chemical Research</i> , 2017 , 50, 1734-1743	24.3	257
104	A Three-Dimensionally Interconnected Carbon Nanotube-Conducting Polymer Hydrogel Network for High-Performance Flexible Battery Electrodes. <i>Advanced Energy Materials</i> , 2014 , 4, 1400207	21.8	242
103	Preparation of magnetic CoFe ₂ O ₄ -functionalized graphene sheets via a facile hydrothermal method and their adsorption properties. <i>Journal of Solid State Chemistry</i> , 2011 , 184, 953-958	3.3	225
102	Dopant-Enabled Supramolecular Approach for Controlled Synthesis of Nanostructured Conductive Polymer Hydrogels. <i>Nano Letters</i> , 2015 , 15, 7736-41	11.5	178

101	Ultrahigh Surface Area Three-Dimensional Porous Graphitic Carbon from Conjugated Polymeric Molecular Framework. <i>ACS Central Science</i> , 2015 , 1, 68-76	16.8	177
100	Multifunctional superhydrophobic surfaces templated from innately microstructured hydrogel matrix. <i>Nano Letters</i> , 2014 , 14, 4803-9	11.5	159
99	Understanding the Size-Dependent Sodium Storage Properties of Na ₂ C ₆ O ₆ -Based Organic Electrodes for Sodium-Ion Batteries. <i>Nano Letters</i> , 2016 , 16, 3329-34	11.5	147
98	All Inkjet-Printed Amperometric Multiplexed Biosensors Based on Nanostructured Conductive Hydrogel Electrodes. <i>Nano Letters</i> , 2018 , 18, 3322-3327	11.5	133
97	Highly Sensitive, Printable Nanostructured Conductive Polymer Wireless Sensor for Food Spoilage Detection. <i>Nano Letters</i> , 2018 , 18, 4570-4575	11.5	131
96	Rational design and applications of conducting polymer hydrogels as electrochemical biosensors. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 2920-2930	7.3	126
95	Advanced electronic skin devices for healthcare applications. <i>Journal of Materials Chemistry B</i> , 2019 , 7, 173-197	7.3	120
94	2D Single-Crystalline Molecular Semiconductors with Precise Layer Definition Achieved by Floating-Coffee-Ring-Driven Assembly. <i>Advanced Functional Materials</i> , 2016 , 26, 3191-3198	15.6	113
93	Energy gels: A bio-inspired material platform for advanced energy applications. <i>Nano Today</i> , 2016 , 11, 738-762	17.9	112
92	Luminescence and photophysical properties of colloidal ZnS nanoparticles. <i>Acta Materialia</i> , 2004 , 52, 1489-1494	8.4	96
91	Uniform and ultrathin high- κ gate dielectrics for two-dimensional electronic devices. <i>Nature Electronics</i> , 2019 , 2, 563-571	28.4	93
90	Highly Connected Silicon-Copper Alloy Mixture Nanotubes as High-Rate and Durable Anode Materials for Lithium-Ion Batteries. <i>Advanced Functional Materials</i> , 2016 , 26, 524-531	15.6	92
89	Doping engineering of conductive polymer hydrogels and their application in advanced sensor technologies. <i>Chemical Science</i> , 2019 , 10, 6232-6244	9.4	76
88	Mesoporous iron oxide directly anchored on a graphene matrix for lithium-ion battery anodes with enhanced strain accommodation. <i>RSC Advances</i> , 2013 , 3, 699-703	3.7	68
87	ZnO-nanorods/graphene heterostructure: a direct electron transfer glucose biosensor. <i>Scientific Reports</i> , 2016 , 6, 32327	4.9	63
86	Boost up carrier mobility for ferroelectric organic transistor memory via buffering interfacial polarization fluctuation. <i>Scientific Reports</i> , 2014 , 4, 7227	4.9	57
85	A scalable sulfuration of WS ₂ to improve cyclability and capability of lithium-ion batteries. <i>Nano Research</i> , 2016 , 9, 857-865	10	57
84	MXenes and Their Applications in Wearable Sensors. <i>Frontiers in Chemistry</i> , 2020 , 8, 297	5	56

83	Hydrothermal synthesis of graphene/ZnS quantum dot nanocomposites. <i>Materials Letters</i> , 2011 , 65, 198-200	3-3	54
82	Flexible Pressure Sensor With High Sensitivity and Low Hysteresis Based on a Hierarchically Microstructured Electrode. <i>IEEE Electron Device Letters</i> , 2018 , 39, 288-291	4-4	53
81	Advanced Wearable Microfluidic Sensors for Healthcare Monitoring. <i>Small</i> , 2020 , 16, e1903822	11	53
80	Graphene anchored with mesoporous NiO nanoplates as anode material for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 1889-1892	2.6	52
79	Inkjet-printed porous polyaniline gel as an efficient anode for microbial fuel cells. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 14555-14559	13	49
78	Hierarchical nano-branched c-Si/SnO ₂ nanowires for high areal capacity and stable lithium-ion battery. <i>Nano Energy</i> , 2016 , 19, 511-521	17.1	44
77	In situ growth of mesoporous Co ₃ O ₄ nanoparticles on graphene as a high-performance anode material for lithium-ion batteries. <i>Materials Letters</i> , 2014 , 119, 12-15	3-3	44
76	Using in-situ polymerization of conductive polymers to enhance the electrical properties of solution-processed carbon nanotube films and fibers. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 9966-74	9.5	36
75	Evaluation of in vitro and in vivo biocompatibility of a myo-inositol hexakisphosphate gelled polyaniline hydrogel in a rat model. <i>Scientific Reports</i> , 2016 , 6, 23931	4.9	34
74	Skin-inspired electronics: emerging semiconductor devices and systems. <i>Journal of Semiconductors</i> , 2020 , 41, 041601	2.3	33
73	Concentration of Gengnian Tea extract with a vapor-liquid-solid evaporator. <i>AIChE Journal</i> , 2005 , 51, 759-765	3.6	33
72	Properties of conductive polymer hydrogels and their application in sensors. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2019 , 57, 1606-1621	2.6	32
71	Inkjet printing for flexible and wearable electronics. <i>APL Materials</i> , 2020 , 8, 120705	5.7	30
70	Near-Field Communication Sensors. <i>Sensors</i> , 2019 , 19,	3.8	29
69	Sub-thermionic, ultra-high-gain organic transistors and circuits. <i>Nature Communications</i> , 2021 , 12, 1928	17.4	28
68	Highly cross-linked Cu/a-Si core-shell nanowires for ultra-long cycle life and high rate lithium batteries. <i>Nanoscale</i> , 2016 , 8, 2613-9	7.7	27
67	Two-dimensional bimetallic phosphide ultrathin nanosheets as non-noble electrocatalysts for a highly efficient oxygen evolution reaction. <i>Nanoscale</i> , 2019 , 11, 9654-9660	7.7	26
66	Fast-Response and Low-Hysteresis Flexible Pressure Sensor Based on Silicon Nanowires. <i>IEEE Electron Device Letters</i> , 2018 , 39, 1069-1072	4.4	26

65	In situ growth of CuO nanoparticles on graphene matrix as anode material for lithium-ion batteries. <i>Materials Letters</i> , 2013 , 105, 242-245	3.3	26
64	Electronic Properties of Graphene Altered by Substrate Surface Chemistry and Externally Applied Electric Field. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 6259-6267	3.8	26
63	Synthesis and electrochemical properties of graphene-SnS ₂ nanocomposites for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 1999-2004	2.6	26
62	Recent Advances in Interface Engineering for Planar Heterojunction Perovskite Solar Cells. <i>Molecules</i> , 2016 , 21,	4.8	26
61	Oxide Synaptic Transistors Coupled With Triboelectric Nanogenerators for Bio-Inspired Tactile Sensing Application. <i>IEEE Electron Device Letters</i> , 2020 , 41, 617-620	4.4	24
60	A novel route to CdS nanocrystals with strong electrogenerated chemiluminescence. <i>Materials Chemistry and Physics</i> , 2007 , 101, 317-321	4.4	24
59	Double Perovskites as Model Bifunctional Catalysts toward Rational Design: The Correlation between Electrocatalytic Activity and Complex Spin Configuration. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 19746-19754	9.5	23
58	Structural characterization of mesoporous silica nanofibers synthesized within porous alumina membranes. <i>Nanoscale Research Letters</i> , 2009 , 4, 1257-62	5	23
57	Ultrafine bimetallic phosphide nanoparticles embedded in carbon nanosheets: two-dimensional metal-organic framework-derived non-noble electrocatalysts for the highly efficient oxygen evolution reaction. <i>Nanoscale</i> , 2018 , 10, 19774-19780	7.7	22
56	In situ growth of mesoporous NiO nanoplates on a graphene matrix as cathode catalysts for rechargeable lithium-ion batteries. <i>Materials Letters</i> , 2015 , 141, 43-46	3.3	20
55	Effect of ionic liquid amount (C ₈ H ₁₅ BrN ₂) on the morphology of Bi ₂ Te ₃ nanoplates synthesized via a microwave-assisted heating approach. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 6015-6020	5.7	19
54	Reducing contact resistance in ferroelectric organic transistors by buffering the semiconductor/dielectric interface. <i>Applied Physics Letters</i> , 2015 , 107, 053304	3.4	17
53	Conducting Polymers and Their Applications in Diabetes Management. <i>Sensors</i> , 2016 , 16,	3.8	17
52	Synthesis of CdS nanoplates by PAA-assisted hydrothermal approach. <i>Materials Letters</i> , 2006 , 60, 3842-3845	3.4	16
51	A molecular understanding of the gas-phase reduction and doping of graphene oxide. <i>Nano Research</i> , 2012 , 5, 361-368	10	15
50	Electrical switching behavior from ultrathin potential barrier of self-assembly molecules tuned by interfacial charge trapping. <i>Applied Physics Letters</i> , 2010 , 96, 133303	3.4	15
49	Fabrication of nanowire-like cuprous oxide in aqueous solutions of a triblock copolymer. <i>Journal of Alloys and Compounds</i> , 2009 , 482, 240-245	5.7	14
48	PbS/epoxy resin nanocomposite prepared by a novel method. <i>Materials Letters</i> , 2004 , 58, 176-178	3.3	14

47	Skin-Inspired Electronics and Its Applications in Advanced Intelligent Systems. <i>Advanced Intelligent Systems</i> , 2019 , 1, 1900063	6	12
46	Hierarchically porous N-doped carbon derived from supramolecular assembled polypyrrole as a high performance supercapacitor electrode material.. <i>RSC Advances</i> , 2018 , 8, 18714-18722	3.7	12
45	Self-assembly Synthesis of High-density Platinum Nanoparticles on Chemically Reduced Graphene Sheets. <i>Chemistry Letters</i> , 2011 , 40, 104-105	1.7	9
44	Electrical switching behavior from all-polymer-based system of semiconductor/ferroelectrics/semiconductor. <i>Applied Physics Letters</i> , 2011 , 98, 173306	3.4	9
43	Solvothermal synthesis of 3D photonic crystals based on ZnS/opal system. <i>Materials Chemistry and Physics</i> , 2005 , 89, 6-10	4.4	9
42	ZnO nanowire photodetectors based on Schottky contact with surface passivation. <i>Optics Communications</i> , 2017 , 395, 72-75	2	8
41	Self-assembly of Polyaniline: Mechanism Study. <i>Chinese Journal of Chemical Physics</i> , 2008 , 21, 187-192	0.9	8
40	Frequency-Enabled Decouplable Dual-Modal Flexible Pressure and Temperature Sensor. <i>IEEE Electron Device Letters</i> , 2020 , 41, 1568-1571	4.4	8
39	Multiterminal Ionic Synaptic Transistor With Artificial Blink Reflex Function. <i>IEEE Electron Device Letters</i> , 2021 , 42, 351-354	4.4	8
38	Ultrafast microwave synthesis of rambutan-like CMK-3/carbon nanotubes nanocomposites for high-performance supercapacitor electrode materials. <i>Scientific Reports</i> , 2020 , 10, 6227	4.9	7
37	Fabrication of lateral electrodes on semiconductor nanowires through structurally matched insulation for functional optoelectronics. <i>Nanotechnology</i> , 2013 , 24, 025204	3.4	7
36	Nanomaterials and their applications on bio-inspired wearable electronics. <i>Nanotechnology</i> , 2021 , 32,	3.4	6
35	Challenges in Materials and Devices of Electronic Skin 2022 , 4, 577-599		6
34	In vivo study of alginate hydrogel crosslinking cells to polycaprolactone vascular scaffolds fabricated by electrospinning. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2017 , 105, 2443-2454	3.5	5
33	Spontaneous Ga incorporation in ZnO nanowires epitaxially grown on GaN substrate. <i>Physica Status Solidi - Rapid Research Letters</i> , 2015 , 9, 466-469	2.5	5
32	Kinetic Monte Carlo study on the evolution of silicon surface roughness under hydrogen thermal treatment. <i>Applied Surface Science</i> , 2017 , 414, 361-364	6.7	4
31	Patterning of self-assembled monolayers by phase-shifting mask and its applications in large-scale assembly of nanowires. <i>Applied Physics Letters</i> , 2015 , 106, 041605	3.4	4
30	Alginate Hydrogel Crosslinking Cells on the Surface of Polycaprolactone Vascular Scaffolds Fabricated by Electrospinning. <i>Journal of Biomaterials and Tissue Engineering</i> , 2015 , 5, 64-70	0.3	4

29	Elastic Aerogel with Tunable Wettability for Self-Cleaning Electronic Skin 2020 , 2, 1575-1582		4
28	Easy Preparation and Photoelectrochemical Properties of CdS Nanoparticle/Graphene Nanosheet Nanocomposites Using Supercritical Carbon Dioxide. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 2742-51	1.3	3
27	An Optimized FinFET Channel With Improved Line-Edge Roughness and Linewidth Roughness Using the Hydrogen Thermal Treatment Technology. <i>IEEE Nanotechnology Magazine</i> , 2017 , 16, 1081-1087	2.6	3
26	Microwave-Assisted Synthesis of Shuttle-shaped Single-Crystalline Te Nanotubes Decorated with Spherical Particles. <i>Current Nanoscience</i> , 2011 , 7, 254-259	1.4	3
25	Enhancement of thermoelectric figure-of-merit in laterally-coupled nanowire arrays. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2011 , 375, 2728-2732	2.3	3
24	Metal-diffusion-induced ITO nanoparticles at the organic/ITO interface. <i>Journal Physics D: Applied Physics</i> , 2012 , 45, 165104	3	3
23	Enhanced Nonenzymatic Sensing of Hydrogen Peroxide Released from Living Cells Based on Graphene Aerogel/Platinum Nanoparticle. <i>Science of Advanced Materials</i> , 2016 , 8, 1165-1171	2.3	3
22	Device Based on Polymer Schottky Junctions and Their Applications: A Review. <i>IEEE Access</i> , 2020 , 8, 189645-189660	3.5	3
21	Application of conductive polymer hydrogels in flexible electronics. <i>Journal of Polymer Science</i> ,	2.4	3
20	Sliding Cyclodextrin Molecules along Polymer Chains to Enhance the Stretchability of Conductive Composites.. <i>Small</i> , 2022 , e2200533	11	3
19	Transparent Electronic Skin Device Based on Microstructured Silver Nanowire Electrode. <i>Chinese Journal of Chemical Physics</i> , 2017 , 30, 603-608	0.9	2
18	Synthesis of Multishell Carbon Nanotube Composites via Template Method. <i>Chinese Journal of Chemical Physics</i> , 2011 , 24, 206-210	0.9	2
17	Template Synthesis of Freestanding Nanostructural Membrane of Polyaniline. <i>Chemistry Letters</i> , 2011 , 40, 644-645	1.7	2
16	Nanocellulose and nanohydrogel for energy, environmental, and biomedical applications 2020 , 33-64		2
15	Long-term cell culture and electrically monitoring of living cells based on a polyaniline hydrogel sensor. <i>Journal of Materials Chemistry B</i> , 2021 , 9, 9514-9523	7.3	2
14	Healthcare electronic skin devices. <i>Journal of Semiconductors</i> , 2019 , 40, 030401	2.3	1
13	Interweaving of multilevel carbon networks with mesoporous TiO ₂ for lithium-ion battery anodes. <i>RSC Advances</i> , 2013 , 3, 24882	3.7	1
12	An accessible superhydrophobic coating with nanostructure for continuously oil/water separation 2014 ,		1

11	Charge trapping at organic/self-assembly molecule interfaces studied by electrical switching behaviour in a crosspoint structure. <i>Journal Physics D: Applied Physics</i> , 2012 , 45, 025304	3	1
10	Solvothermal Fabrication of Monodisperse Zinc-blende CdS Nanocrystals. <i>Chemistry Letters</i> , 2006 , 35, 1388-1389	1.7	1
9	Prospective on doping engineering of conductive polymers for enhanced interfacial properties. <i>Applied Physics Letters</i> , 2021 , 119, 150504	3.4	1
8	Self-Powered Direct-current Type Pressure Sensor by Polypyrrole/Metal Schottky Junction. <i>Journal Physics D: Applied Physics</i> ,	3	1
7	Artificial Reflex Arc: An Environment-Adaptive Neuromorphic Camouflage Device. <i>IEEE Electron Device Letters</i> , 2021 , 42, 1224-1227	4.4	1
6	Coupling Enhanced Performance of TriboelectricPiezoelectric Hybrid Nanogenerator Based on Nanoporous Film of Poly(vinylidene fluoride)/BaTiO ₃ Composite Electrospun Fibers847-852		1
5	Wearable Near-Field Communication Sensors for Healthcare: Materials, Fabrication and Application. <i>Micromachines</i> , 2022 , 13, 784	3.3	0
4	Conducting Polymer Hydrogels: Synthesis, Properties, and Applications for Biosensors 2017 , 175-208		
3	Identification of stable QTLs related to trunk girth in longan. <i>Scientia Horticulturae</i> , 2012 , 134, 248-252	4.1	
2	Charge trapping memory devices employing multi-layered Ge/Si nanocrystals for storage fabricated with ALD and PLD methods. <i>Frontiers of Optoelectronics in China</i> , 2011 , 4, 146-149		
1	Ballpoint-pen like probes for multipoint dynamic pulse diagnosis system. <i>IEEE Sensors Journal</i> , 2022 , 1-1	4	