

# Alexandre Specht

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6664370/publications.pdf>

Version: 2024-02-01

106  
papers

1,951  
citations

430874

18  
h-index

330143

37  
g-index

108  
all docs

108  
docs citations

108  
times ranked

1520  
citing authors

#	ARTICLE	IF	CITATIONS
1	Important pest species of the Spodoptera complex: Biology, thermal requirements and ecological zoning. <i>Journal of Pest Science</i> , 2022, 95, 169-186.	3.7	17
2	<i>Helicoverpa armigera</i> and <i>Helicoverpa zea</i> hybridization: constraints, heterosis, and implications for pest management. <i>Pest Management Science</i> , 2022, 78, 955-964.	3.4	9
3	Global Potential Distribution of the South American Cutworm Pest <i>Agrotis robusta</i> (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Overloc	1.2	1
4	Cutworms (Lepidoptera: Noctuidae) in central Brazil Savanna: temporal distribution and association of species abundance with climatic and meteorological factors. <i>Austral Entomology</i> , 2022, 61, 247-257.	1.4	2
5	Description of <i>Porphyrosela arachisella</i> sp. nov. (Lepidoptera: Gracillariidae), the first report of Lithocolletinae for Brazil. <i>Zootaxa</i> , 2022, 5165, 387-404.	0.5	1
6	Role of nutritional composition in the development and survival of <i>Helicoverpa armigera</i> (HÄ¼bner) (Lepidoptera: Noctuidae) on artificial diet and natural hosts. <i>Bulletin of Entomological Research</i> , 2021, 111, 257-269.	1.0	15
7	Seasonality and distribution of Coleoptera families (Arthropoda, Insecta) in the Cerrado of Central Brazil. <i>Revista Brasileira De Entomologia</i> , 2021, 65, .	0.4	4
8	Spatio-temporal variation of <i>Mocis latipes</i> (GuenÃ©e, 1852) (Lepidoptera: Erebiidae) populations in Brazil according to meteorological factors. <i>Biota Neotropica</i> , 2021, 21, .	0.5	5
9	<i>Helicoverpa armigera</i> Harm 1 Haplotype Predominates in the Heliiothinae (Lepidoptera: Noctuidae) Complex Infesting Tomato Crops in Brazil. <i>Neotropical Entomology</i> , 2021, 50, 258-268.	1.2	7
10	Seasonal Flight Patterns of <i>Chrysodeixis includens</i> (Lepidoptera: Noctuidae) in the Florida Panhandle and Inventory of Plusiine Species Cross-Attracted to Synthetic Pheromone. <i>Journal of Economic Entomology</i> , 2021, 114, 2315-2325.	1.8	3
11	The influence of agricultural occupation and climate on the spatial distribution of Plusiinae (Lepidoptera: Noctuidae) on a latitudinal gradient in Brazil. <i>Revista Brasileira De Entomologia</i> , 2021, 65, .	0.4	4
12	<i>Helicoverpa armigera</i> (HÄ¼bner) (Lepidoptera: Noctuidae) in Brazil: the Big Outbreak Monitored by Light Traps. <i>Neotropical Entomology</i> , 2021, 50, 53-67.	1.2	14
13	Molecular characterization and phylogenetic assessment of agricultural-related noctuids (Lepidoptera: Noctuidae) of South America. <i>Revista Brasileira De Entomologia</i> , 2021, 65, .	0.4	3
14	<strong>Taxonomy of five neglected South American species of <i>Dargida</i> Walker (Lepidoptera: Noctuidae)</strong> . <i>Zootaxa</i> , 2020, 4853, 199-217.	0.5	0
15	The Granulate Cutworm (Lepidoptera: Noctuidae): Biological Parameters Under Controlled Conditions, Host Plants, and Distribution in the Americas. <i>Journal of Insect Science</i> , 2020, 20, .	1.5	2
16	The immatures of <i>Peridroma saucia</i> (HÄ¼bner, [1808]) (Lepidoptera: Noctuidae) revisited: redescription of external morphology of Neotropical populations. <i>Studies on Neotropical Fauna and Environment</i> , 2020, , 1-15.	1.0	4
17	Assessing insect biodiversity with automatic light traps in Brazil: Pearls and pitfalls of metabarcoding samples in preservative ethanol. <i>Ecology and Evolution</i> , 2020, 10, 2352-2366.	1.9	28
18	Adaptive Introgression across Semipermeable Species Boundaries between Local <i>Helicoverpa zea</i> and Invasive <i>Helicoverpa armigera</i> Moths. <i>Molecular Biology and Evolution</i> , 2020, 37, 2568-2583.	8.9	64

#	ARTICLE	IF	CITATIONS
19	Effects on the development of <i>Spodoptera frugiperda</i> feeding on diets spiked with <i>Solanum sisymbriifolium</i> extracts. <i>Eletica Quimica</i> , 2020, 45, 33.	0.5	1
20	<i>Feltia submontana</i> (Noctuidae, Noctuinae): Redescription, Taxonomy, Life Cycle, and Spatial Distribution of a Neglected South American Potential Pest Species. <i>Neotropical Entomology</i> , 2019, 48, 98-110.	1.2	8
21	Biotic Potential and Life Tables of <i>Chrysodeixis includens</i> (Lepidoptera: Noctuidae), <i>Rachiplusia nu</i> , and <i>Trichoplusia ni</i> on Soybean and Forage Turnip. <i>Journal of Insect Science</i> , 2019, 19, .	1.5	14
22	The External Morphology of <i>Mythimna (Pseudaletia) sequax</i> (Lepidoptera: Noctuidae). <i>Neotropical Entomology</i> , 2019, 48, 834-852.	1.2	8
23	Life-History Parameters of <i>Striacosta albicosta</i> (Lepidoptera: Noctuidae) Under Laboratory Conditions. <i>Journal of Insect Science</i> , 2019, 19, .	1.5	11
24	Survival and Development of <i>Striacosta albicosta</i> (Smith) (Lepidoptera: Noctuidae) Immature Stages on Dry Beans, non-Bt, Cry1F, and Vip3A Maize. <i>Insects</i> , 2019, 10, 343.	2.2	6
25	First records of <i>Leucania rawlinsi</i> Adams and <i>L. senescens</i> MÃ¶rschler (Lepidoptera: Noctuidae) in Brazil: redescription, potential association with Bt maize, larval parasitoids, and spatial and temporal distribution. <i>Zootaxa</i> , 2019, 4604, 441.	0.5	4
26	The population dynamics of three polyphagous owlet moths (Lepidoptera: Noctuidae) and the influence of meteorological factors and ENSO on them. <i>Revista Brasileira De Entomologia</i> , 2019, 63, 308-315.	0.4	11
27	Biotic potential and reproductive parameters of <i>Spodoptera cosmioides</i> (Walker) (Lepidoptera: Noctuidae). <i>Tj ETQq1 1 0.784314 rgBT /Qverlock 0.9</i>	0.9	10
28	First record of <i>Utetheisa pulchella</i> (Linnaeus, 1758) (Lepidoptera: Erebidae: Arctiinae) in Brazilian Amazon: implications for conservation. <i>Anais Da Academia Brasileira De Ciencias</i> , 2019, 91, e20180262.	0.8	3
29	Overlooked South American noctuid species: revalidation of <i>Feltia llanoi</i> stat. rev. and redescription of <i>Feltia brachystria</i> (Lepidoptera: Noctuidae). <i>Neotropical Entomology</i> , 2019, 48, 614-627.	1.2	3
30	<p><strong>Taxonomy of the <em>rivorum</em> species-group of <em>Leucania</em> Ochseneheimer, 1816</strong> <strong>(Lepidoptera: Noctuidae)</strong> </p>. <i>Zootaxa</i> , 2019, 4711, 545-560.	0.5	1
31	Where and when? How phenological patterns of armyworm moths (Lepidoptera: Noctuidae) change along a latitudinal gradient in Brazil. <i>Bulletin of Entomological Research</i> , 2019, 109, 490-499.	1.0	4
32	<i>Spodoptera marima</i> : a New Synonym of <i>Spodoptera ornithogalli</i> (Lepidoptera: Noctuidae), with Notes on Adult Morphology, Host Plant Use and Genetic Variation Along Its Geographic Range. <i>Neotropical Entomology</i> , 2019, 48, 433-448.	1.2	10
33	Owlet moths (Lepidoptera: Noctuoidea) associated with Bt and non- Bt soybean in the brazilian savanna. <i>Brazilian Journal of Biology</i> , 2019, 79, 248-256.	0.9	6
34	Biotic Potential and Reproductive Parameters of <i>Spodoptera frugiperda</i> (J. E. Smith, 1797) (Lepidoptera: Noctuidae). <i>Tj ETQq0 0,0 rgBT /Qverlock 10 0,2</i>	0.2	10
35	Was the Silver Y Moth <i>Autographa gamma</i> (Lepidoptera: Noctuidae: Plusiinae) in South America?. <i>Journal of Agricultural Science</i> , 2019, 11, 132.	0.2	2
36	Developmental Parameters of <i>Spodoptera frugiperda</i> (Lepidoptera: Noctuidae) Immature Stages Under Controlled and Standardized Conditions. <i>Journal of Agricultural Science</i> , 2019, 11, 76.	0.2	20

#	ARTICLE	IF	CITATIONS
37	First record of <i>Isia alcumena</i> , <i>Spodoptera cosmioides</i> and <i>S. eridania</i> (LEPIDOPTERA: NOCTUOIDEA) attacking Passion Fruit ( <i>Passiflora edulis</i> Sims) in Brazil. <i>Revista Brasileira De Fruticultura</i> , 2019, 41, .	0.5	4
38	Biological and Molecular Characterization of the Postinvasion Immature Stages of <i>Helicoverpa armigera</i> (Hübner) (Lepidoptera: Noctuidae). <i>Florida Entomologist</i> , 2018, 101, 25-32.	0.5	9
39	Morphological Characterization of <i>Helicoverpa armigera</i> (Hübner) (Lepidoptera: Noctuidae:). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 377 T</i>	1.2	23
40	Biotic Potential and Life Table of <i>Helicoverpa armigera</i> (Hübner) (Lepidoptera: Noctuidae) from Three Brazilian Regions. <i>Neotropical Entomology</i> , 2018, 47, 344-351.	1.2	16
41	Phenological patterns of <i>Spodoptera Guenée</i> , 1852 (Lepidoptera: Noctuidae) is more affected by ENSO than seasonal factors and host plant availability in a Brazilian Savanna. <i>International Journal of Biometeorology</i> , 2018, 62, 413-422.	3.0	10
42	Comparison of two artificial diets to rear <i>Elaphria agrotina</i> . <i>Ciencia Rural</i> , 2018, 48, .	0.5	1
43	Host Plants of <i>Spodoptera frugiperda</i> (Lepidoptera: Noctuidae) in the Americas. <i>African Entomology</i> , 2018, 26, 286-300.	0.6	659
44	<i>Metarhizium</i> ( <i>Nomuraea</i> ) <i>rileyi</i> as biological control agent. <i>Biocontrol Science and Technology</i> , 2017, 27, 1243-1264.	1.3	40
45	Interseasonal variation of <i>Chrysodeixis includens</i> (Walker, [1858]) (Lepidoptera: Noctuidae) populations in the Brazilian Savanna. <i>Revista Brasileira De Entomologia</i> , 2017, 61, 294-299.	0.4	26
46	Resurgence of a forgotten Southern Brazil endemic species: taxonomic position, redescription, and spatio-temporal distribution of <i>Porosagrotis carolia</i> Schaus, 1929 (Lepidoptera: Noctuidae:). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 377 T</i>	0.6	16
47	Parasitoides associados com <i>Helicoverpa armigera</i> em Áreas de refúgio de algodão, no Oeste da Bahia, Brasil. <i>Ciencia Rural</i> , 2017, 48, .	0.5	1
48	Options and challenges for pest control in intensive cropping systems in tropical regions.., 2017, , 18-32.		5
49	Pearl Millet: A Green Bridge for Lepidopteran Pests. <i>Journal of Agricultural Science</i> , 2017, 9, 92.	0.2	7
50	Reproductive potential of <i>Spodoptera eridania</i> (Stoll) (Lepidoptera: Noctuidae) in the laboratory: effect of multiple couples and the size. <i>Brazilian Journal of Biology</i> , 2016, 76, 526-530.	0.9	18
51	Immature stages of <i>Spodoptera cosmioides</i> (Lepidoptera: Noctuidae): developmental parameters and host plants. <i>Zoologia</i> , 2016, 33, .	0.5	15
52	High susceptibility and low resistance allele frequency of <i>Chrysodeixis includens</i> (Lepidoptera:). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 377 T</i>	3.4	30
53	Timeline and geographical distribution of <i>Helicoverpa armigera</i> (Hübner) (Lepidoptera, Noctuidae:). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 377 T</i>	0.4	57
54	Vertical and temporal variability in the probability of detection of fruit-feeding butterflies and moths (Lepidoptera) in tropical forest. <i>Austral Entomology</i> , 2016, 55, 112-120.	1.4	25

#	ARTICLE	IF	CITATIONS
55	<i>Lasiothyris luminosa</i> (Razowski & Becker) (Lepidoptera: Tortricidae): a New Grapevine Pest in Northeastern Brazil. <i>Neotropical Entomology</i> , 2016, 45, 336-339.	1.2	3
56	Immature Development of <i>Spodoptera dolichos</i> (Fabricius) (Lepidoptera: Noctuidae). <i>Neotropical Entomology</i> , 2016, 45, 22-27.	1.2	9
57	Battle in the New World: <i>Helicoverpa armigera</i> versus <i>Helicoverpa zea</i> (Lepidoptera: Noctuidae). <i>PLoS ONE</i> , 2016, 11, e0167182.	2.5	20
58	Abdominal macrochaetae of female <i>Hylesia oratex</i> Dyar, 1913 (Insecta: Lepidoptera: Saturniidae): external morphology and medical significance. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 1763-1770.	0.8	2
59	Lepidoptera (Insecta) associated with soybean in Argentina, Brazil, Chile and Uruguay. <i>Ciencia Rural</i> , 2015, 45, 2113-2120.	0.5	23
60	Biotic potential and reproductive parameters of <i>Spodoptera dolichos</i> (Lepidoptera: Noctuidae) in the laboratory. <i>Zoologia</i> , 2015, 32, 485-491.	0.5	13
61	Host plants of <i>Chrysodeixis includens</i> (Walker) (Lepidoptera, Noctuidae, Plusiinae). <i>Revista Brasileira De Entomologia</i> , 2015, 59, 343-345.	0.4	51
62	Antifeedant activity and effects of fruits and seeds extracts of <i>Cabralea canjerana canjerana</i> (Vell.) Mart. (Meliaceae) on the immature stages of the fall armyworm <i>Spodoptera frugiperda</i> (JE Smith) (Lepidoptera: Noctuidae). <i>Industrial Crops and Products</i> , 2015, 65, 150-158.	5.2	19
63	Biological aspects of <i>Tiracola grandirena</i> (Herrich-Schäffer, 1868) (Lepidoptera: Noctuidae): a polyphagous armyworm. <i>Brazilian Journal of Biology</i> , 2014, 74, 205-211.	0.9	0
64	Biotic potential, fertility and life table of <i>Spodoptera albula</i> (Walker) (Lepidoptera: Noctuidae), under controlled conditions. <i>Anais Da Academia Brasileira De Ciencias</i> , 2014, 86, 723-732.	0.8	20
65	Fauna of Noctuidae (Lepidoptera: Noctuoidea) in a pasture area in Altamira, Eastern Amazon, Pará, Brazil. <i>Brazilian Journal of Biology</i> , 2014, 74, 983-990.	0.9	8
66	Viability of <i>Cabralea canjerana</i> extracts to control the South American fruit fly, <i>Anastrepha fraterculus</i> . <i>Journal of Insect Science</i> , 2014, 14, 47.	1.5	5
67	Immature Stages of <i>Spodoptera eridania</i> (Lepidoptera: Noctuidae): Developmental Parameters and Host Plants. <i>Journal of Insect Science</i> , 2014, 14, .	1.5	38
68	First Report of <i>Elaphria agrotina</i> and <i>Elaphria deltoides</i> (Lepidoptera: Tortricidae) in Brazil. <i>Journal of Insect Science</i> , 2014, 14, 1-13.	1.8	2
69	Viability of <i>Cabralea canjerana</i> Extracts to Control the South American Fruit Fly, <i>Anastrepha fraterculus</i> . <i>Journal of Insect Science</i> , 2014, 14, 1-13.	1.5	3
70	Biotic potential, fertility and life table of <i>Spodoptera albula</i> (Walker) (Lepidoptera: Noctuidae), under controlled conditions. <i>Anais Da Academia Brasileira De Ciencias</i> , 2014, 86, 723-732.	0.8	3
71	Morphological and Molecular Characterization of the Eggs of Some Noctuid Species Associated with Soybean in Brazil. <i>Annals of the Entomological Society of America</i> , 2013, 106, 643-651.	2.5	17
72	Identification of $\alpha$ -tocopherol and $\alpha$ -tocopheryl acetate from the cuticle of soybean pods armyworm ( <i>Spodoptera cosmioides</i> ). <i>Natural Product Research</i> , 2013, 27, 1808-1811.	1.8	4

#	ARTICLE	IF	CITATIONS
73	Two Generations of Fall Armyworm (Lepidoptera: Noctuidae) Contamination by Di- <i>n</i> -Butylphthalate. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2013, 76, 973-977.	2.3	3
74	Identificação morfológica e molecular de <i>Helicoverpa armigera</i> (Lepidoptera: Noctuidae) e ampliação de seu registro de ocorrência no Brasil. <i>Pesquisa Agropecuária Brasileira</i> , 2013, 48, 689-692.	0.9	77
75	Immature stages of <i>Spodoptera albula</i> (Walker) (Lepidoptera: Noctuidae): Developmental parameters and host plants. <i>Anais Da Academia Brasileira De Ciencias</i> , 2013, 85, 271-284.	0.8	27
76	Life cycle of <i>Agrotis malefida</i> (Lepidoptera: Noctuidae): a diapausing cutworm. <i>Zoologia</i> , 2013, 30, 371-378.	0.5	14
77	Biotic potential and reproductive parameters of <i>Spodoptera eridania</i> (Stoll) (Lepidoptera, Noctuidae) in the laboratory. <i>Revista Brasileira De Entomologia</i> , 2013, 57, 340-345.	0.4	24
78	Biology and life table of <i>Dirphia araucariae</i> (Lepidoptera: Saturniidae): A herbivore of potentially high impact on <i>Araucaria angustifolia</i> . <i>Zoologia</i> , 2013, 30, 143-150.	0.5	4
79	Aspects of the biology and morphology of <i>Dirphia dolosa</i> Bouvier, 1929 (Lepidoptera: Saturniidae: Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 50 137	1.0	4
80	Proboscis Morphology and Its Relationship to Feeding Habits in Noctuid Moths. <i>Journal of Insect Science</i> , 2011, 11, 1-10.	1.5	21
81	Butterflies and moths (Insecta: Lepidoptera) associated with erva-mate, the South American Holly ( <i>Ilex</i> ) Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 50 137	0.4	3
82	Biological aspects of <i>Periga circumstans</i> Walker, 1855 (Lepidoptera: Saturniidae: Hemileucinae) with larvae reared on khaki and mate-plant leaves. <i>Brazilian Journal of Biology</i> , 2011, 71, 1015-1022.	0.9	8
83	Noctuidae moths occurring in grape orchards in Serra Gaúcha, Brazil and their relation to fruit-piercing. <i>Revista Brasileira De Entomologia</i> , 2010, 54, 288-297.	0.4	24
84	Potential of <i>Metarhizium anisopliae</i> (Metsch.) Sorokin (Ascomycetes, hypocreales) in the control of <i>Bonagota salubricola</i> (Meyrick) (Lepidoptera, Tortricidae) and its compatibility with chemical insecticides. <i>Brazilian Journal of Biology</i> , 2010, 70, 931-936.	0.9	7
85	<i>Bacillus thuringiensis</i> isolates entomopathogenic for <i>Culex quinquefasciatus</i> (Diptera: Culicidae) and <i>Anticarsia gemmatalis</i> (Lepidoptera: Noctuidae). <i>Brazilian Journal of Biology</i> , 2010, 70, 1039-1046.	0.9	18
86	<i>Aucula magnifica</i> (Schaus, 1904) (Lepidoptera: Noctuidae: Agaristinae): morphology of egg and last instar larvae. <i>Brazilian Journal of Biology</i> , 2010, 70, 373-380.	0.9	2
87	Biology and morphology of <i>Molippa cruenta</i> (Lepidoptera: Saturniidae) in the laboratory. <i>Zoologia</i> , 2010, 27, 347-352.	0.5	6
88	Ocorrência do fungo entomopatogênico <i>Isaria javanica</i> (Frieder. & Bally) Samson & Hywell-Jones (Fungi, Sordariomycetes) em lagartas de <i>Lonomia obliqua</i> Walker (Lepidoptera, Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 137	0.4	8
89	Aspectos biológicos e morfológicos de <i>Leucanella viridescens</i> (Lepidoptera: Saturniidae: Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 50 137	0.5	11
90	Bionomy of <i>Anicla mahalpa</i> Schaus, 1898 (Lepidoptera: Noctuidae: Noctuinae), in the laboratory. <i>Brazilian Journal of Biology</i> , 2008, 68, 415-418.	0.9	7

#	ARTICLE	IF	CITATIONS
91	Biological aspects of <i>Autoplusia egena</i> (CuenÃ©e) (Lepidoptera: Noctuidae, Plusiinae). Neotropical Entomology, 2007, 36, 1-4.	1.2	7
92	Biological aspects of <i>Hylesia metapyrrha</i> (Lepidoptera; Saturniidae; Hemileucinae), in laboratory. Brazilian Journal of Biology, 2007, 67, 173-177.	0.9	14
93	EstÃ¡gios imaturos de <i>Spodoptera cosmioides</i> (Walker) (Lepidoptera, Noctuidae). Revista Brasileira De Zoologia, 2007, 24, 99-107.	0.5	19
94	Biologia e aspectos morfolÃ³gicos dos estÃ¡gios imaturos de <i>Automeris naranja</i> Schaus (Lepidoptera,) Tj ETQq0 0 0,rgBT /Overlock 10 T	0.5	12
95	CaracterizaÃ§Ã£o morfolÃ³gica dos imaturos de <i>Hyponeuma taltula</i> (Schaus) (Lepidoptera, Noctuidae,) Tj ETQq1 1,0,784314,rgBT /Ove	0.5	4
96	Arctiinae (Lepidoptera, Arctiidae) coletados em unidades de conservaÃ§Ã£o estaduais do Rio Grande do Sul, Brasil. Revista Brasileira De Entomologia, 2006, 50, 280-286.	0.4	13
97	Biologia de <i>Automeris illustris</i> (Walker) (Lepidoptera, Saturniidae, Hemileucinae). Revista Brasileira De Zoologia, 2006, 23, 537-546.	0.5	13
98	Biologia de <i>Hylesia nigricans</i> (Berg) (Lepidoptera, Saturniidae, Hemileucinae). Revista Brasileira De Zoologia, 2006, 23, 248-255.	0.5	19
99	NoctuÃ¢deos (Lepidoptera, Noctuidae) coletados em quatro Ã¡reas Estaduais de ConservaÃ§Ã£o do Rio Grande do Sul, Brasil. Revista Brasileira De Entomologia, 2005, 49, 130-140.	0.4	28
100	AvaliaÃ§Ã£o populacional de lagartas e inimigos naturais em azevÃ©m, com rede de varredura. Pesquisa Agropecuaria Brasileira, 2002, 37, 1-6.	0.9	8
101	Diversidade dos noctuÃ¢deos (Lepidoptera, Noctuidae) em Salvador do Sul, Rio Grande do Sul, Brasil. Revista Brasileira De Zoologia, 2002, 19, 281-298.	0.5	26
102	Biology of <i>Anicla infecta</i> (Ochsenheimer, 1816) (Lepidoptera, Noctuidae, Noctuinae), under laboratory conditions. Brazilian Journal of Biology, 2001, 61, 661-666.	0.9	8
103	Life history traits of <i>Praina temperata</i> (Lepidoptera, Noctuidae): a widely distributed and neglected cutworm of the Neotropics. Studies on Neotropical Fauna and Environment, 0, , 1-17.	1.0	0
104	A new cecidogenous species of many-plumed moth (Alucitidae) associated with <i>Cordia</i> A. Rich. ex DC. (Rubiaceae) in the Brazilian Cerrado. Zoologia, 0, 36, 1-15.	0.5	3
105	Elio Corseuil: Obituary (1930-2020). EntomoBrasilis, 0, 13, e925.	0.2	0
106	First record of <i>Chilomima clarkei</i> (Amsel) (Lepidoptera: Crambidae) in <i>Manihot esculenta</i> Crantz (Euphorbiaceae) in AmapÃ¡ state, Brazil. EntomoBrasilis, 0, 13, e914.	0.2	1