
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6664836/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858. | 6.3 | 8,569 |
| 2 | Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259. | 6.3 | 5,578 |
| 3 | Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602. | 6.3 | 5,298 |
| 4 | Health Effects of Overweight and Obesity in 195 Countries over 25 Years. New England Journal of Medicine, 2017, 377, 13-27. | 13.9 | 5,014 |
| 5 | Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128·9 million children, adolescents, and adults. Lancet, The, 2017, 390, 2627-2642. | 6.3 | 5,010 |
| 6 | Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788. | 6.3 | 4,989 |
| 7 | Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544. | 6.3 | 4,934 |
| 8 | Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-years for 32 Cancer Groups, 1990 to 2015. JAMA Oncology, 2017, 3, 524. | 3.4 | 4,254 |
| 9 | Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210. | 6.3 | 3,565 |
| 10 | Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 709-733. | 6.3 | 2,858 |
| 11 | Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922. | 6.3 | 2,123 |
| 12 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422. | 6.3 | 1,879 |
| 13 | Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with $19\hat{A}\cdot1$ million participants. Lancet, The, 2017, 389, 37-55. | 6.3 | 1,667 |
| 14 | Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344. | 6.3 | 1,589 |
| 15 | Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897. | 4.9 | 1,521 |
| 16 | The Burden of Primary Liver Cancer and Underlying Etiologies From 1990 to 2015 at the Global, Regional, and National Level. JAMA Oncology, 2017, 3, 1683. | 3.4 | 1,448 |
| 17 | Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. Lancet, The, 2021, 398, 957-980. | 6.3 | 1,289 |
| 18 | Smoking prevalence and attributable disease burden in 195 countries and territories, 1990–2015: a systematic analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 389, 1885-1906. | 6.3 | 1,281 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Global, regional, and national burden of migraine and tension-type headache, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 954-976. | 4.9 | 1,101 |
| 20 | Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. New England Journal of Medicine, 2018, 379, 2429-2437. | 13.9 | 959 |
| 21 | Corticosteroid Therapy for Critically III Patients with Middle East Respiratory Syndrome. American Journal of Respiratory and Critical Care Medicine, 2018, 197, 757-767. | 2.5 | 911 |
| 22 | The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 245-266. | 3.7 | 823 |
| 23 | Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812. | 6.3 | 740 |
| 24 | Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735. | 6.3 | 716 |
| 25 | Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271. | 6.3 | 638 |
| 26 | Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150. | 6.3 | 573 |
| 27 | Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1725-1774. | 6.3 | 571 |
| 28 | Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266. | 6.3 | 480 |
| 29 | Rising rural body-mass index is the main driver of the global obesity epidemic in adults. Nature, 2019, 569, 260-264. | 13.7 | 469 |
| 30 | Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. Lancet HIV,the, 2016, 3, e361-e387. | 2.1 | 461 |
| 31 | Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850. | 6.3 | 413 |
| 32 | Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138. | 6.3 | 335 |
| 33 | Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159. | 6.3 | 335 |
| 34 | Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284. | 6.3 | 330 |
| 35 | Mortality, morbidity, and hospitalisations due to influenza lower respiratory tract infections, 2017: an analysis for the Global Burden of Disease Study 2017. Lancet Respiratory Medicine,the, 2019, 7, 69-89. | 5.2 | 326 |
| 36 | Child and Adolescent Health From 1990 to 2015. JAMA Pediatrics, 2017, 171, 573. | 3.3 | 306 |

3

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051. | 6.3 | 294 |
| 38 | Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459. | 6.3 | 284 |
| 39 | The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2019, 4, 913-933. | 3.7 | 259 |
| 40 | Global, regional, and national burden of meningitis, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 1061-1082. | 4.9 | 221 |
| 41 | Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. Lancet, The, 2020, 396, 1511-1524. | 6.3 | 219 |
| 42 | Ribavirin and Interferon Therapy for Critically Ill Patients With Middle East Respiratory Syndrome: A Multicenter Observational Study. Clinical Infectious Diseases, 2020, 70, 1837-1844. | 2.9 | 203 |
| 43 | Global Mortality From Firearms, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 320, 792. | 3.8 | 189 |
| 44 | Health in times of uncertainty in the eastern Mediterranean region, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. The Lancet Global Health, 2016, 4, e704-e713. | 2.9 | 147 |
| 45 | Vitamin D status in relation to obesity, bone mineral density, bone turnover markers and vitamin D receptor genotypes in healthy Saudi pre- and postmenopausal women. Osteoporosis International, 2011, 22, 463-475. | 1.3 | 143 |
| 46 | Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017. JAMA Pediatrics, 2019, 173, e190337. | 3.3 | 140 |
| 47 | Critically Ill Patients With the Middle East Respiratory Syndrome: A Multicenter Retrospective Cohort Study. Critical Care Medicine, 2017, 45, 1683-1695. | 0.4 | 139 |
| 48 | Quality of life reported by survivors after hospitalization for Middle East respiratory syndrome (MERS). Health and Quality of Life Outcomes, 2019, 17, 101. | 1.0 | 111 |
| 49 | Medical students' acceptance and perceptions of e-learning during the Covid-19 closure time in King Abdulaziz University, Jeddah. Journal of Infection and Public Health, 2021, 14, 17-23. | 1.9 | 105 |
| 50 | Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2020, 20, 37-59. | 4.6 | 104 |
| 51 | Macrolides in critically ill patients with Middle East Respiratory Syndrome. International Journal of Infectious Diseases, 2019, 81, 184-190. | 1.5 | 103 |
| 52 | Bone mineral density of the spine and femur in healthy Saudis. Osteoporosis International, 2005, 16, 43-55. | 1.3 | 96 |
| 53 | Quantifying risks and interventions that have affected the burden of lower respiratory infections among children younger than 5 years: an analysis for the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2020, 20, 60-79. | 4.6 | 95 |
| 54 | Noninvasive ventilation in critically ill patients with the Middle East respiratory syndrome. Influenza and Other Respiratory Viruses, 2019, 13, 382-390. | 1.5 | 91 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | The Prevalence of Diabetes and Prediabetes in the Adult Population of Jeddah, Saudi Arabia- A Community-Based Survey. PLoS ONE, 2016, 11, e0152559. | 1.1 | 85 |
| 56 | Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. International Journal of Epidemiology, 2018, 47, 872-883i. | 0.9 | 65 |
| 57 | Burden of cardiovascular diseases in the Eastern Mediterranean Region, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 137-149. | 1.0 | 63 |
| 58 | Burden of cancer in the Eastern Mediterranean Region, 2005–2015: findings from the Global Burden of Disease 2015 Study. International Journal of Public Health, 2018, 63, 151-164. | 1.0 | 48 |
| 59 | Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759. | 15.2 | 47 |
| 60 | Prevalence of urinary incontinence among Saudi women. International Journal of Gynecology and Obstetrics, 2012, 117, 160-163. | 1.0 | 46 |
| 61 | Independent predictors of all osteoporosis-related fractures among healthy Saudi postmenopausal women: The CEOR Study. Bone, 2012, 50, 713-722. | 1.4 | 44 |
| 62 | The prevalence of obesity and overweight, associated demographic and lifestyle factors, and health status in the adult population of Jeddah, Saudi Arabia. Therapeutic Advances in Chronic Disease, 2019, 10, 204062231987899. | 1.1 | 44 |
| 63 | Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26. | 1.2 | 44 |
| 64 | The burden of mental disorders in the Eastern Mediterranean region, 1990–2015: findings from the global burden of disease 2015 study. International Journal of Public Health, 2018, 63, 25-37. | 1.0 | 43 |
| 65 | Effects of Honey on Oral Mucositis among Pediatric Cancer Patients Undergoing Chemo/Radiotherapy Treatment at King Abdulaziz University Hospital in Jeddah, Kingdom of Saudi Arabia. Evidence-based Complementary and Alternative Medicine, 2017, 2017, 1-7. | 0.5 | 42 |
| 66 | Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. ELife, 2021, 10, . | 2.8 | 41 |
| 67 | Critically ill healthcare workers with the middle east respiratory syndrome (MERS): A multicenter study. PLoS ONE, 2018, 13, e0206831. | 1.1 | 33 |
| 68 | Prevalence of lifestyle practices that might affect bone health in relation to vitamin D status among female Saudi adolescents. Nutrition, 2018, 45, 108-113. | 1.1 | 31 |
| 69 | Self-medication with analgesics among medical students and interns in King Abdulaziz University, Jeddah, Saudi Arabia. Pakistan Journal of Medical Sciences, 2014, 31, 14-8. | 0.3 | 30 |
| 70 | Diabetes mellitus and chronic kidney disease in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 177-186. | 1.0 | 30 |
| 71 | Burden of Diarrhea in the Eastern Mediterranean Region, 1990–2013: Findings from the Global Burden of Disease Study 2013. American Journal of Tropical Medicine and Hygiene, 2016, 95, 1319-1329. | 0.6 | 27 |
| 72 | Intentional injuries in the Eastern Mediterranean Region, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 39-46. | 1.0 | 27 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Burden of lower respiratory infections in the Eastern Mediterranean Region between 1990 and 2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 97-108. | 1.0 | 23 |
| 74 | Transport injuries and deaths in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 Study. International Journal of Public Health, 2018, 63, 187-198. | 1.0 | 22 |
| 75 | Danger ahead: the burden of diseases, injuries, and risk factors in the Eastern Mediterranean Region, 1990–2015. International Journal of Public Health, 2018, 63, 11-23. | 1.0 | 21 |
| 76 | Factors Associated with Consuming Junk Food among Saudi Adults in Jeddah City. Cureus, 2017, 9, e2008. | 0.2 | 19 |
| 77 | The Association between Dyslipidemia, Dietary Habits and Other Lifestyle Indicators among Non-Diabetic Attendees of Primary Health Care Centers in Jeddah, Saudi Arabia. Nutrients, 2020, 12, 2441. | 1.7 | 19 |
| 78 | Seroprevalence of dengue fever and the associated sociodemographic, clinical, and environmental factors in Makkah, Madinah, Jeddah, and Jizan, Kingdom of Saudi Arabia. Acta Tropica, 2019, 189, 54-64. | 0.9 | 18 |
| 79 | Burden of vision loss in the Eastern Mediterranean region, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 199-210. | 1.0 | 17 |
| 80 | Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. International Journal of Public Health, 2018, 63, 79-96. | 1.0 | 17 |
| 81 | Burden of Middle East respiratory syndrome coronavirus infection in Saudi Arabia. Journal of Infection and Public Health, 2020, 13, 692-696. | 1.9 | 17 |
| 82 | Quality of life among caregivers of sickle cell disease patients: a cross sectional study. Health and Quality of Life Outcomes, 2018, 16, 176. | 1.0 | 16 |
| 83 | Factors associated with non-urgent visits to the emergency department in a tertiary care centre, western Saudi Arabia: cross-sectional study. BMJ Open, 2020, 10, e035951. | 0.8 | 16 |
| 84 | Neonatal, infant, and under-5 mortality and morbidity burden in the Eastern Mediterranean region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 63-77. | 1.0 | 15 |
| 85 | <p>The Association Between Prediabetes and Dyslipidemia Among Attendants of Primary Care Health Centers in Jeddah, Saudi Arabia</p> . Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2019, Volume 12, 2735-2743. | 1.1 | 14 |
| 86 | Trends in HIV/AIDS morbidity and mortality in Eastern Mediterranean countries, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 123-136. | 1.0 | 13 |
| 87 | Dysglycemia risk score in Saudi Arabia: A tool to identify people at high future risk of developing typeÂ2 diabetes. Journal of Diabetes Investigation, 2020, 11, 844-855. | 1.1 | 13 |
| 88 | Burden of diarrhea in the Eastern Mediterranean Region, 1990–2015: Findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 109-121. | 1.0 | 12 |
| 89 | The health status of Saudi women: findings from a national survey. Journal of Public Health, 2016, 38, fdv157. | 1.0 | 11 |
| 90 | Maternal mortality and morbidity burden in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 47-61. | 1.0 | 9 |

| # | Article | IF | CITATIONS |
|-----|---|-------------------|---------------------|
| 91 | Meningococcal Disease and Immunization Activities in Hajj and Umrah Pilgrimage: a review. Infectious Diseases and Therapy, 2022, 11, 1343-1369. | 1.8 | 9 |
| 92 | Effects of <i>Phoenix dactylifera</i> Ajwa on Infection, Hospitalization, and Survival Among Pediatric Cancer Patients in a University Hospital: A Nonrandomized Controlled Trial. Integrative Cancer Therapies, 2019, 18, 153473541982883. | 0.8 | 8 |
| 93 | The Association Between Dietary Habits and Other Lifestyle Indicators and Dysglycemia in Saudi Adults Free of Previous Diagnosis of Diabetes. Nutrition and Metabolic Insights, 2020, 13, 117863882096525. | 0.8 | 7 |
| 94 | Factors associated with adherence to Mediterranean diet among Saudi non-diabetic patients attending primary health care centers: A cross-sectional study. Journal of Taibah University Medical Sciences, 2019, 14, 139-148. | 0.5 | 6 |
| 95 | Discrepancies between dental and medical records of cardiac patients in AlHada Armed Forces Hospital, Taif, Saudi Arabia. Journal of International Society of Preventive and Community Dentistry, 2016, 6, 568. | 0.4 | 6 |
| 96 | Hepatitis C virus infection in Jeddah city, Saudi Arabia: Seroprevalence and knowledge. Journal of Medical Virology, 2018, 90, 526-531. | 2.5 | 5 |
| 97 | Prevalence and predictors of hepatitis B in Jeddah City, Saudi Arabia: a population-based seroprevalence study. Journal of Infection in Developing Countries, 2016, 10, 1116-1123. | 0.5 | 5 |
| 98 | The economic burden of dengue fever in the Kingdom of Saudi Arabia. PLoS Neglected Tropical Diseases, 2020, 14, e0008847. | 1.3 | 5 |
| 99 | Gender Differences in The Factors associated with Hypertension in Non-Diabetic Saudi Adults—A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 11371. | 1.2 | 4 |
| 100 | Association between anthropometric indices and non-anthropometric components of the metabolic syndrome in Saudi adults. Journal of the Endocrine Society, 2022, 6, bvac055. | 0.1 | 4 |
| 101 | Potential breast cancer risk factors among Saudi women aged 19–50 years in Jeddah. Journal of the Egyptian Public Health Association, The, 2013, 88, 165-170. | 1.0 | 3 |
| 102 | The association between hypertension and other cardiovascular risk factors among non-diabetic Saudis adults–A cross sectional study. PLoS ONE, 2021, 16, e0246568. | 1.1 | 3 |
| 103 | Critically ill patients with diabetes and Middle East respiratory syndrome: a multi-center observational study. BMC Infectious Diseases, 2021, 21, 84. | 1.3 | 3 |
| 104 | Identification of a putative anti-rheumatoid arthritis molecule by virtual screening. Tropical Journal of Pharmaceutical Research, 2020, 19, 1255-1261. | 0.2 | 1 |
| 105 | 604: AZITHROMYCIN FOR CRITICALLY ILL PATIENTS WITH MIDDLE EAST RESPIRATORY SYNDROME. Critical Care Medicine, 2018, 46, 288-288. | 0.4 | Ο |
| 106 | Molecular interaction of 4-amino-N'-(benzoyloxy)-N-(2,4-) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 152 Td (dim and its implication in rheumatoid arthritis. Tropical Journal of Pharmaceutical Research, 2020, 19, 1045-1052. | ethylpheny 0.2 | yl)-1,2,5-oxad 0 |
| 107 | Genetic Association between Different Metabolic Variants in APOA5 and PLIN1 in Type 2 Diabetes Mellitus among the Western Saudi Population: Case-Control Study. Genes, 2022, 13, 1246. | 1.0 | 0 |