Djoko Iskandar

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/6665598/publications.pdf

Version: 2024-02-01

57 papers	2,922 citations	304743 22 h-index	175258 52 g-index
60 all docs	60 docs citations	60 times ranked	4248 citing authors

#	Article	IF	Citations
1	The Impact of Conservation on the Status of the Worldâ€™s Vertebrates. Science, 2010, 330, 1503-1509.	12.6	1,209
2	Specimen collection: An essential tool. Science, 2014, 344, 814-815.	12.6	169
3	Phylogenetics of Fanged Frogs:Testing Biogeographical Hypotheses at the Interface of the Asian and Australian Faunal Zones. Systematic Biology, 2003, 52, 794-819.	5.6	143
4	Phylogenetics of fanged frogs: testing biogeographical hypotheses at the interface of the asian and Australian faunal zones. Systematic Biology, 2003, 52, 794-819.	5.6	120
5	Impending conservation crisis for Southeast Asian amphibians. Biology Letters, 2010, 6, 336-338.	2.3	82
6	Effects of Landâ€Use Change on Community Composition of Tropical Amphibians and Reptiles in Sulawesi, Indonesia. Conservation Biology, 2010, 24, 795-802.	4.7	73
7	Molecular Systematics and Biogeography of the Fanged Frogs of Southeast Asia. Molecular Phylogenetics and Evolution, 2000, 16, 131-142.	2.7	72
8	An Ancient Origin for the Enigmatic Flat-Headed Frogs (Bombinatoridae: Barbourula) from the Islands of Southeast Asia. PLoS ONE, 2010, 5, e12090.	2.5	71
9	Systematics of a widespread Southeast Asian frog,Rana chalconota(Amphibia: Anura: Ranidae). Zoological Journal of the Linnean Society, 2009, 155, 123-147.	2.3	69
10	Adaptive Radiation and Ecological Opportunity in Sulawesi and Philippine Fanged Frog (Limnonectes) Communities. American Naturalist, 2011, 178, 221-240.	2.1	69
11	Phylogeography and historical demography of Polypedates leucomystax in the islands of Indonesia and the Philippines: Evidence for recent human-mediated range expansion?. Molecular Phylogenetics and Evolution, 2010, 57, 598-619.	2.7	64
12	Photography-based taxonomy is inadequate, unnecessary, and potentially harmful for biological sciences. Zootaxa, 2016, 4196, zootaxa.4196.3.9.	0.5	63
13	A Novel Reproductive Mode in Frogs: A New Species of Fanged Frog with Internal Fertilization and Birth of Tadpoles. PLoS ONE, 2014, 9, e115884.	2.5	54
14	Conservation value of cacao agroforestry for amphibians and reptiles in Southâ€East Asia: combining correlative models with followâ€up field experiments. Journal of Applied Ecology, 2009, 46, 823-832.	4.0	45
15	A lungless frog discovered on Borneo. Current Biology, 2008, 18, R374-R375.	3.9	40
16	Squeezing water from a stone: high-throughput sequencing from a 145-year old holotype resolves (barely) a cryptic species problem in flying lizards. PeerJ, 2018, 6, e4470.	2.0	36
17	Stochastic faunal exchanges drive diversification in widespread Wallacean and Pacific island lizards (Squamata: Scincidae: Lamprolepis smaragdina). Journal of Biogeography, 2013, 40, 507-520.	3.0	35
18	Phylogenetics of Fanged Frogs: Testing Biogeographical Hypotheses at the Interface of the Asian and Australian Faunal Zones. Systematic Biology, 2003, 52, 794-819.	5.6	34

#	Article	IF	Citations
19	Nest Site Selection, Larval Hatching, and Advertisement Calls, of Rana arathooni from Southwestern Sulawesi (Celebes) Island, Indonesia. Journal of Herpetology, 2000, 34, 404.	0.5	30
20	A NEW SPECIES OF BENT-TOED GECKO CYRTODACTYLUS GRAY, 1827, (SQUAMATA: GEKKONIDAE) FROM THE ISLAND OF SULAWESI, INDONESIA. Herpetologica, 2008, 64, 109-120.	0.4	30
21	Deep genetic structure and ecological divergence in a widespread human commensal toad. Biology Letters, 2016, 12, 20150807.	2.3	26
22	Habitat use by stream-breeding frogs in south-east Sulawesi, with some preliminary observations on community organization. Journal of Tropical Ecology, 2004, 20, 439-448.	1.1	23
23	Genetic Divergence and Evolutionary Relationship inFejervarya cancrivorafrom Indonesia and Other Asian Countries Inferred from Allozyme and MtDNA Sequence Analyses. Zoological Science, 2010, 27, 222-233.	0.7	23
24	Toxic toad invasion of Wallacea: A biodiversity hotspot characterized by extraordinary endemism. Global Change Biology, 2017, 23, 5029-5031.	9.5	23
25	Venom Composition in a Phenotypically Variable Pit Viper (Trimeresurus insularis) across the Lesser Sunda Archipelago. Journal of Proteome Research, 2019, 18, 2206-2220.	3.7	23
26	Habitat preference modulates trans-oceanic dispersal in a terrestrial vertebrate. Proceedings of the Royal Society B: Biological Sciences, 2019, 286, 20182575.	2.6	21
27	Leapâ€frog dispersal and mitochondrial introgression: Phylogenomics and biogeography of Limnonectes fanged frogs in the Lesser Sundas Archipelago of Wallacea. Journal of Biogeography, 2019, 46, 757-769.	3.0	19
28	<strong>A new species of Hemiphyllodactylus Bleeker, 1860 (Squamata:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 3821, 485.	0.5	18
29	Natural regeneration on land degraded by coal mining in a tropical climate: Lessons for ecological restoration from Indonesia. Land Degradation and Development, 2018, 29, 4050-4060.	3.9	17
30	Phylogenetic relationships within the genus Staurois (Anura, Ranidae) based on 16S rRNA sequences. Zootaxa, 2011, 2744, .	0.5	16
31	"Same-same, but different": an unusual new species of the Limnonectes kuhlii Complex from West Sumatra (Anura: Dicroglossidae). Zootaxa, 2011, 2883, .	0.5	15
32	A new species ofÂMegophrysÂKuhl & Van Hasselt (Amphibia: Megophryidae) from Borneo allied toÂM. nasuta (Schlegel, 1858). Zootaxa, 2019, 4679, zootaxa.4679.1.1.	0.5	14
33	Molecular phylogenetic analysis of a taxonomically unstable ranid from Sumatra, Indonesia, reveals a new genus with gastromyzophorous tadpoles and two new species. Zoosystematics and Evolution, 2018, 94, 163-193.	1.1	14
34	A new bent-toed gecko of the genus Cyrtodactylus Gray, 1827 (Reptilia, Gekkonidae) from Mount Tompotika, eastern peninsula of Sulawesi, Indonesia. Zootaxa, 2011, 2838, .	0.5	13
35	Two New Species of the GenusLeptobrachella(Amphibia: Anura: Megophryidae) from Kalimantan, Indonesia. Current Herpetology, 2018, 37, 95-105.	0.5	13
36	Multilocus phylogeny of Bornean Bent-Toed geckos (Gekkonidae: Cyrtodactylus) reveals hidden diversity, taxonomic disarray, and novel biogeographic patterns. Molecular Phylogenetics and Evolution, 2020, 147, 106785.	2.7	13

#	Article	IF	Citations
37	A new species of bent-toed gecko (Cyrtodactylus: Gekkonidae) from Seram Island, Indonesia. Zootaxa, 2009, 2115, 47-55.	0.5	12
38	Description of Five New Day Geckos ofCnemaspis kandianaGroup (Sauria: Gekkonidae) from Sumatra and Mentawai Archipelago, Indonesia. Journal of Herpetology, 2017, 51, 142-153.	0.5	11
39	Phylogenomic Analysis Reveals Dispersal-Driven Speciation and Divergence with Gene Flow in Lesser Sunda Flying Lizards (Genus Draco). Systematic Biology, 2021, 71, 221-241.	5.6	11
40	A New Species of Barbourula: First Record of a Discoglossid Anuran in Borneo. Copeia, 1978, 1978, 564.	1.3	9
41	Genetic differentiation in Indonesian and French rats of the subgenus Rattus. Biochemical Systematics and Ecology, 1982, 10, 191-196.	1.3	9
42	A new species of Calamaria (Squamata: Colubridae) similar to C. ceramensis de Rooij, 1913, from the Banggai Islands, east of Sulawesi, Indonesia. Zootaxa, 2009, 2196, 19-30.	0.5	8
43	A new species of Lepidodactylus (Reptilia: Squamata: Gekkonidae) from the Kei Islands, Maluku, Indonesia. Zootaxa, 2017, 4350, 91.	0.5	8
44	Whoâ€™s your daddy? On the identity and distribution of the paternal hybrid ancestor of the parthenogenetic gecko Lepidodactylus lugubris (Reptilia: Squamata: Gekkonidae). Zootaxa, 2021, 4999, 87-100.	0.5	8
45	Unexpectedly high levels of lineage diversity in Sundaland puddle frogs (Dicroglossidae: Occidozyga) Tj ETQq1 1 0.784314 rgBT /Over	2.7	8
46	Amphibians of the Kayan Mentarang National Park (East Kalimantan, Indonesia): estimating overall and local species richness. Tropical Zoology, 2004, 17, 1-13.	0.6	7
47	A New Species of Large Eutropis (Scincidae) from Sulawesi, Indonesia. Journal of Herpetology, 2007, 41, 604-610.	0.5	7
48	Recent colonization and expansion through the Lesser Sundas by seven amphibian and reptile species. Zoologica Scripta, 2019, 48, 614-626.	1.7	7
49	Revisiting the phylogenetic predicament of the genusHuia(Amphibia: Ranidae) using molecular data and tadpole morphology. Zoological Journal of the Linnean Society, 2021, 193, 673-699.	2.3	5
50	Indonesia's protected areas need more protection: suggestions from island examples. , 2007, , 53-77.		4
51	Natural history collections reveal species richness on a small isolated tropical island: the bats of Siberut. Oryx, 2022, 56, 904-907.	1.0	2
52	A New Species of Torrent-Dwelling Frog (Hylidae, Litoria) from the Mountains of New Guinea. Current Herpetology, 2006, 25, 57-63.	0.5	1
53	HUBUNGAN FILOGENETIK SPESIES LIMNONECTES (RANIDAE: AMPHIBIA) ASAL SUMATERA BARAT DAN ASAL ASIA TENGGARA BERDASARKAN GEN 16S RIBOSOMAL RNA. Makara Seri Sains, 2011, 14, .	0.0	1
54	A new large green species of Litoria (Anura: Hylidae) from western New Guinea. Zootaxa, 2007, 1519, 17-26.	0.5	1

#	Article	IF	Citations
55	Tropical biodiversity with special emphasis on characteristic species. AIP Conference Proceedings, 2020, , .	0.4	0
56	Mabuia wirzi Roux, 1925 (Squamata: Scincidae), an overlooked synonym of Dasia olivacea Gray, 1839, with notes on the synonymy of Dasia olivacea . Zootaxa, 2020, 4763, 145-150.	0.5	0
57	Crossing Lydekker's Line: Northern Water Dragons (Tropicagama temporalis) Colonized the Mollucan Islands of Indonesia from New Guinea. Herpetologica, 2020, 76, 344.	0.4	0