

Hidde M Kroon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6665656/hidde-m-kroon-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93
papers

1,111
citations

19
h-index

31
g-index

105
ext. papers

1,405
ext. citations

2.7
avg, IF

4.39
L-index

#	Paper	IF	Citations
93	Risk Nomogram Does Not Predict Anastomotic Leakage After Colon Surgery Accurately: Results of the Multi-center LekCheck Study.. <i>Journal of Gastrointestinal Surgery</i> , 2022 , 1	3.3	0
92	Pericapsular nerve group block results in a longer analgesic effect and shorter time to discharge than femoral nerve block in patients after hip fracture surgery: a single-center double-blinded randomized trial.. <i>Journal of International Medical Research</i> , 2022 , 50, 3000605221085073	1.4	0
91	Artificial intelligence for body composition and sarcopenia evaluation on computed tomography: A systematic review and meta-analysis.. <i>European Journal of Radiology</i> , 2022 , 149, 110218	4.7	0
90	ASO Visual Abstract: Malignant Features in Pretreatment Metastatic Lateral Lymph Nodes in Locally Advanced Low Rectal Cancer Predict Distant Metastases. <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1	1
89	Palliative Pelvic Exenteration 2021 , 230-242		
88	Association Between Intraoperative Blood Glucose and Anastomotic Leakage in Colorectal Surgery. <i>Journal of Gastrointestinal Surgery</i> , 2021 , 25, 2619-2627	3.3	2
87	Artificial intelligence for the diagnosis of lymph node metastases in patients with abdominopelvic malignancy: A systematic review and meta-analysis. <i>Artificial Intelligence in Medicine</i> , 2021 , 113, 102022	7.4	5
86	Current practice in Australia and New Zealand for defunctioning ileostomy after rectal cancer surgery with anastomosis: Analysis of the Binational Colorectal Cancer Audit. <i>Colorectal Disease</i> , 2021 , 23, 1421-1433	2.1	5
85	Active surveillance of patients who have sentinel node positive melanoma: An international, multi-institution evaluation of adoption and early outcomes after the Multicenter Selective Lymphadenectomy Trial II (MSLT-2). <i>Cancer</i> , 2021 , 127, 2251-2261	6.4	7
84	Impact of STIMUlant and osmotic LAXatives (STIMULAX trial) on gastrointestinal recovery after colorectal surgery: randomized clinical trial. <i>British Journal of Surgery</i> , 2021 , 108, 797-803	5.3	1
83	PyRiCo-Pilot: pyridostigmine to reduce the duration of postoperative ileus after colorectal surgery - a phase II study. <i>Colorectal Disease</i> , 2021 , 23, 2154-2160	2.1	0
82	Surveillance of Sentinel Node-Positive Melanoma Patients with Reasons for Exclusion from MSLT-II: Multi-Institutional Propensity Score Matched Analysis. <i>Journal of the American College of Surgeons</i> , 2021 , 232, 424-431	4.4	3
81	The Authors Reply. <i>Diseases of the Colon and Rectum</i> , 2021 , 64, e77	3.1	
80	Ingested foreign body causing a silent perforation of the bowel. <i>BMJ Case Reports</i> , 2021 , 14,	0.9	
79	Death following pulmonary complications of surgery before and during the SARS-CoV-2 pandemic. <i>British Journal of Surgery</i> , 2021 , 108, 1448-1464	5.3	4
78	Safety and efficacy of short-course intravenous antibiotics after complicated appendicitis in selected patients. <i>Acta Chirurgica Belgica</i> , 2021 , 1-5	0.9	
77	Malignant Features in Pretreatment Metastatic Lateral Lymph Nodes in Locally Advanced Low Rectal Cancer Predict Distant Metastases. <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1	1

76	Reply to: Lateral lymph node dissection in low rectal cancers: Call for standardized reporting of results to unify the global practice. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2477-2478	3.6	
75	Artificial intelligence for pre-operative lymph node staging in colorectal cancer: a systematic review and meta-analysis. <i>BMC Cancer</i> , 2021 , 21, 1058	4.8	9
74	ASO Author Reflection: Lateral Pelvic Lymph Nodes in Rectal Cancer-Not All Are Created Equal. <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1	
73	Impact of timing of reversal of loop ileostomy on patient outcomes: a retrospective cohort study. <i>Techniques in Coloproctology</i> , 2021 , 25, 1217-1224	2.9	0
72	Local recurrences in western low rectal cancer patients treated with or without lateral lymph node dissection after neoadjuvant (chemo)radiotherapy: An international multi-centre comparative study. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2441-2449	3.6	9
71	Safety and efficacy of laxatives after major abdominal surgery: systematic review and meta-analysis. <i>BJS Open</i> , 2020 , 4, 577-586	3.9	2
70	Feasibility study of an online modifiable Enhanced Recovery After Surgery protocol with specific focus on opioid avoidance. <i>ANZ Journal of Surgery</i> , 2020 , 90, 1947-1952	1	2
69	ASO Author Reflection: Isolated Limb Infusion for Locally Advanced Melanoma in the Extremely Old Patient is Safe and Effective. <i>Annals of Surgical Oncology</i> , 2020 , 27, 1430-1431	3.1	2
68	International Multicenter Experience of Isolated Limb Infusion for In-Transit Melanoma Metastases in Octogenarian and Nonagenarian Patients. <i>Annals of Surgical Oncology</i> , 2020 , 27, 1420-1429	3.1	4
67	Rectal Stump Management After Subtotal Colectomy for Severe Colitis, In or Out? A Retrospective Cohort Study. <i>Indian Journal of Surgery</i> , 2020 , 82, 585-591	0.3	
66	Four different ileorectal anastomotic configurations following total colectomy. <i>ANZ Journal of Surgery</i> , 2020 , 90, 1588-1591	1	2
65	Predicting outcomes of pelvic exenteration using machine learning. <i>Colorectal Disease</i> , 2020 , 22, 1933-1940	1.4	2
64	Management strategies for patients with advanced rectal cancer and liver metastases using modified Delphi methodology: results from the PelvEx Collaborative. <i>Colorectal Disease</i> , 2020 , 22, 1184-1188	2.1	2
63	A global survey of surgeons' preferences and practice with regard to laxative use after elective colorectal surgery. <i>International Journal of Colorectal Disease</i> , 2020 , 35, 759-763	3	2
62	Safety and efficacy of outpatient management for elderly patients with uncomplicated acute diverticulitis. <i>European Journal of Internal Medicine</i> , 2020 , 76, 123-124	3.9	
61	Isolated Limb Infusion for Melanoma 2020 , 827-850		0
60	Outcomes of Minimally Invasive Versus Open Proctectomy for Rectal Cancer: A Propensity-Matched Analysis of Bi-National Colorectal Cancer Audit Data. <i>Diseases of the Colon and Rectum</i> , 2020 , 63, 778-787	3.1	8
59	LekCheck: A Prospective Study to Identify Perioperative Modifiable Risk Factors for Anastomotic Leakage in Colorectal Surgery. <i>Annals of Surgery</i> , 2020 , 275,	7.8	8

58	First Eastern European experience of isolated limb infusion for in-transit metastatic melanoma confined to the limb: Is it still an effective treatment option in the modern era?. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 272-276	3.6	
57	The Impact of Laxatives on the Return of Gastrointestinal Function After Elective Colorectal Surgery : A Propensity Score-Matched Analysis. <i>American Surgeon</i> , 2020 , 3134820951469	0.8	
56	Factors predicting toxicity and response following isolated limb infusion for melanoma: An international multi-centre study. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 2140-2146	3.6	1
55	Minimally invasive surgery in elderly patients with rectal cancer: An analysis of the Bi-National Colorectal Cancer Audit (BCCA). <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1649-1655	3.6	2
54	The impact of the COVID-19 pandemic on the Management of Locally Advanced Primary/Recurrent Rectal Cancer. <i>British Journal of Surgery</i> , 2020 , 107, e547-e548	5.3	1
53	The global cost of pelvic exenteration: in-hospital perioperative costs. <i>British Journal of Surgery</i> , 2020 , 107, e470-e471	5.3	0
52	Oncologic Outcomes After Isolated Limb Infusion for Advanced Melanoma: An International Comparison of the Procedure and Outcomes Between the United States and Australia. <i>Annals of Surgical Oncology</i> , 2020 , 27, 5107-5118	3.1	6
51	ASO Author Reflections: Return to Isolated Limb Infusion for In-Transit Melanoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 5119-5120	3.1	1
50	Systematic scoping review of enhanced recovery protocol recommendations targeting return of gastrointestinal function after colorectal surgery. <i>ANZ Journal of Surgery</i> , 2020 , 90, 41-47	1	6
49	Simultaneous pelvic exenteration and liver resection for primary rectal cancer with synchronous liver metastases: results from the PelvEx Collaborative. <i>Colorectal Disease</i> , 2020 , 22, 1258-1262	2.1	3
48	Reduction in hospital admissions with an early computed tomography scan: results of an outpatient management protocol for uncomplicated acute diverticulitis. <i>ANZ Journal of Surgery</i> , 2019 , 89, 1085-1090	1	4
47	Short- and long-term outcomes of selective pelvic exenteration surgery in a low-volume specialized tertiary setting. <i>ANZ Journal of Surgery</i> , 2019 , 89, E226-E230	1	0
46	ASO Author Reflections: International Experience of Isolated Limb Infusion for Melanoma Shows Durable Response. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2495-2496	3.1	
45	Long-Term Oncologic Outcomes After Isolated Limb Infusion for Locoregionally Metastatic Melanoma: An International Multicenter Analysis. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2486-2494	3.1	21
44	Systematic review of rectal stump management during and after emergency total colectomy for acute severe ulcerative colitis. <i>ANZ Journal of Surgery</i> , 2019 , 89, 1556-1560	1	5
43	Palliative pelvic exenteration: A systematic review of patient-centered outcomes. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1787-1795	3.6	7
42	Isolated Limb Infusion for Melanoma 2019 , 1-24		
41	Evaluation of the efficacy and toxicity of upper extremity isolated limb infusion chemotherapy for melanoma: An Australian multi-center study. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 832-837	3.6	4

40	Lateral Lymph Node Metastases in Locally Advanced Low Rectal Cancers May Not Be Treated Effectively With Neoadjuvant (Chemo)Radiotherapy Only. <i>Frontiers in Oncology</i> , 2019 , 9, 1355	5.3	6
39	Letter re: Efficacy of isolated limb perfusion (ILP) in patients with Merkel cell carcinoma: A multicenter experience. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1121	3.6	2
38	Isolated Limb Infusion and Isolated Limb Perfusion for Melanoma: Can the Outcomes of these Procedures be Compared?. <i>Annals of Surgical Oncology</i> , 2019 , 26, 8-9	3.1	6
37	Multicentre randomized clinical trial of the effect of chewing gum after abdominal surgery. <i>British Journal of Surgery</i> , 2018 , 105, 820-828	5.3	25
36	Treatment of Clinically Positive Cervical Lymph Nodes by Limited Local Node Excision and Adjuvant Radiotherapy in Melanoma Patients with Major Comorbidities. <i>Annals of Surgical Oncology</i> , 2018 , 25, 3476-3482	3.1	6
35	Isolated Limb Infusion for Recurrent and Locally Metastatic Limb Melanoma 2018 , 451-465		1
34	ASO Author Reflections: Limited Surgery Plus Radiotherapy for Melanoma Patients with Cervical Node Metastases. <i>Annals of Surgical Oncology</i> , 2018 , 25, 912-913	3.1	10
33	Isolated Limb Infusion as a Limb Salvage Strategy for Locally Advanced Extremity Sarcoma. <i>Journal of the American College of Surgeons</i> , 2017 , 224, 635-642	4.4	18
32	Clinical Relevance of a Grading System for Anastomotic Leakage After Low Anterior Resection: Analysis From a National Cohort Database. <i>Diseases of the Colon and Rectum</i> , 2017 , 60, 706-713	3.1	28
31	Surgery for a large tracheoesophageal fistula using extracorporeal membrane oxygenation. <i>Journal of Thoracic Disease</i> , 2017 , 9, E735-E738	2.6	3
30	Safety and Efficacy of Isolated Limb Infusion Chemotherapy for Advanced Locoregional Melanoma in Elderly Patients: An Australian Multicenter Study. <i>Annals of Surgical Oncology</i> , 2017 , 24, 3245-3251	3.1	15
29	A Propensity Score Matched Analysis of Open Versus Minimally Invasive Transthoracic Esophagectomy in the Netherlands. <i>Annals of Surgery</i> , 2017 , 266, 839-846	7.8	124
28	Acute abdomen caused by spontaneous perforation of pyometra in a patient with cervical cancer. <i>BMJ Case Reports</i> , 2016 , 2016,	0.9	2
27	Australian Multicenter Study of Isolated Limb Infusion for Melanoma. <i>Annals of Surgical Oncology</i> , 2016 , 23, 1096-103	3.1	35
26	Isolated Limb Perfusion for Melanoma 2016 , 355-373		
25	Isolated Limb Infusion 2016 , 375-390		
24	Perfusion and infusion for melanoma in-transit metastases in the era of effective systemic therapy. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2015 , e528-34	7.1	16
23	Influence of Individual Surgeon Volume on Oncological Outcome of Colorectal Cancer Surgery. <i>International Journal of Surgical Oncology</i> , 2015 , 2015, 464570	0.9	12

22	Isolated limb infusion: technical aspects. <i>Journal of Surgical Oncology</i> , 2014 , 109, 352-6	2.8	19
21	Isolated limb infusion with melphalan and actinomycin D for melanoma: a systematic review. <i>Journal of Surgical Oncology</i> , 2014 , 109, 348-51	2.8	43
20	Australian multi-center experience outside of the Sydney Melanoma Unit of isolated limb infusion chemotherapy for melanoma. <i>Journal of Surgical Oncology</i> , 2014 , 109, 780-5	2.8	21
19	Specialized Cancer Procedures and Surgery 2014 , 201-218		
18	Isolierte arterielle Infusion von Extremitäten 2013 , 313-325		
17	Is melphalan dose adjustment according to ideal body weight useful in isolated limb infusion for melanoma?. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3050-6	3.1	16
16	Isolated limb perfusion and isolated limb infusion for malignant lesions of the extremities. <i>Current Problems in Surgery</i> , 2011 , 48, 371-430	2.8	18
15	Does increased experience with isolated limb infusion for advanced limb melanoma influence outcome? A comparison of two treatment periods at a single institution. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1877-83	3.1	25
14	Treatment of melanoma metastases in a limb by isolated limb perfusion and isolated limb infusion. <i>Journal of Surgical Oncology</i> , 2011 , 104, 397-404	2.8	29
13	Treatment of locally advanced melanoma by isolated limb infusion with cytotoxic drugs. <i>Journal of Skin Cancer</i> , 2011 , 2011, 106573	1.4	9
12	Efficacy of repeat isolated limb infusion with melphalan and actinomycin D for recurrent melanoma. <i>Cancer</i> , 2009 , 115, 1932-40	6.4	48
11	Isolated limb infusion: a review. <i>Journal of Surgical Oncology</i> , 2009 , 100, 169-77	2.8	34
10	Factors predictive of acute regional toxicity after isolated limb infusion with melphalan and actinomycin D in melanoma patients. <i>Annals of Surgical Oncology</i> , 2009 , 16, 1184-92	3.1	46
9	Isolated limb infusion as palliative treatment for advanced limb disease in patients with AJCC stage IV melanoma. <i>Annals of Surgical Oncology</i> , 2009 , 16, 1193-201	3.1	20
8	Major amputation for irresectable extremity melanoma after failure of isolated limb infusion. <i>Annals of Surgical Oncology</i> , 2009 , 16, 1543-7	3.1	13
7	Safety and efficacy of isolated limb infusion with cytotoxic drugs in elderly patients with advanced locoregional melanoma. <i>Annals of Surgery</i> , 2009 , 249, 1008-13	7.8	23
6	Isolated limb infusion for advanced soft tissue sarcoma of the extremity. <i>Annals of Surgical Oncology</i> , 2008 , 15, 2749-56	3.1	44
5	Outcomes following isolated limb infusion for melanoma. A 14-year experience. <i>Annals of Surgical Oncology</i> , 2008 , 15, 3003-13	3.1	132

4	What is a sentinel node? Re-evaluating the 10% rule for sentinel lymph node biopsy in melanoma. <i>Journal of Surgical Oncology</i> , 2007 , 95, 623-8	2.8	26
3	Can the incidence of unplanned reoperations be used as an indicator of quality of care in surgery?. <i>American Journal of Medical Quality</i> , 2007 , 22, 198-202	1.1	63
2	4-1BB costimulation of effector T cells for adoptive immunotherapy of cancer: involvement of Bcl gene family members. <i>Journal of Immunotherapy</i> , 2007 , 30, 406-16	5	21
1	Towards a zero percent anastomotic leak rate using a defined risk reduction strategy. <i>European Surgery - Acta Chirurgica Austriaca</i> ,1	0.9	