

Carolyn E B Proença

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6665933/publications.pdf>

Version: 2024-02-01

70
papers

2,430
citations

567281

15
h-index

233421

45
g-index

72
all docs

72
docs citations

72
times ranked

2545
citing authors

#	ARTICLE	IF	CITATIONS
1	Growing knowledge: an overview of Seed Plant diversity in Brazil. <i>Rodriguesia</i> , 2015, 66, 1085-1113.	0.9	1,032
2	Brazilian Flora 2020: Innovation and collaboration to meet Target 1 of the Global Strategy for Plant Conservation (GSPC). <i>Rodriguesia</i> , 2018, 69, 1513-1527.	0.9	398
3	Phytogeographic patterns of <i>Mimosa</i> (Mimosoideae, Leguminosae) in the Cerrado biome of Brazil: an indicator genus of high-altitude centers of endemism?. <i>Biological Conservation</i> , 2000, 96, 279-296.	4.1	125
4	Reproductive biology of eight sympatric Myrtaceae from Central Brazil. <i>New Phytologist</i> , 1994, 126, 343-354.	7.3	111
5	Myrteae phylogeny, calibration, biogeography and diversification patterns: Increased understanding in the most species rich tribe of Myrtaceae. <i>Molecular Phylogenetics and Evolution</i> , 2017, 109, 113-137.	2.7	110
6	A Survey of the Reproductive Biology of the Myrtoideae (Myrtaceae). <i>Annals of the Missouri Botanical Garden</i> , 1996, 83, 480.	1.3	98
7	Brazilian Flora 2020: Leveraging the power of a collaborative scientific network. <i>Taxon</i> , 2022, 71, 178-198.	0.7	68
8	Uso e disponibilidade de recursos medicinais no munic�pio de Ouro Verde de Goi�s, GO, Brasil. <i>Acta Botanica Bras�lica</i> , 2008, 22, 481-492.	0.8	48
9	A New Subtribal Classification of Tribe Myrteae (Myrtaceae). <i>Systematic Botany</i> , 2019, 44, 560-569.	0.5	44
10	Buzz pollination �� older and more widespread than we think?. <i>Journal of Tropical Ecology</i> , 1992, 8, 115-120.	1.1	38
11	A new infra-generic classification of the species-rich Neotropical genus <i>Myrcia</i> s.l.. <i>Kew Bulletin</i> , 2018, 73, 1.	0.9	38
12	Impacto da invas�o e do manejo do capim-gordura (<i>Melinis minutiflora</i>) sobre a riqueza e biomassa da flora nativa do Cerrado sentido restrito. <i>Revista Brasileira De Botanica</i> , 2011, 34, 73-90.	1.3	31
13	A Revision of <i>Siphoneugena</i> Berg. <i>Edinburgh Journal of Botany</i> , 1990, 47, 239-271.	0.4	27
14	Fruit�breeding drosophilids (Diptera) in the Neotropics: playing the field and specialising in generalism?. <i>Ecological Entomology</i> , 2019, 44, 721-737.	2.2	27
15	<I>Algrizea</I> (Myrteae, Myrtaceae): A New Genus from the Highlands of Brazil. <i>Systematic Botany</i> , 2006, 31, 320-326.	0.5	18
16	A new species of <i>Psidium</i> L. (Myrtaceae) from southern Brazil. <i>Botanical Journal of the Linnean Society</i> , 2008, 158, 51-54.	1.6	13
17	PLEONOTOMA ORIENTALIS (BIGNONIACEAE �� BIGNONIEAE): EXPANDED DESCRIPTION, DISTRIBUTION AND A NEW VARIETY OF A POORLY KNOWN SPECIES. <i>Edinburgh Journal of Botany</i> , 2007, 64, 17-23.	0.4	11
18	Two new species of Myrtaceae (Myrteae) from northern South America. <i>Brittonia</i> , 2011, 63, 46-50.	0.2	10

#	ARTICLE	IF	CITATIONS
19	Floral cost vs. floral display: Insights from the megadiverse Myrtales suggest that energetically expensive floral parts are less phylogenetically constrained. <i>American Journal of Botany</i> , 2015, 102, 900-909.	1.7	10
20	Novos sinónimos e uma nova combinação em <i>Pusillanthus</i> (Loranthaceae). <i>Acta Botanica Brasilica</i> , 2012, 26, 668-674.	0.8	10
21	Descrição do padrão de venação foliar em <i>Spathicarpa</i> Hook. (Araceae). <i>Acta Botanica Brasilica</i> , 2007, 21, 213-221.	0.8	9
22	Phenological Predictability Index in BRAHMS: a tool for herbarium-based phenological studies. <i>Ecography</i> , 2012, 35, 289-293.	4.5	9
23	<i>Cymbella neolanceolata</i> sp. nov., a species formerly known as <i>Cymbella lanceolata</i> . <i>Diatom Research</i> , 2013, 28, 131-138.	1.2	9
24	Pharmacognostical Comparison of Three Species of <i>Himatanthus</i> . <i>International Journal of Botany</i> , 2009, 5, 171-175.	0.2	9
25	Diversity, phylogeny and evolution of the rapidly evolving genus <i>Psidium</i> L. (Myrtaceae, Myrteae). <i>Annals of Botany</i> , 2022, 129, 367-388.	2.9	8
26	A Distinctive New Species of <i>Ouratea</i> (Ochnaceae) from the Jalapão Region, Tocantins, Brazil. <i>Novon</i> , 2008, 18, 397-404.	0.3	7
27	Two new endemic species of Myrtaceae and an anatomical novelty from the Highlands of Brazil. <i>Kew Bulletin</i> , 2010, 65, 463-468.	0.9	7
28	A new species of <i>Psidium</i> (Myrtaceae) from the Brazilian Northeast. <i>Brittonia</i> , 2015, 67, 324-327.	0.2	7
29	Influence of biological and social-historical variables on the time taken to describe an angiosperm. <i>American Journal of Botany</i> , 2016, 103, 2000-2012.	1.7	7
30	Floristic characterization of an Atlantic Rainforest remnant in Southern Sergipe: Crasto forest. <i>Biota Neotropica</i> , 2015, 15, .	1.0	7
31	<i>Siphoneugena delicata</i> (Myrtaceae), a New Species from the Montane Atlantic Forests of Southeastern Brazil. <i>Novon</i> , 2006, 16, 530-532.	0.3	6
32	A new combination in <i>Peristethium</i> (Loranthaceae) expands the genus' range into the Amazon-Cerrado ecotone. <i>Acta Amazonica</i> , 2014, 44, 169-174.	0.7	6
33	A new species and new records of Myrtaceae from the Noel Kempff Mercado National Park region of Bolivia. <i>Kew Bulletin</i> , 2013, 68, 261-267.	0.9	5
34	One New and One Long-lost Species of <i>Eugenia</i> (Myrtaceae) from the Bolivian Cerrado. <i>Novon</i> , 2014, 23, 244-249.	0.3	5
35	Two new species of <i>Eugenia</i> (Myrtaceae) from the Cabo Frio Center of Plant Diversity, Rio de Janeiro, Brazil. <i>Phytotaxa</i> , 2015, 208, 201.	0.3	5
36	A new endangered species of <i>Psidium</i> (Myrtaceae, Myrteae) from Bahia, Brazil. <i>Phytotaxa</i> , 2016, 288, 161.	0.3	5

#	ARTICLE	IF	CITATIONS
37	Geographic space, relief, and soils predict plant community patterns of Asteraceae in rupestrian grasslands, Brazil. <i>Biotropica</i> , 2019, 51, 155-164.	1.6	5
38	A new species and a new name in Myrtaceae (Myrteae) from Southeastern Brazil. <i>Phytotaxa</i> , 2017, 308, 259.	0.3	4
39	A New Species of <i>Solanum</i> (Solanaceae) from the Highlands of Central Brazil. <i>Novon</i> , 2011, 21, 487-490.	0.3	3
40	<i>Eugenia pyrifera</i> (Myrtaceae), a new species from the cerrado vegetation of Goiás, Brazil. <i>Kew Bulletin</i> , 2012, 67, 245-249.	0.9	3
41	New botanical discoveries in <i>Eugenia</i> (Myrtaceae) from Bolivia and Brazil. <i>Phytotaxa</i> , 2016, 253, 266.	0.3	3
42	A new species of <i>Neojobertia</i> Baill. (Bignoniaceae, Bignoniaceae) from Brazil. <i>Phytotaxa</i> , 2016, 284, 61.	0.3	3
43	Typification and nomenclatural notes on <i>Psidium cattleianum</i> (Myrtaceae). <i>Taxon</i> , 2018, 67, 1194-1198.	0.7	3
44	Nomenclatural and taxonomic changes in tribe Myrteae (Myrtaceae) spurred by molecular phylogenies. <i>Heringeriana</i> , 2020, 14, 49-61.	0.2	3
45	Does spatial and seasonal variability in fleshy-fruited trees affect fruit availability? A case study in gallery forests of Central Brazil. <i>Acta Botanica Brasilica</i> , 2021, 35, 456-465.	0.8	3
46	<i>Vochysia palmirana</i> (Vochysiaceae), a new species from Goiás and Tocantins, Brazil. <i>Brittonia</i> , 2007, 59, 374-376.	0.2	2
47	Novelties in Myrtaceae: contributions to the Flora of the State of Sergipe, Brazil. <i>Phytotaxa</i> , 2014, 173, 217.	0.3	2
48	<i>Passovia myrsinites</i> a restablished name including <i>Oryctina atrolineata</i> (Loranthaceae). <i>Phytotaxa</i> , 2017, 313, 285.	0.3	2
49	Diamonds and Daisies: Floristics and Conservation of Asteraceae in One of Brazil's Major Centers of Endemism. <i>Tropical Conservation Science</i> , 2019, 12, 194008291988429.	1.2	2
50	USING HERBARIUM DATA TO INCREASE THE LIKELIHOOD OF FINDING FERTILE PLANTS IN THE FIELD. <i>Edinburgh Journal of Botany</i> , 0, 78, 1-18.	0.4	2
51	O gênero <i>Encyclia</i> (Orchidaceae) no Distrito Federal, Goiás e Tocantins. <i>Rodriguesia</i> , 2012, 63, 277-292.	0.9	2
52	Floristic survey of the Brazilian Ages Memorial: a Cerrado sensu stricto area with an educational relevance. <i>Check List</i> , 2015, 11, 1689.	0.4	2
53	Una nueva especie de <i>Eugenia</i> (Myrtaceae) del Cerrado boliviano. <i>Brittonia</i> , 2014, 66, 316-320.	0.2	1
54	William Dampier's Brazilian botanical observations in 1699. <i>Journal of the History of Collections</i> , 2016, , fhw023.	0.1	1

#	ARTICLE	IF	CITATIONS
55	<i>Eugenia veadeirensis</i> , a new species of Myrtaceae from the highlands of Goiás (Central Brazil) and new miscellaneous records for the Brazilian flora. <i>Phytotaxa</i> , 2018, 373, 283.	0.3	1
56	Return to the original concept and new typification of <i>Loranthus spicatus</i> (Loranthaceae), an economically important Neotropical mistletoe. <i>Taxon</i> , 2020, 69, 1342-1349.	0.7	1
57	(2734) Proposal to conserve the name <i>Oncidium barbaceniae</i> (<i>Gomesa barbaceniae</i>) (<i>Orchidaceae</i>) with a conserved type. <i>Taxon</i> , 2020, 69, 403-404.	0.7	1
58	FLORA DO MATO GROSSO DO SUL: MYRTACEAE. <i>Iheringia - Serie Botanica</i> , 2018, 73, 277-282.	0.1	1
59	Re-evaluation of <i>Praxelis</i> (Asteraceae, Eupatorieae) in Brazil and Description of <i>Praxelis scaturicola</i> , an Unusual Riverine Species. <i>Systematic Botany</i> , 2021, 46, 1131-1140.	0.5	1
60	IAPT chromosome data 35. <i>Taxon</i> , 2021, 70, 1402-1411.	0.7	1
61	Validating an Endemic Melastomataceae from Goiás, Central Brazil: <i>Lavoisiera fragilis</i> Cogniaux ex Munhoz & Proença. <i>Novon</i> , 2000, 10, 60.	0.3	0
62	New species of <i>Pleonotoma</i> (Bignoniaceae, Bignoniaceae) from Amazonia, Brazil. <i>Kew Bulletin</i> , 2010, 65, 269-273.	0.9	0
63	Typification of Two Neotropical Names of <i>Loranthus</i> Jacq. (Loranthaceae). <i>Candollea</i> , 2015, 70, 197.	0.2	0
64	<i>Adenocalymma albiflorum</i> (Bignoniaceae, Bignoniaceae), a new combination, notes on morphology and distribution. <i>Brittonia</i> , 2020, 72, 317-323.	0.2	0
65	Revisiting Glaziou and the botany of the second Cruls Mission: three new species and 23 accepted species of <i>Myrcia</i> (Myrtaceae) collected from Goiás, Brazil and a detailed description of his "Goyaz" itinerary. <i>Phytotaxa</i> , 2021, 509, .	0.3	0
66	Critical review of the nomenclature and taxonomy of <i>Sorghastrum canescens</i> (Poaceae: Panicoideae: Tj ETQq0 0 0 rgBT / Overlock 10 Tf	0.3	0
67	<p>The near demise of <i>Marlierea</i>: moving last species to correct genera and notes on three <i>incertae sedis</i> taxa (Myrtaceae, Myrteae, Myrciinae)</p> <i>Phytotaxa</i> , 2020, 447, 195-202.	0.3	0
68	A preliminary vascular flora of the Parque Ecológico Ermida Dom Bosco, Distrito Federal, Brazil. <i>Heringeriana</i> , 2020, 14, 133-156.	0.2	0
69	<p>Filling a knowledge gap of two centuries: rediscovery of <i>Eugenia subamplexicaulis</i> (Myrtaceae) with notes on its morphology, distribution and conservation</p> <i>Phytotaxa</i> , 2020, 428, 139-145.	0.3	0
70	Chemical composition, antioxidant, antibacterial and modulating activity of the essential oil of <i>psidium</i> L. species (Myrtaceae Juss.). <i>Biocatalysis and Agricultural Biotechnology</i> , 2022, , 102363.	3.1	0