Herwig H Kollaritsch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/666659/publications.pdf

Version: 2024-02-01

89 papers 2,906 citations

34 h-index 51 g-index

99 all docs 99 docs citations 99 times ranked 3394 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Chapter 14: Prevention: vaccines and immunoglobulins. Tick-borne Encephalitis - the Book, 2022, , . | 0.0 | О |
| 2 | Tick-Borne Encephalitis Vaccines. , 2021, , 159-168. | | 0 |
| 3 | Antibody seroprevalence and rate of asymptomatic infections with SARS-CoV-2 in Austrian hospital personnel. BMC Infectious Diseases, 2021, 21, 915. | 1.3 | 4 |
| 4 | Vaccination in Multiple Sclerosis: Friend or Foe?. Frontiers in Immunology, 2019, 10, 1883. | 2.2 | 70 |
| 5 | Persistence of the immune response after vaccination with the Japanese encephalitis vaccine, IXIARO® in healthy adults: A five year follow-up study. Vaccine, 2019, 37, 2529-2531. | 1.7 | 12 |
| 6 | Recommended/Required Travel Vaccines. , 2019, , 101-124. | | 3 |
| 7 | Age-related differences in humoral and cellular immune responses after primary immunisation: indications for stratified vaccination schedules. Scientific Reports, 2018, 8, 9825. | 1.6 | 72 |
| 8 | Tickborne Encephalitis Vaccines. , 2018, , 1080-1094.e5. | | 4 |
| 9 | Tick-Borne Encephalitis Vaccines. , 2017, , 137-145. | | 1 |
| 10 | Immunogenicity and safety of the inactivated Japanese encephalitis vaccine IXIARO® in elderly subjects: Open-label, uncontrolled, multi-center, phase 4 study. Vaccine, 2016, 34, 4579-4585. | 1.7 | 22 |
| 11 | Genetic Variation of Bordetella pertussis in Austria. PLoS ONE, 2015, 10, e0132623. | 1.1 | 17 |
| 12 | Persistence of antibodies six years after booster vaccination with inactivated vaccine against Japanese encephalitis. Vaccine, 2015, 33, 3600-3604. | 1.7 | 34 |
| 13 | Characteristics of invasive pneumococcal disease in hospitalized children in Austria. European Journal of Pediatrics, 2014, 173, 469-476. | 1.3 | 8 |
| 14 | Treatment of Traveler's Diarrhea. Current Treatment Options in Infectious Diseases, 2014, 6, 74-80. | 0.8 | 0 |
| 15 | Safety and immunogenicity of modified vaccinia Ankara as a smallpox vaccine in people with atopic dermatitis. Vaccine, 2014, 32, 5696-5702. | 1.7 | 37 |
| 16 | A Novel Multivalent OspA Vaccine against Lyme Borreliosis Is Safe and Immunogenic in an Adult Population Previously Infected with Borrelia burgdorferi Sensu Lato. Vaccine Journal, 2014, 21, 1490-1499. | 3.2 | 36 |
| 17 | Sustained low hospitalization rates after four years of rotavirus mass vaccination in Austria. Vaccine, 2013, 31, 2686-2691. | 1.7 | 65 |
| 18 | Factors associated with seroimmunity against tick borne encephalitis virus 10 years after booster vaccination. Vaccine, 2013, 31, 1293-1297. | 1.7 | 43 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Safety and immunogenicity of a novel multivalent OspA vaccine against Lyme borreliosis in healthy adults: a double-blind, randomised, dose-escalation phase $1/2$ trial. Lancet Infectious Diseases, The, 2013, 13, 680-689. | 4.6 | 84 |
| 20 | Tick-Borne Encephalitis (TBE) and Hepatitis B Nonresponders Feature Different Immunologic Mechanisms in Response to TBE and Influenza Vaccination with Involvement of Regulatory T and B Cells and IL-10. Journal of Immunology, 2013, 191, 2426-2436. | 0.4 | 48 |
| 21 | Gender-specific distribution of mefloquine in the blood following the administration of therapeutic doses. Malaria Journal, 2013, 12, 443. | 0.8 | 10 |
| 22 | Principles of Immunization. , 2013, , 67-76. | | 6 |
| 23 | Special Adult Travel Vaccines. , 2013, , 101-123. | | 2 |
| 24 | Cell culture (Vero cell) derived whole-virus non-adjuvanted H5N1 influenza vaccine induces long-lasting cross-reactive memory immune response: Homologous or heterologous booster response following two dose or single dose priming. Vaccine, 2012, 30, 6127-6135. | 1.7 | 23 |
| 25 | Pre-vaccination immunity and immune responses to a cell culture-derived whole-virus H1N1 vaccine are similar to a seasonal influenza vaccine. Vaccine, 2012, 30, 4543-4551. | 1.7 | 15 |
| 26 | Vaccines and vaccination against tick-borne encephalitis. Expert Review of Vaccines, 2012, 11, 1103-1119. | 2.0 | 77 |
| 27 | Traveler's Diarrhea. Infectious Disease Clinics of North America, 2012, 26, 691-706. | 1.9 | 40 |
| 28 | Long term immunity following a booster dose of the inactivated Japanese Encephalitis vaccine IXIARO $\hat{A}^{@}$, IC51. Vaccine, 2011, 29, 2607-2612. | 1.7 | 51 |
| 29 | Herd immunity after two years of the universal mass vaccination program against rotavirus gastroenteritis in Austria. Vaccine, 2011, 29, 2791-2796. | 1.7 | 105 |
| 30 | The current perspective on tick-borne encephalitis awareness and prevention in six Central and Eastern European countries: Report from a meeting of experts convened to discuss TBE in their region. Vaccine, 2011, 29, 4556-4564. | 1.7 | 46 |
| 31 | Persistence of antibodies in 4–8 year old Austrian children after vaccination with hexavalent DTaP–HBV–IPV/Hib and MMR vaccines. Vaccine, 2011, 29, 5130-5136. | 1.7 | 13 |
| 32 | Universal Mass Vaccination Against Rotavirus Gastroenteritis. Pediatric Infectious Disease Journal, 2010, 29, 319-323. | 1.1 | 106 |
| 33 | A randomized, double-blind, dose-finding Phase II study to evaluate immunogenicity and safety of the third generation smallpox vaccine candidate IMVAMUNE®. Vaccine, 2010, 28, 1209-1216. | 1.7 | 104 |
| 34 | IC51 Japanese Encephalitis vaccine. Expert Opinion on Biological Therapy, 2009, 9, 921-931. | 1.4 | 33 |
| 35 | Correlation between humoral and cellular immune responses and the expression of the hepatitis A receptor HAVcr-1 on T cells after hepatitis A re-vaccination in high and low-responder vaccinees. Vaccine, 2009, 27, 197-204. | 1.7 | 25 |
| 36 | Booster vaccinations against tick-borne encephalitis: 6 Years follow-up indicates long-term protection. Vaccine, 2009, 27, 7027-7030. | 1.7 | 36 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Pharmacodynamic interaction between monodesbutyl-benflumetol and artemisinin as well as proguanil in Plasmodium falciparum in vitro. Wiener Klinische Wochenschrift, 2008, 120, 90-94. | 1.0 | 2 |
| 38 | Japanese encephalitis and vaccines: past and future prospects. Wiener Klinische Wochenschrift, 2008, 120, 15-19. | 1.0 | 16 |
| 39 | Interaction between lumefantrine and monodesbutyl-benflumetol in Plasmodium falciparum in vitro. Wiener Klinische Wochenschrift, 2008, 120, 85-89. | 1.0 | 6 |
| 40 | Pretravel Consultation: Rapid Dipstick Test as a Decision Guidance for the Application of Tetanus Booster Vaccinations. Journal of Travel Medicine, 2008, 15, 437-441. | 1.4 | 23 |
| 41 | Vaccination with Dukoral [®] against travelers' diarrhea (ETEC) and cholera. Expert Review of Vaccines, 2008, 7, 561-567. | 2.0 | 74 |
| 42 | Seroprotection 4 years following booster vaccination against tick-borne encephalitis. International Journal of Medical Microbiology, 2008, 298, 305-308. | 1.5 | 5 |
| 43 | After a tick bite in a tick-borne encephalitis virus endemic area: Current positions about post-exposure treatment. Vaccine, 2008, 26, 863-868. | 1.7 | 45 |
| 44 | Effect of pre-existing anti-tick-borne encephalitis virus immunity on neutralising antibody response to the Vero cell-derived, inactivated Japanese encephalitis virus vaccine candidate IC51. Vaccine, 2008, 26, 6151-6156. | 1.7 | 46 |
| 45 | Principles of Immunization. , 2008, , 75-84. | | 1 |
| 46 | Impact of a Pertussis Booster Vaccination Program in Adolescents and Adults on the Epidemiology of Pertussis in Austria. Pediatric Infectious Disease Journal, 2007, 26, 806-810. | 1.1 | 36 |
| 47 | Persistence of seroprotection 10 years after primary hepatitis A vaccination in an unselected study population. Vaccine, 2007, 25, 927-931. | 1.7 | 50 |
| 48 | Antibody persistence following booster vaccination against tick-borne encephalitis: 3-Year post-booster follow-up. Vaccine, 2007, 25, 5097-5101. | 1.7 | 45 |
| 49 | The Risk of Acquiring Hepatitis A and B Among Travelers in Selected Eastern and Southern Europe and Nonâ€European Mediterranean Countries: Review and Consensus Statement on Hepatitis A and B Vaccination. Journal of Travel Medicine, 2007, 14, 181-187. | 1.4 | 24 |
| 50 | Epidemiology of Travelâ€Associated and Autochthonous Hepatitis A in Austrian Children, 1998 to 2005. Journal of Travel Medicine, 2007, 14, 248-253. | 1.4 | 9 |
| 51 | Specific pharmacokinetic interaction between lumefantrine and monodesbutyl-benflumetol in Plasmodium falciparum. Wiener Klinische Wochenschrift, 2007, 119, 60-66. | 1.0 | 7 |
| 52 | Spezifische pharmakodynamische Interaktion zwischen Atovaquon und Retinol bei Plasmodium falciparum. Wiener Klinische Wochenschrift, 2007, 119, 45-52. | 1.0 | 4 |
| 53 | Synergistic interaction between monodesbutyl-benflumetol and retinol in Plasmodium falciparum. Wiener Klinische Wochenschrift, 2007, 119, 53-59. | 1.0 | 3 |
| 54 | Persistence of antibodies after vaccination against tick-borne encephalitis. International Journal of Medical Microbiology, 2006, 296, 202-207. | 1.5 | 41 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Comparative immunogenicity of a PreS/S hepatitis B vaccine in non- and low responders to conventional vaccine. Vaccine, 2006, 24, 2781-2789. | 1.7 | 116 |
| 56 | Hospital-based active surveillance of childhood pertussis in Austria from 1996 to 2003: Estimates of incidence and vaccine effectiveness of whole-cell and acellular vaccine. Vaccine, 2006, 24, 5960-5965. | 1.7 | 24 |
| 57 | Active hospital-based surveillance of rotavirus diarrhea in Austrian children, period 1997 to 2003. Wiener Klinische Wochenschrift, 2006, 118, 280-285. | 1.0 | 20 |
| 58 | Vaccines against traveler's diarrhoea and rotavirus disease – a review. Wiener Klinische Wochenschrift, 2006, 118, 2-8. | 1.0 | 13 |
| 59 | In vitro interaction between artemisinin and chloroquine as well as desbutyl-benflumetol in Plasmodium vivax. Wiener Klinische Wochenschrift, 2006, 118, 62-69. | 1.0 | 5 |
| 60 | Pharmacodynamic interaction between atovaquone and other antimalarial compounds against Plasmodium falciparum in vitro. Wiener Klinische Wochenschrift, 2006, 118, 70-76. | 1.0 | 6 |
| 61 | Drug sensitivity of Plasmodium falciparum along the Thai–Myanmar border using the new field-deployable HRP2 in vitro assay. Wiener Klinische Wochenschrift, 2005, 117, 35-38. | 1.0 | 4 |
| 62 | Synergism of desbutyl-benflumetol and retinol against Plasmodium falciparum in vitro. Wiener Klinische Wochenschrift, 2005, 117, 39-44. | 1.0 | 6 |
| 63 | In vitro activity of artemisinin alone and in combination with retinol against Plasmodium falciparum. Wiener Klinische Wochenschrift, 2005, 117, 45-48. | 1.0 | 12 |
| 64 | Simple Histidine-Rich Protein 2 Double-Site Sandwich Enzyme-Linked Immunosorbent Assay for Use in Malaria Drug Sensitivity Testing. Antimicrobial Agents and Chemotherapy, 2005, 49, 3575-3577. | 1.4 | 132 |
| 65 | Prospective surveillance of incidence, serotypes and antimicrobial susceptibility of invasive Streptococcus pneumoniae among hospitalized children in Austria. Journal of Antimicrobial Chemotherapy, 2004, 53, 826-831. | 1.3 | 26 |
| 66 | Screening for Mutations Related to Atovaquone/Proguanil Resistance in Treatment Failures and Other Imported Isolates of Plasmodium falciparumin Europe. Journal of Infectious Diseases, 2004, 190, 1541-1546. | 1.9 | 73 |
| 67 | A randomized, open-label study of the immunogenicity and reactogenicity of three lots of a combined typhoid fever/hepatitis A vaccine in healthy adults. Clinical Therapeutics, 2004, 26, 1084-1091. | 1.1 | 21 |
| 68 | A HISTIDINE-RICH PROTEIN 2–BASED MALARIA DRUG SENSITIVITY ASSAY FOR FIELD USE. American Journal of Tropical Medicine and Hygiene, 2004, 71, 711-714. | 0.6 | 49 |
| 69 | A histidine-rich protein 2-based malaria drug sensitivity assay for field use. American Journal of Tropical Medicine and Hygiene, 2004, 71, 711-4. | 0.6 | 32 |
| 70 | Comparative study on the in vitro activity of lumefantrine and desbutyl-benflumetol in fresh isolates of Plasmodium vivax from Thailand. Wiener Klinische Wochenschrift, 2004, 116 Suppl 4, 47-52. | 1.0 | 9 |
| 71 | Humoral immune response against proteophosphoglycan surface antigens of Entamoeba histolyticaelicited by immunization with synthetic mimotope peptides. FEMS Immunology and Medical Microbiology, 2003, 37, 179-183. | 2.7 | 12 |
| 72 | Pharmacodynamic Interaction of Doxycycline and Artemisinin in Plasmodium falciparum. Antimicrobial Agents and Chemotherapy, 2002, 46, 262-264. | 1.4 | 15 |

| # | Article | IF | CITATIONS |
|----|--|--------------|-------------------------|
| 73 | Drug Prophylaxis for Travelers' Diarrhea. Clinical Infectious Diseases, 2002, 34, 628-633. | 2.9 | 49 |
| 74 | Unexpected frequency, duration and spectrum of adverse events after therapeutic dose of mefloquine in healthy adults. Acta Tropica, 2002, 81, 167-173. | 0.9 | 49 |
| 75 | Plasmodium falciparum: effect of anti-malarial drugs on the production and secretion characteristics of histidine-rich protein II. Experimental Parasitology, 2002, 102, 157-163. | 0.5 | 49 |
| 76 | Antigenicity and immunogenicity of phage library-selected peptide mimics of the major surface proteophosphoglycan antigens of Entamoeba histolytica. Parasite Immunology, 2002, 24, 321-328. | 0.7 | 17 |
| 77 | Antibody-response to three recombinant hepatitis B vaccines: comparative evaluation of multicenter travel-clinic based experience. Vaccine, 2001, 19, 2055-2060. | 1.7 | 94 |
| 78 | Effects of Miltefosine and Other Alkylphosphocholines on Human Intestinal Parasite Entamoeba histolytica. Antimicrobial Agents and Chemotherapy, 2001, 45, 1505-1510. | 1.4 | 80 |
| 79 | A New Approach for Chemotherapy Against Entamoeba histolytica. Archives of Medical Research, 2000, 31, S6-S7. | 1.5 | 3 |
| 80 | Isolation of Phage Mimotopes Mimicking a Protective Epitope of GPI-Linked Proteophosphoglycan Antigens of Entamoeba histolytica. Archives of Medical Research, 2000, 31, S309-S310. | 1.5 | 0 |
| 81 | Seroprevalence of diphtheria immunity among injured adults in Austria. Vaccine, 2000, 19, 1061-1067. | 1.7 | 18 |
| 82 | Double-Blind, Randomized, Placebo Controlled Pilot Study Evaluating Efficacy and Reactogenicity of an Oral ETEC B-Subunit-Inactivated Whole Cell Vaccine against Travelers' Diarrhea (Preliminary) Tj ETQq0 (| 0 0 rgB4 /Ov | erl oc k 10 Tf 5 |
| 83 | Interference of Antibody Production to Hepatitis B Surface Antigen in a Combination Hepatitis A/Hepatitis B Vaccine. Journal of Infectious Diseases, 1999, 180, 2018-2022. | 1.9 | 39 |
| 84 | Chloroquine resistance of Plasmodium falciparum: a biological advantage?. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1995, 89, 90-91. | 0.7 | 22 |
| 85 | Inverse correlation of sensitivity in vitro of Plasmodium falciparum to chloroquine and mefloquine in Ghana. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1994, 88, 443-444. | 0.7 | 14 |
| 86 | Parasite density of Plasmodium falciparum malaria in Ghanaian schoolchildren: evidence for influence of sex hormones?. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1994, 88, 73-74. | 0.7 | 41 |
| 87 | Plasmodium falciparum: susceptibility in vitro and in vivo to chloroquine and sulfadoxine-pyrimethamine in Ghanaian schoolchildren. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1994, 88, 440-442. | 0.7 | 32 |
| 88 | Albendazole is highly effective against cutaneous larva migrans but not against Giardia infection: results of an open pilot trial in travellers returning from the tropics. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1993, 87, 689. | 0.7 | 37 |
| 89 | Chapter 14: Prevention – Vaccines + Immunoglobulins. Tick-borne Encephalitis - the Book, 0, , . | 0.0 | 1 |