

Mark Miller

List of Publications by Citations

Source: <https://exaly.com/author-pdf/666839/mark-miller-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143 papers	8,533 citations	44 h-index	90 g-index
162 ext. papers	10,372 ext. citations	6.1 avg, IF	6.16 L-index

#	Paper	IF	Citations
143	Sample Size Requirements for Structural Equation Models: An Evaluation of Power, Bias, and Solution Propriety. <i>Educational and Psychological Measurement</i> , 2013 , 76, 913-934	3.1	1199
142	National estimates of exposure to traumatic events and PTSD prevalence using DSM-IV and DSM-5 criteria. <i>Journal of Traumatic Stress</i> , 2013 , 26, 537-47	3.8	917
141	Race/ethnic differences in exposure to traumatic events, development of post-traumatic stress disorder, and treatment-seeking for post-traumatic stress disorder in the United States. <i>Psychological Medicine</i> , 2011 , 41, 71-83	6.9	601
140	Largest GWAS of PTSD (N=20 070) yields genetic overlap with schizophrenia and sex differences in heritability. <i>Molecular Psychiatry</i> , 2018 , 23, 666-673	15.1	248
139	Smaller Hippocampal Volume in Posttraumatic Stress Disorder: A Multisite ENIGMA-PGC Study: Subcortical Volumetry Results From Posttraumatic Stress Disorder Consortia. <i>Biological Psychiatry</i> , 2018 , 83, 244-253	7.9	192
138	A latent class analysis of dissociation and posttraumatic stress disorder: evidence for a dissociative subtype. <i>Archives of General Psychiatry</i> , 2012 , 69, 698-705		182
137	A genome-wide association study of post-traumatic stress disorder identifies the retinoid-related orphan receptor alpha (RORA) gene as a significant risk locus. <i>Molecular Psychiatry</i> , 2013 , 18, 937-42	15.1	181
136	Externalizing and internalizing subtypes of combat-related PTSD: a replication and extension using the PSY-5 scales. <i>Journal of Abnormal Psychology</i> , 2004 , 113, 636-45	7	166
135	Posttraumatic stress disorder in the US veteran population: results from the National Health and Resilience in Veterans Study. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 1338-46	4.6	162
134	Childhood gender nonconformity: a risk indicator for childhood abuse and posttraumatic stress in youth. <i>Pediatrics</i> , 2012 , 129, 410-7	7.4	160
133	Traumatic stress, oxidative stress and post-traumatic stress disorder: neurodegeneration and the accelerated-aging hypothesis. <i>Molecular Psychiatry</i> , 2014 , 19, 1156-62	15.1	159
132	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151
131	The prevalence and latent structure of proposed DSM-5 posttraumatic stress disorder symptoms in U.S. national and veteran samples.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2013 , 5, 501-512	7.8	138
130	Multidimensional Personality Questionnaire profiles of veterans with traumatic combat exposure: externalizing and internalizing subtypes. <i>Psychological Assessment</i> , 2003 , 15, 205-15	5.3	136
129	Internalizing and externalizing subtypes in female sexual assault survivors: implications for the understanding of complex PTSD. <i>Behavior Therapy</i> , 2007 , 38, 58-71	4.8	134
128	The dissociative subtype of PTSD: a replication and extension. <i>Depression and Anxiety</i> , 2012 , 29, 679-88	8.4	129
127	Genomic predictors of combat stress vulnerability and resilience in U.S. Marines: A genome-wide association study across multiple ancestries implicates PRTFDC1 as a potential PTSD gene. <i>Psychoneuroendocrinology</i> , 2015 , 51, 459-71	5	125

126	ICD-11 Complex PTSD in US National and Veteran Samples: Prevalence and Structural Associations with PTSD. <i>Clinical Psychological Science</i> , 2015 , 3, 215-229	6	115
125	Traumatic stress and accelerated DNA methylation age: A meta-analysis. <i>Psychoneuroendocrinology</i> , 2018 , 92, 123-134	5	107
124	Personality and the etiology and expression of PTSD: A three-factor model perspective.. <i>Clinical Psychology: Science and Practice</i> , 2003 , 10, 373-393	3.7	104
123	Accelerated DNA methylation age: Associations with PTSD and neural integrity. <i>Psychoneuroendocrinology</i> , 2016 , 63, 155-62	5	97
122	The Psychiatric Genomics Consortium Posttraumatic Stress Disorder Workgroup: Posttraumatic Stress Disorder Enters the Age of Large-Scale Genomic Collaboration. <i>Neuropsychopharmacology</i> , 2015 , 40, 2287-97	8.7	94
121	Oxidative Stress, Inflammation, and Neuroprogression in Chronic PTSD. <i>Harvard Review of Psychiatry</i> , 2018 , 26, 57-69	4.1	92
120	The internalizing and externalizing structure of psychiatric comorbidity in combat veterans. <i>Journal of Traumatic Stress</i> , 2008 , 21, 58-65	3.8	90
119	Posttraumatic stress disorder and the genetic structure of comorbidity. <i>Journal of Abnormal Psychology</i> , 2010 , 119, 320-30	7	83
118	Intimate partner and general aggression perpetration among combat veterans presenting to a posttraumatic stress disorder clinic. <i>American Journal of Orthopsychiatry</i> , 2009 , 79, 461-8	2.8	77
117	Posttraumatic stress disorder: anxiety or traumatic stress disorder?. <i>Journal of Traumatic Stress</i> , 2009 , 22, 384-90	3.8	73
116	PTSD in women is associated with a block in conversion of progesterone to the GABAergic neurosteroids allopregnanolone and pregnanolone measured in plasma. <i>Psychoneuroendocrinology</i> , 2018 , 93, 133-141	5	72
115	Biological Correlates of Intimate Partner Violence Perpetration. <i>Aggression and Violent Behavior</i> , 2010 , 15, 387-398	3.9	71
114	Post-traumatic stress disorder and cardiometabolic disease: improving causal inference to inform practice. <i>Psychological Medicine</i> , 2017 , 47, 209-225	6.9	69
113	SKA2 methylation is associated with decreased prefrontal cortical thickness and greater PTSD severity among trauma-exposed veterans. <i>Molecular Psychiatry</i> , 2016 , 21, 357-63	15.1	66
112	PTSD and substance-related problems: the mediating roles of disinhibition and negative emotionality. <i>Journal of Abnormal Psychology</i> , 2006 , 115, 369-79	7	66
111	The correlation of methylation levels measured using Illumina 450K and EPIC BeadChips in blood samples. <i>Epigenomics</i> , 2017 , 9, 1363-1371	4.4	64
110	Personality-based latent classes of posttraumatic psychopathology: personality disorders and the internalizing/externalizing model. <i>Journal of Abnormal Psychology</i> , 2012 , 121, 256-62	7	62
109	Affective imagery and the startle response: probing mechanisms of modulation during pleasant scenes, personal experiences, and discrete negative emotions. <i>Psychophysiology</i> , 2002 , 39, 519-29	4.1	62

108	An analysis of gene expression in PTSD implicates genes involved in the glucocorticoid receptor pathway and neural responses to stress. <i>Psychoneuroendocrinology</i> , 2015 , 57, 1-13	5	60
107	The MMPI-2 restructured clinical scales in the assessment of posttraumatic stress disorder and comorbid disorders. <i>Psychological Assessment</i> , 2008 , 20, 327-40	5.3	55
106	Epigenome-wide association of PTSD from heterogeneous cohorts with a common multi-site analysis pipeline. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 619-630	3.5	53
105	Mild traumatic brain injury is associated with reduced cortical thickness in those at risk for Alzheimer's disease. <i>Brain</i> , 2017 , 140, 813-825	11.2	50
104	A genome-wide association study of clinical symptoms of dissociation in a trauma-exposed sample. <i>Depression and Anxiety</i> , 2014 , 31, 352-60	8.4	48
103	An evaluation of competing models for the structure of PTSD symptoms using external measures of comorbidity. <i>Journal of Traumatic Stress</i> , 2010 , 23, 631-8	3.8	46
102	A classical twin study of PTSD symptoms and resilience: Evidence for a single spectrum of vulnerability to traumatic stress. <i>Depression and Anxiety</i> , 2018 , 35, 132-139	8.4	45
101	Internalizing and externalizing classes in posttraumatic stress disorder: a latent class analysis. <i>Journal of Traumatic Stress</i> , 2010 , 23, 340-9	3.8	45
100	The impact of proposed changes to ICD-11 on estimates of PTSD prevalence and comorbidity. <i>Psychiatry Research</i> , 2016 , 240, 226-233	9.9	45
99	EPIGENETIC VARIATION AT SKA2 PREDICTS SUICIDE PHENOTYPES AND INTERNALIZING PSYCHOPATHOLOGY. <i>Depression and Anxiety</i> , 2016 , 33, 308-15	8.4	44
98	PTSD and conflict behavior between veterans and their intimate partners. <i>Journal of Anxiety Disorders</i> , 2013 , 27, 240-51	10.9	43
97	The Dissociative Subtype of PTSD Scale: Initial Evaluation in a National Sample of Trauma-Exposed Veterans. <i>Assessment</i> , 2017 , 24, 503-516	3.7	42
96	CRP polymorphisms and DNA methylation of the AIM2 gene influence associations between trauma exposure, PTSD, and C-reactive protein. <i>Brain, Behavior, and Immunity</i> , 2018 , 67, 194-202	16.6	41
95	Accelerated DNA Methylation Age: Associations With Posttraumatic Stress Disorder and Mortality. <i>Psychosomatic Medicine</i> , 2018 , 80, 42-48	3.7	40
94	An evaluation of the DSM-5 factor structure for posttraumatic stress disorder in survivors of traumatic injury. <i>Journal of Anxiety Disorders</i> , 2015 , 29, 43-51	10.9	39
93	Associations between Pittsburgh Sleep Quality Index factors and health outcomes in women with posttraumatic stress disorder. <i>Sleep Medicine</i> , 2012 , 13, 752-8	4.6	39
92	The AURORA Study: a longitudinal, multimodal library of brain biology and function after traumatic stress exposure. <i>Molecular Psychiatry</i> , 2020 , 25, 283-296	15.1	38
91	Attention-deficit/hyperactivity disorder comorbidity in a sample of veterans with posttraumatic stress disorder. <i>Comprehensive Psychiatry</i> , 2012 , 53, 679-90	7.3	36

90	Differential etiology of posttraumatic stress disorder with conduct disorder and major depression in male veterans. <i>Biological Psychiatry</i> , 2007 , 62, 1088-94	7.9	36
89	Neurobiological indicators of disinhibition in posttraumatic stress disorder. <i>Human Brain Mapping</i> , 2015 , 36, 3076-86	5.9	35
88	Emotional-processing in posttraumatic stress disorder II: startle reflex modulation during picture processing. <i>Journal of Abnormal Psychology</i> , 2004 , 113, 451-63	7	34
87	Epigenome-wide meta-analysis of PTSD across 10 military and civilian cohorts identifies methylation changes in AHRR. <i>Nature Communications</i> , 2020 , 11, 5965	17.4	34
86	Corticotropin releasing hormone receptor 2 (CRHR-2) gene is associated with decreased risk and severity of posttraumatic stress disorder in women. <i>Depression and Anxiety</i> , 2013 , 30, 1161-9	8.4	32
85	Diurnal variation of the startle reflex in relation to HPA-axis activity in humans. <i>Psychophysiology</i> , 2006 , 43, 297-301	4.1	32
84	Probable Posttraumatic Stress Disorder in the US Veteran Population According to DSM-5: Results From the National Health and Resilience in Veterans Study. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 1503-1510	4.6	32
83	An epigenome-wide association study of posttraumatic stress disorder in US veterans implicates several new DNA methylation loci. <i>Clinical Epigenetics</i> , 2020 , 12, 46	7.7	31
82	Eating disorder symptoms and comorbid psychopathology among male and female veterans. <i>General Hospital Psychiatry</i> , 2014 , 36, 406-10	5.6	31
81	A novel locus in the oxidative stress-related gene ALOX12 moderates the association between PTSD and thickness of the prefrontal cortex. <i>Psychoneuroendocrinology</i> , 2015 , 62, 359-65	5	30
80	The retinoid-related orphan receptor alpha (RORA) gene and fear-related psychopathology. <i>Journal of Affective Disorders</i> , 2013 , 151, 702-708	6.6	30
79	Personality and the latent structure of PTSD comorbidity. <i>Journal of Anxiety Disorders</i> , 2012 , 26, 599-607	10.9	30
78	Hydrocortisone suppression of the fear-potentiated startle response and posttraumatic stress disorder. <i>Psychoneuroendocrinology</i> , 2011 , 36, 970-80	5	30
77	Group-delivered cognitive/exposure therapy for PTSD in women veterans: A randomized controlled trial. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2016 , 8, 404-412	7.8	30
76	The ankyrin-3 gene is associated with posttraumatic stress disorder and externalizing comorbidity. <i>Psychoneuroendocrinology</i> , 2013 , 38, 2249-57	5	28
75	Reckless Self-Destructive Behavior and PTSD in Veterans: The Mediating Role of New Adverse Events. <i>Journal of Traumatic Stress</i> , 2017 , 30, 270-278	3.8	27
74	Posttraumatic Stress Disorder as a Catalyst for the Association Between Metabolic Syndrome and Reduced Cortical Thickness. <i>Biological Psychiatry</i> , 2016 , 80, 363-71	7.9	27
73	Structural equation modeling of associations among combat exposure, PTSD symptom factors, and Global Assessment of Functioning. <i>Journal of Rehabilitation Research and Development</i> , 2008 , 45, 359-69		27

72	Posttraumatic psychopathology and the pace of the epigenetic clock: a longitudinal investigation. <i>Psychological Medicine</i> , 2019 , 49, 791-800	6.9	26
71	Negative emotionality and disconstraint influence PTSD symptom course via exposure to new major adverse life events. <i>Journal of Anxiety Disorders</i> , 2015 , 31, 20-7	10.9	24
70	Association of eating disorder symptoms with internalizing and externalizing dimensions of psychopathology among men and women. <i>International Journal of Eating Disorders</i> , 2014 , 47, 860-9	6.3	24
69	Posttraumatic stress disorder in DSM-5: New criteria and controversies.. <i>Clinical Psychology: Science and Practice</i> , 2014 , 21, 208-220	3.7	23
68	Externalizing and internalizing subtypes of posttraumatic psychopathology and anger expression. <i>Journal of Traumatic Stress</i> , 2014 , 27, 108-11	3.8	23
67	Combat exposure severity as a moderator of genetic and environmental liability to post-traumatic stress disorder. <i>Psychological Medicine</i> , 2014 , 44, 1499-509	6.9	23
66	Emotional processing in PTSD: heightened negative emotionality to unpleasant photographic stimuli. <i>Journal of Nervous and Mental Disease</i> , 2009 , 197, 419-26	1.8	22
65	Post-traumatic stress disorder symptom duration and remission in relation to cardiovascular disease risk among a large cohort of women. <i>Psychological Medicine</i> , 2017 , 47, 1370-1378	6.9	21
64	The goddess who spins the thread of life: Klotho, psychiatric stress, and accelerated aging. <i>Brain, Behavior, and Immunity</i> , 2019 , 80, 193-203	16.6	21
63	A dyadic analysis of the influence of trauma exposure and posttraumatic stress disorder severity on intimate partner aggression. <i>Journal of Traumatic Stress</i> , 2013 , 26, 329-37	3.8	21
62	Personality Assessment Inventory (PAI) Profiles of Male Veterans With Combat-Related Posttraumatic Stress Disorder. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2005 , 27, 179-189 ²		21
61	Analysis of Genetically Regulated Gene Expression Identifies a Prefrontal PTSD Gene, SNRNP35, Specific to Military Cohorts. <i>Cell Reports</i> , 2020 , 31, 107716	10.6	21
60	Trait differences in affective and attentional responding to threat revealed by emotional stroop interference and startle reflex modulation. <i>Behavior Therapy</i> , 2000 , 31, 757-776	4.8	20
59	Contributions of polygenic risk for obesity to PTSD-related metabolic syndrome and cortical thickness. <i>Brain, Behavior, and Immunity</i> , 2017 , 65, 328-336	16.6	20
58	The dopamine D3 receptor gene and posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 2014 , 27, 379-87	3.8	19
57	5-HT2A Gene Variants Moderate the Association between PTSD and Reduced Default Mode Network Connectivity. <i>Frontiers in Neuroscience</i> , 2016 , 10, 299	5.1	17
56	Reduced interleukin 1A gene expression in the dorsolateral prefrontal cortex of individuals with PTSD and depression. <i>Neuroscience Letters</i> , 2019 , 692, 204-209	3.3	17
55	Posttraumatic stress disorder symptom severity is associated with reduced default mode network connectivity in individuals with elevated genetic risk for psychopathology. <i>Depression and Anxiety</i> , 2017 , 34, 632-640	8.4	16

54	Agreement between veteran and partner reports of intimate partner aggression. <i>Psychological Assessment</i> , 2014 , 26, 1369-74	5.3	15
53	DNA methylation correlates of PTSD: Recent findings and technical challenges. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 90, 223-234	5.5	15
52	BDNF genotype is associated with hippocampal volume in mild traumatic brain injury. <i>Genes, Brain and Behavior</i> , 2018 , 17, 107-117	3.6	14
51	Family ties: maternal-offspring attachment and young adult nonmedical prescription opioid use. <i>Drug and Alcohol Dependence</i> , 2014 , 142, 231-8	4.9	14
50	No association between RORA polymorphisms and PTSD in two independent samples. <i>Molecular Psychiatry</i> , 2014 , 19, 1056-7	15.1	14
49	A comparison of ICD-11 and DSM criteria for posttraumatic stress disorder in two national samples of U.S. military veterans. <i>Journal of Affective Disorders</i> , 2017 , 223, 17-19	6.6	13
48	COMT Val158Met polymorphism moderates the association between PTSD symptom severity and hippocampal volume. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 95-102	4.5	12
47	Stress-Generative Effects of Posttraumatic Stress Disorder: Transactional Associations Between Posttraumatic Stress Disorder and Stressful Life Events in a Longitudinal Sample. <i>Journal of Traumatic Stress</i> , 2018 , 31, 191-201	3.8	12
46	A startle-probe methodology for investigating the effects of active avoidance on negative emotional reactivity. <i>Biological Psychology</i> , 1999 , 50, 235-57	3.2	12
45	Psychological effects of the marathon bombing on Boston-area veterans with posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 2013 , 26, 762-6	3.8	11
44	Polygenic Risk for Externalizing Psychopathology and Executive Dysfunction in Trauma-Exposed Veterans. <i>Clinical Psychological Science</i> , 2016 , 4, 545-558	6	10
43	Close-Range Blast Exposure Is Associated with Altered White Matter Integrity in Apolipoprotein e4 Carriers. <i>Journal of Neurotrauma</i> , 2019 , 36, 3264-3273	5.4	10
42	Intermittent explosive disorder: associations with PTSD and other Axis I disorders in a US military veteran sample. <i>Journal of Anxiety Disorders</i> , 2014 , 28, 488-94	10.9	10
41	The structure of personality disorders in individuals with posttraumatic stress disorder. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2011 , 2, 261-78	4.1	9
40	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020 , 43,	1.1	9
39	DSM-V: should PTSD be in a class of its own?. <i>British Journal of Psychiatry</i> , 2009 , 194, 90	5.4	8
38	Klotho, PTSD, and advanced epigenetic age in cortical tissue. <i>Neuropsychopharmacology</i> , 2021 , 46, 721-789	7.6	8
37	Gene expression in the dorsolateral and ventromedial prefrontal cortices implicates immune-related gene networks in PTSD. <i>Neurobiology of Stress</i> , 2021 , 15, 100398	7.6	8

36	Personality factors in resilience to traumatic stress	56-75	7
35	Military-related PTSD, current disability policies, and malingering. <i>American Journal of Public Health</i> , 2008 , 98, 773-4; author reply 774-5	5.1	7
34	PTSD and the klotho longevity gene: Evaluation of longitudinal effects on inflammation via DNA methylation. <i>Psychoneuroendocrinology</i> , 2020 , 117, 104656	5	7
33	Psychometric Properties of the Dissociative Subtype of PTSD Scale: Replication and Extension in a Clinical Sample of Trauma-Exposed Veterans. <i>Behavior Therapy</i> , 2019 , 50, 952-966	4.8	6
32	The Minnesota Multiphasic Personality Inventory-2 Restructured Form and Posttraumatic Stress Disorder: Forensic Applications and Considerations. <i>Psychological Injury and Law</i> , 2014 , 7, 143-152	2.8	6
31	Veterans' PTSD symptoms and their partners' desired changes in key relationship domains. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2015 , 7, 479-84	7.8	6
30	Investigation of bidirectional longitudinal associations between advanced epigenetic age and peripheral biomarkers of inflammation and metabolic syndrome. <i>Aging</i> , 2019 , 11, 3487-3504	5.6	6
29	Largest genome-wide association study for PTSD identifies genetic risk loci in European and African ancestries and implicates novel biological pathways		6
28	Socio-demographic and trauma-related predictors of PTSD within 8 weeks of a motor vehicle collision in the AURORA study. <i>Molecular Psychiatry</i> , 2021 , 26, 3108-3121	15.1	6
27	PTSD has shared polygenic contributions with bipolar disorder and schizophrenia in women. <i>Psychological Medicine</i> , 2016 , 46, 669-71	6.9	6
26	PTSD is associated with increased DNA methylation across regions of HLA-DPB1 and SPATC1L. <i>Brain, Behavior, and Immunity</i> , 2021 , 91, 429-436	16.6	6
25	Posttraumatic Stress Disorder Symptoms, Temperament, and the Pathway to Cellular Senescence. <i>Journal of Traumatic Stress</i> , 2018 , 31, 676-686	3.8	6
24	Psychometric Performance of the Miller Forensic Assessment of Symptoms Test (M-FAST) in Veteran PTSD Assessment. <i>Psychological Injury and Law</i> , 2020 , 2020, 284	2.8	5
23	Psychometric properties of the Schedule for Nonadaptive and Adaptive Personality in a PTSD sample. <i>Psychological Assessment</i> , 2011 , 23, 911-24	5.3	5
22	Dietary patterns and risk of systemic lupus erythematosus in women. <i>Lupus</i> , 2020 , 29, 67-73	2.6	5
21	Leveraging genetics to enhance the efficacy of PTSD pharmacotherapies. <i>Neuroscience Letters</i> , 2020 , 726, 133562	3.3	5
20	Correction for multiple testing in candidate-gene methylation studies. <i>Epigenomics</i> , 2019 , 11, 1089-1105	4.4	4
19	Alcohol and drug abuse among U.S. veterans: comparing associations with intimate partner substance abuse and veteran psychopathology. <i>Journal of Traumatic Stress</i> , 2013 , 26, 71-6	3.8	4

18	On comparing competing models of PTSD: Response to Simms. <i>Journal of Traumatic Stress</i> , 2010 , 23, 642-644	3.8	4
17	The PPM1F gene moderates the association between PTSD and cortical thickness. <i>Journal of Affective Disorders</i> , 2019 , 259, 201-209	6.6	3
16	Epigenome-wide meta-analysis of PTSD across 10 military and civilian cohorts identifies novel methylation loci		3
15	Linking genes, circuits, and behavior: network connectivity as a novel endophenotype of externalizing. <i>Psychological Medicine</i> , 2019 , 49, 1905-1913	6.9	3
14	Cerebral perfusion is associated with blast exposure in military personnel without moderate or severe TBI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021 , 41, 886-900	7.3	3
13	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 ,	7.9	3
12	Gene expression correlates of advanced epigenetic age and psychopathology in postmortem cortical tissue. <i>Neurobiology of Stress</i> , 2021 , 15, 100371	7.6	3
11	A prospective examination of sex differences in posttraumatic autonomic functioning. <i>Neurobiology of Stress</i> , 2021 , 15, 100384	7.6	3
10	Epigenetic Biomarkers Of PTSD: Updates From The EWAS Working Group of The PTSD PGC. <i>European Neuropsychopharmacology</i> , 2019 , 29, S750	1.2	2
9	Lead exposure and fear-potentiated startle in the VA Normative Aging Study: a pilot study of a novel physiological approach to investigating neurotoxicant effects. <i>Neurotoxicology and Teratology</i> , 2013 , 38, 21-8	3.9	2
8	Trauma and posttraumatic stress disorder modulate polygenic predictors of hippocampal and amygdala volume.. <i>Translational Psychiatry</i> , 2021 , 11, 637	8.6	1
7	Prior histories of posttraumatic stress disorder and major depression and their onset and course in the three months after a motor vehicle collision in the AURORA study. <i>Depression and Anxiety</i> , 2021 , ,	8.4	1
6	Low Basal Cortisol and Startle Responding as Possible Biomarkers of PTSD: The Influence of Internalizing and Externalizing Comorbidity 2009 , 277-293		1
5	Analysis of Genetically Regulated Gene Expression identifies a trauma type specific PTSD gene, SNRNP35		1
4	Examining Individual and Synergistic Contributions of PTSD and Genetics to Blood Pressure: A Trans-Ethnic Meta-Analysis. <i>Frontiers in Neuroscience</i> , 2021 , 15, 678503	5.1	1
3	CUE: CpG impUtation ensemble for DNA methylation levels across the human methylation450 (HM450) and EPIC (HM850) BeadChip platforms. <i>Epigenetics</i> , 2021 , 16, 851-861	5.7	0
2	Conceptualizing traumatic stress and the structure of posttraumatic psychopathology through the lenses of RDoC and HiTOP. <i>Clinical Psychology Review</i> , 2022 , 102177	10.8	0
1	Interpersonal early life trauma is associated with increased cerebral perfusion and poorer memory performance in post-9/11 veterans. <i>NeuroImage: Clinical</i> , 2020 , 28, 102365	5.3	

